



# **Prior Authorization Requirements**

**Effective: 03/01/2026**

# ABALOPARATIDE

---

## Products Affected

- TYMLOS

| PA Criteria                   | Criteria Details                                                                                               |
|-------------------------------|----------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                |
| Required Medical Information  |                                                                                                                |
| Age Restrictions              |                                                                                                                |
| Prescriber Restrictions       |                                                                                                                |
| Coverage Duration             | 24 MONTHS                                                                                                      |
| Other Criteria                | OSTEOPOROSIS: HAS NOT RECEIVED A TOTAL OF 24 MONTHS CUMULATIVE TREATMENT WITH ANY PARATHYROID HORMONE THERAPY. |
| Indications                   | All FDA-approved Indications.                                                                                  |
| Off Label Uses                |                                                                                                                |
| Part B Prerequisite           | No                                                                                                             |
| Prerequisite Therapy Required | No                                                                                                             |

# ABATACEPT IV

## Products Affected

- ORENCIA (WITH MALTOSE)

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Required Medical Information</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Prescriber Restrictions</b>      | INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST.                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Coverage Duration</b>            | RA, PJIA, PSA: INITIAL: 6 MOS, RENEWAL: 12 MOS. ACUTE GRAFT VERSUS HOST DISEASE (AGVHD): 1 MO.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Other Criteria</b>               | INITIAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE CONVENTIONAL SYNTHETIC DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. RENEWAL: RA, PJIA, PSA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR THE SAME INDICATION. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

| <b>PA Criteria</b>                           | <b>Criteria Details</b> |
|----------------------------------------------|-------------------------|
| <b>Part B<br/>Prerequisite</b>               | No                      |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes                     |

# ABATACEPT SQ

## Products Affected

- ORENCIA
- ORENCIA CLICKJECT

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Required Medical Information</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Prescriber Restrictions</b>      | INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST.                                                                                                                                                                                                                                                                          |
| <b>Coverage Duration</b>            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Other Criteria</b>               | INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE CONVENTIONAL SYNTHETIC DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF A PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE OF AT LEAST 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: RA, PJIA, PSA: CONTINUES TO BENEFIT FROM THE MEDICATION. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

| PA Criteria                   | Criteria Details |
|-------------------------------|------------------|
| Prerequisite Therapy Required | Yes              |

# ABEMACICLIB

---

## Products Affected

- VERZENIO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ABIRATERONE

## Products Affected

- *abiraterone*
- *abirtega*

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                        |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                         |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                         |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                         |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                         |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                                                               |
| Other Criteria                | METASTATIC HIGH-RISK CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC), METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                           |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                         |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                      |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                      |

# ABIRATERONE SUBMICRONIZED

## Products Affected

- *abiraterone, submicronized*
- YONSA

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                      |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                       |
| Required Medical Information  |                                                                                                                                                                                                                                       |
| Age Restrictions              |                                                                                                                                                                                                                                       |
| Prescriber Restrictions       |                                                                                                                                                                                                                                       |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                             |
| Other Criteria                | METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                         |
| Off Label Uses                |                                                                                                                                                                                                                                       |
| Part B Prerequisite           | No                                                                                                                                                                                                                                    |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                    |

# ACALABRUTINIB

---

## Products Affected

- CALQUENCE
- CALQUENCE (ACALABRUTINIB MAL)

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ACORAMIDIS

## Products Affected

- ATTRUBY

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Required Medical Information</b>  | CARDIOMYOPATHY OF WILD TYPE OR VARIANT TRANSTHYRETIN-MEDIATED AMYLOIDOSIS (ATTR-CM): INITIAL: 1) NEW YORK HEART ASSOCIATION (NYHA) CLASS I, II, OR III HEART FAILURE, AND 2) DIAGNOSIS CONFIRMED BY (A) BONE SCAN (SCINTIGRAPHY) STRONGLY POSITIVE FOR MYOCARDIAL UPTAKE OF TC-99M-PYP, OR (B) BIOPSY OF TISSUE OF AFFECTED ORGAN(S) (CARDIAC AND POSSIBLY NON-CARDIAC SITES) TO CONFIRM AMYLOID PRESENCE AND CHEMICAL TYPING TO CONFIRM PRESENCE OF TRANSTHYRETIN (TTR) PROTEIN. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Prescriber Restrictions</b>       | ATTR-CM: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST, ATTR SPECIALIST, OR MEDICAL GENETICIST.                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Other Criteria</b>                | ATTR-CM: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER ATTR-CM TTR STABILIZERS (E.G., TAFAMIDIS).                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

# ADAGRASIB

## Products Affected

- KRAZATI

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ADALIMUMAB

## Products Affected

- HUMIRA PEN
- HUMIRA PEN CROHNS-UC-HS START
- HUMIRA PEN PSOR-UVEITS-ADOL HS
- HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML
- HUMIRA(CF)
- HUMIRA(CF) PEDI CROHNS STARTER
- HUMIRA(CF) PEN
- HUMIRA(CF) PEN CROHNS-UC-HS
- HUMIRA(CF) PEN PEDIATRIC UC
- HUMIRA(CF) PEN PSOR-UV-ADOL HS

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Required Medical Information</b> | INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.                                                                                                                                                                                                                                                                                                 |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Prescriber Restrictions</b>      | INITIAL: RA, PJIA, ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST OR RHEUMATOLOGIST. PSO, HIDRADENITIS SUPPURATIVA (HS): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH GASTROENTEROLOGIST. UVEITIS: PRESCRIBED BY OR IN CONSULTATION WITH OPHTHALMOLOGIST. |
| <b>Coverage Duration</b>            | INITIAL: RA, PSO, PJIA, AS, PSA, CD, UC, UVEITIS: 6 MONTHS, HS: 12 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                           |

| <b>PA Criteria</b>                   | <b>Criteria Details</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Other Criteria</b>                | <p>INITIAL: RHEUMATOID ARTHRITIS (RA): TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE CONVENTIONAL SYNTHETIC DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE OF AT LEAST 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. AS: TRIAL OF OR CONTRAINDICATION TO AN NSAID. PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION. UVEITIS: DOES NOT HAVE ISOLATED ANTERIOR UVEITIS. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: RA, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA), PSA, AS, PSO, HS, UVEITIS: CONTINUES TO BENEFIT FROM THE MEDICATION.</p> |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

# ADALIMUMAB-AATY

## Products Affected

- YUFLYMA(CF)
- YUFLYMA(CF) AI CROHN'S-UC-HS
- YUFLYMA(CF) AUTOINJECTOR

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Required Medical Information</b> | INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.                                                                                                                                                                                                                                                                                                 |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Prescriber Restrictions</b>      | INITIAL: RA, PJIA, ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST OR RHEUMATOLOGIST. PSO, HIDRADENITIS SUPPURATIVA (HS): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH GASTROENTEROLOGIST. UVEITIS: PRESCRIBED BY OR IN CONSULTATION WITH OPHTHALMOLOGIST. |
| <b>Coverage Duration</b>            | INITIAL: RA, PSO, PJIA, AS, PSA, CD, UC, UVEITIS: 6 MONTHS, HS: 12 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                           |

| <b>PA Criteria</b>                   | <b>Criteria Details</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Other Criteria</b>                | <p>INITIAL: RHEUMATOID ARTHRITIS (RA): TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE CONVENTIONAL SYNTHETIC DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE OF AT LEAST 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. AS: TRIAL OF OR CONTRAINDICATION TO AN NSAID. PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION. UVEITIS: DOES NOT HAVE ISOLATED ANTERIOR UVEITIS. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: RA, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA), PSA, AS, PSO, HS, UVEITIS: CONTINUES TO BENEFIT FROM THE MEDICATION.</p> |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

# ADALIMUMAB-ADBIM

## Products Affected

- CYLTEZO(CF)
- CYLTEZO(CF) PEN
- CYLTEZO(CF) PEN CROHN'S-UC-HS
- CYLTEZO(CF) PEN PSORIASIS-UV

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Required Medical Information</b> | INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.                                                                                                                                                                                                                                                                                                 |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Prescriber Restrictions</b>      | INITIAL: RA, PJIA, ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST OR RHEUMATOLOGIST. PSO, HIDRADENITIS SUPPURATIVA (HS): PRESCRIBED BY OR IN CONSULTATION WITH DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH GASTROENTEROLOGIST. UVEITIS: PRESCRIBED BY OR IN CONSULTATION WITH OPHTHALMOLOGIST. |
| <b>Coverage Duration</b>            | INITIAL: RA, PSO, PJIA, AS, PSA, CD, UC, UVEITIS: 6 MONTHS, HS: 12 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                           |

| <b>PA Criteria</b>                   | <b>Criteria Details</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Other Criteria</b>                | <p>INITIAL: RHEUMATOID ARTHRITIS (RA): TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE CONVENTIONAL SYNTHETIC DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE OF AT LEAST 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. AS: TRIAL OF OR CONTRAINDICATION TO AN NSAID. PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION. UVEITIS: DOES NOT HAVE ISOLATED ANTERIOR UVEITIS. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: RA, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA), PSA, AS, PSO, HS, UVEITIS: CONTINUES TO BENEFIT FROM THE MEDICATION.</p> |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

# AFATINIB

## Products Affected

- GILOTRIF

| PA Criteria                   | Criteria Details                                                                                                                    |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                     |
| Required Medical Information  |                                                                                                                                     |
| Age Restrictions              |                                                                                                                                     |
| Prescriber Restrictions       |                                                                                                                                     |
| Coverage Duration             | 12 MONTHS                                                                                                                           |
| Other Criteria                | METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR. |
| Indications                   | All FDA-approved Indications.                                                                                                       |
| Off Label Uses                |                                                                                                                                     |
| Part B Prerequisite           | No                                                                                                                                  |
| Prerequisite Therapy Required | No                                                                                                                                  |

# ALECTINIB

## Products Affected

- ALECENSA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ALPELISIB-PIQRAY

---

## Products Affected

- PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1), 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# AMIKACIN LIPOSOMAL INH

## Products Affected

- ARIKAYCE

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Required Medical Information</b>  | MYCOBACTERIUM AVIUM COMPLEX (MAC) LUNG DISEASE: RENEWAL: 1) NO POSITIVE MAC SPUTUM CULTURE AFTER CONSECUTIVE NEGATIVE CULTURES, AND 2) IMPROVEMENT IN SYMPTOMS. ADDITIONALLY, FOR FIRST RENEWAL, APPROVAL REQUIRES AT LEAST ONE NEGATIVE SPUTUM CULTURE FOR MAC BY SIX MONTHS OF ARIKAYCE TREATMENT. FOR SECOND AND SUBSEQUENT RENEWALS, APPROVAL REQUIRES AT LEAST THREE NEGATIVE SPUTUM CULTURES FOR MAC BY 12 MONTHS OF ARIKAYCE TREATMENT. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Prescriber Restrictions</b>       | MAC LUNG DISEASE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR INFECTIOUS DISEASE SPECIALIST.                                                                                                                                                                                                                                                                                                                             |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 6 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Other Criteria</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                                                                                                                                                             |

# AMIVANTAMAB-HYALURONIDASE-LPUJ

---

## Products Affected

- RYBREVANT FASPRO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# AMIVANTAMAB-VMJW

---

## Products Affected

- RYBREVANT

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ANAKINRA

## Products Affected

- KINERET

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | CORONAVIRUS DISEASE 2019 (COVID-19) IN HOSPITALIZED ADULTS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Required Medical Information</b> | INITIAL: CRYOPYRIN-ASSOCIATED PERIODIC SYNDROMES (CAPS): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF-FUNCTION MUTATIONS IN THE NLRP3 GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR, SERUM AMYLOID A PROTEIN (SAA) OR S100 PROTEINS), AND 2) TWO OF THE FOLLOWING: URTICARIAL-LIKE RASH (NEUTROPHILIC DERMATITIS), COLD-TRIGGERED EPISODES, SENSORINEURAL HEARING LOSS, MUSCULOSKELETAL SYMPTOMS, CHRONIC ASEPTIC MENINGITIS, SKELETAL ABNORMALITIES. DEFICIENCY OF INTERLEUKIN-1 RECEPTOR ANTAGONIST (DIRA): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF-FUNCTION MUTATIONS IN THE IL1RN GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR), AND 2) ONE OF THE FOLLOWING: PUSTULAR PSORIASIS-LIKE RASHES, OSTEOMYELITIS, ABSENCE OF BACTERIAL OSTEOMYELITIS, ONYCHOMADESIS. |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Prescriber Restrictions</b>      | INITIAL: RHEUMATOID ARTHRITIS (RA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Coverage Duration</b>            | RA: INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS. CAPS, DIRA: LIFETIME.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

| <b>PA Criteria</b>                   | <b>Criteria Details</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Other Criteria</b>                | INITIAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. RENEWAL: RA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR THE SAME INDICATION. |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

# APALUTAMIDE

## Products Affected

- ERLEADA ORAL TABLET 240 MG, 60 MG

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                    |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                     |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                     |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                     |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                     |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                                                           |
| Other Criteria                | NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC), METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                       |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                     |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                  |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                  |

# APOMORPHINE - ONAPGO

---

## Products Affected

- ONAPGO

| PA Criteria                   | Criteria Details                                                                       |
|-------------------------------|----------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                        |
| Required Medical Information  |                                                                                        |
| Age Restrictions              |                                                                                        |
| Prescriber Restrictions       | PARKINSONS DISEASE (PD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST. |
| Coverage Duration             | INITIAL/RENEWAL: 12 MONTHS.                                                            |
| Other Criteria                | PD: RENEWAL: IMPROVEMENT IN MOTOR SYMPTOMS WHILE ON THERAPY.                           |
| Indications                   | All FDA-approved Indications.                                                          |
| Off Label Uses                |                                                                                        |
| Part B Prerequisite           | No                                                                                     |
| Prerequisite Therapy Required | No                                                                                     |

# APOMORPHINE - SL

## Products Affected

- KYNMOBI SUBLINGUAL FILM 10 MG, 10-15-20-25-30 MG, 15 MG, 20 MG, 25 MG, 30 MG

| PA Criteria                   | Criteria Details                                                                              |
|-------------------------------|-----------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                               |
| Required Medical Information  |                                                                                               |
| Age Restrictions              | PARKINSONS DISEASE (PD): INITIAL: 18 YEARS OF AGE OR OLDER.                                   |
| Prescriber Restrictions       | PD: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.                             |
| Coverage Duration             | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS                                                         |
| Other Criteria                | PD: RENEWAL: IMPROVEMENT WITH MOTOR FLUCTUATIONS DURING OFF EPISODES WITH THE USE OF THERAPY. |
| Indications                   | All FDA-approved Indications.                                                                 |
| Off Label Uses                |                                                                                               |
| Part B Prerequisite           | No                                                                                            |
| Prerequisite Therapy Required | No                                                                                            |

# APREMILAST

## Products Affected

- OTEZLA
- OTEZLA STARTER
- OTEZLA XR
- OTEZLA XR INITIATION

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Required Medical Information</b> | INITIAL: MILD PLAQUE PSORIASIS (PSO): 1) PSORIASIS COVERING LESS THAN 3 PERCENT OF BODY SURFACE AREA (BSA), 2) STATIC PHYSICIAN GLOBAL ASSESSMENT (SPGA) SCORE OF 2, OR 3) PSORIASIS AREA AND SEVERITY INDEX (PASI) SCORE OF 2 TO 9. MODERATE TO SEVERE PSO: PSORIASIS COVERING 3 PERCENT OR MORE OF BSA, OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA. |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Prescriber Restrictions</b>      | INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. BEHCETS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.                                                                                                                                       |
| <b>Coverage Duration</b>            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                  |

| <b>PA Criteria</b>                   | <b>Criteria Details</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Other Criteria</b>                | <p>INITIAL: MILD PSO: TRIAL OF OR CONTRAINDICATION TO ONE CONVENTIONAL SYSTEMIC THERAPY (E.G., METHOTREXATE, ACITRETIN, CYCLOSPORINE) OR ONE CONVENTIONAL TOPICAL THERAPY (E.G., TOPICAL CORTICOSTEROIDS). MODERATE TO SEVERE PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION. BEHCETS DISEASE: 1) HAS ORAL ULCERS OR A HISTORY OF RECURRENT ORAL ULCERS BASED ON CLINICAL SYMPTOMS, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE OR MORE CONSERVATIVE TREATMENTS (E.G., COLCHICINE, TOPICAL CORTICOSTEROID, ORAL CORTICOSTEROID). INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: ALL INDICATIONS: CONTINUES TO BENEFIT FROM THE MEDICATION.</p> |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

# ARIMOCLOMOL

## Products Affected

- MIPLYFFA

| PA Criteria                   | Criteria Details                                                                                             |
|-------------------------------|--------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                              |
| Required Medical Information  |                                                                                                              |
| Age Restrictions              |                                                                                                              |
| Prescriber Restrictions       | NIEMANN-PICK DISEASE TYPE C (NPC): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH NEUROLOGIST OR GENETICIST. |
| Coverage Duration             | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                       |
| Other Criteria                | NPC: RENEWAL: IMPROVEMENT OR SLOWING OF DISEASE PROGRESSION.                                                 |
| Indications                   | All FDA-approved Indications.                                                                                |
| Off Label Uses                |                                                                                                              |
| Part B Prerequisite           | No                                                                                                           |
| Prerequisite Therapy Required | No                                                                                                           |

# ASCIMINIB

## Products Affected

- SCEMBLIX ORAL TABLET 100 MG, 20 MG, 40 MG

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                         |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                          |
| Required Medical Information  | PREVIOUSLY TREATED OR T315I MUTATION PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND SCEMBLIX IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE. |
| Age Restrictions              |                                                                                                                                                                                                                                                                          |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                          |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                                |
| Other Criteria                |                                                                                                                                                                                                                                                                          |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                            |
| Off Label Uses                |                                                                                                                                                                                                                                                                          |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                       |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                       |

# ASFOTASE ALFA

---

## Products Affected

- STRENSIQ

| PA Criteria                  | Criteria Details                                                                                                                |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           |                                                                                                                                 |
| Required Medical Information |                                                                                                                                 |
| Age Restrictions             |                                                                                                                                 |
| Prescriber Restrictions      | HYPOPHOSPHATASIA (HPP): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST, GENETICIST, OR METABOLIC SPECIALIST. |
| Coverage Duration            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                          |

| PA Criteria    | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Criteria | <p>INITIAL: PERINATAL/INFANTILE-ONSET HPP: 1) 6 MONTHS OF AGE OR YOUNGER AT ONSET OF HPP, AND 2) POSITIVE FOR A TISSUE NON-SPECIFIC ALKALINE PHOSPHATASE (TNSALP) (ALPL) GENE MUTATION AS CONFIRMED BY GENETIC TESTING OR TWO OF THE FOLLOWING: (A) SERUM ALKALINE PHOSPHATASE (ALP) LEVEL BELOW THAT OF NORMAL RANGE FOR PATIENT AGE, (B) ELEVATED SERUM PYRIDOXAL-5'-PHOSPHATE (PLP) LEVELS AND NO VITAMIN B6 SUPPLEMENTATION IN THE PREVIOUS WEEK, (C) URINE PHOSPHOETHANOLAMINE (PEA) LEVEL ABOVE THAT OF NORMAL RANGE FOR PATIENT AGE, (D) RADIOGRAPHIC EVIDENCE OF HPP, (E) AT LEAST TWO OF THE FOLLOWING: (I) RACHITIC CHEST DEFORMITY, (II) CRANIOSYNOSTOSIS, (III) DELAY IN SKELETAL GROWTH RESULTING IN DELAY OF MOTOR DEVELOPMENT, (IV) HISTORY OF VITAMIN B6 DEPENDENT SEIZURES, (V) NEPHROCALCINOSIS OR HISTORY OF ELEVATED SERUM CALCIUM, (VI) HISTORY OR PRESENCE OF NON-TRAUMATIC POSTNATAL FRACTURE AND DELAYED FRACTURE HEALING. JUVENILE-ONSET HPP: 1) 18 YEARS OF AGE OR YOUNGER AT ONSET OF HPP, AND 2) POSITIVE FOR A TNSALP ALPL GENE MUTATION AS CONFIRMED BY GENETIC TESTING OR TWO OF THE FOLLOWING: (A) SERUM ALP LEVEL BELOW THAT OF NORMAL RANGE FOR PATIENT AGE, (B) ELEVATED SERUM PLP LEVELS AND NO VITAMIN B6 SUPPLEMENTATION IN THE PREVIOUS WEEK, (C) URINE PEA LEVEL ABOVE THAT OF NORMAL RANGE FOR PATIENT AGE, (D) RADIOGRAPHIC EVIDENCE OF HPP, (E) AT LEAST TWO OF THE FOLLOWING: (I) RACHITIC DEFORMITIES, (II) PREMATURE LOSS OF PRIMARY TEETH PRIOR TO 5 YEARS OF AGE, (III) DELAY IN SKELETAL GROWTH RESULTING IN DELAY OF MOTOR DEVELOPMENT, (IV) HISTORY OR PRESENCE OF NON-TRAUMATIC FRACTURES OR DELAYED FRACTURE HEALING. ALL INDICATIONS: 1) NOT CURRENTLY RECEIVING TREATMENT WITH A BISPHOSPHONATE, 2) CALCIUM OR PHOSPHATE LEVELS ARE NOT BELOW THE NORMAL RANGE, 3)</p> |
|                | <p>NOT HAVE A TREATABLE FORM OF RICKETS. RENEWAL: ALL INDICATIONS: 1) IMPROVEMENT IN THE SKELETAL CHARACTERISTICS OF HPP, AND 2) NOT CURRENTLY RECEIVING TREATMENT WITH A BISPHOSPHONATE.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Indications    | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Off Label Uses |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

| <b>PA Criteria</b>                           | <b>Criteria Details</b> |
|----------------------------------------------|-------------------------|
| <b>Part B<br/>Prerequisite</b>               | No                      |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | No                      |

# ATOGEPANT

## Products Affected

- QULIPTA

| PA Criteria                   | Criteria Details                                                                                                                                                                                                        |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                         |
| Required Medical Information  |                                                                                                                                                                                                                         |
| Age Restrictions              |                                                                                                                                                                                                                         |
| Prescriber Restrictions       |                                                                                                                                                                                                                         |
| Coverage Duration             | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                  |
| Other Criteria                | MIGRAINE PREVENTION: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                           |
| Off Label Uses                |                                                                                                                                                                                                                         |
| Part B Prerequisite           | No                                                                                                                                                                                                                      |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                      |

# AVACOPAN

## Products Affected

- TAVNEOS

| PA Criteria                          | Criteria Details                                                                                                          |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                           |
| <b>Required Medical Information</b>  | ANTI-NEUTROPHIL CYTOPLASMIC AUTOANTIBODY (ANCA)-ASSOCIATED VASCULITIS: INITIAL: ANCA SEROPOSITIVE (ANTI-PR3 OR ANTI-MPO). |
| <b>Age Restrictions</b>              |                                                                                                                           |
| <b>Prescriber Restrictions</b>       | ANCA-ASSOCIATED VASCULITIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR NEPHROLOGIST.              |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 6 MONTHS.                                                                                                |
| <b>Other Criteria</b>                | ANCA-ASSOCIATED VASCULITIS: RENEWAL: CONTINUES TO BENEFIT FROM THERAPY.                                                   |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                             |
| <b>Off Label Uses</b>                |                                                                                                                           |
| <b>Part B Prerequisite</b>           | No                                                                                                                        |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                        |

# AVAPRITINIB

## Products Affected

- AYVAKIT

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# AVUTOMETINIB-DEFACTINIB

## Products Affected

- AVMAPKI
- AVMAPKI-FAKZYNJA
- FAKZYNJA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# AXATILIMAB-CSFR

## Products Affected

- NIKTIMVO

| PA Criteria                   | Criteria Details                                                                                                                                                                                                          |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                           |
| Required Medical Information  |                                                                                                                                                                                                                           |
| Age Restrictions              |                                                                                                                                                                                                                           |
| Prescriber Restrictions       |                                                                                                                                                                                                                           |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                 |
| Other Criteria                | CHRONIC GRAFT VS HOST DISEASE (CGVHD): 1) FAILURE OF AT LEAST TWO LINES OF SYSTEMIC THERAPY, ONE OF WHICH MUST BE A TRIAL OF OR CONTRAINDICATION TO JAKAFI, AND 2) NO CONCURRENT USE WITH JAKAFI, REZUROCK, OR IMBRUVICA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                             |
| Off Label Uses                |                                                                                                                                                                                                                           |
| Part B Prerequisite           | No                                                                                                                                                                                                                        |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                       |

# AXITINIB

## Products Affected

- INLYTA ORAL TABLET 1 MG, 5 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# AZACITIDINE

---

## Products Affected

- ONUREG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# AZTREONAM INHALED

## Products Affected

- CAYSTON

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              | 7 YEARS OF AGE OR OLDER       |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# BEDAQUILINE

---

## Products Affected

- SIRTURO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 24 WEEKS                      |
| Other Criteria                | N/A                           |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# BELIMUMAB

## Products Affected

- BENLYSTA SUBCUTANEOUS

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                              |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                               |
| Required Medical Information  |                                                                                                                                                                                                                                                                               |
| Age Restrictions              |                                                                                                                                                                                                                                                                               |
| Prescriber Restrictions       | INITIAL: SYSTEMIC LUPUS ERYTHEMATOSUS (SLE): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. LUPUS NEPHRITIS (LN): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR NEPHROLOGIST.                                                                            |
| Coverage Duration             | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS                                                                                                                                                                                                                                         |
| Other Criteria                | INITIAL: SLE: CURRENTLY TAKING CORTICOSTEROIDS, ANTIMALARIALS, NSAIDS, OR IMMUNOSUPPRESSIVE AGENTS. RENEWAL: SLE: PATIENT HAD CLINICAL IMPROVEMENT. LN: IMPROVEMENT IN RENAL RESPONSE FROM BASELINE LABORATORY VALUES (I.E., EGFR OR PROTEINURIA) AND/OR CLINICAL PARAMETERS. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                 |
| Off Label Uses                |                                                                                                                                                                                                                                                                               |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                            |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                            |

# BELUMOSUDIL

## Products Affected

- REZUROCK

| PA Criteria                   | Criteria Details                                                                                                                                                                                                          |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                           |
| Required Medical Information  |                                                                                                                                                                                                                           |
| Age Restrictions              |                                                                                                                                                                                                                           |
| Prescriber Restrictions       |                                                                                                                                                                                                                           |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                 |
| Other Criteria                | CHRONIC GRAFT VS HOST DISEASE (CGVHD): 1) FAILURE OF AT LEAST TWO LINES OF SYSTEMIC THERAPY, ONE OF WHICH MUST BE A TRIAL OF OR CONTRAINDICATION TO JAKAFI, AND 2) NO CONCURRENT USE WITH JAKAFI, NIKTIMVO, OR IMBRUVICA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                             |
| Off Label Uses                |                                                                                                                                                                                                                           |
| Part B Prerequisite           | No                                                                                                                                                                                                                        |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                       |

# BELZUTIFAN

---

## Products Affected

- WELIREG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# BENDAMUSTINE

## Products Affected

- *bendamustine intravenous recon soln*
- BENDAMUSTINE INTRAVENOUS SOLUTION
- BENDEKA
- VIVIMUSTA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# BENRALIZUMAB

---

## Products Affected

- FASENRA
- FASENRA PEN

| PA Criteria                  | Criteria Details                                                                                                  |
|------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           |                                                                                                                   |
| Required Medical Information | INITIAL: ASTHMA: BLOOD EOSINOPHIL LEVEL OF AT LEAST 150 CELLS/MCL WITHIN THE PAST 12 MONTHS.                      |
| Age Restrictions             |                                                                                                                   |
| Prescriber Restrictions      | INITIAL: ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN ALLERGY OR PULMONARY MEDICINE. |
| Coverage Duration            | INITIAL/RENEWAL: 12 MONTHS.                                                                                       |

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Criteria                | <p>INITIAL: ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE, OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND ONE OTHER MAINTENANCE MEDICATION, AND 2) ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING AT LEAST 3 DAYS WITHIN THE PAST 12 MONTHS, OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: (A) DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, (B) ANY NIGHT WAKING DUE TO ASTHMA, (C) SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, (D) ANY ACTIVITY LIMITATION DUE TO ASTHMA. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: ASTHMA: 1) CONTINUED USE OF ICS AND ONE OTHER MAINTENANCE MEDICATION, AND 2) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE, OR (D) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS. EOSINOPHILIC GRANULOMATOSIS WITH POLYANGIITIS (EGPA): REDUCTION IN EGPA SYMPTOMS COMPARED TO BASELINE OR ABILITY TO REDUCE/ELIMINATE CORTICOSTEROID USE.</p> |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

# BETAINE

## Products Affected

- *betaine*

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# BEVACIZUMAB-BVZR

---

## Products Affected

- ZIRABEV

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# BEXAROTENE

## Products Affected

- *bexarotene*

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# BINIMETINIB

## Products Affected

- MEKTOVI

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# BORTEZOMIB

## Products Affected

- *bortezomib injection*
- BORUZU

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# BOSENTAN

## Products Affected

- *bosentan oral tablet*

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                       |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                                                        |
| <b>Required Medical Information</b>  | PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                                                        |
| <b>Prescriber Restrictions</b>       | PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.                                                                                                                                                                                                                                                   |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                            |
| <b>Other Criteria</b>                | PAH: INITIAL: 1) DOES NOT HAVE ELEVATED LIVER ENZYMES (ALT, AST) MORE THAN 3 TIMES UPPER LIMIT OF NORMAL (ULN) OR INCREASE IN BILIRUBIN BY 2 OR MORE TIMES ULN, AND 2) NO CONCURRENT USE WITH CYCLOSPORINE A OR GLYBURIDE. RENEWAL: NO CONCURRENT USE WITH CYCLOSPORINE A OR GLYBURIDE.                                                |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                          |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                        |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                     |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                                                     |

# BOSUTINIB

## Products Affected

- BOSULIF ORAL CAPSULE 100 MG, 50 MG
- BOSULIF ORAL TABLET 100 MG, 400 MG, 500 MG

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                      |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                       |
| Required Medical Information  | PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND BOSULIF IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE. |
| Age Restrictions              |                                                                                                                                                                                                                                                       |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                       |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                             |
| Other Criteria                |                                                                                                                                                                                                                                                       |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                         |
| Off Label Uses                |                                                                                                                                                                                                                                                       |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                    |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                   |

# BRIGATINIB

## Products Affected

- ALUNBRIG ORAL TABLET 180 MG, 30 MG, 90 MG
- ALUNBRIG ORAL TABLETS,DOSE PACK

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# C1 ESTERASE INHIBITOR-HAEGARDA

## Products Affected

- HAEGARDA SUBCUTANEOUS RECON  
SOLN 2,000 UNIT, 3,000 UNIT

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                              |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                               |
| <b>Required Medical Information</b>  | HEREDITARY ANGIOEDEMA (HAE): INITIAL: 1) TYPE III HAE, OR 2) TYPE I OR II HAE CONFIRMED BY ONE OF THE FOLLOWING COMPLEMENT TESTS: C1-INH PROTEIN LEVELS, C4 PROTEIN LEVELS, C1-INH FUNCTIONAL LEVELS, C1Q.                                                                                                    |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                               |
| <b>Prescriber Restrictions</b>       | HAE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST, IMMUNOLOGIST, ALLERGIST OR PULMONOLOGIST.                                                                                                                                                                                                 |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                   |
| <b>Other Criteria</b>                | HAE: INITIAL: NOT ON CONCURRENT TREATMENT WITH ALTERNATIVE PROPHYLACTIC AGENT FOR HAE ATTACKS. RENEWAL: 1) IMPROVEMENT COMPARED TO BASELINE IN HAE ATTACKS (I.E., REDUCTIONS IN ATTACK FREQUENCY OR ATTACK SEVERITY), AND 2) NOT ON CONCURRENT TREATMENT WITH ALTERNATIVE PROPHYLACTIC AGENT FOR HAE ATTACKS. |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                 |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                               |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                            |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                            |

# CABOZANTINIB CAPSULE

---

## Products Affected

- COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 140 MG/DAY(80 MG X1-20 MG X3), 60 MG/DAY (20 MG X 3/DAY)

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# CABOZANTINIB TABLET

## Products Affected

- CABOMETYX ORAL TABLET 20 MG, 40 MG, 60 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# CANNABIDIOL

## Products Affected

- EPIDIOLEX

| PA Criteria                   | Criteria Details                                                                                                                                                    |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                     |
| Required Medical Information  |                                                                                                                                                                     |
| Age Restrictions              |                                                                                                                                                                     |
| Prescriber Restrictions       | INITIAL: DRAVET SYNDROME (DS), LENNOX-GASTAUT SYNDROME (LGS), TUBEROUS SCLEROSIS COMPLEX (TSC): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.                |
| Coverage Duration             | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                         |
| Other Criteria                | INITIAL: LGS: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING ANTIEPILEPTIC MEDICATIONS: RUFINAMIDE, FELBAMATE, CLOBAZAM, TOPIRAMATE, LAMOTRIGINE, CLONAZEPAM. |
| Indications                   | All FDA-approved Indications.                                                                                                                                       |
| Off Label Uses                |                                                                                                                                                                     |
| Part B Prerequisite           | No                                                                                                                                                                  |
| Prerequisite Therapy Required | Yes                                                                                                                                                                 |

# CAPIVASERTIB

## Products Affected

- TRUQAP

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# CAPMATINIB

## Products Affected

- TABRECTA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# CARGLUMIC ACID

## Products Affected

- *carglumic acid*

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Required Medical Information</b>  | INITIAL: ACUTE OR CHRONIC HYPERAMMONEMIA (HA) DUE TO N ACETYLGLUTAMATE SYNTHASE (NAGS) DEFICIENCY: NAGS GENE MUTATION IS CONFIRMED BY BIOCHEMICAL OR GENETIC TESTING. ACUTE HA DUE TO PROPIONIC ACIDEMIA (PA): 1) CONFIRMED BY ELEVATED METHYLCITRIC ACID AND NORMAL METHYLMALONIC ACID, OR 2) GENETIC TESTING CONFIRMS MUTATION IN THE PCCA OR PCCB GENE. ACUTE HA DUE TO METHYLMALONIC ACIDEMIA (MMA): 1) CONFIRMED BY ELEVATED METHYLMALONIC ACID, METHYLCITRIC ACID, OR 2) GENETIC TESTING CONFIRMS MUTATION IN THE MMUT, MMA, MMAB OR MMADHC GENES. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Prescriber Restrictions</b>       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Coverage Duration</b>             | ACUTE HA DUE TO NAGS/PA/MMA: 7 DAYS. CHRONIC HA DUE TO NAGS: INITIAL: 6 MOS, RENEWAL: 12 MOS.                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Other Criteria</b>                | RENEWAL: CHRONIC HA DUE TO NAGS: PATIENT HAS SHOWN CLINICAL IMPROVEMENT.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |

# CERITINIB

## Products Affected

- ZYKADIA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |



| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Criteria                | <p>INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PSA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, HUMIRA/CYLTEZO/YUFLYMA, SELARSDI/YESINTEK, XELJANZ, RINVOQ, SKYRIZI, TREMFYA, ORENCIA, OTEZLA. AS: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ. CD: TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREFERRED AGENTS: SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA. PSO: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, HUMIRA/CYLTEZO/YUFLYMA, SELARSDI/YESINTEK, SKYRIZI, TREMFYA, OTEZLA. NR-AXSPA: TRIAL OF OR CONTRAINDICATION TO AN NSAID. PJIA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/CYLTEZO/YUFLYMA, XELJANZ IR, ORENCIA, RINVOQ. INITIAL FOR RA, PSA, PSO, AS, CD, PJIA: TRIAL OF OR CONTRAINDICATION TO THE STEP AGENTS IS NOT REQUIRED IF THE PATIENT IS PREGNANT, BREASTFEEDING, OR TRYING TO BECOME PREGNANT. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL FOR RA, PSA, AS, PSO, NR-AXSPA, PJIA: CONTINUES TO BENEFIT FROM THE MEDICATION.</p> |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

# CETUXIMAB

---

## Products Affected

- ERBITUX

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# CLADRIBINE

## Products Affected

- MAVENCLAD (10 TABLET PACK)
- MAVENCLAD (4 TABLET PACK)
- MAVENCLAD (5 TABLET PACK)
- MAVENCLAD (6 TABLET PACK)
- MAVENCLAD (7 TABLET PACK)
- MAVENCLAD (8 TABLET PACK)
- MAVENCLAD (9 TABLET PACK)

| PA Criteria                   | Criteria Details                                                                                                                                                    |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                     |
| Required Medical Information  |                                                                                                                                                                     |
| Age Restrictions              |                                                                                                                                                                     |
| Prescriber Restrictions       |                                                                                                                                                                     |
| Coverage Duration             | 48 WEEKS.                                                                                                                                                           |
| Other Criteria                | RELAPSING FORM OF MULTIPLE SCLEROSIS (MS): HAS NOT RECEIVED A TOTAL OF TWO YEARS OF MAVENCLAD TREATMENT (I.E., TWO YEARLY TREATMENT COURSES OF TWO CYCLES IN EACH). |
| Indications                   | All FDA-approved Indications.                                                                                                                                       |
| Off Label Uses                |                                                                                                                                                                     |
| Part B Prerequisite           | No                                                                                                                                                                  |
| Prerequisite Therapy Required | No                                                                                                                                                                  |

# CLOBAZAM-SYMPAZAN

## Products Affected

- SYMPAZAN

| PA Criteria                   | Criteria Details                                                                                        |
|-------------------------------|---------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                         |
| Required Medical Information  |                                                                                                         |
| Age Restrictions              |                                                                                                         |
| Prescriber Restrictions       | INITIAL: LENNOX-GASTAUT SYNDROME (LGS): THERAPY IS PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST. |
| Coverage Duration             | INITIAL/RENEWAL: 12 MONTHS                                                                              |
| Other Criteria                | LGS: INITIAL: CONTRAINDICATION TO OR UNABLE TO SWALLOW CLOBAZAM TABLETS OR SUSPENSION.                  |
| Indications                   | All FDA-approved Indications.                                                                           |
| Off Label Uses                |                                                                                                         |
| Part B Prerequisite           | No                                                                                                      |
| Prerequisite Therapy Required | Yes                                                                                                     |

# COBIMETINIB

## Products Affected

- COTELLIC

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# CORTICOTROPIN

## Products Affected

- CORTROPHIN GEL INJECTION

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | INITIAL: NOT APPROVED FOR DIAGNOSTIC PURPOSES.                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Required Medical Information</b> |                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Prescriber Restrictions</b>      | INITIAL: ALL FDA APPROVED INDICATIONS EXCEPT INFANTILE SPASMS AND MULTIPLE SCLEROSIS (MS): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, ALLERGIST/IMMUNOLOGIST, OPHTHALMOLOGIST, PULMONOLOGIST OR NEPHROLOGIST.                                                                                                                                                                             |
| <b>Coverage Duration</b>            | INFANTILE SPASMS AND MS: 28 DAYS. ALL OTHER FDA APPROVED INDICATIONS: INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                     |
| <b>Other Criteria</b>               | INITIAL: ALL FDA APPROVED INDICATIONS EXCEPT INFANTILE SPASMS: TRIAL OF OR CONTRAINDICATION TO INTRAVENOUS (IV) CORTICOSTEROIDS. RENEWAL: ALL FDA APPROVED INDICATIONS EXCEPT INFANTILE SPASMS AND MS: DEMONSTRATED CLINICAL BENEFIT WHILE ON THERAPY AS INDICATED BY SYMPTOM RESOLUTION AND/OR NORMALIZATION OF LABORATORY TESTS. PART B BEFORE PART D STEP THERAPY, APPLIES ONLY TO BENEFICIARIES IN AN MA-PD PLAN. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Part B Prerequisite</b>          | Yes                                                                                                                                                                                                                                                                                                                                                                                                                   |

| PA Criteria                                  | Criteria Details |
|----------------------------------------------|------------------|
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes              |

# CRIZOTINIB CAPSULE

---

## Products Affected

- XALKORI ORAL CAPSULE

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# CRIZOTINIB PELLETS

## Products Affected

- XALKORI ORAL PELLET 150 MG, 20 MG, 50 MG

| PA Criteria                   | Criteria Details                                                                                                                                 |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                  |
| Required Medical Information  |                                                                                                                                                  |
| Age Restrictions              |                                                                                                                                                  |
| Prescriber Restrictions       |                                                                                                                                                  |
| Coverage Duration             | 12 MONTHS                                                                                                                                        |
| Other Criteria                | NON-SMALL CELL LUNG CANCER (NSCLC), ANAPLASTIC LARGE CELL LYMPHOMA (ALCL), INFLAMMATORY MYOFIBROBLASTIC TUMOR (IMT): UNABLE TO SWALLOW CAPSULES. |
| Indications                   | All FDA-approved Indications.                                                                                                                    |
| Off Label Uses                |                                                                                                                                                  |
| Part B Prerequisite           | No                                                                                                                                               |
| Prerequisite Therapy Required | No                                                                                                                                               |

# DABRAFENIB CAPSULES

---

## Products Affected

- TAFINLAR ORAL CAPSULE

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# DABRAFENIB SUSPENSION

## Products Affected

- TAFINLAR ORAL TABLET FOR SUSPENSION

| PA Criteria                   | Criteria Details                     |
|-------------------------------|--------------------------------------|
| Exclusion Criteria            |                                      |
| Required Medical Information  |                                      |
| Age Restrictions              |                                      |
| Prescriber Restrictions       |                                      |
| Coverage Duration             | 12 MONTHS                            |
| Other Criteria                | UNABLE TO SWALLOW TAFINLAR CAPSULES. |
| Indications                   | All FDA-approved Indications.        |
| Off Label Uses                |                                      |
| Part B Prerequisite           | No                                   |
| Prerequisite Therapy Required | No                                   |

# DACOMITINIB

## Products Affected

- VIZIMPRO

| PA Criteria                   | Criteria Details                                                                                                 |
|-------------------------------|------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                  |
| Required Medical Information  |                                                                                                                  |
| Age Restrictions              |                                                                                                                  |
| Prescriber Restrictions       |                                                                                                                  |
| Coverage Duration             | 12 MONTHS                                                                                                        |
| Other Criteria                | METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC): NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE-INHIBITOR. |
| Indications                   | All FDA-approved Indications.                                                                                    |
| Off Label Uses                |                                                                                                                  |
| Part B Prerequisite           | No                                                                                                               |
| Prerequisite Therapy Required | No                                                                                                               |

# DALFAMPRIDINE

## Products Affected

- *dalfampridine*

| PA Criteria                   | Criteria Details                                                                                                                                                                                                    |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                     |
| Required Medical Information  |                                                                                                                                                                                                                     |
| Age Restrictions              |                                                                                                                                                                                                                     |
| Prescriber Restrictions       | MULTIPLE SCLEROSIS (MS): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.                                                                                                                              |
| Coverage Duration             | INITIAL/RENEWAL: 12 MONTHS                                                                                                                                                                                          |
| Other Criteria                | MS: INITIAL: HAS SYMPTOMS OF A WALKING DISABILITY (E.G., MILD TO MODERATE BILATERAL LOWER EXTREMITY WEAKNESS, UNILATERAL WEAKNESS PLUS LOWER EXTREMITY OR TRUNCAL ATAXIA). RENEWAL: IMPROVEMENT IN WALKING ABILITY. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                       |
| Off Label Uses                |                                                                                                                                                                                                                     |
| Part B Prerequisite           | No                                                                                                                                                                                                                  |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                  |

# DAROLUTAMIDE

## Products Affected

- NUBEQA

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                    |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                     |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                     |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                     |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                     |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                                                           |
| Other Criteria                | NON-METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (NMCRPC), METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                       |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                     |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                  |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                  |

# DASATINIB

## Products Affected

- *dasatinib oral tablet 100 mg, 140 mg, 20 mg, 50 mg, 70 mg, 80 mg*

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                        |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                         |
| <b>Required Medical Information</b>  | PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND DASATINIB IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                         |
| <b>Prescriber Restrictions</b>       |                                                                                                                                                                                                                                                         |
| <b>Coverage Duration</b>             | 12 MONTHS                                                                                                                                                                                                                                               |
| <b>Other Criteria</b>                |                                                                                                                                                                                                                                                         |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                           |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                         |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                      |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                      |

# DATOPOTAMAB DERUXTECAN-DLNK

## Products Affected

- DATROWAY

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# DECITABINE/CEDAZURIDINE

---

## Products Affected

- INQOVI

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# DEFERASIROX

## Products Affected

- *deferasirox oral granules in packet*
- *deferasirox oral tablet*

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Required Medical Information</b> | INITIAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS: SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 1000 MCG/L. CHRONIC IRON OVERLOAD IN NON-TRANSFUSION DEPENDENT THALASSEMIA (NTDT): 1) SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 300 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS), AND 2) LIVER IRON CONCENTRATION (LIC) OF 5 MG FE/G OF LIVER DRY WEIGHT OR GREATER. RENEWAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS: SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 500 MCG/L. NTDT: 1) SERUM FERRITIN LEVEL CONSISTENTLY ABOVE 300 MCG/L (AT LEAST TWO LAB VALUES IN THE PREVIOUS THREE MONTHS) OR 2) LIC OF 3 MG FE/G OF LIVER DRY WEIGHT OR GREATER. |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Prescriber Restrictions</b>      | INITIAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS OR NTDT: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR HEMATOLOGIST/ONCOLOGIST.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Coverage Duration</b>            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Other Criteria</b>               | INITIAL: CHRONIC IRON OVERLOAD DUE TO BLOOD TRANSFUSIONS OR NTDT: DEFERASIROX SPRINKLE PACKETS: TRIAL OF OR CONTRAINDICATION TO GENERIC DEFERASIROX ORAL TABLET OR TABLET FOR ORAL SUSPENSION.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

| <b>PA Criteria</b>                           | <b>Criteria Details</b> |
|----------------------------------------------|-------------------------|
| <b>Part B<br/>Prerequisite</b>               | No                      |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes                     |

# DENOSUMAB-BMWO - OSENVELT

---

## Products Affected

- OSENVELT

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# DENOSUMAB-XGEVA

---

## Products Affected

- XGEVA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# DEUTETRABENAZINE

## Products Affected

- AUSTEDO ORAL TABLET 12 MG, 6 MG, 9 MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG
- AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG, 18 MG, 24 MG, 30 MG, 36 MG, 42 MG, 48 MG, 6 MG
- AUSTEDO XR TITRATION KT(WK1-4)

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                 |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                  |
| Required Medical Information  |                                                                                                                                                                                                                                  |
| Age Restrictions              |                                                                                                                                                                                                                                  |
| Prescriber Restrictions       | HUNTINGTON DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST. TARDIVE DYSKINESIA: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR MOVEMENT DISORDER SPECIALIST. |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                        |
| Other Criteria                | TARDIVE DYSKINESIA: HISTORY OF USING AGENTS THAT CAUSE TARDIVE DYSKINESIA.                                                                                                                                                       |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                    |
| Off Label Uses                |                                                                                                                                                                                                                                  |
| Part B Prerequisite           | No                                                                                                                                                                                                                               |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                               |

# DICLOFENAC TOPICAL SOLUTION

## Products Affected

- *diclofenac sodium topical solution in metered-dose pump*

| PA Criteria                   | Criteria Details                                                                                                         |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                          |
| Required Medical Information  |                                                                                                                          |
| Age Restrictions              |                                                                                                                          |
| Prescriber Restrictions       |                                                                                                                          |
| Coverage Duration             | 6 MONTHS                                                                                                                 |
| Other Criteria                | OSTEOARTHRITIS OF THE KNEE: TRIAL OF OR CONTRAINDICATION TO A FORMULARY VERSION OF DICLOFENAC SODIUM 1.5% TOPICAL DROPS. |
| Indications                   | All FDA-approved Indications.                                                                                            |
| Off Label Uses                |                                                                                                                          |
| Part B Prerequisite           | No                                                                                                                       |
| Prerequisite Therapy Required | Yes                                                                                                                      |

# DICLOFENAC-FLECTOR

---

## Products Affected

- *diclofenac epolamine*

| PA Criteria                   | Criteria Details                    |
|-------------------------------|-------------------------------------|
| Exclusion Criteria            |                                     |
| Required Medical Information  |                                     |
| Age Restrictions              |                                     |
| Prescriber Restrictions       |                                     |
| Coverage Duration             | 12 MONTHS                           |
| Other Criteria                |                                     |
| Indications                   | All Medically-accepted Indications. |
| Off Label Uses                |                                     |
| Part B Prerequisite           | No                                  |
| Prerequisite Therapy Required | No                                  |

# DIMETHYL FUMARATE

## Products Affected

- *dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg, 120 mg (14)- 240 mg (46), 240 mg*

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# DIROXIMEL FUMARATE

---

## Products Affected

- VUMERITY

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# DORDAVIPRONE

## Products Affected

- MODEYSO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# DOSTARLIMAB-GXLY

---

## Products Affected

- JEMPERLI

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# DRONABINOL CAPSULE

## Products Affected

- *dronabinol*

| PA Criteria                   | Criteria Details                                                                                                 |
|-------------------------------|------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                  |
| Required Medical Information  |                                                                                                                  |
| Age Restrictions              |                                                                                                                  |
| Prescriber Restrictions       |                                                                                                                  |
| Coverage Duration             | 6 MONTHS                                                                                                         |
| Other Criteria                | NAUSEA AND VOMITING ASSOCIATED WITH CANCER CHEMOTHERAPY: TRIAL OF OR CONTRAINDICATION TO ONE ANTIEMETIC THERAPY. |
| Indications                   | All FDA-approved Indications.                                                                                    |
| Off Label Uses                |                                                                                                                  |
| Part B Prerequisite           | No                                                                                                               |
| Prerequisite Therapy Required | Yes                                                                                                              |

# DROXIDOPA

## Products Affected

- *droxidopa*

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                                |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                                                                 |
| <b>Required Medical Information</b>  | NEUROGENIC ORTHOSTATIC HYPOTENSION (NOH): INITIAL: 1) BASELINE BLOOD PRESSURE READINGS WHILE THE PATIENT IS SITTING AND ALSO WITHIN 3 MINUTES OF STANDING FROM A SUPINE POSITION. 2) A DECREASE OF AT LEAST 20 MMHG IN SYSTOLIC BLOOD PRESSURE OR 10 MMHG DIASTOLIC BLOOD PRESSURE WITHIN THREE MINUTES AFTER STANDING FROM A SITTING POSITION. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                                                                 |
| <b>Prescriber Restrictions</b>       | NOH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR CARDIOLOGIST.                                                                                                                                                                                                                                                              |
| <b>Coverage Duration</b>             | INITIAL: 3 MONTHS RENEWAL: 12 MONTHS                                                                                                                                                                                                                                                                                                            |
| <b>Other Criteria</b>                | NOH: RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION.                                                                                                                                                                                                                                                                                         |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                   |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                 |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                              |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                                                              |

# DUPILUMAB

## Products Affected

- DUPIXENT PEN
- DUPIXENT SYRINGE

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Required Medical Information | INITIAL: EOSINOPHILIC ASTHMA: BLOOD EOSINOPHIL LEVEL OF 150 TO 1500 CELLS/MCL WITHIN THE PAST 12 MONTHS. EOSINOPHILIC ESOPHAGITIS (EOE): DIAGNOSIS CONFIRMED BY ESOPHAGOGASTRODUODENOSCOPY (EGD) WITH BIOPSY. ATOPIC DERMATITIS (AD): AD COVERING AT LEAST 10 PERCENT OF BODY SURFACE AREA OR AD AFFECTING THE FACE, HEAD, NECK, HANDS, FEET, GROIN, OR INTERTRIGINOUS AREAS.                                                                                                                                   |
| Age Restrictions             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Prescriber Restrictions      | INITIAL: AD, PN, CSU: PRESCRIBED OR IN CONSULTATION WITH A DERMATOLOGIST, ALLERGIST OR IMMUNOLOGIST. ASTHMA: PRESCRIBED OR IN CONSULTATION WITH ALLERGIST OR PULMONOLOGIST. CRSWNP: PRESCRIBED OR IN CONSULTATION WITH OTOLARYNGOLOGIST, ALLERGIST OR IMMUNOLOGIST. EOE: PRESCRIBED OR IN CONSULTATION WITH GASTROENTEROLOGIST, ALLERGIST, OR IMMUNOLOGIST. COPD: PRESCRIBED OR IN CONSULTATION WITH PULMONOLOGIST. RENEWAL: CSU: PRESCRIBED OR IN CONSULTATION WITH ALLERGIST, DERMATOLOGIST, OR IMMUNOLOGIST. |
| Coverage Duration            | BP: 12 MO. AD/CRSWNP/EOE/PN/CSU: INITIAL/RENEWAL: 6 MO/12 MO. ASTHMA/COPD: INITIAL/RENEWAL: 12 MO.                                                                                                                                                                                                                                                                                                                                                                                                              |

| PA Criteria    | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Criteria | <p>INITIAL: AD: 1) INTRACTABLE PRURITUS OR CRACKING/OOZING/BLEEDING OF AFFECTED SKIN, AND 2) TRIAL OF OR CONTRAINDICATION TO ONE TOPICAL (CORTICOSTEROID, CALCINEURIN INHIBITOR, PDE4 INHIBITOR, OR JAK INHIBITOR). ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE OR MAXIMALLY-TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND ONE OTHER MAINTENANCE MEDICATION, AND 2) ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING AT LEAST 3 DAYS WITHIN THE PAST 12 MONTHS, OR ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: (A) DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, (B) ANY NIGHT WAKING DUE TO ASTHMA, (C) SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, (D) ANY ACTIVITY LIMITATION DUE TO ASTHMA. CHRONIC RHINOSINUSITIS WITH NASAL POLYPS (CRSWNP): 1) A 56 DAY TRIAL OF ONE TOPICAL NASAL CORTICOSTEROID, 2) EVIDENCE OF NASAL POLYPS BY DIRECT EXAMINATION, ENDOSCOPY, OR SINUS CT SCAN, AND 3) INADEQUATELY CONTROLLED DISEASE. PRURIGO NODULARIS (PN): CHRONIC PRURITUS (ITCH MORE THAN 6 WEEKS), MULTIPLE PRURIGINOUS LESIONS, AND HISTORY OR SIGN OF A PROLONGED SCRATCHING BEHAVIOR. EOSINOPHILIC COPD: USED IN COMBINATION WITH A LAMA/LABA/ICS. CHRONIC SPONTANEOUS URTICARIA (CSU): 1) TRIAL OF AND MAINTAINED ON, OR CONTRAINDICATION TO A SECOND GENERATION H1 ANTI-HISTAMINE AND 2) STILL EXPERIENCES HIVES OR ANGIOEDEMA MOST DAYS OF THE WEEK FOR AT LEAST 6 WEEKS. INITIAL/RENEWAL : ALL INDICATIONS EXCEPT BULLOUS PEMPHIGOID (BP): NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4</p> |

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                      | <p>INHIBITOR) FOR THE SAME INDICATION. RENEWAL: AD, CRSWNP, EOE: IMPROVEMENT WHILE ON THERAPY. ASTHMA: 1) CONTINUED USE OF ICS AND ONE OTHER MAINTENANCE MEDICATION, AND 2) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE, OR (D) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS. PN: IMPROVEMENT OR REDUCTION OF PRURITUS OR PRURIGINOUS LESIONS. EOSINOPHILIC COPD: 1) USED IN COMBINATION WITH A LAMA/LABA/ICS, AND 2) CLINICAL RESPONSE AS EVIDENCED BY (A) REDUCTION IN COPD EXACERBATIONS FROM BASELINE, (B) REDUCTION IN SEVERITY OR FREQUENCY OF COPD-RELATED SYMPTOMS, OR (C) INCREASE IN FEV1 OF AT LEAST 5 PERCENT FROM PRETREATMENT BASELINE. CSU: MAINTAINED ON OR CONTRAINDICATION TO A SECOND GENERATION H1 ANTI-HISTAMINE.</p> |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

# DUVELISIB

## Products Affected

- COPIKTRA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# EFLORNITHINE

## Products Affected

- IWILFIN

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 24 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ELACESTRANT

## Products Affected

- ORSERDU ORAL TABLET 345 MG, 86 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ELAGOLIX

## Products Affected

- ORILISSA ORAL TABLET 150 MG, 200 MG

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                              |
| <b>Required Medical Information</b> | MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: DIAGNOSIS IS CONFIRMED VIA SURGICAL OR DIRECT VISUALIZATION (E.G., PELVIC ULTRASOUND) OR HISTOPATHOLOGICAL CONFIRMATION (E.G., LAPAROSCOPY OR LAPAROTOMY) IN THE LAST 10 YEARS.                                                                                                              |
| <b>Age Restrictions</b>             | MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: 18 YEARS OF AGE OR OLDER.                                                                                                                                                                                                                                                                    |
| <b>Prescriber Restrictions</b>      | MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN OBSTETRICIAN/GYNECOLOGIST.                                                                                                                                                                                                                          |
| <b>Coverage Duration</b>            | INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS                                                                                                                                                                                                                                                                                                                        |
| <b>Other Criteria</b>               | MODERATE TO SEVERE PAIN ASSOCIATED WITH ENDOMETRIOSIS: INITIAL: 1) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, AND 2) TRIAL OF OR CONTRAINDICATION TO AN NSAID AND A PROGESTIN-CONTAINING PREPARATION. RENEWAL: 1) IMPROVEMENT IN PAIN ASSOCIATED WITH ENDOMETRIOSIS WHILE ON THERAPY, AND 2) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                              |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                           |

| PA Criteria                                  | Criteria Details |
|----------------------------------------------|------------------|
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes              |

# ELAPEGADEMASE-LVLR

## Products Affected

- REVCOVI

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Required Medical Information</b>  | ADENOSINE DEAMINASE SEVERE COMBINED IMMUNE DEFICIENCY (ADA-SCID): INITIAL: ADA-SCID AS MANIFESTED BY: 1) CONFIRMATORY GENETIC TEST, OR 2) SUGGESTIVE LABORATORY FINDINGS (E.G., ELEVATED DEOXYADENOSINE NUCLEOTIDE [DAXP] LEVELS, LYMPHOPENIA) AND HALLMARK SIGNS/SYMPTOMS (E.G., RECURRENT INFECTIONS, FAILURE TO THRIVE, PERSISTENT DIARRHEA). |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Prescriber Restrictions</b>       | ADA-SCID: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH IMMUNOLOGIST, HEMATOLOGIST/ONCOLOGIST, OR PHYSICIAN SPECIALIZING IN INHERITED METABOLIC DISORDERS.                                                                                                                                                                                      |
| <b>Coverage Duration</b>             | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                           |
| <b>Other Criteria</b>                | ADA-SCID: RENEWAL: 1) IMPROVEMENT OR MAINTENANCE OF IMMUNE FUNCTION FROM BASELINE, AND 2) HAS NOT RECEIVED SUCCESSFUL HCT OR GENE THERAPY.                                                                                                                                                                                                       |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                    |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                  |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                               |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                                                               |

# ELEXACFTOR-TEZACFTOR-IVACFTOR

## Products Affected

- TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL
- TRIKAFTA ORAL TABLETS, SEQUENTIAL

| PA Criteria                   | Criteria Details                                                                                                                                                                                                    |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                     |
| Required Medical Information  |                                                                                                                                                                                                                     |
| Age Restrictions              |                                                                                                                                                                                                                     |
| Prescriber Restrictions       | CYSTIC FIBROSIS (CF): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR CYSTIC FIBROSIS EXPERT.                                                                                                     |
| Coverage Duration             | INITIAL: 6 MONTHS. RENEWAL: LIFETIME.                                                                                                                                                                               |
| Other Criteria                | CF: INITIAL: NO CONCURRENT USE WITH ANOTHER CYSTIC FIBROSIS TRANSMEMBRANE CONDUCTANCE REGULATOR (CFTR) MODULATOR. RENEWAL: 1) IMPROVEMENT IN CLINICAL STATUS, AND 2) NO CONCURRENT USE WITH ANOTHER CFTR MODULATOR. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                       |
| Off Label Uses                |                                                                                                                                                                                                                     |
| Part B Prerequisite           | No                                                                                                                                                                                                                  |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                  |

# ELRANATAMAB-BCMM

## Products Affected

- ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F
- ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                        |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                         |
| Required Medical Information  |                                                                                                                                                                                                                                         |
| Age Restrictions              |                                                                                                                                                                                                                                         |
| Prescriber Restrictions       |                                                                                                                                                                                                                                         |
| Coverage Duration             | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                  |
| Other Criteria                | RELAPSED OR REFRACTORY MULTIPLE MYELOMA: RENEWAL: 1) HAS RECEIVED AT LEAST 24 WEEKS OF TREATMENT WITH ELREXFIO, AND 2) HAS RESPONDED TO TREATMENT (PARTIAL RESPONSE OR BETTER), AND HAS MAINTAINED THIS RESPONSE FOR AT LEAST 2 MONTHS. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                           |
| Off Label Uses                |                                                                                                                                                                                                                                         |
| Part B Prerequisite           | No                                                                                                                                                                                                                                      |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                      |

# ELTROMBOPAG - ALVAIZ

## Products Affected

- ALVAIZ

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                                                                               |
| <b>Required Medical Information</b>  | PERSISTENT OR CHRONIC IMMUNE THROMBOCYTOPENIA (ITP): INITIAL: 1) PLATELET COUNT IS LESS THAN $30 \times 10^9/L$ , OR 2) PLATELET COUNT IS LESS THAN $50 \times 10^9/L$ AND HAD A PRIOR BLEEDING EVENT.                                                                                                                                                        |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                                                                               |
| <b>Prescriber Restrictions</b>       | INITIAL: ITP: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR IMMUNOLOGIST.                                                                                                                                                                                                                                                                           |
| <b>Coverage Duration</b>             | ITP: INITIAL: 6 MO, RENEWAL: 12 MO. HEPATITIS C, SEVERE APLASTIC ANEMIA: 12 MO.                                                                                                                                                                                                                                                                               |
| <b>Other Criteria</b>                | INITIAL: ITP: 1) TRIAL OF OR CONTRAINDICATION TO ONE CORTICOSTEROID OR IMMUNOGLOBULIN, OR AN INSUFFICIENT RESPONSE TO SPLENECTOMY, AND 2) NO CONCURRENT USE WITH OTHER THROMBOPOIETIN RECEPTOR AGONISTS (TPO-RAS). RENEWAL: ITP: 1) IMPROVEMENT IN PLATELET COUNT FROM BASELINE OR REDUCTION IN BLEEDING EVENTS, AND 2) NO CONCURRENT USE WITH OTHER TPO-RAS. |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                 |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                               |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                            |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                                                                                                                                           |

# ELTROMBOPAG - PROMACTA

## Products Affected

- *eltrombopag olamine oral powder in packet*  
12.5 mg, 25 mg
- *eltrombopag olamine oral tablet 12.5 mg, 25 mg, 50 mg, 75 mg*

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Required Medical Information</b> | PERSISTENT OR CHRONIC IMMUNE THROMBOCYTOPENIA (ITP): INITIAL: 1) PLATELET COUNT OF LESS THAN $30 \times 10^9/L$ , OR 2) PLATELET COUNT OF LESS THAN $50 \times 10^9/L$ AND A PRIOR BLEEDING EVENT.                                                                                                                                                                                                                                                                                                                               |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Prescriber Restrictions</b>      | INITIAL: ITP: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR IMMUNOLOGIST.                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Coverage Duration</b>            | ITP: INITIAL: 6 MO, RENEWAL: 12 MO. HEPATITIS C, SEVERE APLASTIC ANEMIA: 12 MO.                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Other Criteria</b>               | INITIAL: ITP: 1) TRIAL OF OR CONTRAINDICATION TO ONE CORTICOSTEROID OR IMMUNOGLOBULIN, OR HAD AN INSUFFICIENT RESPONSE TO SPLENECTOMY, AND 2) NO CONCURRENT USE WITH OTHER THROMBOPOIETIN RECEPTOR AGONISTS (TPO-RAS). ALL INDICATIONS: ELTROMBOPAG ORAL SUSPENSION PACKETS: TRIAL OF A FORMULARY VERSION OF ELTROMBOPAG TABLET OR PATIENT IS UNABLE TO TOLERATE TABLET FORMULATION. RENEWAL: ITP: 1) IMPROVEMENT IN PLATELET COUNTS FROM BASELINE OR REDUCTION IN BLEEDING EVENTS, AND 2) NO CONCURRENT USE WITH OTHER TPO-RAS. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

| PA Criteria                                  | Criteria Details |
|----------------------------------------------|------------------|
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes              |

# ENASIDENIB

## Products Affected

- IDHIFA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ENCORAFENIB

## Products Affected

- BRAFTOVI

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ENSARTINIB

## Products Affected

- ENSACOVE ORAL CAPSULE 100 MG, 25 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ENTRECTINIB CAPSULES

## Products Affected

- ROZLYTREK ORAL CAPSULE 100 MG, 200 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ENTRECTINIB PELLETS

## Products Affected

- ROZLYTREK ORAL PELLETS IN PACKET

| PA Criteria                   | Criteria Details                                                                                                                                                                                  |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                   |
| Required Medical Information  |                                                                                                                                                                                                   |
| Age Restrictions              |                                                                                                                                                                                                   |
| Prescriber Restrictions       |                                                                                                                                                                                                   |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                         |
| Other Criteria                | METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC), SOLID TUMORS: 1) TRIAL OF OR CONTRAINDICATION TO ROZLYTREK CAPSULES MADE INTO AN ORAL SUSPENSION, AND 2) DIFFICULTY OR UNABLE TO SWALLOW CAPSULES. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                     |
| Off Label Uses                |                                                                                                                                                                                                   |
| Part B Prerequisite           | No                                                                                                                                                                                                |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                               |

# ENZALUTAMIDE

## Products Affected

- XTANDI ORAL CAPSULE
- XTANDI ORAL TABLET 40 MG, 80 MG

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Other Criteria                | NON-METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (NMCSPC): HIGH RISK FOR METASTASIS (I.E. PSA DOUBLING TIME OF 9 MONTHS OR LESS). METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC), NON-METASTATIC CRPC (NMCRPC), METASTATIC CSPC (MCSPC), NMCSPC: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                             |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                                                                                                                                                        |

# EPCORITAMAB-BYSP

---

## Products Affected

- EPKINLY

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# EPOETIN ALFA-EPBX

## Products Affected

- RETACRIT INJECTION SOLUTION  
10,000 UNIT/ML, 2,000 UNIT/ML, 20,000  
UNIT/2 ML, 20,000 UNIT/ML, 3,000  
UNIT/ML, 4,000 UNIT/ML, 40,000  
UNIT/ML

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Required Medical Information</b> | INITIAL: CHRONIC KIDNEY DISEASE (CKD), ANEMIA RELATED TO ZIDOVUDINE, OR CANCER CHEMOTHERAPY: HEMOGLOBIN LEVEL IS LESS THAN 10G/DL. ELECTIVE, NON-CARDIAC, NON-VASCULAR SURGERY: HEMOGLOBIN LEVEL IS 13G/DL OR LESS. RENEWAL: 1) CKD IN ADULTS NOT ON DIALYSIS: (A) HEMOGLOBIN LEVEL IS LESS THAN 10G/DL, OR (B) HEMOGLOBIN LEVEL HAS REACHED 10G/DL AND THE DOSE IS BEING OR HAS BEEN REDUCED/INTERRUPTED TO DECREASE THE NEED FOR BLOOD TRANSFUSIONS. 2) CKD IN PEDIATRIC PATIENTS: (A) HEMOGLOBIN LEVEL IS LESS THAN 10G/DL, OR (B) HEMOGLOBIN LEVEL HAS APPROACHED OR EXCEEDS 12G/DL AND THE DOSE IS BEING OR HAS BEEN REDUCED/INTERRUPTED TO DECREASE THE NEED FOR BLOOD TRANSFUSIONS. 3) ANEMIA RELATED TO ZIDOVUDINE: HEMOGLOBIN LEVEL BETWEEN 10G/DL AND 12G/DL. 4) CANCER CHEMOTHERAPY: (A) HEMOGLOBIN LEVEL IS LESS THAN 10 G/DL, OR (B) HEMOGLOBIN LEVEL DOES NOT EXCEED A LEVEL NEEDED TO AVOID RBC TRANSFUSION. |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Prescriber Restrictions</b>      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Coverage Duration</b>            | ANEMIA FROM CHEMO/CKD WITHOUT DIALYSIS/ZIDOVUDINE: INITIAL/RENEWAL: 12 MONTHS. SURGERY: 1 MONTH.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Other Criteria</b>               | RENEWAL: CKD: NOT RECEIVING DIALYSIS TREATMENT. THIS DRUG MAY BE EITHER BUNDLED WITH AND COVERED UNDER END STAGE RENAL DISEASE DIALYSIS RELATED SERVICES OR COVERED UNDER MEDICARE D DEPENDING UPON THE CIRCUMSTANCES.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

| <b>PA Criteria</b>                           | <b>Criteria Details</b>       |
|----------------------------------------------|-------------------------------|
| <b>Indications</b>                           | All FDA-approved Indications. |
| <b>Off Label Uses</b>                        |                               |
| <b>Part B<br/>Prerequisite</b>               | No                            |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | No                            |

# ERDAFITINIB

## Products Affected

- BALVERSA ORAL TABLET 3 MG, 4 MG, 5 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ERENUMAB-AOOE

## Products Affected

- AIMOVIG AUTOINJECTOR

| PA Criteria                   | Criteria Details                                                                                                                                                                                                        |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                         |
| Required Medical Information  |                                                                                                                                                                                                                         |
| Age Restrictions              |                                                                                                                                                                                                                         |
| Prescriber Restrictions       |                                                                                                                                                                                                                         |
| Coverage Duration             | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                  |
| Other Criteria                | MIGRAINE PREVENTION: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                           |
| Off Label Uses                |                                                                                                                                                                                                                         |
| Part B Prerequisite           | No                                                                                                                                                                                                                      |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                      |

# ERLOTINIB

## Products Affected

- *erlotinib oral tablet 100 mg, 150 mg, 25 mg*

| PA Criteria                   | Criteria Details                                                                                                                    |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                     |
| Required Medical Information  |                                                                                                                                     |
| Age Restrictions              |                                                                                                                                     |
| Prescriber Restrictions       |                                                                                                                                     |
| Coverage Duration             | 12 MONTHS                                                                                                                           |
| Other Criteria                | METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR. |
| Indications                   | All FDA-approved Indications.                                                                                                       |
| Off Label Uses                |                                                                                                                                     |
| Part B Prerequisite           | No                                                                                                                                  |
| Prerequisite Therapy Required | No                                                                                                                                  |

# ESKETAMINE

## Products Affected

- SPRAVATO

| PA Criteria                   | Criteria Details                                                                                                                                                                               |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                |
| Required Medical Information  |                                                                                                                                                                                                |
| Age Restrictions              |                                                                                                                                                                                                |
| Prescriber Restrictions       | INITIAL: TREATMENT-RESISTANT DEPRESSION (TRD), MAJOR DEPRESSIVE DISORDER (MDD): PRESCRIBED BY OR IN CONSULTATION WITH A PSYCHIATRIST OR OTHER REMS-CERTIFIED PROVIDER.                         |
| Coverage Duration             | INITIAL: TRD: 3 MONTHS. MDD: 4 WEEKS. RENEWAL: TRD, MDD: 12 MONTHS.                                                                                                                            |
| Other Criteria                | INITIAL: TRD, MDD: 1) NON-PSYCHOTIC, UNIPOLAR DEPRESSION, AND 2) NO ACTIVE SUBSTANCE ABUSE. RENEWAL: TRD, MDD: DEMONSTRATED CLINICAL BENEFIT (IMPROVEMENT IN DEPRESSION) COMPARED TO BASELINE. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                  |
| Off Label Uses                |                                                                                                                                                                                                |
| Part B Prerequisite           | No                                                                                                                                                                                             |
| Prerequisite Therapy Required | No                                                                                                                                                                                             |

# ETANERCEPT

## Products Affected

- ENBREL
- ENBREL MINI
- ENBREL SURECLICK

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                              |
| <b>Required Medical Information</b> | INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.                                                                                                                                                                     |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                              |
| <b>Prescriber Restrictions</b>      | INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA), ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. |
| <b>Coverage Duration</b>            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                       |

| <b>PA Criteria</b>                   | <b>Criteria Details</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Other Criteria</b>                | <p>INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE CONVENTIONAL SYNTHETIC DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE OF AT LEAST 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. AS: TRIAL OF OR CONTRAINDICATION TO AN NSAID. PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION.</p> <p>INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: ALL INDICATIONS: CONTINUES TO BENEFIT FROM THE MEDICATION.</p> |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

# EVEROLIMUS-AFINITOR

## Products Affected

- *everolimus (antineoplastic) oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg*
- *torpenz oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg*

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# EVEROLIMUS-AFINITOR DISPERZ

---

## Products Affected

- *everolimus (antineoplastic) oral tablet for suspension*

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# FECAL MICROBIOTA CAPSULE

## Products Affected

- VOWST

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Coverage Duration             | 30 DAYS                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Other Criteria                | CLOSTRIDIoidES DIFFICILE INFECTION (CDI): 1) HAS NOT PREVIOUSLY RECEIVED VOWST: COMPLETION OF ANTIBIOTIC TREATMENT FOR RECURRENT CDI (AT LEAST 3 CDI EPISODES), OR 2) PREVIOUSLY RECEIVED VOWST: (A) TREATMENT FAILURE (DEFINED AS THE PRESENCE OF CDI DIARRHEA WITHIN 8 WEEKS OF FIRST DOSE OF VOWST AND A POSITIVE STOOL TEST FOR C. DIFFICILE), AND (B) HAS NOT RECEIVED MORE THAN ONE TREATMENT COURSE OF VOWST WHICH WAS AT LEAST 12 DAYS AND NOT MORE THAN 8 WEEKS PRIOR. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

# FEDRATINIB

## Products Affected

- INREBIC

| PA Criteria                   | Criteria Details                                                                                                                 |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                  |
| Required Medical Information  |                                                                                                                                  |
| Age Restrictions              |                                                                                                                                  |
| Prescriber Restrictions       |                                                                                                                                  |
| Coverage Duration             | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS                                                                                            |
| Other Criteria                | MYELOFIBROSIS: INITIAL: TRIAL OF OR CONTRAINDICATION TO JAKAFI (RUXOLITINIB). RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION. |
| Indications                   | All FDA-approved Indications.                                                                                                    |
| Off Label Uses                |                                                                                                                                  |
| Part B Prerequisite           | No                                                                                                                               |
| Prerequisite Therapy Required | Yes                                                                                                                              |

# FENFLURAMINE

## Products Affected

- FINTEPLA

| PA Criteria                   | Criteria Details                                                                                                                                                    |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                     |
| Required Medical Information  |                                                                                                                                                                     |
| Age Restrictions              |                                                                                                                                                                     |
| Prescriber Restrictions       | INITIAL: DRAVET SYNDROME, LENNOX-GASTAUT SYNDROME (LGS); PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.                                                       |
| Coverage Duration             | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                         |
| Other Criteria                | INITIAL: LGS: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING ANTIEPILEPTIC MEDICATIONS: RUFINAMIDE, FELBAMATE, CLOBAZAM, TOPIRAMATE, LAMOTRIGINE, CLONAZEPAM. |
| Indications                   | All FDA-approved Indications.                                                                                                                                       |
| Off Label Uses                |                                                                                                                                                                     |
| Part B Prerequisite           | No                                                                                                                                                                  |
| Prerequisite Therapy Required | Yes                                                                                                                                                                 |

# FENTANYL CITRATE

## Products Affected

- *fentanyl citrate buccal lozenge on a handle*

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                          |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                           |
| Required Medical Information  |                                                                                                                                                                                                                                                           |
| Age Restrictions              |                                                                                                                                                                                                                                                           |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                           |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                 |
| Other Criteria                | CANCER RELATED PAIN: 1) CURRENTLY ON A MAINTENANCE DOSE OF CONTROLLED-RELEASE OPIOID PAIN MEDICATION, AND 2) TRIAL OF OR CONTRAINDICATION TO AT LEAST ONE IMMEDIATE-RELEASE ORAL OPIOID PAIN AGENT OR PATIENT HAS DIFFICULTY SWALLOWING TABLETS/CAPSULES. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                             |
| Off Label Uses                |                                                                                                                                                                                                                                                           |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                        |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                       |

# FEZOLINETANT

## Products Affected

- VEOZAH

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Required Medical Information |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Age Restrictions             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Prescriber Restrictions      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Coverage Duration            | INITIAL/RENEWAL: 12 MONTHS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Other Criteria               | MENOPAUSAL VASOMOTOR SYMPTOMS (VMS): INITIAL: 1) TRIAL OF OR CONTRAINDICATION TO HORMONAL THERAPY (E.G., ESTRADIOL TRANSDERMAL PATCH, ORAL CONJUGATED ESTROGENS), 2) LABORATORY TESTING TO ESTABLISH BASELINE HEPATIC FUNCTION AND CONTINUED MONITORING OF THESE VALUES IN ACCORDANCE WITH THE FDA CURRENT LABEL RECOMMENDATION, AND 3) NO CONCURRENT USE WITH ANOTHER HORMONAL (E.G., PREMPRO) OR NON-HORMONAL (E.G., BRISDELLE) AGENT FOR VMS. RENEWAL: 1) CONTINUED NEED FOR VMS TREATMENT (PERSISTENT HOT FLASHES), 2) REDUCTION IN VMS FREQUENCY OR SEVERITY DUE TO VEOZAH TREATMENT, AND 3) NO NEW SYMPTOMS OF LIVER INJURY AND/OR WORSENING LAB VALUES (E.G., ALT, AST, TOTAL BILIRUBIN). |
| Indications                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Off Label Uses               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

| PA Criteria                   | Criteria Details |
|-------------------------------|------------------|
| Prerequisite Therapy Required | Yes              |

# FILGRASTIM-AAFI

## Products Affected

- NIVESTYM

| PA Criteria                   | Criteria Details                                                    |
|-------------------------------|---------------------------------------------------------------------|
| Exclusion Criteria            |                                                                     |
| Required Medical Information  |                                                                     |
| Age Restrictions              |                                                                     |
| Prescriber Restrictions       | PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST. |
| Coverage Duration             | 12 MONTHS                                                           |
| Other Criteria                |                                                                     |
| Indications                   | All FDA-approved Indications.                                       |
| Off Label Uses                |                                                                     |
| Part B Prerequisite           | No                                                                  |
| Prerequisite Therapy Required | No                                                                  |

# FINERENONE

## Products Affected

- KERENDIA

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                               |
| <b>Required Medical Information</b> | INITIAL: HEART FAILURE (HF): 1) NEW YORK HEART ASSOCIATION (NYHA) CLASS II-IV, AND 2) LEFT VENTRICULAR EJECTION FRACTION OF AT LEAST 40 PERCENT NOT DUE TO AN UNDERLYING CAUSE (E.G., INFILTRATIVE CARDIOMYOPATHY, HYPERTROPHIC CARDIOMYOPATHY, VALVULAR DISEASE, PERICARDIAL DISEASE, HIGH-OUTPUT HEART FAILURE).                                            |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                               |
| <b>Prescriber Restrictions</b>      | INITIAL: HF: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST.                                                                                                                                                                                                                                                                                            |
| <b>Coverage Duration</b>            | INITIAL/RENEWAL:12 MONTHS                                                                                                                                                                                                                                                                                                                                     |
| <b>Other Criteria</b>               | CHRONIC KIDNEY DISEASE (CKD) ASSOCIATED WITH TYPE 2 DIABETES (T2D): INITIAL: HISTORY OF AND WILL CONTINUE ON, HAS A CONTRAINDICATION, OR INTOLERANCE TO AN ANGIOTENSIN CONVERTING ENZYME INHIBITOR (ACE-I) OR AN ANGIOTENSIN RECEPTOR BLOCKER (ARB). HF: INITIAL/RENEWAL: NO CONCURRENT USE WITH ANOTHER MINERALOCORTICOID (ALDOSTERONE) RECEPTOR ANTAGONIST. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                 |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                               |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                            |

| PA Criteria                   | Criteria Details |
|-------------------------------|------------------|
| Prerequisite Therapy Required | Yes              |

# FINGOLIMOD

## Products Affected

- *fingolimod*

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# FOSCARBIDOPA-FOSLEVODOPA

## Products Affected

- VYALEV

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                        |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                         |
| Required Medical Information  |                                                                                                                                                                                                                                                                                         |
| Age Restrictions              |                                                                                                                                                                                                                                                                                         |
| Prescriber Restrictions       | PARKINSONS DISEASE (PD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST.                                                                                                                                                                                                  |
| Coverage Duration             | INITIAL: 12 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                 |
| Other Criteria                | PD: INITIAL: ONE OF THE FOLLOWING: 1) UNABLE TO SWALLOW EXTENDED-RELEASE (ER) TABLETS OR ADMINISTER ER CAPSULES VIA A FEEDING TUBE, OR 2) FAILURE TO ADHERE OR TOLERATE VIA A FEEDING TUBE AN ORAL CARBIDOPA/LEVODOPA REGIMEN. RENEWAL: IMPROVEMENT IN MOTOR SYMPTOMS WHILE ON THERAPY. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                           |
| Off Label Uses                |                                                                                                                                                                                                                                                                                         |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                      |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                      |

# FRUQUINTINIB

## Products Affected

- FRUZAQLA ORAL CAPSULE 1 MG, 5 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# FUTIBATINIB

## Products Affected

- LYTGOBI

| PA Criteria                          | Criteria Details                                                                                                                                                                                                            |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                             |
| <b>Required Medical Information</b>  | INTRAHEPATIC CHOLANGIOCARCINOMA (ICCA): COMPLETE A COMPREHENSIVE OPHTHALMOLOGICAL EXAMINATION, INCLUDING OPTICAL COHERENCE TOMOGRAPHY (OCT), PRIOR TO THE INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                             |
| <b>Prescriber Restrictions</b>       |                                                                                                                                                                                                                             |
| <b>Coverage Duration</b>             | 12 MONTHS                                                                                                                                                                                                                   |
| <b>Other Criteria</b>                |                                                                                                                                                                                                                             |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                               |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                             |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                          |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                          |

# GALCANEZUMAB-GNLM

## Products Affected

- EMGALITY PEN
- EMGALITY SYRINGE SUBCUTANEOUS  
SYRINGE 120 MG/ML, 300 MG/3 ML (100  
MG/ML X 3)

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                        |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                                         |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                                                         |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                                                         |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                                                         |
| Coverage Duration             | INITIAL: MIGRAINE PREVENTION: 6 MOS. EPISODIC CLUSTER HEADACHE: 3 MOS. RENEWAL (ALL): 12 MOS.                                                                                                                                                                                                                                           |
| Other Criteria                | MIGRAINE PREVENTION: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY. EPISODIC CLUSTER HEADACHE: RENEWAL: IMPROVEMENT IN EPISODIC CLUSTER HEADACHE FREQUENCY AS COMPARED TO BASELINE. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                           |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                         |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                      |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                                                      |

# GANAXOLONE

## Products Affected

- ZTALMY

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# GEFITINIB

## Products Affected

- *gefitinib*

| PA Criteria                   | Criteria Details                                                                                                                    |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                     |
| Required Medical Information  |                                                                                                                                     |
| Age Restrictions              |                                                                                                                                     |
| Prescriber Restrictions       |                                                                                                                                     |
| Coverage Duration             | 12 MONTHS                                                                                                                           |
| Other Criteria                | METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC) WITH EGFR MUTATION: NOT ON CONCURRENT THERAPY WITH AN EGFR TYROSINE KINASE INHIBITOR. |
| Indications                   | All FDA-approved Indications.                                                                                                       |
| Off Label Uses                |                                                                                                                                     |
| Part B Prerequisite           | No                                                                                                                                  |
| Prerequisite Therapy Required | No                                                                                                                                  |

# GEPIRONE

## Products Affected

- EXXUA ORAL TABLET EXTENDED  
RELEASE 24 HR

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                       |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                        |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                        |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                        |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                        |
| Coverage Duration             | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                            |
| Other Criteria                | MAJOR DEPRESSIVE DISORDER: INITIAL: TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENTS: TRINTELLIX AND ONE GENERIC ANTIDEPRESSANT. INITIAL/RENEWAL: NO CONCURRENT USE WITH ANOTHER 5-HT1A RECEPTOR AGONIST (E.G., BUSPIRONE). RENEWAL: RESPONSE TO OR REMISSION OF DEPRESSIVE SYMPTOMS WITH THERAPY. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                          |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                        |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                     |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                                                                    |

# GILTERITINIB

## Products Affected

- XOSPATA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# GLASDEGIB

## Products Affected

- DAURISMO ORAL TABLET 100 MG, 25 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# GLATIRAMER

## Products Affected

- *glatiramer subcutaneous syringe 20 mg/ml, 40 mg/ml*
- *glatopa subcutaneous syringe 20 mg/ml, 40 mg/ml*

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# GLP1-DULAGLUTIDE

## Products Affected

- TRULICITY

| PA Criteria                   | Criteria Details                    |
|-------------------------------|-------------------------------------|
| Exclusion Criteria            |                                     |
| Required Medical Information  |                                     |
| Age Restrictions              |                                     |
| Prescriber Restrictions       |                                     |
| Coverage Duration             | 12 MONTHS                           |
| Other Criteria                |                                     |
| Indications                   | All Medically-accepted Indications. |
| Off Label Uses                |                                     |
| Part B Prerequisite           | No                                  |
| Prerequisite Therapy Required | No                                  |

# GLP1-SEMAGLUTIDE

---

## Products Affected

- OZEMPIC
- RYBELSUS

| PA Criteria                   | Criteria Details                    |
|-------------------------------|-------------------------------------|
| Exclusion Criteria            |                                     |
| Required Medical Information  |                                     |
| Age Restrictions              |                                     |
| Prescriber Restrictions       |                                     |
| Coverage Duration             | 12 MONTHS                           |
| Other Criteria                |                                     |
| Indications                   | All Medically-accepted Indications. |
| Off Label Uses                |                                     |
| Part B Prerequisite           | No                                  |
| Prerequisite Therapy Required | No                                  |

# GLP1-TIRZEPATIDE

## Products Affected

- MOUNJARO

| PA Criteria                   | Criteria Details                    |
|-------------------------------|-------------------------------------|
| Exclusion Criteria            |                                     |
| Required Medical Information  |                                     |
| Age Restrictions              |                                     |
| Prescriber Restrictions       |                                     |
| Coverage Duration             | 12 MONTHS.                          |
| Other Criteria                |                                     |
| Indications                   | All Medically-accepted Indications. |
| Off Label Uses                |                                     |
| Part B Prerequisite           | No                                  |
| Prerequisite Therapy Required | No                                  |

# GOSERELIN

## Products Affected

- ZOLADEX

| PA Criteria                          | Criteria Details                                                                                                                                                                                                              |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                               |
| <b>Required Medical Information</b>  | ENDOMETRIOSIS: DIAGNOSIS IS CONFIRMED VIA SURGICAL OR DIRECT VISUALIZATION (E.G., PELVIC ULTRASOUND) OR HISTOPATHOLOGICAL CONFIRMATION (E.G., LAPAROSCOPY OR LAPAROTOMY) IN THE LAST 10 YEARS.                                |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                               |
| <b>Prescriber Restrictions</b>       | ENDOMETRIOSIS: PRESCRIBED BY OR IN CONSULTATION WITH AN OBSTETRICIAN/GYNECOLOGIST.                                                                                                                                            |
| <b>Coverage Duration</b>             | STAGE B2-C PROSTATIC CARCINOMA: 4 MOS.<br>ENDOMETRIOSIS: 6 MOS PER LIFETIME. ALL OTHERS: 12 MONTHS.                                                                                                                           |
| <b>Other Criteria</b>                | ENDOMETRIOSIS: 1) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, 2) TRIAL OF OR CONTRAINDICATION TO NSAID AND PROGESTIN-CONTAINING PREPARATION, AND 3) HAS NOT RECEIVED A TOTAL OF 6 MONTHS OF TREATMENT PER LIFETIME. |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                 |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                               |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                            |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                           |

# GUSELKUMAB

## Products Affected

- TREMFYA INTRAVENOUS INJECTOR 200 MG/2 ML
- TREMFYA ONE-PRESS • TREMFYA SUBCUTANEOUS SYRINGE
- TREMFYA PEN INDUCTION PK(2PEN)
- TREMFYA PEN SUBCUTANEOUS PEN

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Required Medical Information</b> | INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Prescriber Restrictions</b>      | INITIAL: PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. ULCERATIVE COLITIS (UC), CROHNS DISEASE (CD): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.                                                                                                                                                                                                                                                                                           |
| <b>Coverage Duration</b>            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Other Criteria</b>               | INITIAL: PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: PSO, PSA: CONTINUES TO BENEFIT FROM THE MEDICATION. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

| <b>PA Criteria</b>                           | <b>Criteria Details</b> |
|----------------------------------------------|-------------------------|
| <b>Part B<br/>Prerequisite</b>               | No                      |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes                     |

# HIGH CONCENTRATION ORAL OPIOID SOLUTIONS

## Products Affected

- *morphine concentrate oral solution*

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Coverage Duration             | OPIOID TOLERANT: 12 MONTHS. HOSPICE, PALLIATIVE CARE OR END OF LIFE CARE: LIFETIME.                                                                                                                                                                                                                                                                                                                                                       |
| Other Criteria                | 1) OPIOID TOLERANT (I.E. PREVIOUS USE OF 60 MG ORAL MORPHINE PER DAY, 25 MCG TRANSDERMAL FENTANYL PER HOUR, 30 MG ORAL OXYCODONE PER DAY, 8 MG ORAL HYDROMORPHONE PER DAY, 25 MG ORAL OXYMORPHONE PER DAY, 60 MG ORAL HYDROCODONE PER DAY, OR AN EQUIANALGESIC DOSE OF ANOTHER OPIOID) AND HAS TROUBLE SWALLOWING OPIOID TABLETS, CAPSULES, OR LARGE VOLUMES OF LIQUID, OR 2) ENROLLED IN HOSPICE OR PALLIATIVE CARE OR END OF LIFE CARE. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                             |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                       |

# HIGH RISK DRUGS IN THE ELDERLY - BUTALBITAL-CONTAINING AGENTS

## Products Affected

- *butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg*
- *butalbital-acetaminophen-caff oral capsule*
- *butalbital-acetaminophen-caff oral tablet*

| PA Criteria                   | Criteria Details                                                                                                                                                        |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                         |
| Required Medical Information  |                                                                                                                                                                         |
| Age Restrictions              | APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.                                                                     |
| Prescriber Restrictions       |                                                                                                                                                                         |
| Coverage Duration             | 12 MONTHS                                                                                                                                                               |
| Other Criteria                | PRESCRIBER ACKNOWLEDGEMENT/AWARENESS DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS ARE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                           |
| Off Label Uses                |                                                                                                                                                                         |
| Part B Prerequisite           | No                                                                                                                                                                      |
| Prerequisite Therapy Required | No                                                                                                                                                                      |

# HIGH RISK DRUGS IN THE ELDERLY - DIPYRIDAMOLE

## Products Affected

- *dipyridamole oral*

| PA Criteria                   | Criteria Details                                                                                                                                                                     |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                      |
| Required Medical Information  |                                                                                                                                                                                      |
| Age Restrictions              | APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.                                                                                  |
| Prescriber Restrictions       |                                                                                                                                                                                      |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                            |
| Other Criteria                | PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                        |
| Off Label Uses                |                                                                                                                                                                                      |
| Part B Prerequisite           | No                                                                                                                                                                                   |
| Prerequisite Therapy Required | No                                                                                                                                                                                   |

# HIGH RISK DRUGS IN THE ELDERLY - ESTRADIOL-NORETHINDRONE

## Products Affected

- *abigale*
- *estradiol-norethindrone acet*
- *mimvey*

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                              |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                               |
| Required Medical Information  |                                                                                                                                                                                                                                                                                               |
| Age Restrictions              | APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.                                                                                                                                                                                           |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                               |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                                                     |
| Other Criteria                | VULVAR/VAGINAL ATROPHY, OSTEOPOROSIS, AND VASOMOTOR SYMPTOMS OF MENOPAUSE: PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HYPOESTROGENISM TREATMENT AND HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                 |
| Off Label Uses                |                                                                                                                                                                                                                                                                                               |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                            |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                            |

# HIGH RISK DRUGS IN THE ELDERLY - ESTROGEN-MEDROXYPROGESTERONE

## Products Affected

- PREMPHASE
- PREMPRO

| PA Criteria                   | Criteria Details                                                                                                                                                                     |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                      |
| Required Medical Information  |                                                                                                                                                                                      |
| Age Restrictions              | APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.                                                                                  |
| Prescriber Restrictions       |                                                                                                                                                                                      |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                            |
| Other Criteria                | PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                        |
| Off Label Uses                |                                                                                                                                                                                      |
| Part B Prerequisite           | No                                                                                                                                                                                   |
| Prerequisite Therapy Required | No                                                                                                                                                                                   |

# HIGH RISK DRUGS IN THE ELDERLY - GLYBURIDE FORMULATIONS

## Products Affected

- *glyburide*
- *glyburide micronized*
- *glyburide-metformin*

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                   |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                    |
| Required Medical Information  |                                                                                                                                                                                                                                                                                    |
| Age Restrictions              | APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS                                                                                                                                                                                 |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                    |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                                          |
| Other Criteria                | TYPE 2 DIABETES MELLITUS (DM): 1) TRIAL OF OR CONTRAINDICATION TO GLIMEPIRIDE OR GLIPIZIDE, OR 2) PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS ARE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                      |
| Off Label Uses                |                                                                                                                                                                                                                                                                                    |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                 |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                                                |

# HIGH RISK DRUGS IN THE ELDERLY - KETOROLAC

## Products Affected

- *ketorolac oral*

| PA Criteria                   | Criteria Details                                                                                                                                                                     |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                      |
| Required Medical Information  |                                                                                                                                                                                      |
| Age Restrictions              | APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.                                                                                  |
| Prescriber Restrictions       |                                                                                                                                                                                      |
| Coverage Duration             | 30 DAYS                                                                                                                                                                              |
| Other Criteria                | PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                        |
| Off Label Uses                |                                                                                                                                                                                      |
| Part B Prerequisite           | No                                                                                                                                                                                   |
| Prerequisite Therapy Required | No                                                                                                                                                                                   |

# HIGH RISK DRUGS IN THE ELDERLY - PHENOBARBITAL

## Products Affected

- *phenobarbital*

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                    |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                     |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                                     |
| Age Restrictions              | APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.                                                                                                                                                                                                                 |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                                     |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                                                                           |
| Other Criteria                | EPILEPSY/SEIZURES: PATIENTS WHO ARE NEWLY PRESCRIBED PHENOBARBITAL: 1) HAS NOT RESPONDED TO AT LEAST ONE ANTICONVULSANT, OR 2) PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                       |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                     |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                  |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                                                                                 |

# HIGH RISK DRUGS IN THE ELDERLY - PROMETHAZINE

## Products Affected

- *promethazine injection solution 25 mg/ml*                      *mg*
- *promethazine oral tablet*
- *promethazine rectal suppository 25 mg*
- *promethegan rectal suppository 12.5 mg, 25*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Required Medical Information |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Age Restrictions             | APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Prescriber Restrictions      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Coverage Duration            | 12 MONTHS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Other Criteria               | PRURITUS/URTICARIA/SEASONAL/PERENNIAL ALLERGY: 1) TRIAL OF OR CONTRAINDICATION TO A NON-SEDATING ANTIHISTAMINE SUCH AS LEVOCETIRIZINE, OR 2) PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. NAUSEA AND VOMITING: PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH-RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS REQUIRE PHYSICIAN ATTESTATION THAT REQUESTED MEDICATION IS USED TO TREAT A DIAGNOSIS UNRELATED TO THE TERMINAL ILLNESS OR RELATED CONDITION, AND ARE APPROVED WITHOUT TRIAL OF FORMULARY ALTERNATIVES NOR REQUIRING PRESCRIBER ACKNOWLEDGEMENT. |
| Indications                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Off Label Uses               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

| <b>PA Criteria</b>                           | <b>Criteria Details</b> |
|----------------------------------------------|-------------------------|
| <b>Part B<br/>Prerequisite</b>               | No                      |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes                     |

# HIGH RISK DRUGS IN THE ELDERLY - SCOPOLAMINE

## Products Affected

- *scopolamine base*

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                         |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                                          |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                                                          |
| Age Restrictions              | APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.                                                                                                                                                                                                                                      |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                                                          |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                                                                                                |
| Other Criteria                | PREScriBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS REQUIRE PHYSICIAN ATTESTATION THAT REQUESTED MEDICATION IS USED TO TREAT A DIAGNOSIS UNRELATED TO THE TERMINAL ILLNESS OR RELATED CONDITION, AND ARE APPROVED WITHOUT REQUIRING PRESCRIBER ACKNOWLEDGEMENT. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                            |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                          |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                       |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                                                       |

# HIGH RISK DRUGS IN THE ELDERLY- DIPHENOXYLATE-ATROPINE

## Products Affected

- *diphenoxylate-atropine oral tablet*

| PA Criteria                   | Criteria Details                                                                                                                                                                     |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                      |
| Required Medical Information  |                                                                                                                                                                                      |
| Age Restrictions              | APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.                                                                                  |
| Prescriber Restrictions       |                                                                                                                                                                                      |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                            |
| Other Criteria                | PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                        |
| Off Label Uses                |                                                                                                                                                                                      |
| Part B Prerequisite           | No                                                                                                                                                                                   |
| Prerequisite Therapy Required | No                                                                                                                                                                                   |

# HIGH RISK DRUGS IN THE ELDERLY- INDOMETHACIN

## Products Affected

- *indomethacin oral capsule*

| PA Criteria                   | Criteria Details                                                                                                                                                            |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                             |
| Required Medical Information  |                                                                                                                                                                             |
| Age Restrictions              | APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.                                                                         |
| Prescriber Restrictions       |                                                                                                                                                                             |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                   |
| Other Criteria                | PRESCRIBER ACKNOWLEDGEMENT/AWARENESS DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                               |
| Off Label Uses                |                                                                                                                                                                             |
| Part B Prerequisite           | No                                                                                                                                                                          |
| Prerequisite Therapy Required | No                                                                                                                                                                          |

# HIGH RISK DRUGS IN THE ELDERLY- MEGESTROL

## Products Affected

- *megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)*
- *megestrol oral tablet*

| PA Criteria                   | Criteria Details                                                                                                                                                                     |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                      |
| Required Medical Information  |                                                                                                                                                                                      |
| Age Restrictions              | APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.                                                                                  |
| Prescriber Restrictions       |                                                                                                                                                                                      |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                            |
| Other Criteria                | PREScriBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                        |
| Off Label Uses                |                                                                                                                                                                                      |
| Part B Prerequisite           | No                                                                                                                                                                                   |
| Prerequisite Therapy Required | No                                                                                                                                                                                   |

# HIGH RISK DRUGS IN THE ELDERLY- PAROXETINE

## Products Affected

- *paroxetine hcl*

| PA Criteria                   | Criteria Details                                                                                                                                                                     |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                      |
| Required Medical Information  |                                                                                                                                                                                      |
| Age Restrictions              | APPROPRIATE HIGH RISK MEDICATION USE: 65 YEARS OF AGE OR OLDER. PA NOT REQUIRED FOR AGE 0-64 YEARS.                                                                                  |
| Prescriber Restrictions       |                                                                                                                                                                                      |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                            |
| Other Criteria                | PRESCRIBER ACKNOWLEDGEMENT/AWARENESS THAT THE DRUG IS CONSIDERED HIGH RISK FOR PATIENTS 65 YEARS AND OLDER. HOSPICE PATIENTS WILL BE APPROVED WITHOUT REQUIRING ADDITIONAL CRITERIA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                        |
| Off Label Uses                |                                                                                                                                                                                      |
| Part B Prerequisite           | No                                                                                                                                                                                   |
| Prerequisite Therapy Required | No                                                                                                                                                                                   |

# IBRUTINIB

## Products Affected

- IMBRUVICA ORAL CAPSULE 140 MG, 70 MG
- IMBRUVICA ORAL SUSPENSION
- IMBRUVICA ORAL TABLET

| PA Criteria                   | Criteria Details                                                                             |
|-------------------------------|----------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                              |
| Required Medical Information  |                                                                                              |
| Age Restrictions              |                                                                                              |
| Prescriber Restrictions       |                                                                                              |
| Coverage Duration             | 12 MONTHS                                                                                    |
| Other Criteria                | CHRONIC GRAFT VS HOST DISEASE (CGVHD): NO CONCURRENT USE WITH JAKAFI, NIKTIMVO, OR REZUROCK. |
| Indications                   | All FDA-approved Indications.                                                                |
| Off Label Uses                |                                                                                              |
| Part B Prerequisite           | No                                                                                           |
| Prerequisite Therapy Required | No                                                                                           |

# ICATIBANT

## Products Affected

- *icatibant*

| PA Criteria                          | Criteria Details                                                                                                                                                                                           |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                            |
| <b>Required Medical Information</b>  | HEREDITARY ANGIOEDEMA (HAE): INITIAL: 1) TYPE III HAE, OR 2) TYPE I OR II HAE CONFIRMED BY ONE OF THE FOLLOWING COMPLEMENT TESTS: C1-INH PROTEIN LEVELS, C4 PROTEIN LEVELS, C1-INH FUNCTIONAL LEVELS, C1Q. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                            |
| <b>Prescriber Restrictions</b>       | HAE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ALLERGIST, IMMUNOLOGIST, HEMATOLOGIST OR PULMONOLOGIST.                                                                                             |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 12 MONTHS                                                                                                                                                                                 |
| <b>Other Criteria</b>                | HAE: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER MEDICATIONS FOR THE TREATMENT OF ACUTE HAE ATTACKS. RENEWAL: REDUCTION IN SEVERITY OR DURATION OF ATTACKS.                                              |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                              |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                            |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                         |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                         |

# IDEALALISIB

## Products Affected

- ZYDELIG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# IMATINIB

## Products Affected

- *imatinib oral tablet 100 mg, 400 mg*

| PA Criteria                   | Criteria Details                                                                                                                                 |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                  |
| Required Medical Information  |                                                                                                                                                  |
| Age Restrictions              |                                                                                                                                                  |
| Prescriber Restrictions       |                                                                                                                                                  |
| Coverage Duration             | ADJUVANT GASTROINTESTINAL STROMAL TUMOR TREATMENT: 36 MONTHS. ALL OTHER DIAGNOSES: 12 MONTHS.                                                    |
| Other Criteria                | PHILADELPHIA CHROMOSOME POSITIVE CHRONIC MYELOID LEUKEMIA: PATIENT HAS NOT RECEIVED A PREVIOUS TREATMENT WITH ANOTHER TYROSINE KINASE INHIBITOR. |
| Indications                   | All FDA-approved Indications.                                                                                                                    |
| Off Label Uses                |                                                                                                                                                  |
| Part B Prerequisite           | No                                                                                                                                               |
| Prerequisite Therapy Required | No                                                                                                                                               |

# IMATINIB SOLUTION

## Products Affected

- IMKELDI

| PA Criteria                   | Criteria Details                                                                                                                                                                                              |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                               |
| Required Medical Information  |                                                                                                                                                                                                               |
| Age Restrictions              |                                                                                                                                                                                                               |
| Prescriber Restrictions       |                                                                                                                                                                                                               |
| Coverage Duration             | ADJUVANT GASTROINTESTINAL STROMAL TUMOR TREATMENT: 36 MONTHS. ALL OTHER DIAGNOSES: 12 MONTHS.                                                                                                                 |
| Other Criteria                | PHILADELPHIA CHROMOSOME POSITIVE CHRONIC MYELOID LEUKEMIA: PATIENT HAS NOT RECEIVED A PREVIOUS TREATMENT WITH ANOTHER TYROSINE KINASE INHIBITOR. ALL INDICATIONS: UNABLE TO SWALLOW GENERIC IMATINIB TABLETS. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                 |
| Off Label Uses                |                                                                                                                                                                                                               |
| Part B Prerequisite           | No                                                                                                                                                                                                            |
| Prerequisite Therapy Required | No                                                                                                                                                                                                            |

# IMETELSTAT

## Products Affected

- RYTELO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# IMLUNESTRANT

---

## Products Affected

- INLURIYO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# INAVOLISIB

## Products Affected

- ITOVEBI ORAL TABLET 3 MG, 9 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# INFLIXIMAB

---

## Products Affected

- *infliximab*

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Required Medical Information | INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP, OR FACE.                                                                                                                                                                                                                           |
| Age Restrictions             |                                                                                                                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions      | INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST. |
| Coverage Duration            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                             |

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Criteria                | <p>INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. PSA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, HUMIRA/CYLTEZO/YUFLYMA, SELARSDI/YESINTEK, XELJANZ, RINVOQ, SKYRIZI, TREMFYA, ORENCIA, OTEZLA. PSO: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, HUMIRA/CYLTEZO/YUFLYMA, SELARSDI/YESINTEK, SKYRIZI, TREMFYA, OTEZLA. AS: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: COSENTYX, HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ. MODERATE TO SEVERE CD: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: SELARSDI/YESINTEK, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA. UC: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS, WHERE AGES ALIGN: SELARSDI/YESINTEK, XELJANZ, HUMIRA/CYLTEZO/YUFLYMA, RINVOQ, SKYRIZI, TREMFYA. INITIAL/RENEWAL: RA, PSA, AS, PSO, MODERATE TO SEVERE CD, UC: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: RA, PSA, AS, PSO: CONTINUES TO BENEFIT FROM THE MEDICATION.</p> |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

# INSULIN SUPPLIES PAYMENT DETERMINATION

---

## Products Affected

- 1ST TIER UNIFINE PENTP 5MM 31G
- 1ST TIER UNIFINE PNTIP 4MM 32G
- 1ST TIER UNIFINE PNTIP 6MM 31G
- 1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT
- 1ST TIER UNIFINE PNTTP 29GX1/2"
- 1ST TIER UNIFINE PNTTP 31GX3/16
- 1ST TIER UNIFINE PNTTP 32GX5/32
- ABOUTTIME PEN NEEDLE
- ADVOCATE INS 0.3 ML 30GX5/16"
- ADVOCATE INS 0.3 ML 31GX5/16"
- ADVOCATE INS 0.5 ML 30GX5/16"
- ADVOCATE INS 0.5 ML 31GX5/16"
- ADVOCATE INS 1 ML 31GX5/16"
- ADVOCATE INS SYR 0.3 ML 29GX1/2
- ADVOCATE INS SYR 0.5 ML 29GX1/2
- ADVOCATE INS SYR 1 ML 29GX1/2"
- ADVOCATE INS SYR 1 ML 30GX5/16
- ADVOCATE PEN NDL 12.7MM 29G
- ADVOCATE PEN NEEDLE 32G 4MM
- ADVOCATE PEN NEEDLE 4MM 33G
- ADVOCATE PEN NEEDLES 5MM 31G
- ADVOCATE PEN NEEDLES 8MM 31G
- ALCOHOL PADS
- ALCOHOL PREP SWABS
- ALCOHOL WIPES
- AQINJECT PEN NEEDLE 31G 5MM
- AQINJECT PEN NEEDLE 32G 4MM
- ASSURE ID DUO PRO NDL 31G 5MM
- ASSURE ID DUO-SHIELD 30GX3/16"
- ASSURE ID DUO-SHIELD 30GX5/16"
- ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"
- ASSURE ID PEN NEEDLE 30GX3/16"
- ASSURE ID PEN NEEDLE 30GX5/16"
- ASSURE ID PEN NEEDLE 31GX3/16"
- ASSURE ID PRO PEN NDL 30G 5MM
- ASSURE ID SYR 0.5 ML 31GX15/64"
- ASSURE ID SYR 1 ML 31GX15/64"
- AUTOSHIELD DUO PEN NDL 30G 5MM
- BD AUTOSHIELD DUO NDL 5MMX30G
- BD ECLIPSE 30GX1/2" SYRINGE
- BD ECLIPSE NEEDLE 30GX1/2" (OTC)
- BD INS SYR 0.3 ML 8MMX31G(1/2)
- BD INS SYR UF 0.3 ML 12.7MMX30G
- BD INS SYR UF 0.5 ML 12.7MMX30G NOT FOR RETAIL SALE
- BD INSULIN SYR 1 ML 27GX12.7MM
- BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE
- BD LO-DOSE ULTRA-FINE
- BD NANO 2 GEN PEN NDL 32G 4MM
- BD SAFETGLD INS 0.3 ML 29G 13MM
- BD SAFETYGLD INS 0.3 ML 31G 8MM
- BD SAFETYGLD INS 0.5 ML 30G 8MM
- BD SAFETYGLD INS 1 ML 29G 13MM
- BD SAFETYGLID INS 1 ML 6MMX31G
- BD SAFETYGLIDE SYRINGE 27GX5/8
- BD SAFTYGLD INS 0.3 ML 6MMX31G
- BD SAFTYGLD INS 0.5 ML 29G 13MM
- BD SAFTYGLD INS 0.5 ML 6MMX31G
- BD SINGLE USE SWAB
- BD UF MICRO PEN NEEDLE 6MMX32G
- BD UF MINI PEN NEEDLE 5MMX31G
- BD UF NANO PEN NEEDLE 4MMX32G
- BD UF ORIG PEN NDL 12.7MMX29G
- BD UF SHORT PEN NEEDLE 8MMX31G
- BD VEO INS 0.3 ML 6MMX31G (1/2)
- BD VEO INS SYRING 1 ML 6MMX31G
- BD VEO INS SYRN 0.3 ML 6MMX31G
- BD VEO INS SYRN 0.5 ML 6MMX31G
- BORDERED GAUZE 2"X2"
- CAREFINE PEN NEEDLE 12.7MM 29G
- CAREFINE PEN NEEDLE 4MM 32G
- CAREFINE PEN NEEDLE 5MM 32G
- CAREFINE PEN NEEDLE 6MM 31G
- CAREFINE PEN NEEDLE 8MM 30G
- CAREFINE PEN NEEDLES 6MM 32G
- CAREFINE PEN NEEDLES 8MM 31G
- CARETOUCH ALCOHOL 70% PREP PAD
- CARETOUCH PEN NEEDLE 29G 12MM
- CARETOUCH PEN NEEDLE 31GX1/4"

- CARETOUCH PEN NEEDLE 31GX3/16"
- CARETOUCH PEN NEEDLE 31GX5/16"
- CARETOUCH PEN NEEDLE 32GX3/16"
- CARETOUCH PEN NEEDLE 32GX5/32"
- CARETOUCH SYR 0.3 ML 31GX5/16"
- CARETOUCH SYR 0.5 ML 30GX5/16"
- CARETOUCH SYR 0.5 ML 31GX5/16"
- CARETOUCH SYR 1 ML 28GX5/16"
- CARETOUCH SYR 1 ML 29GX5/16"
- CARETOUCH SYR 1 ML 30GX5/16"
- CARETOUCH SYR 1 ML 31GX5/16"
- CLICKFINE PEN NEEDLE 32GX5/32"  
32GX4MM, STERILE
- COMFORT EZ 0.3 ML 31G 15/64"
- COMFORT EZ 0.5 ML 31G 15/64"
- COMFORT EZ INS 0.3 ML 30GX1/2"
- COMFORT EZ INS 0.3 ML 30GX5/16"
- COMFORT EZ INS 1 ML 31G 15/64"
- COMFORT EZ INS 1 ML 31GX5/16"
- COMFORT EZ INSULIN SYR 0.3 ML
- COMFORT EZ INSULIN SYR 0.5 ML
- COMFORT EZ PEN NEEDLE 12MM 29G
- COMFORT EZ PEN NEEDLES 4MM 32G  
SINGLE USE, MICRO
- COMFORT EZ PEN NEEDLES 4MM 33G
- COMFORT EZ PEN NEEDLES 5MM 31G  
MINI
- COMFORT EZ PEN NEEDLES 5MM 32G  
SINGLE USE,MINI,HRI
- COMFORT EZ PEN NEEDLES 5MM 33G
- COMFORT EZ PEN NEEDLES 6MM 31G
- COMFORT EZ PEN NEEDLES 6MM 32G
- COMFORT EZ PEN NEEDLES 6MM 33G
- COMFORT EZ PEN NEEDLES 8MM 31G  
SHORT
- COMFORT EZ PEN NEEDLES 8MM 32G
- COMFORT EZ PEN NEEDLES 8MM 33G
- COMFORT EZ PRO PEN NDL 30G 8MM
- COMFORT EZ PRO PEN NDL 31G 4MM
- COMFORT EZ PRO PEN NDL 31G 5MM
- COMFORT EZ SYR 0.3 ML 29GX1/2"
- COMFORT EZ SYR 0.5 ML 28GX1/2"
- COMFORT EZ SYR 0.5 ML 29GX1/2"
- COMFORT EZ SYR 0.5 ML 30GX1/2"
- COMFORT EZ SYR 1 ML 27G 12.7MM
- COMFORT EZ SYR 1 ML 28GX1/2"
- COMFORT EZ SYR 1 ML 29GX1/2"
- COMFORT EZ SYR 1 ML 30GX1/2"
- COMFORT EZ SYR 1 ML 30GX5/16"
- COMFORT POINT PEN NDL 31GX1/3"
- COMFORT POINT PEN NDL 31GX1/6"
- COMFORT TOUCH PEN NDL 31G 4MM
- COMFORT TOUCH PEN NDL 31G 5MM
- COMFORT TOUCH PEN NDL 31G 6MM
- COMFORT TOUCH PEN NDL 31G 8MM
- COMFORT TOUCH PEN NDL 32G 4MM
- COMFORT TOUCH PEN NDL 32G 5MM
- COMFORT TOUCH PEN NDL 32G 6MM
- COMFORT TOUCH PEN NDL 32G 8MM
- COMFORT TOUCH PEN NDL 33G 4MM
- COMFORT TOUCH PEN NDL 33G 6MM
- COMFORT TOUCH PEN NDL 33GX5MM
- CURAD GAUZE PADS 2" X 2"
- CURITY ALCOHOL PREPS 2  
PLY,MEDIUM
- CURITY GAUZE PADS
- CURITY GAUZE SPONGES (12 PLY)-  
200/BAG
- DERMACEA 2"X2" GAUZE 12 PLY, USP  
TYPE VII
- DERMACEA GAUZE 2"X2" SPONGE 8  
PLY
- DERMACEA NON-WOVEN 2"X2"  
SPNGE
- DROPLET 0.3 ML 29G 12.7MM(1/2)
- DROPLET 0.3 ML 30G 12.7MM(1/2)
- DROPLET 0.5 ML 29GX12.5MM(1/2)
- DROPLET 0.5 ML 30GX12.5MM(1/2)
- DROPLET INS 0.3 ML 29GX12.5MM
- DROPLET INS 0.3 ML 30G 8MM(1/2)
- DROPLET INS 0.3 ML 30GX12.5MM
- DROPLET INS 0.3 ML 31G 6MM(1/2)
- DROPLET INS 0.3 ML 31G 8MM(1/2)
- DROPLET INS 0.5 ML 29G 12.7MM
- DROPLET INS 0.5 ML 30G 12.7MM
- DROPLET INS 0.5 ML 30GX6MM(1/2)
- DROPLET INS 0.5 ML 30GX8MM(1/2)
- DROPLET INS 0.5 ML 31GX6MM(1/2)
- DROPLET INS 0.5 ML 31GX8MM(1/2)
- DROPLET INS SYR 0.3 ML 30GX6MM
- DROPLET INS SYR 0.3 ML 30GX8MM
- DROPLET INS SYR 0.3 ML 31GX6MM
- DROPLET INS SYR 0.3 ML 31GX8MM
- DROPLET INS SYR 0.5 ML 30G 8MM

- DROPLET INS SYR 0.5 ML 31G 6MM
- DROPLET INS SYR 0.5 ML 31G 8MM
- DROPLET INS SYR 1 ML 29G 12.7MM
- DROPLET INS SYR 1 ML 30G 8MM
- DROPLET INS SYR 1 ML 30GX12.5MM
- DROPLET INS SYR 1 ML 30GX6MM
- DROPLET INS SYR 1 ML 31G 6MM
- DROPLET INS SYR 1 ML 31GX8MM
- DROPLET MICRON 34G X 9/64"
- DROPLET PEN NEEDLE 29G 10MM
- DROPLET PEN NEEDLE 29G 12MM
- DROPLET PEN NEEDLE 30G 8MM
- DROPLET PEN NEEDLE 31G 5MM
- DROPLET PEN NEEDLE 31G 6MM
- DROPLET PEN NEEDLE 31G 8MM
- DROPLET PEN NEEDLE 32G 4MM
- DROPLET PEN NEEDLE 32G 5MM
- DROPLET PEN NEEDLE 32G 6MM
- DROPLET PEN NEEDLE 32G 8MM
- DROPSAFE ALCOHOL 70% PREP PADS
- DROPSAFE INS SYR 0.3 ML 31G 6MM
- DROPSAFE INS SYR 0.3 ML 31G 8MM
- DROPSAFE INS SYR 0.5 ML 31G 6MM
- DROPSAFE INS SYR 0.5 ML 31G 8MM
- DROPSAFE INSUL SYR 1 ML 31G 6MM
- DROPSAFE INSUL SYR 1 ML 31G 8MM
- DROPSAFE INSULN 1 ML 29G 12.5MM
- DROPSAFE PEN NEEDLE 31G 5MM
- DROPSAFE PEN NEEDLE 31G 8MM
- DROPSAFE PEN NEEDLE 31GX1/4"
- DRUG MART ULTRA COMFORT SYR
- EASY CMFT SFTY PEN NDL 31G 5MM
- EASY CMFT SFTY PEN NDL 31G 6MM
- EASY CMFT SFTY PEN NDL 32G 4MM
- EASY COMFORT 0.3 ML 31G 1/2"
- EASY COMFORT 0.3 ML 31G 5/16"
- EASY COMFORT 0.3 ML SYRINGE
- EASY COMFORT 0.5 ML 30GX1/2"
- EASY COMFORT 0.5 ML 31GX5/16"
- EASY COMFORT 0.5 ML 32GX5/16"
- EASY COMFORT 0.5 ML SYRINGE
- EASY COMFORT 1 ML 31GX5/16"
- EASY COMFORT 1 ML 32GX5/16"
- EASY COMFORT ALCOHOL 70% PAD
- EASY COMFORT INSULIN 1 ML SYR
- EASY COMFORT PEN NDL 29G 4MM
- EASY COMFORT PEN NDL 29G 5MM
- EASY COMFORT PEN NDL 31GX1/4"
- EASY COMFORT PEN NDL 31GX3/16"
- EASY COMFORT PEN NDL 31GX5/16"
- EASY COMFORT PEN NDL 32GX5/32"
- EASY COMFORT PEN NDL 33G 4MM
- EASY COMFORT PEN NDL 33G 5MM
- EASY COMFORT PEN NDL 33G 6MM
- EASY COMFORT SYR 0.5 ML 29G 8MM
- EASY COMFORT SYR 1 ML 29G 8MM
- EASY COMFORT SYR 1 ML 30GX1/2"
- EASY GLIDE INS 0.3 ML 31GX6MM
- EASY GLIDE INS 0.5 ML 31GX6MM
- EASY GLIDE INS 1 ML 31GX6MM
- EASY GLIDE PEN NEEDLE 4MM 33G
- EASY TOUCH 0.3 ML SYR 30GX1/2"
- EASY TOUCH 0.5 ML SYR 27GX1/2"
- EASY TOUCH 0.5 ML SYR 29GX1/2"
- EASY TOUCH 0.5 ML SYR 30GX1/2"
- EASY TOUCH 0.5 ML SYR 30GX5/16
- EASY TOUCH 1 ML SYR 27GX1/2"
- EASY TOUCH 1 ML SYR 29GX1/2"
- EASY TOUCH 1 ML SYR 30GX1/2"
- EASY TOUCH ALCOHOL 70% PADS  
GAMMA-STERILIZED
- EASY TOUCH FLIPLOK 1 ML 27GX0.5
- EASY TOUCH INSULIN 1 ML 29GX1/2
- EASY TOUCH INSULIN 1 ML 30GX1/2
- EASY TOUCH INSULIN SYR 0.3 ML
- EASY TOUCH INSULIN SYR 0.5 ML
- EASY TOUCH INSULIN SYR 1 ML
- EASY TOUCH INSULIN SYR 1 ML  
RETRACTABLE
- EASY TOUCH INSULN 1 ML 29GX1/2"
- EASY TOUCH INSULN 1 ML 30GX1/2"
- EASY TOUCH INSULN 1 ML 30GX5/16
- EASY TOUCH INSULN 1 ML 31GX5/16
- EASY TOUCH LUER LOK INSUL 1 ML
- EASY TOUCH PEN NEEDLE 29GX1/2"
- EASY TOUCH PEN NEEDLE 30GX5/16
- EASY TOUCH PEN NEEDLE 31GX1/4"
- EASY TOUCH PEN NEEDLE 31GX3/16
- EASY TOUCH PEN NEEDLE 31GX5/16
- EASY TOUCH PEN NEEDLE 32GX1/4"
- EASY TOUCH PEN NEEDLE 32GX3/16
- EASY TOUCH PEN NEEDLE 32GX5/32
- EASY TOUCH SAF PEN NDL 29G 5MM
- EASY TOUCH SAF PEN NDL 29G 8MM

- EASY TOUCH SAF PEN NDL 30G 5MM
- EASY TOUCH SAF PEN NDL 30G 8MM
- EASY TOUCH SYR 0.5 ML 28G 12.7MM
- EASY TOUCH SYR 0.5 ML 29G 12.7MM
- EASY TOUCH SYR 1 ML 27G 16MM
- EASY TOUCH SYR 1 ML 28G 12.7MM
- EASY TOUCH SYR 1 ML 29G 12.7MM
- EASY TOUCH UNI-SLIP SYR 1 ML
- EASYTOUCH SAF PEN NDL 30G 6MM
- EMBRACE PEN NEEDLE 29G 12MM
- EMBRACE PEN NEEDLE 30G 5MM
- EMBRACE PEN NEEDLE 30G 8MM
- EMBRACE PEN NEEDLE 31G 5MM
- EMBRACE PEN NEEDLE 31G 6MM
- EMBRACE PEN NEEDLE 31G 8MM
- EMBRACE PEN NEEDLE 32G 4MM
- EQL INSULIN 0.5 ML SYRINGE
- EQL INSULIN 0.5 ML SYRINGE SHORT NEEDLE
- EXEL U100 0.3 ML 29GX1/2"
- FP INSULIN 1 ML SYRINGE
- FREESTYLE PREC 0.5 ML 30GX5/16
- FREESTYLE PREC 0.5 ML 31GX5/16
- FREESTYLE PREC 1 ML 30GX5/16"
- FREESTYLE PREC 1 ML 31GX5/16"
- GAUZE PAD TOPICAL BANDAGE 2 X 2 "
- GAUZE PADS 2"X2" STRL
- GNP ALCOHOL SWAB STERILE, TWO PLY
- GNP CLICKFINE 31G X 1/4" NDL 6MM, UNIVERSAL
- GNP CLICKFINE 31G X 5/16" NDL 8MM, UNIVERSAL
- GNP PEN NEEDLE 31G 5MM
- GNP PEN NEEDLE 32G 4MM
- GNP PEN NEEDLE 32G 6MM
- GNP SIMPLI PEN NEEDLE 32G 4MM
- GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT
- GNP ULT CMFRT 0.5 ML 29GX1/2"
- GNP ULTRA COMFORT 0.5 ML SYR
- GNP ULTRA COMFORT 1 ML SYRINGE
- GNP ULTRA COMFORT 3/10 ML SYR
- GS PEN NEEDLE 31G X 8MM
- HEALTHWISE INS 0.3 ML 30GX5/16"
- HEALTHWISE INS 0.3 ML 31GX5/16"
- HEALTHWISE INS 0.5 ML 30GX5/16"
- HEALTHWISE INS 0.5 ML 31GX5/16"
- HEALTHWISE INS 1 ML 30GX5/16"
- HEALTHWISE INS 1 ML 31GX5/16"
- HEALTHWISE PEN NEEDLE 31G 5MM
- HEALTHWISE PEN NEEDLE 31G 8MM
- HEALTHWISE PEN NEEDLE 32G 4MM
- HEALTHY ACCENTS PENTIP 4MM 32G
- HEALTHY ACCENTS PENTIP 5MM 31G
- HEALTHY ACCENTS PENTIP 6MM 31G
- HEALTHY ACCENTS PENTIP 8MM 31G
- HEALTHY ACCENTS PENTIP 12MM 29G
- HEB INCONTROL ALCOHOL 70% PADS
- INCONTROL PEN NEEDLE 12MM 29G
- INCONTROL PEN NEEDLE 4MM 32G
- INCONTROL PEN NEEDLE 5MM 31G
- INCONTROL PEN NEEDLE 6MM 31G
- INCONTROL PEN NEEDLE 8MM 31G
- INSULIN 1 ML SYRINGE
- INSULIN SYR 0.3 ML 31GX1/4(1/2)
- INSULIN SYR 0.5 ML 28G 12.7MM (OTC)
- INSULIN SYRIN 0.5 ML 30GX1/2" (RX)
- INSULIN SYRING 0.5 ML 27G 1/2" INNER
- INSULIN SYRINGE 0.3 ML
- INSULIN SYRINGE 0.3 ML 31GX1/4
- INSULIN SYRINGE 0.5 ML
- INSULIN SYRINGE 0.5 ML 31GX1/4
- INSULIN SYRINGE 1 ML
- INSULIN SYRINGE 1 ML 27G 1/2" INNER
- INSULIN SYRINGE 1 ML 27G 16MM
- INSULIN SYRINGE 1 ML 28G 12.7MM (OTC)
- INSULIN SYRINGE 1 ML 30GX1/2" SHORT NEEDLE (OTC)
- INSULIN SYRINGE 1 ML 31GX1/4"
- INSULIN SYRINGE NEEDLELESS
- INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE
- INSULIN U-500 SYRINGE-NEEDLE
- INSUPEN 30G ULTRAFIN NEEDLE
- INSUPEN 31G ULTRAFIN NEEDLE
- INSUPEN 32G 8MM PEN NEEDLE
- INSUPEN PEN NEEDLE 29GX12MM
- INSUPEN PEN NEEDLE 31G 8MM

- INSUPEN PEN NEEDLE 31GX3/16"
- INSUPEN PEN NEEDLE 32G 6MM (RX)
- INSUPEN PEN NEEDLE 32GX4MM
- INSUPEN PEN NEEDLE 33GX4MM
- IV ANTISEPTIC WIPES
- KENDALL ALCOHOL 70% PREP PAD
- LISCO SPONGES 100/BAG
- LITE TOUCH 31GX1/4" PEN NEEDLE
- LITE TOUCH INSULIN 0.5 ML SYR
- LITE TOUCH INSULIN 1 ML SYR
- LITE TOUCH INSULIN SYR 1 ML
- LITE TOUCH PEN NEEDLE 29G
- LITE TOUCH PEN NEEDLE 31G
- LITETOUCH INS 0.3 ML 29GX1/2"
- LITETOUCH INS 0.3 ML 30GX5/16"
- LITETOUCH INS 0.3 ML 31GX5/16"
- LITETOUCH INS 0.5 ML 31GX5/16"
- LITETOUCH SYR 0.5 ML 28GX1/2"
- LITETOUCH SYR 0.5 ML 29GX1/2"
- LITETOUCH SYR 0.5 ML 30GX5/16"
- LITETOUCH SYRIN 1 ML 28GX1/2"
- LITETOUCH SYRIN 1 ML 29GX1/2"
- LITETOUCH SYRIN 1 ML 30GX5/16"
- MAGELLAN INSUL SYRINGE 0.3 ML
- MAGELLAN INSUL SYRINGE 0.5 ML
- MAGELLAN INSULIN SYR 0.3 ML
- MAGELLAN INSULIN SYR 0.5 ML
- MAGELLAN INSULIN SYRINGE 1 ML
- MAXI-COMFORT INS 0.5 ML 28G
- MAXI-COMFORT INS 1 ML 28GX1/2"
- MAXICOMFORT II PEN NDL 31GX6MM
- MAXICOMFORT INS 0.5 ML 27GX1/2"
- MAXICOMFORT INS 1 ML 27GX1/2"
- MAXICOMFORT PEN NDL 29G X 5MM
- MAXICOMFORT PEN NDL 29G X 8MM
- MICRODOT PEN NEEDLE 31GX6MM
- MICRODOT PEN NEEDLE 32GX4MM
- MICRODOT PEN NEEDLE 33GX4MM
- MICRODOT READYGARD NDL 31G 5MM OUTER
- MINI PEN NEEDLE 32G 5MM
- MINI PEN NEEDLE 32G 8MM
- MINI PEN NEEDLE 33G 4MM
- MINI PEN NEEDLE 33G 5MM
- MINI PEN NEEDLE 33G 6MM
- MINI ULTRA-THIN II PEN NDL 31G STERILE
- MONOJECT 0.5 ML SYRN 28GX1/2"
- MONOJECT 1 ML SYRN 27X1/2"
- MONOJECT 1 ML SYRN 28GX1/2" (OTC)
- MONOJECT INSUL SYR U100 (OTC)
- MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC)
- MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC)
- MONOJECT INSUL SYR U100 1 ML
- MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC)
- MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)
- MONOJECT INSULIN SYR 0.3 ML
- MONOJECT INSULIN SYR 0.3 ML (OTC)
- MONOJECT INSULIN SYR 0.5 ML
- MONOJECT INSULIN SYR 0.5 ML (OTC)
- MONOJECT INSULIN SYR 1 ML 3'S (OTC)
- MONOJECT INSULIN SYR U-100
- MONOJECT SYRINGE 0.3 ML
- MONOJECT SYRINGE 0.5 ML
- MONOJECT SYRINGE 1 ML
- MS INSULIN SYR 1 ML 31GX5/16" (OTC)
- MS INSULIN SYRINGE 0.3 ML
- NANO 2 GEN PEN NEEDLE 32G 4MM
- NANO PEN NEEDLE 32G 4MM
- NOVOFINE 30
- NOVOFINE 32G NEEDLES
- NOVOFINE PLUS PEN NDL 32GX1/6"
- NOVOTWIST
- PC UNIFINE PENTIPS 8MM NEEDLE SHORT
- PEN NEEDLE 30G 5MM OUTER
- PEN NEEDLE 30G 8MM INNER
- PEN NEEDLE 30G X 5/16"
- PEN NEEDLE 31G X 1/4" HRI
- PEN NEEDLE 6MM 31G 6MM
- PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2"
- PEN NEEDLES 12MM 29G 29GX12MM,STRL
- PEN NEEDLES 4MM 32G
- PEN NEEDLES 5MM 31G 31GX5MM,STRL,MINI (OTC)
- PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC)

- PENTIPS PEN NEEDLE 29G 1/2"
- PENTIPS PEN NEEDLE 31G 1/4"
- PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM
- PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM
- PENTIPS PEN NEEDLE 32G 1/4"
- PENTIPS PEN NEEDLE 32GX5/32" 4MM
- PIP PEN NEEDLE 31G X 5MM
- PIP PEN NEEDLE 32G X 4MM
- PREFPLS INS SYR 1 ML 30GX5/16" (OTC)
- PREVENT PEN NEEDLE 31GX1/4"
- PREVENT PEN NEEDLE 31GX5/16"
- PRO COMFORT 0.5 ML 30GX1/2"
- PRO COMFORT 0.5 ML 30GX5/16"
- PRO COMFORT 0.5 ML 31GX5/16"
- PRO COMFORT 1 ML 30GX1/2"
- PRO COMFORT 1 ML 30GX5/16"
- PRO COMFORT 1 ML 31GX5/16"
- PRO COMFORT ALCOHOL 70% PADS
- PRO COMFORT PEN NDL 32G 8MM
- PRO COMFORT PEN NDL 32G X 1/4"
- PRO COMFORT PEN NDL 4MM 32G
- PRO COMFORT PEN NDL 5MM 32G
- PRODIGY INS SYR 1 ML 28GX1/2"
- PRODIGY SYRNG 0.5 ML 31GX5/16"
- PRODIGY SYRNGE 0.3 ML 31GX5/16"
- PURE CMFT SFTY PEN NDL 31G 5MM
- PURE CMFT SFTY PEN NDL 31G 6MM
- PURE CMFT SFTY PEN NDL 32G 4MM
- PURE COMFORT ALCOHOL 70% PADS
- PURE COMFORT PEN NDL 32G 4MM
- PURE COMFORT PEN NDL 32G 5MM
- PURE COMFORT PEN NDL 32G 6MM
- PURE COMFORT PEN NDL 32G 8MM
- RAYA SURE PEN NEEDLE 29G 12MM
- RAYA SURE PEN NEEDLE 31G 4MM
- RAYA SURE PEN NEEDLE 31G 5MM
- RAYA SURE PEN NEEDLE 31G 6MM
- RELI-ON INSULIN 1 ML SYR
- RELION INS SYR 0.3 ML 31GX6MM
- RELION INS SYR 0.5 ML 31GX6MM
- RELION INS SYR 1 ML 31GX15/64"
- SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10
- SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10
- SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10
- SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10
- SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10
- SAFETY PEN NEEDLE 31G 4MM
- SAFETY PEN NEEDLE 5MM X 31G
- SAFETY SYRINGE 0.5 ML 30G 1/2"
- SECURESAFE PEN NDL 30GX5/16" OUTER
- SECURESAFE SYR 0.5 ML 29G 1/2" OUTER
- SECURESAFE SYRNG 1 ML 29G 1/2" OUTER
- SKY SAFETY PEN NEEDLE 30G 5MM
- SKY SAFETY PEN NEEDLE 30G 8MM
- SM ULT CFT 0.3 ML 31GX5/16(1/2)
- STERILE PADS 2" X 2"
- SURE CMFT SFTY PEN NDL 31G 6MM
- SURE CMFT SFTY PEN NDL 32G 4MM
- SURE COMFORT 0.5 ML SYRINGE
- SURE COMFORT 1 ML SYRINGE
- SURE COMFORT 3/10 ML SYRINGE
- SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE
- SURE COMFORT 30G PEN NEEDLE
- SURE COMFORT ALCOHOL PREP PADS
- SURE COMFORT INS 0.3 ML 31GX1/4
- SURE COMFORT INS 0.5 ML 31GX1/4
- SURE COMFORT INS 1 ML 31GX1/4"
- SURE COMFORT PEN NDL 29GX1/2" 12.7MM
- SURE COMFORT PEN NDL 31G 5MM
- SURE COMFORT PEN NDL 31G 8MM
- SURE COMFORT PEN NDL 32G 4MM
- SURE COMFORT PEN NDL 32G 6MM
- SURE-FINE PEN NEEDLES 12.7MM
- SURE-FINE PEN NEEDLES 5MM
- SURE-FINE PEN NEEDLES 8MM
- SURE-JECT INSU SYR U100 0.3 ML
- SURE-JECT INSU SYR U100 0.5 ML
- SURE-JECT INSU SYR U100 1 ML
- SURE-JECT INSUL SYR U100 1 ML
- SURE-JECT INSULIN SYRINGE 1 ML
- SURE-PREP ALCOHOL PREP PADS

- TECHLITE 0.3 ML 29GX12MM (1/2)
- TECHLITE 0.3 ML 30GX8MM (1/2)
- TECHLITE 0.3 ML 31GX6MM (1/2)
- TECHLITE 0.3 ML 31GX8MM (1/2)
- TECHLITE 0.5 ML 30GX12MM (1/2)
- TECHLITE 0.5 ML 30GX8MM (1/2)
- TECHLITE 0.5 ML 31GX6MM (1/2)
- TECHLITE 0.5 ML 31GX8MM (1/2)
- TECHLITE INS SYR 1 ML 29GX12MM
- TECHLITE INS SYR 1 ML 30GX12MM
- TECHLITE INS SYR 1 ML 31GX6MM
- TECHLITE INS SYR 1 ML 31GX8MM
- TECHLITE PEN NEEDLE 29GX1/2"
- TECHLITE PEN NEEDLE 29GX3/8"
- TECHLITE PEN NEEDLE 31GX1/4"
- TECHLITE PEN NEEDLE 31GX3/16"
- TECHLITE PEN NEEDLE 31GX5/16"
- TECHLITE PEN NEEDLE 32GX1/4"
- TECHLITE PEN NEEDLE 32GX5/16"
- TECHLITE PEN NEEDLE 32GX5/32"
- TECHLITE PLUS PEN NDL 32G 4MM
- TERUMO INS SYRINGE U100-1 ML
- TERUMO INS SYRINGE U100-1/2 ML
- TERUMO INS SYRINGE U100-1/3 ML
- TERUMO INS SYRNG U100-1/2 ML
- THINPRO INS SYRIN U100-0.3 ML
- THINPRO INS SYRIN U100-0.5 ML
- THINPRO INS SYRIN U100-1 ML
- TOPCARE CLICKFINE 31G X 1/4"
- TOPCARE CLICKFINE 31G X 5/16"
- TOPCARE ULTRA COMFORT SYRINGE
- TRUE CMFRT PRO 0.5 ML 30G 5/16"
- TRUE CMFRT PRO 0.5 ML 31G 5/16"
- TRUE CMFRT PRO 0.5 ML 32G 5/16"
- TRUE CMFT SFTY PEN NDL 31G 5MM
- TRUE CMFT SFTY PEN NDL 31G 6MM
- TRUE CMFT SFTY PEN NDL 32G 4MM
- TRUE COMFORT 0.5 ML 30G 1/2"
- TRUE COMFORT 0.5 ML 30G 5/16"
- TRUE COMFORT 0.5 ML 31G 5/16"
- TRUE COMFORT 0.5 ML 31GX5/16"
- TRUE COMFORT 1 ML 31GX5/16"
- TRUE COMFORT ALCOHOL 70% PADS
- TRUE COMFORT PEN NDL 31G 8MM
- TRUE COMFORT PEN NDL 31GX5MM
- TRUE COMFORT PEN NDL 31GX6MM
- TRUE COMFORT PEN NDL 32G 5MM
- TRUE COMFORT PEN NDL 32G 6MM
- TRUE COMFORT PEN NDL 32GX4MM
- TRUE COMFORT PEN NDL 33G 4MM
- TRUE COMFORT PEN NDL 33G 5MM
- TRUE COMFORT PEN NDL 33G 6MM
- TRUE COMFORT PRO 1 ML 30G 1/2"
- TRUE COMFORT PRO 1 ML 30G 5/16"
- TRUE COMFORT PRO 1 ML 31G 5/16"
- TRUE COMFORT PRO 1 ML 32G 5/16"
- TRUE COMFORT PRO ALCOHOL PADS
- TRUE COMFORT SFTY 1 ML 30G 1/2"
- TRUE COMFRT PRO 0.5 ML 30G 1/2"
- TRUE COMFRT SFTY 1 ML 30G 5/16"
- TRUE COMFRT SFTY 1 ML 31G 5/16"
- TRUE COMFRT SFTY 1 ML 32G 5/16"
- TRUEPLUS PEN NEEDLE 29GX1/2"
- TRUEPLUS PEN NEEDLE 31G X 1/4"
- TRUEPLUS PEN NEEDLE 31GX3/16"
- TRUEPLUS PEN NEEDLE 31GX5/16"
- TRUEPLUS PEN NEEDLE 32GX5/32"
- TRUEPLUS SYR 0.3 ML 29GX1/2"
- TRUEPLUS SYR 0.3 ML 30GX5/16"
- TRUEPLUS SYR 0.3 ML 31GX5/16"
- TRUEPLUS SYR 0.5 ML 28GX1/2"
- TRUEPLUS SYR 0.5 ML 29GX1/2"
- TRUEPLUS SYR 0.5 ML 30GX5/16"
- TRUEPLUS SYR 0.5 ML 31GX5/16"
- TRUEPLUS SYR 1 ML 28GX1/2"
- TRUEPLUS SYR 1 ML 29GX1/2"
- TRUEPLUS SYR 1 ML 30GX5/16"
- TRUEPLUS SYR 1 ML 31GX5/16"
- ULTICAR INS 0.3 ML 31GX1/4(1/2)
- ULTICARE INS 1 ML 31GX1/4"
- ULTICARE INS SYR 0.3 ML 30G 8MM
- ULTICARE INS SYR 0.3 ML 31G 6MM
- ULTICARE INS SYR 0.3 ML 31G 8MM
- ULTICARE INS SYR 0.5 ML 30G 8MM (OTC)
- ULTICARE INS SYR 0.5 ML 31G 6MM
- ULTICARE INS SYR 0.5 ML 31G 8MM (OTC)
- ULTICARE INS SYR 1 ML 30GX1/2"
- ULTICARE PEN NEEDLE 31GX3/16"
- ULTICARE PEN NEEDLE 6MM 31G
- ULTICARE PEN NEEDLE 8MM 31G
- ULTICARE PEN NEEDLES 12MM 29G
- ULTICARE PEN NEEDLES 4MM 32G

- MICRO, 32GX4MM
- ULTICARE PEN NEEDLES 6MM 32G
- ULTICARE SAFE PEN NDL 30G 8MM
- ULTICARE SAFE PEN NDL 5MM 30G
- ULTICARE SAFETY 0.5 ML 29GX1/2 (RX)
- ULTICARE SYR 0.3 ML 29G 12.7MM
- ULTICARE SYR 0.3 ML 30GX1/2"
- ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL
- ULTICARE SYR 0.5 ML 30GX1/2"
- ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL
- ULTICARE SYR 1 ML 31GX5/16"
- ULTIGUARD SAFE 1 ML 30G 12.7MM
- ULTIGUARD SAFE0.3 ML 30G 12.7MM
- ULTIGUARD SAFE0.5 ML 30G 12.7MM
- ULTIGUARD SAFEPACK 1 ML 31G 8MM
- ULTIGUARD SAFEPACK 29G 12.7MM
- ULTIGUARD SAFEPACK 31G 5MM
- ULTIGUARD SAFEPACK 31G 6MM
- ULTIGUARD SAFEPACK 31G 8MM
- ULTIGUARD SAFEPACK 32G 4MM
- ULTIGUARD SAFEPACK 32G 6MM
- ULTIGUARD SAFEPK 0.3 ML 31G 8MM
- ULTIGUARD SAFEPK 0.5 ML 31G 8MM
- ULTILET ALCOHOL STERL SWAB
- ULTILET INSULIN SYRINGE 0.3 ML
- ULTILET INSULIN SYRINGE 0.5 ML
- ULTILET INSULIN SYRINGE 1 ML
- ULTILET PEN NEEDLE
- ULTILET PEN NEEDLE 4MM 32G
- ULTRA COMFORT 0.3 ML SYRINGE
- ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G
- ULTRA COMFORT 0.5 ML 29GX1/2"
- ULTRA COMFORT 0.5 ML SYRINGE
- ULTRA COMFORT 1 ML 31GX5/16"
- ULTRA COMFORT 1 ML SYRINGE
- ULTRA FLO 0.3 ML 30G 1/2" (1/2)
- ULTRA FLO 0.3 ML 30G 5/16"(1/2)
- ULTRA FLO 0.3 ML 31G 5/16"(1/2)
- ULTRA FLO PEN NEEDLE 31G 5MM
- ULTRA FLO PEN NEEDLE 31G 8MM
- ULTRA FLO PEN NEEDLE 32G 4MM
- ULTRA FLO PEN NEEDLE 33G 4MM
- ULTRA FLO PEN NEEDLES 12MM 29G
- ULTRA FLO SYR 0.3 ML 29GX1/2"
- ULTRA FLO SYR 0.3 ML 30G 5/16"
- ULTRA FLO SYR 0.3 ML 31G 5/16"
- ULTRA FLO SYR 0.5 ML 29G 1/2"
- ULTRA THIN PEN NDL 32G X 4MM
- ULTRA-FINE 0.3 ML 30G 12.7MM
- ULTRA-FINE 0.3 ML 31G 6MM (1/2)
- ULTRA-FINE 0.3 ML 31G 8MM (1/2)
- ULTRA-FINE 0.5 ML 30G 12.7MM
- ULTRA-FINE INS SYR 1 ML 31G 6MM
- ULTRA-FINE INS SYR 1 ML 31G 8MM
- ULTRA-FINE PEN NDL 29G 12.7MM
- ULTRA-FINE PEN NEEDLE 31G 5MM
- ULTRA-FINE PEN NEEDLE 31G 8MM
- ULTRA-FINE PEN NEEDLE 32G 6MM
- ULTRA-FINE SYR 0.5 ML 31G 6MM
- ULTRA-FINE SYR 0.5 ML 31G 8MM
- ULTRA-FINE SYR 1 ML 30G 12.7MM
- ULTRA-THIN II 1 ML 31GX5/16"
- ULTRA-THIN II INS 0.3 ML 30G
- ULTRA-THIN II INS 0.3 ML 31G
- ULTRA-THIN II INS 0.5 ML 29G
- ULTRA-THIN II INS 0.5 ML 30G
- ULTRA-THIN II INS 0.5 ML 31G
- ULTRA-THIN II INS SYR 1 ML 29G
- ULTRA-THIN II INS SYR 1 ML 30G
- ULTRA-THIN II PEN NDL 29GX1/2"
- ULTRA-THIN II PEN NDL 31GX5/16"
- ULTRACARE INS 0.3 ML 30GX5/16"
- ULTRACARE INS 0.3 ML 31GX5/16"
- ULTRACARE INS 0.5 ML 30GX1/2"
- ULTRACARE INS 0.5 ML 30GX5/16"
- ULTRACARE INS 0.5 ML 31GX5/16"
- ULTRACARE INS 1 ML 30G X 5/16"
- ULTRACARE INS 1 ML 30GX1/2"
- ULTRACARE INS 1 ML 31G X 5/16"
- ULTRACARE PEN NEEDLE 31GX1/4"
- ULTRACARE PEN NEEDLE 31GX3/16"
- ULTRACARE PEN NEEDLE 31GX5/16"
- ULTRACARE PEN NEEDLE 32GX1/4"
- ULTRACARE PEN NEEDLE 32GX3/16"
- ULTRACARE PEN NEEDLE 32GX5/32"
- ULTRACARE PEN NEEDLE 33GX5/32"
- UNIFINE OTC PEN NEEDLE 31G 5MM
- UNIFINE OTC PEN NEEDLE 32G 4MM
- UNIFINE PEN NEEDLE 32G 4MM
- UNIFINE PENTIPS 12MM 29G

- 29GX12MM, STRL
- UNIFINE PENTIPS 31GX3/16" 31GX5MM,STRL,MINI
- UNIFINE PENTIPS 32G 4MM
- UNIFINE PENTIPS 32GX1/4"
- UNIFINE PENTIPS 33GX5/32"
- UNIFINE PENTIPS 6MM 31G
- UNIFINE PENTIPS MAX 30GX3/16"
- UNIFINE PENTIPS NEEDLES 29G
- UNIFINE PENTIPS PLUS 29GX1/2" 12MM
- UNIFINE PENTIPS PLUS 30GX3/16"
- UNIFINE PENTIPS PLUS 31GX1/4" ULTRA SHORT, 6MM
- UNIFINE PENTIPS PLUS 31GX3/16" MINI
- UNIFINE PENTIPS PLUS 31GX5/16" SHORT
- UNIFINE PENTIPS PLUS 32GX5/32"
- UNIFINE PENTIPS PLUS 33GX5/32"
- UNIFINE PROTECT 30G 5MM
- UNIFINE PROTECT 30G 8MM
- UNIFINE PROTECT 32G 4MM
- UNIFINE SAFECONTROL 30G 5MM
- UNIFINE SAFECONTROL 30G 8MM
- UNIFINE SAFECONTROL 31G 5MM
- UNIFINE SAFECONTROL 31G 6MM
- UNIFINE SAFECONTROL 31G 8MM
- UNIFINE SAFECONTROL 32G 4MM
- UNIFINE ULTRA PEN NDL 31G 5MM
- UNIFINE ULTRA PEN NDL 31G 6MM
- UNIFINE ULTRA PEN NDL 31G 8MM
- UNIFINE ULTRA PEN NDL 32G 4MM
- VANISHPOINT 0.5 ML 30GX1/2" SY OUTER
- VANISHPOINT INS 1 ML 30GX3/16"
- VANISHPOINT U-100 29X1/2 SYR
- VERIFINE INS SYR 1 ML 29G 1/2"
- VERIFINE PEN NEEDLE 29G 12MM
- VERIFINE PEN NEEDLE 31G 5MM
- VERIFINE PEN NEEDLE 31G X 6MM
- VERIFINE PEN NEEDLE 31G X 8MM
- VERIFINE PEN NEEDLE 32G 6MM
- VERIFINE PEN NEEDLE 32G X 4MM
- VERIFINE PEN NEEDLE 32G X 5MM
- VERIFINE PLUS PEN NDL 31G 5MM
- VERIFINE PLUS PEN NDL 31G 8MM
- VERIFINE PLUS PEN NDL 32G 4MM
- VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER
- VERIFINE SYRING 0.5 ML 29G 1/2"
- VERIFINE SYRING 1 ML 31G 5/16"
- VERIFINE SYRNG 0.3 ML 31G 5/16"
- VERIFINE SYRNG 0.5 ML 31G 5/16"
- VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY
- WEBCOL ALCOHOL PREPS 20'S,LARGE

| PA Criteria                         | Criteria Details                                               |
|-------------------------------------|----------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | ONLY COVERED UNDER PART D WHEN USED CONCURRENTLY WITH INSULIN. |
| <b>Required Medical Information</b> |                                                                |
| <b>Age Restrictions</b>             |                                                                |
| <b>Prescriber Restrictions</b>      |                                                                |
| <b>Coverage Duration</b>            | LIFETIME                                                       |

| <b>PA Criteria</b>                           | <b>Criteria Details</b>       |
|----------------------------------------------|-------------------------------|
| <b>Other Criteria</b>                        |                               |
| <b>Indications</b>                           | All FDA-approved Indications. |
| <b>Off Label Uses</b>                        |                               |
| <b>Part B<br/>Prerequisite</b>               | No                            |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | No                            |

# INTERFERON FOR MS-AVONEX

---

## Products Affected

- AVONEX INTRAMUSCULAR PEN INJECTOR KIT
- AVONEX INTRAMUSCULAR SYRINGE KIT

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# INTERFERON FOR MS-BETASERON

---

## Products Affected

- BETASERON SUBCUTANEOUS KIT

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# INTERFERON FOR MS-PLEGRIDY

## Products Affected

- PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML
- PLEGRIDY SUBCUTANEOUS SYRINGE

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# INTERFERON GAMMA-1B

## Products Affected

- ACTIMMUNE

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                    |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                     |
| Required Medical Information  |                                                                                                                                                                                                                                                                     |
| Age Restrictions              |                                                                                                                                                                                                                                                                     |
| Prescriber Restrictions       | INITIAL: CHRONIC GRANULOMATOUS DISEASE (CGD): PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST, INFECTIOUS DISEASE SPECIALIST, OR IMMUNOLOGIST. SEVERE MALIGNANT OSTEOPETROSIS (SMO): PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST OR HEMATOLOGIST. |
| Coverage Duration             | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS                                                                                                                                                                                                                               |
| Other Criteria                | RENEWAL: CGD, SMO: 1) DEMONSTRATED CLINICAL BENEFIT COMPARED TO BASELINE, AND 2) HAS NOT RECEIVED HEMATOPOIETIC CELL TRANSPLANTATION.                                                                                                                               |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                       |
| Off Label Uses                |                                                                                                                                                                                                                                                                     |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                  |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                  |

# IPILIMUMAB

## Products Affected

- YERVOY

| PA Criteria                   | Criteria Details                                                                                                                                                                |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                 |
| Required Medical Information  |                                                                                                                                                                                 |
| Age Restrictions              |                                                                                                                                                                                 |
| Prescriber Restrictions       |                                                                                                                                                                                 |
| Coverage Duration             | INITIAL: UNRESECT/MET MEL: 4MO, RCC/CRC/HCC: 3MO, ALL OTHERS: 12MO. INITIAL/RENEWAL: CUTAN MEL: 6MO                                                                             |
| Other Criteria                | RENEWAL: ADJUVANT CUTANEOUS MELANOMA: NO EVIDENCE OF DISEASE RECURRENCE (DEFINED AS THE APPEARANCE OF ONE OR MORE NEW MELANOMA LESIONS: LOCAL, REGIONAL OR DISTANT METASTASIS). |
| Indications                   | All FDA-approved Indications.                                                                                                                                                   |
| Off Label Uses                |                                                                                                                                                                                 |
| Part B Prerequisite           | No                                                                                                                                                                              |
| Prerequisite Therapy Required | No                                                                                                                                                                              |

# ISAVUCONAZONIUM

## Products Affected

- CRESEMBA ORAL

| PA Criteria                   | Criteria Details                                                                                                                                   |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                    |
| Required Medical Information  |                                                                                                                                                    |
| Age Restrictions              |                                                                                                                                                    |
| Prescriber Restrictions       | INVASIVE ASPERGILLOSIS, INVASIVE MUCORMYCOSIS: PRESCRIBED BY OR IN CONSULTATION WITH AN INFECTIOUS DISEASE SPECIALIST.                             |
| Coverage Duration             | 6 MONTHS                                                                                                                                           |
| Other Criteria                | INVASIVE ASPERGILLOSIS: TRIAL OF OR CONTRAINDICATION TO VORICONAZOLE. CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE REQUIRES NO EXTRA CRITERIA. |
| Indications                   | All FDA-approved Indications.                                                                                                                      |
| Off Label Uses                |                                                                                                                                                    |
| Part B Prerequisite           | No                                                                                                                                                 |
| Prerequisite Therapy Required | Yes                                                                                                                                                |

# IVACAFTOR

## Products Affected

- KALYDECO

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                    |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                     |
| Required Medical Information  |                                                                                                                                                                                                                                                                                     |
| Age Restrictions              |                                                                                                                                                                                                                                                                                     |
| Prescriber Restrictions       | CYSTIC FIBROSIS (CF): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR CYSTIC FIBROSIS EXPERT                                                                                                                                                                      |
| Coverage Duration             | INITIAL: 12 MONTHS. RENEWAL: LIFETIME                                                                                                                                                                                                                                               |
| Other Criteria                | CF: INITIAL: 1) NOT HOMOZYGOUS FOR F508DEL MUTATION IN THE CYSTIC FIBROSIS TRANSMEMBRANE CONDUCTANCE REGULATOR (CFTR) GENE, AND 2) NO CONCURRENT USE WITH ANOTHER CFTR MODULATOR. RENEWAL: 1) IMPROVEMENT IN CLINICAL STATUS, AND 2) NO CONCURRENT USE WITH ANOTHER CFTR MODULATOR. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                       |
| Off Label Uses                |                                                                                                                                                                                                                                                                                     |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                  |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                  |

# IVOSIDENIB

## Products Affected

- TIBSOVO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# IXAZOMIB

## Products Affected

- NINLARO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# LAMOTRIGINE

## Products Affected

- SUBVENITE ORAL SUSPENSION

| PA Criteria                   | Criteria Details                                                               |
|-------------------------------|--------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                |
| Required Medical Information  |                                                                                |
| Age Restrictions              |                                                                                |
| Prescriber Restrictions       |                                                                                |
| Coverage Duration             | 12 MONTHS                                                                      |
| Other Criteria                | ALL INDICATIONS: CONTRAINDICATION TO OR UNABLE TO SWALLOW LAMOTRIGINE TABLETS. |
| Indications                   | All FDA-approved Indications.                                                  |
| Off Label Uses                |                                                                                |
| Part B Prerequisite           | No                                                                             |
| Prerequisite Therapy Required | Yes                                                                            |

# LANREOTIDE

## Products Affected

- *lanreotide subcutaneous syringe 120 mg/0.5 ml*
- SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML, 90 MG/0.3 ML

| PA Criteria                   | Criteria Details                                                                                                                                                          |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                           |
| Required Medical Information  |                                                                                                                                                                           |
| Age Restrictions              |                                                                                                                                                                           |
| Prescriber Restrictions       | ACROMEGALY: INITIAL: THERAPY IS PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.                                                                                 |
| Coverage Duration             | ACROMEGALY: INITIAL/RENEWAL: 12 MOS. GEP-NETS, CARCINOID SYNDROME: 12 MOS.                                                                                                |
| Other Criteria                | ACROMEGALY: RENEWAL: 1) REDUCTION, NORMALIZATION, OR MAINTENANCE OF IGF-1 LEVELS BASED ON AGE AND GENDER, AND 2) IMPROVEMENT OR SUSTAINED REMISSION OF CLINICAL SYMPTOMS. |
| Indications                   | All FDA-approved Indications.                                                                                                                                             |
| Off Label Uses                |                                                                                                                                                                           |
| Part B Prerequisite           | No                                                                                                                                                                        |
| Prerequisite Therapy Required | Yes                                                                                                                                                                       |

# LAPATINIB

## Products Affected

- *lapatinib*

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# LAROTRECTINIB

## Products Affected

- VITRAKVI ORAL CAPSULE 100 MG, 25 MG
- VITRAKVI ORAL SOLUTION

| PA Criteria                   | Criteria Details                                                                                 |
|-------------------------------|--------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                  |
| Required Medical Information  |                                                                                                  |
| Age Restrictions              |                                                                                                  |
| Prescriber Restrictions       |                                                                                                  |
| Coverage Duration             | 12 MONTHS                                                                                        |
| Other Criteria                | VITRAKVI ORAL SOLUTION: 1) TRIAL OF VITRAKVI CAPSULES, OR 2) UNABLE TO TAKE CAPSULE FORMULATION. |
| Indications                   | All FDA-approved Indications.                                                                    |
| Off Label Uses                |                                                                                                  |
| Part B Prerequisite           | No                                                                                               |
| Prerequisite Therapy Required | Yes                                                                                              |

# LAZERTINIB

## Products Affected

- LAZCLUZE ORAL TABLET 240 MG, 80 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# LEDIPASVIR-SOFOSBUVIR

## Products Affected

- HARVONI ORAL PELLETS IN PACKET  
33.75-150 MG, 45-200 MG
- HARVONI ORAL TABLET

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                   |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                                    |
| Required Medical Information  | HCV RNA LEVEL WITHIN PAST 6 MONTHS.                                                                                                                                                                                                                                                                                                |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                                                    |
| Coverage Duration             | CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.                                                                                                                                                                                                                                                              |
| Other Criteria                | 1) CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE, AND 2) NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING: CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, ROSUVASTATIN, TIPRANAVIR/RITONAVIR, SOFOSBUVIR (AS A SINGLE AGENT), EPCLUSA, ZEPATIER, MAVYRET, OR VOSEVI. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                      |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                    |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                 |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                                                 |

# LENALIDOMIDE

## Products Affected

- *lenalidomide*

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# LENVATINIB

## Products Affected

- LENVIMA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# LETERMOVIR

## Products Affected

- PREVYMIS ORAL TABLET

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Coverage Duration             | HSCT: NOT AT RISK FOR LATE CMV: 4 MOS, AT RISK FOR LATE CMV: 7 MOS. KIDNEY TRANSPLANT: 7 MOS.                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Other Criteria                | HEMATOPOIETIC STEM CELL TRANSPLANT (HSCT): 1) THERAPY WILL BE INITIATED BETWEEN DAY 0 AND DAY 28 POST TRANSPLANT, AND 2) WILL NOT RECEIVE THE MEDICATION BEYOND 100 DAYS POST TRANSPLANT IF NOT AT RISK FOR LATE CYTOMEGALOVIRUS (CMV) INFECTION AND DISEASE, OR BEYOND 200 DAYS POST TRANSPLANT IF AT RISK FOR LATE CMV INFECTION AND DISEASE. KIDNEY TRANSPLANT: 1) THERAPY WILL BE INITIATED BETWEEN DAY 0 AND DAY 7 POST TRANSPLANT, AND 2) WILL NOT RECEIVE THE MEDICATION BEYOND 200 DAYS POST TRANSPLANT. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

# LEUPROLIDE

## Products Affected

- *leuprolide subcutaneous kit*

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | PROSTATE CANCER: 12 MONTHS.   |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# LEUPROLIDE DEPOT

## Products Affected

- *leuprolide acetate (3 month)*
- LUTRATE DEPOT (3 MONTH)

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# LEUPROLIDE MESYLATE

## Products Affected

- CAMCEVI (6 MONTH)

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# LEUPROLIDE-ELIGARD

## Products Affected

- ELIGARD
- ELIGARD (3 MONTH)
- ELIGARD (4 MONTH)
- ELIGARD (6 MONTH)

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS.                    |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# LEUPROLIDE-LUPRON DEPOT

## Products Affected

- LUPRON DEPOT
- LUPRON DEPOT (3 MONTH)
- LUPRON DEPOT (4 MONTH)
- LUPRON DEPOT (6 MONTH)

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Required Medical Information</b> | INITIAL: ENDOMETRIOSIS: DIAGNOSIS IS CONFIRMED VIA SURGICAL OR DIRECT VISUALIZATION (E.G., PELVIC ULTRASOUND) OR HISTOPATHOLOGICAL CONFIRMATION (E.G., LAPAROSCOPY OR LAPAROTOMY) IN THE LAST 10 YEARS.                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Prescriber Restrictions</b>      | INITIAL: ENDOMETRIOSIS: PRESCRIBED BY OR IN CONSULTATION WITH AN OBSTETRICIAN/GYNECOLOGIST.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Coverage Duration</b>            | PROSTATE CA: 12 MOS. UTERINE FIBROIDS: 3 MOS.<br>ENDOMETRIOSIS: INITIAL/RENEWAL: 6 MOS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Other Criteria</b>               | INITIAL: ENDOMETRIOSIS: 1) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, 2) TRIAL OF OR CONTRAINDICATION TO NSAID AND PROGESTIN-CONTAINING PREPARATION, AND 3) HAS NOT RECEIVED A TOTAL OF 12 MONTHS OF TREATMENT PER LIFETIME. RENEWAL: ENDOMETRIOSIS: 1) IMPROVEMENT OF PAIN RELATED TO ENDOMETRIOSIS WHILE ON THERAPY, 2) RECEIVING CONCOMITANT ADD-BACK THERAPY (I.E., COMBINATION ESTROGEN-PROGESTIN OR PROGESTIN-ONLY CONTRACEPTIVE PREPARATION), 3) NO CONCURRENT USE WITH ANOTHER GNRH-MODULATING AGENT, AND 4) HAS NOT RECEIVED A TOTAL OF 12 MONTHS OF TREATMENT PER LIFETIME. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |

| <b>PA Criteria</b>                           | <b>Criteria Details</b> |
|----------------------------------------------|-------------------------|
| <b>Part B<br/>Prerequisite</b>               | No                      |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes                     |

# LEUPROLIDE-LUPRON DEPOT-PED

## Products Affected

- LUPRON DEPOT-PED (3 MONTH)
- LUPRON DEPOT-PED  
INTRAMUSCULAR SYRINGE KIT

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Required Medical Information</b> | CENTRAL PRECOCIOUS PUBERTY (CPP): INITIAL: FEMALES: ELEVATED LEVEL OF LUTEINIZING HORMONE (LH) LEVEL GREATER THAN 0.2 TO 0.3 MIU/ML AT DIAGNOSIS. MALES: ELEVATED LEVEL OF LH LEVEL GREATER THAN 0.2 TO 0.3 MIU/ML AT DIAGNOSIS.                                                                                                                                                                                                                                                                                   |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Prescriber Restrictions</b>      | CPP: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Coverage Duration</b>            | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Other Criteria</b>               | CPP: INITIAL: FEMALES: 1) YOUNGER THAN 8 YEARS OF AGE AT ONSET OF CPP, AND 2) AT TANNER STAGE 2 OR ABOVE FOR BREAST DEVELOPMENT AND PUBIC HAIR GROWTH. MALES: 1) YOUNGER THAN 9 YEARS OF AGE AT ONSET OF CPP, AND 2) AT TANNER STAGE 2 OR ABOVE FOR GENITAL DEVELOPMENT AND PUBIC HAIR GROWTH. RENEWAL: 1) TANNER STAGING AT INITIAL DIAGNOSIS HAS STABILIZED OR REGRESSED DURING THREE SEPARATE MEDICAL VISITS IN THE PREVIOUS YEAR, AND 2) HAS NOT REACHED ACTUAL AGE WHICH CORRESPONDS TO CURRENT PUBERTAL AGE. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

| PA Criteria                   | Criteria Details |
|-------------------------------|------------------|
| Prerequisite Therapy Required | No               |

# L-GLUTAMINE

## Products Affected

- *glutamine (sickle cell)*

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                                                                                    |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                                                                                                    |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions       | SICKLE CELL DISEASE(SCD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST                                                                                                                                                                                                                                                                                            |
| Coverage Duration             | INITIAL: 12 MONTHS. RENEWAL: LIFETIME.                                                                                                                                                                                                                                                                                                                                             |
| Other Criteria                | SCD: INITIAL: AGES 18 YEARS OR OLDER: 1) AT LEAST 2 SICKLE CELL CRISES IN THE PAST YEAR, 2) SICKLE-CELL ASSOCIATED SYMPTOMS WHICH ARE INTERFERING WITH ACTIVITIES OF DAILY LIVING, OR 3) HISTORY OF OR HAS RECURRENT ACUTE CHEST SYNDROME. AGES 5 TO 17 YEARS: APPROVED WITHOUT ADDITIONAL CRITERIA. RENEWAL: MAINTAINED OR EXPERIENCED A REDUCTION IN ACUTE COMPLICATIONS OF SCD. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                      |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                    |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                 |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                                                                                                 |

# LIDOCAINE OINTMENT

## Products Affected

- *lidocaine topical ointment*

| PA Criteria                   | Criteria Details                    |
|-------------------------------|-------------------------------------|
| Exclusion Criteria            |                                     |
| Required Medical Information  |                                     |
| Age Restrictions              |                                     |
| Prescriber Restrictions       |                                     |
| Coverage Duration             | 12 MONTHS                           |
| Other Criteria                |                                     |
| Indications                   | All Medically-accepted Indications. |
| Off Label Uses                |                                     |
| Part B Prerequisite           | No                                  |
| Prerequisite Therapy Required | No                                  |

# LIDOCAINE PATCH

## Products Affected

- *dermacinrx lidocan 5% patch outer*
- *lidocaine topical adhesive patch,medicated 5 %*
- *lidocan iii*
- *tridacaine ii*
- ZTLIDO

| PA Criteria                   | Criteria Details                                                                                                                                        |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                         |
| Required Medical Information  | 1) PAIN ASSOCIATED WITH POST-HERPETIC NEURALGIA, 2) NEUROPATHY DUE TO DIABETES MELLITUS, 3) CHRONIC BACK PAIN, OR 4) OSTEOARTHRITIS OF THE KNEE OR HIP. |
| Age Restrictions              |                                                                                                                                                         |
| Prescriber Restrictions       |                                                                                                                                                         |
| Coverage Duration             | 12 MONTHS                                                                                                                                               |
| Other Criteria                |                                                                                                                                                         |
| Indications                   | All Medically-accepted Indications.                                                                                                                     |
| Off Label Uses                |                                                                                                                                                         |
| Part B Prerequisite           | No                                                                                                                                                      |
| Prerequisite Therapy Required | No                                                                                                                                                      |

# LIDOCAINE PRILOCAINE

## Products Affected

- *lidocaine-prilocaine topical cream*

| PA Criteria                   | Criteria Details                    |
|-------------------------------|-------------------------------------|
| Exclusion Criteria            |                                     |
| Required Medical Information  |                                     |
| Age Restrictions              |                                     |
| Prescriber Restrictions       |                                     |
| Coverage Duration             | 12 MONTHS                           |
| Other Criteria                |                                     |
| Indications                   | All Medically-accepted Indications. |
| Off Label Uses                |                                     |
| Part B Prerequisite           | No                                  |
| Prerequisite Therapy Required | No                                  |

# LINVOSELTAMAB-GCPT

## Products Affected

- LYNOSYFIC INTRAVENOUS  
SOLUTION 2 MG/ML, 20 MG/ML

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# LONCASTUXIMAB TESIRINE-LPYL

---

## Products Affected

- ZYNLONTA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# LORLATINIB

## Products Affected

- LORBRENA ORAL TABLET 100 MG, 25 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# LOTILANER

## Products Affected

- XDEMVY

| PA Criteria                   | Criteria Details                              |
|-------------------------------|-----------------------------------------------|
| Exclusion Criteria            |                                               |
| Required Medical Information  |                                               |
| Age Restrictions              | DEMODEX BLEPHARITIS: 18 YEARS OF AGE OR OLDER |
| Prescriber Restrictions       |                                               |
| Coverage Duration             | 6 WEEKS                                       |
| Other Criteria                |                                               |
| Indications                   | All FDA-approved Indications.                 |
| Off Label Uses                |                                               |
| Part B Prerequisite           | No                                            |
| Prerequisite Therapy Required | No                                            |

# LUMACAFITOR-IVACAFITOR

## Products Affected

- ORKAMBI ORAL TABLET

| PA Criteria                   | Criteria Details                                                                                                                                                                                                    |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                     |
| Required Medical Information  |                                                                                                                                                                                                                     |
| Age Restrictions              |                                                                                                                                                                                                                     |
| Prescriber Restrictions       | CYSTIC FIBROSIS (CF): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR CF EXPERT.                                                                                                                  |
| Coverage Duration             | INITIAL: 6 MONTHS. RENEWAL: LIFETIME.                                                                                                                                                                               |
| Other Criteria                | CF: INITIAL: NO CONCURRENT USE WITH ANOTHER CYSTIC FIBROSIS TRANSMEMBRANE CONDUCTANCE REGULATOR (CFTR) MODULATOR. RENEWAL: 1) IMPROVEMENT IN CLINICAL STATUS, AND 2) NO CONCURRENT USE WITH ANOTHER CFTR MODULATOR. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                       |
| Off Label Uses                |                                                                                                                                                                                                                     |
| Part B Prerequisite           | No                                                                                                                                                                                                                  |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                  |

# MACITENTAN

## Products Affected

- OPSUMIT

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                       |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                                                        |
| <b>Required Medical Information</b>  | PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                                                        |
| <b>Prescriber Restrictions</b>       | PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.                                                                                                                                                                                                                                                   |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                            |
| <b>Other Criteria</b>                |                                                                                                                                                                                                                                                                                                                                        |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                          |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                        |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                     |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                                                     |

# MARGETUXIMAB-CMKB

---

## Products Affected

- MARGENZA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# MARIBAVIR

---

## Products Affected

- LIVTENCITY

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# MAVACAMTEN

## Products Affected

- CAMZYOS

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                             |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                              |
| <b>Required Medical Information</b>  | OBSTRUCTIVE HYPERTROPHIC CARDIOMYOPATHY(HCM): INITIAL: LEFT VENTRICULAR OUTFLOW TRACK (LVOT) GRADIENT OF 50 MMHG OR HIGHER                                                                                                                   |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                              |
| <b>Prescriber Restrictions</b>       | OBSTRUCTIVE HCM: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST                                                                                                                                                               |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                  |
| <b>Other Criteria</b>                | OBSTRUCTIVE HCM: INITIAL: TRIAL OF, CONTRAINDICATION, OR INTOLERANCE TO A BETA-BLOCKER OR A NON-DIHYDROPYRIDINE CALCIUM CHANNEL BLOCKER. RENEWAL: CONTINUED CLINICAL BENEFIT (E.G., REDUCTION OF SYMPTOMS, NYHA CLASSIFICATION IMPROVEMENT). |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                              |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                           |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                          |

# MECASERMIN

## Products Affected

- INCRELEX

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                            |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                             |
| Required Medical Information  |                                                                                                                                                                                                                                                             |
| Age Restrictions              |                                                                                                                                                                                                                                                             |
| Prescriber Restrictions       | GROWTH FAILURE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST OR NEPHROLOGIST.                                                                                                                                                          |
| Coverage Duration             | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                 |
| Other Criteria                | GROWTH FAILURE: INITIAL: OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF WRIST AND HAND. INITIAL/RENEWAL: NO CONCURRENT USE WITH ANOTHER GROWTH HORMONE MEDICATION. RENEWAL: IMPROVEMENT WHILE ON THERAPY (INCREASE IN HEIGHT OR INCREASE IN HEIGHT VELOCITY). |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                               |
| Off Label Uses                |                                                                                                                                                                                                                                                             |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                          |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                          |

# MECHLORETHAMINE

---

## Products Affected

- VALCHLOR

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# MEPOLIZUMAB

## Products Affected

- NUCALA SUBCUTANEOUS AUTO-INJECTOR
- NUCALA SUBCUTANEOUS RECON SOLN
- NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML, 40 MG/0.4 ML

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                          |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                           |
| <b>Required Medical Information</b> | INITIAL: ASTHMA: BLOOD EOSINOPHIL LEVEL OF AT LEAST 150 CELLS/MCL WITHIN THE PAST 12 MONTHS.                                                                                                                                                                                              |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                           |
| <b>Prescriber Restrictions</b>      | INITIAL: ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN PULMONARY OR ALLERGY MEDICINE. CRSWNP: PRESCRIBED BY OR IN CONSULTATION WITH AN OTOLARYNGOLOGIST, ALLERGIST OR IMMUNOLOGIST. EOSINOPHILIC COPD: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST. |
| <b>Coverage Duration</b>            | INITIAL: CRSWNP: 6 MO. OTHERS: 12 MO. RENEWAL: CRSWNP, ASTHMA, COPD, EGPA, HES: 12 MO.                                                                                                                                                                                                    |

| PA Criteria    | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Criteria | <p>INITIAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, AND 2) ONE OF THE FOLLOWING: (A) AT LEAST ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING AT LEAST 3 DAYS WITHIN THE PAST 12 MONTHS OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR (B) POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, ANY NIGHT WAKING DUE TO ASTHMA, SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, ANY ACTIVITY LIMITATION DUE TO ASTHMA. CHRONIC RHINOSINUSITIS WITH NASAL POLYPS (CRSWNP): 1) A 56 DAY TRIAL OF ONE TOPICAL NASAL CORTICOSTEROID, 2) EVIDENCE OF NASAL POLYPS BY DIRECT EXAMINATION, ENDOSCOPY, OR SINUS CT SCAN, AND 3) INADEQUATELY CONTROLLED DISEASE. EOSINOPHILIC COPD: USED IN COMBINATION WITH A LAMA/LABA/ICS. RENEWAL: ASTHMA: 1) CONTINUED USE OF ICS AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, 2) CLINICAL RESPONSE AS EVIDENCED BY: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS, OR (D) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE, AND 3) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR THE SAME INDICATION. CRSWNP: 1) CLINICAL BENEFIT COMPARED TO BASELINE, AND 2) NO CONCURRENT USE WITH ANOTHER</p> |

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                               | <p>SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR THE SAME INDICATION. EOSINOPHILIC GRANULOMATOSIS WITH POLYANGIITIS (EGPA): 1) REDUCTION IN EGPA SYMPTOMS COMPARED TO BASELINE OR ABILITY TO REDUCE/ELIMINATE CORTICOSTEROID USE, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR THE SAME INDICATION. EOSINOPHILIC COPD: 1) USED IN COMBINATION WITH A LAMA/LABA/ICS, 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR THE SAME INDICATION, AND 3) CLINICAL RESPONSE AS EVIDENCED BY (A) REDUCTION IN COPD EXACERBATIONS FROM BASELINE, (B) REDUCTION IN SEVERITY OR FREQUENCY OF COPD-RELATED SYMPTOMS, OR (C) INCREASE IN FEV1 OF AT LEAST 5 PERCENT FROM PRETREATMENT BASELINE.</p> |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

# METYROSIONE

## Products Affected

- *metirosine*

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                          |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                           |
| Required Medical Information  |                                                                                                                                                                                                                                                           |
| Age Restrictions              |                                                                                                                                                                                                                                                           |
| Prescriber Restrictions       | PHEOCHROMOCYTOMA: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST, ENDOCRINE SURGEON, OR HEMATOLOGIST-ONCOLOGIST.                                                                                                                       |
| Coverage Duration             | PREOPERATIVE PREPARATION FOR SURGERY: 30 DAYS. MALIGNANT PHEOCHROMOCYTOMA: INITIAL/RENEWAL:12 MOS.                                                                                                                                                        |
| Other Criteria                | PHEOCHROMOCYTOMA: INITIAL: HAS NON-METASTATIC PHEOCHROMOCYTOMA. PREOPERATIVE PREPARATION FOR SURGERY: USE IN COMBINATION WITH AN ALPHA-ADRENERGIC RECEPTOR BLOCKER. RENEWAL: MALIGNANT PHEOCHROMOCYTOMA: STABLE OR CLINICAL IMPROVEMENT WHILE ON THERAPY. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                             |
| Off Label Uses                |                                                                                                                                                                                                                                                           |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                        |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                        |

# MIDOSTAURIN

## Products Affected

- RYDAPT

| PA Criteria                   | Criteria Details                                                            |
|-------------------------------|-----------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                             |
| Required Medical Information  |                                                                             |
| Age Restrictions              |                                                                             |
| Prescriber Restrictions       |                                                                             |
| Coverage Duration             | ACUTE MYELOID LEUKEMIA: 6 MONTHS. ADVANCED SYSTEMIC MASTOCYTOSIS: 12 MONTHS |
| Other Criteria                |                                                                             |
| Indications                   | All FDA-approved Indications.                                               |
| Off Label Uses                |                                                                             |
| Part B Prerequisite           | No                                                                          |
| Prerequisite Therapy Required | No                                                                          |

# MIFEPRISTONE

## Products Affected

- *mifepristone oral tablet 300 mg*

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                                       |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                                                                        |
| <b>Required Medical Information</b>  | CUSHINGS SYNDROME (CS): INITIAL: DIAGNOSIS CONFIRMED BY: 1) 24-HR URINE FREE CORTISOL (AT LEAST 2 TESTS TO CONFIRM), 2) OVERNIGHT 1MG DEXAMETHASONE TEST, OR 3) LATE NIGHT SALIVARY CORTISOL (AT LEAST 2 TESTS TO CONFIRM).                                                                                                                            |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                                                                        |
| <b>Prescriber Restrictions</b>       | CS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.                                                                                                                                                                                                                                                                                 |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 12 MONTHS                                                                                                                                                                                                                                                                                                                             |
| <b>Other Criteria</b>                | CS: INITIAL: HYPERCORTISOLISM IS NOT A RESULT OF CHRONIC GLUCOCORTICOIDS. RENEWAL: 1) CONTINUES TO HAVE IMPROVEMENT OF GLUCOSE TOLERANCE OR STABLE GLUCOSE TOLERANCE (E.G., REDUCED A1C, IMPROVED FASTING GLUCOSE), 2) CONTINUES TO HAVE TOLERABILITY TO THERAPY, AND 3) CONTINUES TO NOT BE A CANDIDATE FOR SURGICAL TREATMENT OR HAS FAILED SURGERY. |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                          |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                        |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                     |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                                                                     |

# MILTEFOSINE

---

## Products Affected

- IMPAVIDO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# MIRDAMETINIB

---

## Products Affected

- GOMEKLI ORAL CAPSULE 1 MG, 2 MG
- GOMEKLI ORAL TABLET FOR SUSPENSION

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# MIRVETUXIMAB SORAVTANSINE-GYNX

## Products Affected

- ELAHERE

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                   |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                    |
| <b>Required Medical Information</b>  | EPITHELIAL OVARIAN, FALLOPIAN TUBE, OR PRIMARY PERITONEAL CANCER: AN OPHTHALMIC EXAM, INCLUDING VISUAL ACUITY AND SLIT LAMP EXAM, WILL BE COMPLETED PRIOR TO THE INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                    |
| <b>Prescriber Restrictions</b>       |                                                                                                                                                                                                                                    |
| <b>Coverage Duration</b>             | 12 MONTHS                                                                                                                                                                                                                          |
| <b>Other Criteria</b>                |                                                                                                                                                                                                                                    |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                      |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                    |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                 |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                 |

# MOMELOTINIB

## Products Affected

- OJJAARA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# MOSUNETUZUMAB-AXGB

## Products Affected

- LUNSUMIO

| PA Criteria                   | Criteria Details                                                                                                                                                           |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                            |
| Required Medical Information  |                                                                                                                                                                            |
| Age Restrictions              |                                                                                                                                                                            |
| Prescriber Restrictions       |                                                                                                                                                                            |
| Coverage Duration             | RELAPSED OR REFRACTORY FOLLICULAR LYMPHOMA: INITIAL: 6 MONTHS. RENEWAL: 7 MONTHS.                                                                                          |
| Other Criteria                | RELAPSED OR REFRACTORY FOLLICULAR LYMPHOMA: RENEWAL: 1) HAS ACHIEVED A PARTIAL RESPONSE TO TREATMENT, AND 2) HAS NOT PREVIOUSLY RECEIVED MORE THAN 17 CYCLES OF TREATMENT. |
| Indications                   | All FDA-approved Indications.                                                                                                                                              |
| Off Label Uses                |                                                                                                                                                                            |
| Part B Prerequisite           | No                                                                                                                                                                         |
| Prerequisite Therapy Required | No                                                                                                                                                                         |

# NARCOLEPSY AGENTS

## Products Affected

- *armodafinil*
- *modafinil oral tablet 100 mg, 200 mg*

| PA Criteria                   | Criteria Details                    |
|-------------------------------|-------------------------------------|
| Exclusion Criteria            |                                     |
| Required Medical Information  |                                     |
| Age Restrictions              |                                     |
| Prescriber Restrictions       |                                     |
| Coverage Duration             | 12 MONTHS                           |
| Other Criteria                |                                     |
| Indications                   | All Medically-accepted Indications. |
| Off Label Uses                |                                     |
| Part B Prerequisite           | No                                  |
| Prerequisite Therapy Required | No                                  |

# NAXITAMAB-GQGK

## Products Affected

- DANYELZA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# NERATINIB

## Products Affected

- NERLYNX

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                            |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                             |
| Required Medical Information  |                                                                                                                                                                                                                                                             |
| Age Restrictions              |                                                                                                                                                                                                                                                             |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                             |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                   |
| Other Criteria                | EARLY-STAGE (STAGE I-III) BREAST CANCER: MEDICATION IS BEING REQUESTED WITHIN 2 YEARS OF COMPLETING THE LAST TRASTUZUMAB DOSE. ALL OTHER FDA APPROVED INDICATIONS ARE COVERED WITHOUT ADDITIONAL CRITERIA, EXCEPT THOSE CRITERIA IN THE FDA APPROVED LABEL. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                               |
| Off Label Uses                |                                                                                                                                                                                                                                                             |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                          |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                         |

# NILOTINIB - TASIGNA

## Products Affected

- TASIGNA ORAL CAPSULE 150 MG, 200 MG, 50 MG

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                         |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                          |
| Required Medical Information  | PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND MEDICATION IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE. |
| Age Restrictions              |                                                                                                                                                                                                                                                          |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                          |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                |
| Other Criteria                |                                                                                                                                                                                                                                                          |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                            |
| Off Label Uses                |                                                                                                                                                                                                                                                          |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                       |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                       |

# NILOTINIB-DANZITEN

## Products Affected

- DANZITEN

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                  |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                   |
| Required Medical Information  | PREVIOUSLY TREATED PHILADELPHIA CHROMOSOME-POSITIVE CHRONIC MYELOID LEUKEMIA (Ph+ CML): 1) PERFORMED MUTATIONAL ANALYSIS PRIOR TO INITIATION OF THERAPY, AND 2) THERAPY IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE. |
| Age Restrictions              |                                                                                                                                                                                                                                                                                   |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                   |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                                         |
| Other Criteria                |                                                                                                                                                                                                                                                                                   |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                     |
| Off Label Uses                |                                                                                                                                                                                                                                                                                   |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                |

# NINTEDANIB

## Products Affected

- OFEV

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Required Medical Information</b> | INITIAL: IDIOPATHIC PULMONARY FIBROSIS (IPF): A USUAL INTERSTITIAL PNEUMONIA (UIP) PATTERN AS EVIDENCED BY HIGH-RESOLUTION COMPUTED TOMOGRAPHY (HRCT) ALONE OR VIA A COMBINATION OF SURGICAL LUNG BIOPSY AND HRCT. SYSTEMIC SCLEROSIS-ASSOCIATED INTERSTITIAL LUNG DISEASE (SSC-ILD): 1) AT LEAST 10% FIBROSIS ON A CHEST HRCT, AND 2) BASELINE FVC AT LEAST 40% OF PREDICTED VALUE. CHRONIC FIBROSING INTERSTITIAL LUNG DISEASE WITH A PROGRESSIVE PHENOTYPE (PF-ILD): AT LEAST 10% FIBROSIS ON A CHEST HRCT. |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Prescriber Restrictions</b>      | INITIAL: IPF: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST. SSC-ILD, PF-ILD: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR RHEUMATOLOGIST.                                                                                                                                                                                                                                                                                                                                                 |
| <b>Coverage Duration</b>            | INITIAL: SSC-ILD: 6 MOS. IPF, PF-ILD: 12 MOS. RENEWAL (ALL INDICATIONS): 12 MOS.                                                                                                                                                                                                                                                                                                                                                                                                                               |

| <b>PA Criteria</b>                   | <b>Criteria Details</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Other Criteria</b>                | INITIAL: IPF: 1) DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., CONNECTIVE TISSUE DISEASE, DRUG TOXICITY, ASBESTOS OR BERYLLIUM EXPOSURE, HYPERSENSITIVITY PNEUMONITIS), AND 2) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: ESBRIET (PIRFENIDONE). SSC-ILD: DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., HEART FAILURE/FLUID OVERLOAD, DRUG-INDUCED LUNG TOXICITY, RECURRENT ASPIRATION). PF-ILD: LUNG FUNCTION AND RESPIRATORY SYMPTOMS OR CHEST IMAGING HAVE WORSENERD/PROGRESSED DESPITE TREATMENT WITH MEDICATIONS USED IN CLINICAL PRACTICE FOR ILD (NOT ATTRIBUTABLE TO COMORBIDITIES SUCH AS INFECTION, HEART FAILURE). RENEWAL: IPF, SSC-ILD, PF-ILD: CLINICAL MEANINGFUL IMPROVEMENT OR MAINTENANCE IN ANNUAL RATE OF DECLINE. |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

# NIRAPARIB

## Products Affected

- ZEJULA ORAL CAPSULE
- ZEJULA ORAL TABLET

| PA Criteria                   | Criteria Details                                                                                                                                                                                                     |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                      |
| Required Medical Information  |                                                                                                                                                                                                                      |
| Age Restrictions              |                                                                                                                                                                                                                      |
| Prescriber Restrictions       |                                                                                                                                                                                                                      |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                            |
| Other Criteria                | RECURRENT EPITHELIAL OVARIAN, FALLOPIAN TUBE, OR PRIMARY PERITONEAL CANCER: 1) ZEJULA WILL BE USED AS MONOTHERAPY, AND 2) ZEJULA IS STARTED NO LATER THAN 8 WEEKS AFTER THE MOST RECENT PLATINUM-CONTAINING REGIMEN. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                        |
| Off Label Uses                |                                                                                                                                                                                                                      |
| Part B Prerequisite           | No                                                                                                                                                                                                                   |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                  |

# NIRAPARIB-ABIRATERONE

## Products Affected

- AKEEGA

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                               |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                                                      |
| Other Criteria                | METASTATIC CASTRATION-RESISTANT PROSTATE CANCER (MCRPC), METASTATIC CASTRATION-SENSITIVE PROSTATE CANCER (MCSPC): 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                  |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                             |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                             |

# NIROGACESTAT

## Products Affected

- OGSIVEO ORAL TABLET 100 MG, 150 MG, 50 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# NITISINONE

## Products Affected

- *nitisinone*
- ORFADIN ORAL SUSPENSION

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                    |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                     |
| <b>Required Medical Information</b>  | HEREDITARY TYROSINEMIA TYPE 1 (HT-1): INITIAL: DIAGNOSIS CONFIRMED BY ELEVATED URINARY OR PLASMA SUCCINYLACETONE LEVELS OR A MUTATION IN THE FUMARYLACETOACETATE HYDROLASE GENE. RENEWAL: URINARY OR PLASMA SUCCINYLACETONE LEVELS HAVE DECREASED FROM BASELINE WHILE ON TREATMENT WITH NITISINONE. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                     |
| <b>Prescriber Restrictions</b>       | HT-1: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PRESCRIBER SPECIALIZING IN INHERITED METABOLIC DISEASES.                                                                                                                                                                                     |
| <b>Coverage Duration</b>             | INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                              |
| <b>Other Criteria</b>                | HT-1: INITIAL: ORFADIN SUSPENSION: TRIAL OF OR CONTRAINDICATION TO PREFERRED NITISINONE TABLETS OR CAPSULES.                                                                                                                                                                                        |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                       |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                     |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                  |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                                                                                 |

# NIVOLUMAB

## Products Affected

- OPDIVO

| PA Criteria                   | Criteria Details                                                                                                                           |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                            |
| Required Medical Information  |                                                                                                                                            |
| Age Restrictions              |                                                                                                                                            |
| Prescriber Restrictions       |                                                                                                                                            |
| Coverage Duration             | 12 MONTHS                                                                                                                                  |
| Other Criteria                | UNRESECTABLE OR METASTATIC MELANOMA: NO CONCURRENT USE WITH TARGETED THERAPY (I.E., BRAF INHIBITORS, MEK INHIBITORS, AND NTRK INHIBITORS). |
| Indications                   | All FDA-approved Indications.                                                                                                              |
| Off Label Uses                |                                                                                                                                            |
| Part B Prerequisite           | No                                                                                                                                         |
| Prerequisite Therapy Required | No                                                                                                                                         |

# NIVOLUMAB-HYALURONIDASE-NVHY

---

## Products Affected

- OPDIVO QVANTIG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# NIVOLUMAB-RELATLIMAB-RMBW

---

## Products Affected

- OPDUALAG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# NOGAPENDEKIN ALFA

---

## Products Affected

- ANKTIVA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 40 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# OFATUMUMAB SQ

---

## Products Affected

- KESIMPTA PEN

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# OLAPARIB

## Products Affected

- LYNPARZA

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Other Criteria                | RECURRENT EPITHELIAL OVARIAN, FALLOPIAN TUBE OR PRIMARY PERITONEAL CANCER: MEDICATION WILL BE USED AS MONOTHERAPY. METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. ALL OTHER FDA APPROVED INDICATIONS ARE COVERED WITHOUT ADDITIONAL CRITERIA, EXCEPT THOSE CRITERIA IN THE FDA APPROVED LABEL. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

# OLUTASIDENIB

## Products Affected

- REZLIDHIA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# OMACETAXINE

---

## Products Affected

- SYNRIBO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# OMALIZUMAB

## Products Affected

- XOLAIR

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Required Medical Information</b> | INITIAL: ASTHMA: POSITIVE SKIN PRICK OR BLOOD TEST (E.G., ELISA, FEIA) TO A PERENNIAL AEROALLERGEN AND A BASELINE IGE SERUM LEVEL OF AT LEAST 30 IU/ML. FOOD ALLERGY: 1) IGE SERUM LEVEL OF AT LEAST 30 IU/ML, AND 2) POSITIVE SKIN PRICK TEST TO AT LEAST ONE FOOD, OR POSITIVE MEDICALLY MONITORED FOOD CHALLENGE TO AT LEAST ONE FOOD.                                                                                                                                           |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Prescriber Restrictions</b>      | INITIAL/RENEWAL: CHRONIC SPONTANEOUS URTICARIA (CSU): PRESCRIBED BY OR IN CONSULTATION WITH AN ALLERGIST, DERMATOLOGIST, OR IMMUNOLOGIST. INITIAL: CHRONIC RHINOSINUSITIS WITH NASAL POLYPS (CRSWNP): PRESCRIBED BY OR IN CONSULTATION WITH AN OTOLARYNGOLOGIST, ALLERGIST OR IMMUNOLOGIST. ASTHMA: PRESCRIBED BY OR IN CONSULTATION WITH A PHYSICIAN SPECIALIZING IN ALLERGY OR PULMONARY MEDICINE. FOOD ALLERGY: PRESCRIBED BY OR IN CONSULTATION WITH ALLERGIST OR IMMUNOLOGIST. |
| <b>Coverage Duration</b>            | INITIAL/RENEWAL: ASTHMA 12 MO/12 MO, CSU 6 MO/12 MO, CRSWNP 6 MO/12 MO, FOOD ALLERGY 12 MO/24 MO                                                                                                                                                                                                                                                                                                                                                                                    |

| PA Criteria           | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Other Criteria</b> | <p>INITIAL: CSU: 1) TRIAL OF AND MAINTAINED ON, OR CONTRAINDICATION TO A SECOND GENERATION H1 ANTI-HISTAMINE, 2) STILL EXPERIENCES HIVES OR ANGIOEDEMA ON MOST DAYS OF THE WEEK FOR AT LEAST 6 WEEKS, AND 3) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: DUPIXENT. CRSWNP: 1) A 56 DAY TRIAL OF ONE TOPICAL NASAL CORTICOSTEROID, 2) TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREFERRED AGENTS: NUCALA, DUPIXENT, 3) EVIDENCE OF NASAL POLYPS BY DIRECT EXAMINATION, ENDOSCOPY, OR SINUS CT SCAN, AND 4) INADEQUATELY CONTROLLED DISEASE. ASTHMA: 1) CONCURRENT THERAPY WITH A MEDIUM, HIGH-DOSE OR MAXIMALLY TOLERATED DOSE OF AN INHALED CORTICOSTEROID (ICS) AND AT LEAST ONE OTHER MAINTENANCE MEDICATION, AND 2) ONE OF THE FOLLOWING: (A) AT LEAST ONE ASTHMA EXACERBATION REQUIRING SYSTEMIC CORTICOSTEROID BURST LASTING AT LEAST 3 DAYS WITHIN THE PAST 12 MONTHS OR AT LEAST ONE SERIOUS EXACERBATION REQUIRING HOSPITALIZATION OR ER VISIT WITHIN THE PAST 12 MONTHS, OR (B) POOR SYMPTOM CONTROL DESPITE CURRENT THERAPY AS EVIDENCED BY AT LEAST THREE OF THE FOLLOWING WITHIN THE PAST 4 WEEKS: DAYTIME ASTHMA SYMPTOMS MORE THAN TWICE/WEEK, ANY NIGHT WAKING DUE TO ASTHMA, SABA RELIEVER FOR SYMPTOMS MORE THAN TWICE/WEEK, ANY ACTIVITY LIMITATION DUE TO ASTHMA. FOOD ALLERGY: CONCURRENT USE WITH AN ACTIVE PRESCRIPTION FOR EPINEPHRINE AUTO-INJECTOR/INJECTION .</p> <p>INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: CSU: MAINTAINED ON OR CONTRAINDICATION TO A SECOND GENERATION H1 ANTI-HISTAMINE. CRSWNP: CLINICAL BENEFIT COMPARED TO BASELINE. ASTHMA: 1) CONTINUED USE OF ICS AND AT LEAST</p> |

| <b>PA Criteria</b>                   | <b>Criteria Details</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                      | ONE OTHER MAINTENANCE MEDICATION, AND 2) CLINICAL RESPONSE AS EVIDENCED BY ONE OF THE FOLLOWING: (A) REDUCTION IN ASTHMA EXACERBATIONS FROM BASELINE, (B) DECREASED UTILIZATION OF RESCUE MEDICATIONS, (C) REDUCTION IN SEVERITY OR FREQUENCY OF ASTHMA-RELATED SYMPTOMS, OR (D) INCREASE IN PERCENT PREDICTED FEV1 FROM PRETREATMENT BASELINE. FOOD ALLERGY: 1) PERSISTENT IGE-MEDIATED FOOD ALLERGY, AND 2) CONCURRENT USE WITH AN ACTIVE PRESCRIPTION FOR EPINEPHRINE AUTO-INJECTOR/INJECTION. |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

# OSIMERTINIB

## Products Affected

- TAGRISSO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# OXANDROLONE

## Products Affected

- *oxandrolone*

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                                                                                  |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                                                                                                  |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                                                                                                  |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                                                                                                  |
| Coverage Duration             | 6 MONTHS                                                                                                                                                                                                                                                                                                                                                                         |
| Other Criteria                | PROTEIN CATABOLISM, BONE PAIN: 1) MONITORED FOR PELIOSIS HEPATIS, LIVER CELL TUMORS, AND BLOOD LIPID CHANGES, 2) DOES NOT HAVE KNOWN OR SUSPECTED: CARCINOMA OF THE PROSTATE OR BREAST IN MALE PATIENTS, CARCINOMA OF THE BREAST IN FEMALES WITH HYPERCALCEMIA, NEPHROSIS (THE NEPHROTIC PHASE OF NEPHRITIS), OR HYPERCALCEMIA, AND 3) DOES NOT HAVE SEVERE HEPATIC DYSFUNCTION. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                    |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                  |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                               |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                                                                                               |

# PACRITINIB

## Products Affected

- VONJO

| PA Criteria                   | Criteria Details                                                 |
|-------------------------------|------------------------------------------------------------------|
| Exclusion Criteria            |                                                                  |
| Required Medical Information  |                                                                  |
| Age Restrictions              |                                                                  |
| Prescriber Restrictions       |                                                                  |
| Coverage Duration             | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS                            |
| Other Criteria                | MYELOFIBROSIS: RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION |
| Indications                   | All FDA-approved Indications.                                    |
| Off Label Uses                |                                                                  |
| Part B Prerequisite           | No                                                               |
| Prerequisite Therapy Required | No                                                               |

# PALBOCICLIB

## Products Affected

- IBRANCE

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# PARATHYROID HORMONE

## Products Affected

- NATPARA

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                 |
| Required Medical Information  |                                                                                                                                                                                                                                                                 |
| Age Restrictions              |                                                                                                                                                                                                                                                                 |
| Prescriber Restrictions       | HYPOCALCEMIA SECONDARY TO HYPOPARATHYROIDISM: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.                                                                                                                                                         |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                       |
| Other Criteria                | HYPOCALCEMIA SECONDARY TO HYPOPARATHYROIDISM: 1) TRIAL OF OR CONTRAINDICATION TO CALCITRIOL, 2) HYPOPARATHYROIDISM IS NOT DUE TO A CALCIUM SENSING RECEPTOR (CSR) MUTATION, AND 3) HYPOPARATHYROIDISM IS NOT CONSIDERED ACUTE POST-SURGICAL HYPOPARATHYROIDISM. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                   |
| Off Label Uses                |                                                                                                                                                                                                                                                                 |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                              |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                             |

# PASIREOTIDE DIASPARTATE

## Products Affected

- SIGNIFOR

| PA Criteria                   | Criteria Details                                                                                       |
|-------------------------------|--------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                        |
| Required Medical Information  |                                                                                                        |
| Age Restrictions              |                                                                                                        |
| Prescriber Restrictions       | CUSHINGS DISEASE (CD): INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.              |
| Coverage Duration             | INITIAL/RENEWAL: 12 MONTHS.                                                                            |
| Other Criteria                | CD: RENEWAL: 1) CONTINUED IMPROVEMENT OF CUSHINGS DISEASE, AND 2) MAINTAINED TOLERABILITY TO SIGNIFOR. |
| Indications                   | All FDA-approved Indications.                                                                          |
| Off Label Uses                |                                                                                                        |
| Part B Prerequisite           | No                                                                                                     |
| Prerequisite Therapy Required | No                                                                                                     |

# PAZOPANIB

## Products Affected

- *pazopanib oral tablet 200 mg, 400 mg*

| PA Criteria                   | Criteria Details                                                                                          |
|-------------------------------|-----------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                           |
| Required Medical Information  |                                                                                                           |
| Age Restrictions              |                                                                                                           |
| Prescriber Restrictions       |                                                                                                           |
| Coverage Duration             | 12 MONTHS                                                                                                 |
| Other Criteria                | ADVANCED SOFT TISSUE SARCOMA (STS): NOT USED FOR ADIPOCYTIC STS OR GASTROINTESTINAL STROMAL TUMORS (GIST) |
| Indications                   | All FDA-approved Indications.                                                                             |
| Off Label Uses                |                                                                                                           |
| Part B Prerequisite           | No                                                                                                        |
| Prerequisite Therapy Required | No                                                                                                        |

# PEGFILGRASTIM - APGF

---

## Products Affected

- NYVEPRIA

| PA Criteria                   | Criteria Details                                                    |
|-------------------------------|---------------------------------------------------------------------|
| Exclusion Criteria            |                                                                     |
| Required Medical Information  |                                                                     |
| Age Restrictions              |                                                                     |
| Prescriber Restrictions       | PRESCRIBED BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST. |
| Coverage Duration             | 12 MONTHS                                                           |
| Other Criteria                |                                                                     |
| Indications                   | All FDA-approved Indications.                                       |
| Off Label Uses                |                                                                     |
| Part B Prerequisite           | No                                                                  |
| Prerequisite Therapy Required | No                                                                  |

# PEGFILGRASTIM - CBQV

## Products Affected

- UDENYCA ONBODY

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                            |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                             |
| Required Medical Information  |                                                                                                                                                                                                                                                                             |
| Age Restrictions              |                                                                                                                                                                                                                                                                             |
| Prescriber Restrictions       | PREScribed BY OR IN CONSULTATION WITH A HEMATOLOGIST OR ONCOLOGIST.                                                                                                                                                                                                         |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                                   |
| Other Criteria                | NON MYELOID MALIGNANCY: UDENYCA: TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT NYVEPRIA. UDENYCA ONBODY: 1) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT NYVEPRIA, OR 2) BARRIER TO ACCESS (E.G., TRAVEL BARRIERS, UNABLE TO RETURN TO CLINIC FOR INJECTIONS). |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                               |
| Off Label Uses                |                                                                                                                                                                                                                                                                             |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                          |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                                         |

# PEGINTERFERON ALFA-2A

## Products Affected

- PEGASYS

| PA Criteria                   | Criteria Details                                                                                                                                                                      |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                       |
| Required Medical Information  |                                                                                                                                                                                       |
| Age Restrictions              |                                                                                                                                                                                       |
| Prescriber Restrictions       | HEPATITIS B: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST, INFECTIOUS DISEASE SPECIALIST, OR PHYSICIAN SPECIALIZING IN THE TREATMENT OF HEPATITIS (E.G., HEPATOLOGIST). |
| Coverage Duration             | HEP B/HEP C: 48 WEEKS.                                                                                                                                                                |
| Other Criteria                |                                                                                                                                                                                       |
| Indications                   | All FDA-approved Indications.                                                                                                                                                         |
| Off Label Uses                |                                                                                                                                                                                       |
| Part B Prerequisite           | No                                                                                                                                                                                    |
| Prerequisite Therapy Required | No                                                                                                                                                                                    |

# PEGVISOMANT

## Products Affected

- SOMAVERT

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# PEMBROLIZUMAB

## Products Affected

- KEYTRUDA

| PA Criteria                   | Criteria Details                                                                                                                           |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                            |
| Required Medical Information  |                                                                                                                                            |
| Age Restrictions              |                                                                                                                                            |
| Prescriber Restrictions       |                                                                                                                                            |
| Coverage Duration             | 12 MONTHS                                                                                                                                  |
| Other Criteria                | UNRESECTABLE OR METASTATIC MELANOMA: NO CONCURRENT USE WITH TARGETED THERAPY (I.E., BRAF INHIBITORS, MEK INHIBITORS, AND NTRK INHIBITORS). |
| Indications                   | All FDA-approved Indications.                                                                                                              |
| Off Label Uses                |                                                                                                                                            |
| Part B Prerequisite           | No                                                                                                                                         |
| Prerequisite Therapy Required | No                                                                                                                                         |

# PEMBROLIZUMAB-BERAHYALURONIDASE ALFA-PMPH

---

## Products Affected

- KEYTRUDA QLEX

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# PEMIGATINIB

## Products Affected

- PEMAZYRE

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                       |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                        |
| Required Medical Information  |                                                                                                                                                                                                                                        |
| Age Restrictions              |                                                                                                                                                                                                                                        |
| Prescriber Restrictions       |                                                                                                                                                                                                                                        |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                              |
| Other Criteria                | CHOLANGIOCARCINOMA, MYELOID/LYMPHOID NEOPLASMS: COMPREHENSIVE OPHTHALMOLOGICAL EXAMINATION, INCLUDING OPTICAL COHERENCE TOMOGRAPHY (OCT), WILL BE COMPLETED PRIOR TO INITIATION OF THERAPY AND AT THE RECOMMENDED SCHEDULED INTERVALS. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                          |
| Off Label Uses                |                                                                                                                                                                                                                                        |
| Part B Prerequisite           | No                                                                                                                                                                                                                                     |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                     |

# PENICILLAMINE TABLET

## Products Affected

- *penicillamine oral tablet*

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Required Medical Information</b> | INITIAL: CYSTINURIA: HAS NEPHROLITHIASIS AND ONE OF THE FOLLOWING: 1) STONE ANALYSIS SHOWING PRESENCE OF CYSTINE, 2) PRESENCE OF PATHOGNOMONIC HEXAGONAL CYSTINE CRYSTALS ON URINALYSIS, OR 3) FAMILY HISTORY OF CYSTINURIA AND POSITIVE CYANIDE-NITROPRUSSIDE SCREENING.                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Prescriber Restrictions</b>      | INITIAL: WILSONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A HEPATOLOGIST OR GASTROENTEROLOGIST. CYSTINURIA: PRESCRIBED BY OR IN CONSULTATION WITH A NEPHROLOGIST. RHEUMATOID ARTHRITIS (RA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Coverage Duration</b>            | INITIAL: 12 MONTHS, RENEWAL: LIFETIME.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Other Criteria</b>               | INITIAL: WILSONS DISEASE: 1) LEIPZIG SCORE OF 4 OR GREATER. RA: 1) NO HISTORY OR OTHER EVIDENCE OF RENAL INSUFFICIENCY, AND 2) TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE GREATER THAN OR EQUAL TO 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. RENEWAL: RA: 1) NO HISTORY OR OTHER EVIDENCE OF RENAL INSUFFICIENCY, AND 2) EXPERIENCED OR MAINTAINED IMPROVEMENT IN TENDER JOINT COUNT OR SWOLLEN JOINT COUNT COMPARED TO BASELINE. WILSONS DISEASE, CYSTINURIA: CONTINUES TO BENEFIT FROM THE MEDICATION. |

| <b>PA Criteria</b>                           | <b>Criteria Details</b>       |
|----------------------------------------------|-------------------------------|
| <b>Indications</b>                           | All FDA-approved Indications. |
| <b>Off Label Uses</b>                        |                               |
| <b>Part B<br/>Prerequisite</b>               | No                            |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes                           |

# PEXIDARTINIB

## Products Affected

- TURALIO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# PIMAVANSERIN

## Products Affected

- NUPLAZID

| PA Criteria                   | Criteria Details                                                                                                                                     |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                      |
| Required Medical Information  |                                                                                                                                                      |
| Age Restrictions              | PSYCHOSIS IN PARKINSONS DISEASE (PD): INITIAL: 18 YEARS OR OLDER                                                                                     |
| Prescriber Restrictions       | PSYCHOSIS IN PD: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, GERIATRICIAN, OR A BEHAVIORAL HEALTH SPECIALIST (E.G., PSYCHIATRIST). |
| Coverage Duration             | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                          |
| Other Criteria                | PSYCHOSIS IN PD: RENEWAL: IMPROVEMENT IN PSYCHOSIS SYMPTOMS FROM BASELINE AND DEMONSTRATES A CONTINUED NEED FOR TREATMENT.                           |
| Indications                   | All FDA-approved Indications.                                                                                                                        |
| Off Label Uses                |                                                                                                                                                      |
| Part B Prerequisite           | No                                                                                                                                                   |
| Prerequisite Therapy Required | No                                                                                                                                                   |

# PIRFENIDONE

## Products Affected

- *pirfenidone oral capsule*
- *pirfenidone oral tablet 267 mg, 534 mg, 801 mg*

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Required Medical Information</b> | IDIOPATHIC PULMONARY FIBROSIS (IPF): INITIAL: A USUAL INTERSTITIAL PNEUMONIA (UIP) PATTERN AS EVIDENCED BY HIGH-RESOLUTION COMPUTED TOMOGRAPHY (HRCT) ALONE OR VIA A COMBINATION OF SURGICAL LUNG BIOPSY AND HRCT.                                                                                                                                                                                                                                                           |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Prescriber Restrictions</b>      | IPF: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST.                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Coverage Duration</b>            | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Other Criteria</b>               | IPF: INITIAL: 1) DOES NOT HAVE OTHER KNOWN CAUSES OF INTERSTITIAL LUNG DISEASE (E.G., CONNECTIVE TISSUE DISEASE, DRUG TOXICITY, ASBESTOS OR BERYLLIUM EXPOSURE, HYPERSENSITIVITY PNEUMONITIS, SYSTEMIC SCLEROSIS, RHEUMATOID ARTHRITIS, RADIATION, SARCOIDOSIS, BRONCHIOLITIS OBLITERANS ORGANIZING PNEUMONIA, HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION, VIRAL HEPATITIS, OR CANCER). RENEWAL: CLINICAL MEANINGFUL IMPROVEMENT OR MAINTENANCE IN ANNUAL RATE OF DECLINE. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

| PA Criteria                                  | Criteria Details |
|----------------------------------------------|------------------|
| <b>Prerequisite<br/>Therapy<br/>Required</b> | No               |

# PIRTOBRUTINIB

## Products Affected

- JAYPIRCA ORAL TABLET 100 MG, 50 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# POMALIDOMIDE

---

## Products Affected

- POMALYST

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# PONATINIB

## Products Affected

- ICLUSIG

| PA Criteria                   | Criteria Details                                                                                                                                                                              |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                               |
| Required Medical Information  | CHRONIC MYELOID LEUKEMIA (CML): MUTATIONAL ANALYSIS PRIOR TO INITIATION AND ICLUSIG IS APPROPRIATE PER NCCN GUIDELINE TABLE FOR TREATMENT RECOMMENDATIONS BASED ON BCR-ABL1 MUTATION PROFILE. |
| Age Restrictions              |                                                                                                                                                                                               |
| Prescriber Restrictions       |                                                                                                                                                                                               |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                     |
| Other Criteria                |                                                                                                                                                                                               |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                 |
| Off Label Uses                |                                                                                                                                                                                               |
| Part B Prerequisite           | No                                                                                                                                                                                            |
| Prerequisite Therapy Required | No                                                                                                                                                                                            |

# POSACONAZOLE TABLET

## Products Affected

- *posaconazole oral tablet, delayed release (dr/ec)*

| PA Criteria                   | Criteria Details                                                                              |
|-------------------------------|-----------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                               |
| Required Medical Information  |                                                                                               |
| Age Restrictions              |                                                                                               |
| Prescriber Restrictions       |                                                                                               |
| Coverage Duration             | CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE, PROPHYLAXIS: 6 MONTHS. TREATMENT: 12 WEEKS. |
| Other Criteria                |                                                                                               |
| Indications                   | All FDA-approved Indications.                                                                 |
| Off Label Uses                |                                                                                               |
| Part B Prerequisite           | No                                                                                            |
| Prerequisite Therapy Required | No                                                                                            |

# PRALSETINIB

## Products Affected

- GAVRETO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# PYRIMETHAMINE

## Products Affected

- *pyrimethamine*

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                     |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                      |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                                      |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                                      |
| Prescriber Restrictions       | TOXOPLASMOSIS: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH AN INFECTIOUS DISEASE SPECIALIST.                                                                                                                                                                                                                      |
| Coverage Duration             | TOXOPLASMOSIS: INITIAL: 8 WEEKS, RENEWAL: 6 MOS.                                                                                                                                                                                                                                                                     |
| Other Criteria                | TOXOPLASMOSIS: RENEWAL: ONE OF THE FOLLOWING: (1) PERSISTENT CLINICAL DISEASE (HEADACHE, NEUROLOGICAL SYMPTOMS, OR FEVER) AND PERSISTENT RADIOGRAPHIC DISEASE (ONE OR MORE MASS LESIONS ON BRAIN IMAGING), OR (2) CD4 COUNT LESS THAN 200 CELLS/MM3 AND CURRENTLY TAKING AN ANTI-RETROVIRAL THERAPY IF HIV POSITIVE. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                        |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                      |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                   |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                                   |

# QUININE

## Products Affected

- *quinine sulfate*

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# QUIZARTINIB

---

## Products Affected

- VANFLYTA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# REGORAFENIB

## Products Affected

- STIVARGA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# RELUGOLIX

## Products Affected

- ORGOVYX

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# REPOTRECTINIB

## Products Affected

- AUGTYRO ORAL CAPSULE 160 MG, 40 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# RESMETIROM

## Products Affected

- REZDIFFRA

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                               |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                |
| <b>Required Medical Information</b>  | NONALCOHOLIC STEATOHEPATITIS (NASH): INITIAL: DIAGNOSIS CONFIRMED BY BIOPSY OR NONINVASIVE TESTING, OBTAINED IN THE PAST 12 MONTHS, DEMONSTRATING: 1) LIVER FIBROSIS STAGE 2 OR 3, OR 2) NONALCOHOLIC FATTY LIVER DISEASE (NAFLD) ACTIVITY SCORE OF 4 OR MORE. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                |
| <b>Prescriber Restrictions</b>       | NASH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEPATOLOGIST, GASTROENTEROLOGIST, OR ENDOCRINOLOGIST.                                                                                                                                                   |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 12 MONTHS                                                                                                                                                                                                                                     |
| <b>Other Criteria</b>                | NASH: RENEWAL: CONTINUES TO HAVE NONCIRRHOTIC NASH WITH MODERATE TO ADVANCED LIVER FIBROSIS (CONSISTENT WITH STAGES F2 TO F3 FIBROSIS).                                                                                                                        |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                  |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                             |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                             |

# RETIFANLIMAB-DLWR

## Products Affected

- ZYNYZ

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# REVUMENIB

## Products Affected

- REVUFORJ ORAL TABLET 110 MG, 160 MG, 25 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# RIBOCICLIB

## Products Affected

- KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1), 400 MG/DAY (200 MG X 2), 600 MG/DAY (200 MG X 3)

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# RIBOCICLIB-LETROZOLE

## Products Affected

- KISQALI FEMARA CO-PACK ORAL  
TABLET 200 MG/DAY(200 MG X 1)-2.5  
MG, 400 MG/DAY(200 MG X 2)-2.5 MG,  
600 MG/DAY(200 MG X 3)-2.5 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# RIFAXIMIN

## Products Affected

- XIFAXAN ORAL TABLET 200 MG, 550 MG

| PA Criteria                   | Criteria Details                                                               |
|-------------------------------|--------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                |
| Required Medical Information  |                                                                                |
| Age Restrictions              |                                                                                |
| Prescriber Restrictions       |                                                                                |
| Coverage Duration             | TRAVELERS DIARRHEA, HEPATIC ENCEPHALOPATHY (HE): 12 MOS. IBS-D: 8 WKS.         |
| Other Criteria                | HE: TRIAL OF OR CONTRAINDICATION TO LACTULOSE OR CONCURRENT LACTULOSE THERAPY. |
| Indications                   | All FDA-approved Indications.                                                  |
| Off Label Uses                |                                                                                |
| Part B Prerequisite           | No                                                                             |
| Prerequisite Therapy Required | Yes                                                                            |

# RILONACEPT

## Products Affected

- ARCALYST

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Required Medical Information | <p>CRYOPYRIN-ASSOCIATED PERIODIC SYNDROMES (CAPS): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF-FUNCTION MUTATIONS IN THE NLRP3 GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR, SERUM AMYLOID A PROTEIN (SAA) OR S100 PROTEINS), AND 2) TWO OF THE FOLLOWING: URTICARIAL-LIKE RASH (NEUTROPHILIC DERMATITIS), COLD-TRIGGERED EPISODES, SENSORINEURAL HEARING LOSS, MUSCULOSKELETAL SYMPTOMS, CHRONIC ASEPTIC MENINGITIS, SKELETAL ABNORMALITIES.</p> <p>DEFICIENCY OF INTERLEUKIN-1 RECEPTOR ANTAGONIST (DIRA): 1) ONE OF THE FOLLOWING: (A) GENETIC TEST FOR GAIN-OF-FUNCTION MUTATIONS IN THE IL1RN GENE, OR (B) HAS INFLAMMATORY MARKERS (I.E., ELEVATED CRP, ESR), AND 2) ONE OF THE FOLLOWING: PUSTULAR PSORIASIS-LIKE RASHES, OSTEOMYELITIS, ABSENCE OF BACTERIAL OSTEOMYELITIS, ONYCHOMADESIS. RECURRENT PERICARDITIS (RP): TWO OF THE FOLLOWING: CHEST PAIN CONSISTENT WITH PERICARDITIS, PERICARDIAL FRICTION RUB, ECG SHOWING DIFFUSE ST-SEGMENT ELEVATION OR PR-SEGMENT DEPRESSION, NEW OR WORSENING PERICARDIAL EFFUSION.</p> |
| Age Restrictions             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Coverage Duration            | CAPS, DIRA: LIFETIME. RP: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

| <b>PA Criteria</b>                   | <b>Criteria Details</b>                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Other Criteria</b>                | CAPS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR CAPS. DIRA: 1) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR DIRA, AND 2) TRIAL OF THE PREFERRED AGENT: KINERET. RP: 1) HAD AN EPISODE OF ACUTE PERICARDITIS, 2) SYMPTOM-FREE FOR 4 TO 6 WEEKS, AND 3) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR RP. |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                          |

# RIMEGEPANT

## Products Affected

- NURTEC ODT

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Required Medical Information |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Age Restrictions             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Prescriber Restrictions      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Coverage Duration            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Other Criteria               | ACUTE MIGRAINE TREATMENT: INITIAL: TRIAL OF OR CONTRAINDICATION TO ONE TRIPTAN (E.G., SUMATRIPTAN, RIZATRIPTAN). INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT. RENEWAL: 1) IMPROVEMENT FROM BASELINE IN A VALIDATED ACUTE TREATMENT PATIENT-REPORTED OUTCOME QUESTIONNAIRE, OR 2) THERAPY WORKS CONSISTENTLY IN MAJORITY OF MIGRAINE ATTACKS. EPISODIC MIGRAINE PREVENTION: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR MIGRAINE PREVENTION. RENEWAL: REDUCTION IN MIGRAINE OR HEADACHE FREQUENCY, MIGRAINE SEVERITY, OR MIGRAINE DURATION WITH THERAPY. |
| Indications                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Off Label Uses               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

| PA Criteria                   | Criteria Details |
|-------------------------------|------------------|
| Prerequisite Therapy Required | Yes              |

# RIOCIGUAT

## Products Affected

- ADEMPAS

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Required Medical Information</b> | INITIAL: PULMONARY ARTERIAL HYPERTENSION (PAH): DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS. PERSISTENT/RECURRENT CHRONIC THROMBOEMBOLIC PULMONARY HYPERTENSION (CTEPH) (WHO GROUP 4): WHO FUNCTIONAL CLASS II-IV SYMPTOMS.                                          |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Prescriber Restrictions</b>      | INITIAL: PAH, CTEPH: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Coverage Duration</b>            | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Other Criteria</b>               | INITIAL: PAH: NO CONCURRENT USE WITH NITRATES, NITRIC OXIDE DONORS, PHOSPHODIESTERASE (PDE) INHIBITORS, OR NON-SPECIFIC PDE INHIBITORS. CTEPH: 1) NO CONCURRENT USE WITH NITRATES, NITRIC OXIDE DONORS, PDE INHIBITORS, OR NON-SPECIFIC PDE INHIBITORS, AND 2) NOT A CANDIDATE FOR SURGERY OR HAS INOPERABLE CTEPH OR HAS PERSISTENT OR RECURRENT DISEASE AFTER SURGICAL TREATMENT. RENEWAL: PAH, CTEPH: NO CONCURRENT USE WITH NITRATES, NITRIC OXIDE DONORS, PDE INHIBITORS, OR NON-SPECIFIC PDE INHIBITORS. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

| <b>PA Criteria</b>                           | <b>Criteria Details</b> |
|----------------------------------------------|-------------------------|
| <b>Part B<br/>Prerequisite</b>               | No                      |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | No                      |

# RIPRETINIB

## Products Affected

- QINLOCK

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# RISANKIZUMAB-RZAA

## Products Affected

- SKYRIZI

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Required Medical Information</b> | INITIAL: PLAQUE PSORIASIS (PSO): PLAQUE PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, FACE, SCALP, OR GENITAL AREA.                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Prescriber Restrictions</b>      | INITIAL: PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.                                                                                                                                                                                                                                                                                              |
| <b>Coverage Duration</b>            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Other Criteria</b>               | INITIAL: PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION.<br>INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: PSO, PSA: CONTINUES TO BENEFIT FROM THE MEDICATION. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

| <b>PA Criteria</b>                           | <b>Criteria Details</b> |
|----------------------------------------------|-------------------------|
| <b>Part B<br/>Prerequisite</b>               | No                      |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes                     |

# RITUXIMAB AND HYALURONIDASE HUMAN-SQ

## Products Affected

- RITUXAN HYCELA

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                                                                                                                                                                          |
| Other Criteria                | FOLLICULAR LYMPHOMA (FL), DIFFUSE LARGE B-CELL LYMPHOMA (DLBCL), CHRONIC LYMPHOCYTIC LEUKEMIA (CLL): 1) HAS RECEIVED OR WILL RECEIVE AT LEAST ONE FULL DOSE OF A RITUXIMAB PRODUCT BY INTRAVENOUS INFUSION PRIOR TO INITIATION OF RITUXIMAB AND HYALURONIDASE, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                      |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                                                                                                                                 |

# RITUXIMAB-ABBS

## Products Affected

- TRUXIMA

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Required Medical Information</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Prescriber Restrictions</b>      | INITIAL: RHEUMATOID ARTHRITIS (RA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. NON-HODGKINS LYMPHOMA (NHL), CHRONIC LYMPHOCYTIC LEUKEMIA (CLL): PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST.                                                                                                                                                                                                                                                          |
| <b>Coverage Duration</b>            | RA: INITIAL: 6 MO, RENEWAL: 12 MO. NHL, GPA, MPA, PV: 12 MO. CLL: 6 MO.                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Other Criteria</b>               | INITIAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. RENEWAL: RA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR THE SAME INDICATION. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

| PA Criteria                   | Criteria Details |
|-------------------------------|------------------|
| Prerequisite Therapy Required | Yes              |

# ROPEGINTERFERON ALFA-2B-NJFT

---

## Products Affected

- BESREMI

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# RUCAPARIB

## Products Affected

- RUBRACA

| PA Criteria                   | Criteria Details                                                                                                                                                                                                              |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                               |
| Required Medical Information  |                                                                                                                                                                                                                               |
| Age Restrictions              |                                                                                                                                                                                                                               |
| Prescriber Restrictions       |                                                                                                                                                                                                                               |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                     |
| Other Criteria                | METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                 |
| Off Label Uses                |                                                                                                                                                                                                                               |
| Part B Prerequisite           | No                                                                                                                                                                                                                            |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                            |

# RUXOLITINIB

## Products Affected

- JAKAFI

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                           |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                            |
| Required Medical Information  |                                                                                                                                                                                                                                            |
| Age Restrictions              |                                                                                                                                                                                                                                            |
| Prescriber Restrictions       |                                                                                                                                                                                                                                            |
| Coverage Duration             | MYELOFIBROSIS: INITIAL: 6 MONTHS, RENEWAL: 12 MONTHS. POLYCYTHEMIA VERA, GVHD: 12 MONTHS                                                                                                                                                   |
| Other Criteria                | INITIAL: CHRONIC GRAFT VS HOST DISEASE (CGVHD): NO CONCURRENT USE WITH REZUROCK, NIKTIMVO, OR IMBRUVICA. RENEWAL: MYELOFIBROSIS: CONTINUES TO BENEFIT FROM THE MEDICATION. CGVHD: NO CONCURRENT USE WITH REZUROCK, NIKTIMVO, OR IMBRUVICA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                              |
| Off Label Uses                |                                                                                                                                                                                                                                            |
| Part B Prerequisite           | No                                                                                                                                                                                                                                         |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                         |

# SAPROPTERIN

## Products Affected

- *javygtor oral tablet, soluble*
- *sapropterin oral tablet, soluble*

| PA Criteria                   | Criteria Details                                                                                                                                                |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                 |
| Required Medical Information  |                                                                                                                                                                 |
| Age Restrictions              |                                                                                                                                                                 |
| Prescriber Restrictions       |                                                                                                                                                                 |
| Coverage Duration             | INITIAL: 2 MONTHS, RENEWAL 12 MONTHS.                                                                                                                           |
| Other Criteria                | HYPERPHENYLALANINEMIA (HPA): INITIAL: NO CONCURRENT USE WITH PALYNZIQ. RENEWAL: 1) CONTINUES TO BENEFIT FROM TREATMENT, AND 2) NO CONCURRENT USE WITH PALYNZIQ. |
| Indications                   | All FDA-approved Indications.                                                                                                                                   |
| Off Label Uses                |                                                                                                                                                                 |
| Part B Prerequisite           | No                                                                                                                                                              |
| Prerequisite Therapy Required | No                                                                                                                                                              |

# SECUKINUMAB SQ

## Products Affected

- COSENTYX (2 SYRINGES)
- COSENTYX PEN (2 PENS)
- COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML
- COSENTYX UNOREADY PEN

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                           |
| <b>Required Medical Information</b> | INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP, OR FACE. NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS (NR-AXSPA): 1) C-REACTIVE PROTEIN (CRP) LEVELS ABOVE THE UPPER LIMIT OF NORMAL, OR 2) SACROILIITIS ON MAGNETIC RESONANCE IMAGING (MRI). |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                           |
| <b>Prescriber Restrictions</b>      | INITIAL: PSO, HIDRADENITIS SUPPURATIVA (HS): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR A DERMATOLOGIST. ANKYLOSING SPONDYLITIS (AS), NR-AXSPA, ENTHESITIS-RELATED ARTHRITIS (ERA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST.              |
| <b>Coverage Duration</b>            | INITIAL: HS: 12 MONTHS, ALL OTHER INDICATIONS: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                              |

| <b>PA Criteria</b>                   | <b>Criteria Details</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Other Criteria</b>                | INITIAL: PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION. AS, NR-AXSPA: TRIAL OF OR CONTRAINDICATION TO AN NSAID. ERA: TRIAL OF OR CONTRAINDICATION TO ONE NSAID, SULFASALAZINE, OR METHOTREXATE. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: ALL INDICATIONS: CONTINUES TO BENEFIT FROM THE MEDICATION. |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

# SELEXIPAG

## Products Affected

- UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG
- UPTRAVI ORAL TABLETS,DOSE PACK

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                       |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                                                        |
| <b>Required Medical Information</b>  | PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                                                        |
| <b>Prescriber Restrictions</b>       | PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.                                                                                                                                                                                                                                                   |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 12 MONTHS                                                                                                                                                                                                                                                                                                             |
| <b>Other Criteria</b>                | PAH: INITIAL: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING AGENTS FROM DIFFERENT DRUG CLASSES: 1) FORMULARY VERSION OF AN ORAL ENDOTHELIN RECEPTOR ANTAGONIST, 2) FORMULARY VERSION OF AN ORAL PHOSPHODIESTERASE TYPE-5 INHIBITOR FOR PAH, 3) FORMULARY VERSION OF AN ORAL CGMP STIMULATOR.                                    |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                          |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                        |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                     |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                                                                                                                                                    |

# SELINEXOR

## Products Affected

- XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40 MG/WEEK (10 MG X 4), 40 MG/WEEK (40 MG X 1), 40MG TWICE WEEK (40 MG X 2), 60 MG/WEEK (60 MG X 1), 60MG TWICE WEEK (120 MG/WEEK), 80 MG/WEEK (40 MG X 2), 80 MG/WEEK (80 MG X 1), 80MG TWICE WEEK (160 MG/WEEK)

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# SELPERCATINIB

## Products Affected

- RETEVMO ORAL CAPSULE 40 MG, 80 MG
- RETEVMO ORAL TABLET 120 MG, 160 MG, 40 MG, 80 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# SELUMETINIB

---

## Products Affected

- KOSELUGO ORAL CAPSULE 10 MG, 25 MG
- KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG, 7.5 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# SEVABERTINIB

## Products Affected

- HYRNUO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# SILDENAFIL TABLET

## Products Affected

- *sildenafil (pulm.hypertension) oral tablet*

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Required Medical Information</b> | PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: AGES 18 YEARS OR OLDER: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS. AGES 1 TO 17 YEARS: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PAP GREATER THAN 20 MMHG, 2) PCWP OF 15 MMHG OR LESS, AND 3) PVR OF 3 WOOD UNITS OR GREATER. |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Prescriber Restrictions</b>      | PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Coverage Duration</b>            | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Other Criteria</b>               | PAH: INITIAL/RENEWAL: 1) NOT CONCURRENTLY OR INTERMITTENTLY TAKING ORAL ERECTILE DYSFUNCTION AGENTS (E.G. CIALIS, VIAGRA) OR ANY ORGANIC NITRATES IN ANY FORM AND 2) NO CONCURRENT USE WITH GUANYLATE CYCLASE STIMULATORS.                                                                                                                                                                                                                                                                                                                                                |
| <b>Indications</b>                  | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

| PA Criteria                                  | Criteria Details |
|----------------------------------------------|------------------|
| <b>Prerequisite<br/>Therapy<br/>Required</b> | No               |

# SIPONIMOD

## Products Affected

- MAYZENT ORAL TABLET 0.25 MG, 1 MG, 2 MG
- MAYZENT STARTER(FOR 1MG MAINT)
- MAYZENT STARTER(FOR 2MG MAINT)

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# SIROLIMUS PROTEIN-BOUND

---

## Products Affected

- FYARRO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# SODIUM OXYBATE-XYREM

## Products Affected

- *sodium oxybate*

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Required Medical Information</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Prescriber Restrictions</b>      | INITIAL: CATAPLEXY IN NARCOLEPSY, EXCESSIVE DAYTIME SLEEPINESS (EDS) IN NARCOLEPSY: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR SPECIALIST IN SLEEP MEDICINE                                                                                                                                                                                                                                                                                                                                            |
| <b>Coverage Duration</b>            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Other Criteria</b>               | INITIAL: EDS IN NARCOLEPSY: 1) NO CONCURRENT USE WITH A SEDATIVE HYPNOTIC AGENT, AND 2) AGES 18 YEARS OR OLDER: TRIAL, FAILURE OF, OR CONTRAINDICATION TO A FORMULARY VERSION OF MODAFINIL, ARMODAFINIL, OR SUNOSI AND ONE GENERIC STIMULANT INDICATED FOR EDS IN NARCOLEPSY. CATAPLEXY IN NARCOLEPSY: NO CONCURRENT USE WITH A SEDATIVE HYPNOTIC AGENT. RENEWAL: CATAPLEXY IN NARCOLEPSY, EDS IN NARCOLEPSY: 1) SUSTAINED IMPROVEMENT OF SYMPTOMS COMPARED TO BASELINE, AND 2) NO CONCURRENT USE WITH A SEDATIVE HYPNOTIC AGENT. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

| PA Criteria                                  | Criteria Details |
|----------------------------------------------|------------------|
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes              |

# SOFOSBUVIR/VELPATASVIR

## Products Affected

- EPCLUSA ORAL PELLETS IN PACKET  
150-37.5 MG, 200-50 MG
- EPCLUSA ORAL TABLET

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Required Medical Information | HCV RNA LEVEL WITHIN PAST 6 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Age Restrictions             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Prescriber Restrictions      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Coverage Duration            | CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Other Criteria               | 1) CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE, 2) NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING MEDICATIONS: AMIODARONE, CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, HIV REGIMEN THAT CONTAINS EFAVIRENZ, ROSUVASTATIN AT DOSES ABOVE 10MG, TIPRANAVIR/RITONAVIR, TOPOTECAN, SOVALDI (AS A SINGLE AGENT), HARVONI, ZEPATIER, MAVYRET, OR VOSEVI, AND 3) PATIENTS WITH DECOMPENSATED CIRRHOSIS REQUIRE CONCURRENT RIBAVIRIN UNLESS RIBAVIRIN INELIGIBLE. |
| Indications                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Off Label Uses               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

| PA Criteria                                  | Criteria Details |
|----------------------------------------------|------------------|
| <b>Prerequisite<br/>Therapy<br/>Required</b> | No               |

# SOFOSBUVIR/VELPATASVIR/VOXILAPREVIR

## Products Affected

- VOSEVI

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Required Medical Information | HCV RNA LEVEL WITHIN PAST 6 MONTHS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Age Restrictions             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Prescriber Restrictions      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Coverage Duration            | CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Other Criteria               | 1) CRITERIA WILL BE APPLIED CONSISTENT WITH CURRENT AASLD/IDSA GUIDANCE, 2) NOT CONCURRENTLY TAKING ANY OF THE FOLLOWING MEDICATIONS: AMIODARONE, CARBAMAZEPINE, PHENYTOIN, PHENOBARBITAL, OXCARBAZEPINE, RIFAMPIN, RIFABUTIN, RIFAPENTINE, CYCLOSPORINE, PITAVASTATIN, PRAVASTATIN (DOSES ABOVE 40MG), ROSUVASTATIN, METHOTREXATE, MITOXANTRONE, IMATINIB, IRINOTECAN, LAPATINIB, SULFASALAZINE, TOPOTECAN, OR HIV REGIMEN THAT CONTAINS EFAVIRENZ, ATAZANAVIR, LOPINAVIR, TIPRANAVIR/RITONAVIR, SOVALDI (AS A SINGLE AGENT), EPCLUSA, HARVONI, ZEPATIER, OR MAVYRET, AND 3) DOES NOT HAVE MODERATE OR SEVERE HEPATIC IMPAIRMENT (CHILD-PUGH B OR C). |
| Indications                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Off Label Uses               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

| PA Criteria                                  | Criteria Details |
|----------------------------------------------|------------------|
| <b>Prerequisite<br/>Therapy<br/>Required</b> | No               |

# SOMATROPIN - NORDITROPIN

## Products Affected

- NORDITROPIN FLEXPRO

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           | INITIAL/RENEWAL: ATHLETIC ENHANCEMENT, ANTI-AGING PURPOSES.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Required Medical Information</b> | INITIAL: PEDIATRIC GROWTH HORMONE DEFICIENCY (GHD), IDIOPATHIC SHORT STATURE (ISS), SMALL FOR GESTATIONAL AGE (SGA), NOONAN SYNDROME: HEIGHT AT LEAST 2 STANDARD DEVIATIONS BELOW THE MEAN HEIGHT FOR CHILDREN OF THE SAME AGE AND GENDER. TURNER SYNDROME (TS): CONFIRMED BY CHROMOSOMAL ANALYSIS (KARYOTYPING). PRADER WILLI SYNDROME (PWS): CONFIRMED GENETIC DIAGNOSIS OF PWS. ADULT GHD: 1) HAS A CONGENITAL, GENETIC, OR ORGANIC DISEASE (E.G., CRANIOPHARYNGIOMA, PITUITARY HYPOPLASIA, ECTOPIC POSTERIOR PITUITARY, PREVIOUS CRANIAL IRRADIATION), OR 2) GHD CONFIRMED BY ONE OF THE FOLLOWING GROWTH HORMONE (GH) STIMULATION TESTS: (A) INSULIN TOLERANCE TEST (PEAK GH OF 5 NG/ML OR LESS), (B) GLUCAGON-STIMULATION TEST (ONE OF THE FOLLOWING: (I) PEAK RESPONSE OF 3 NG/ML OR LESS AND BMI LESS THAN 25 KG/M2, (II) PEAK RESPONSE OF 3 NG/ML OR LESS AND BMI IS BETWEEN 25 - 30 KG/M2 WITH A PRE-TEST PROBABILITY, (III) PEAK RESPONSE OF 1 NG/ML OR LESS AND BMI IS BETWEEN 25 - 30 KG/M2 WITH LOW TEST PROBABILITY, OR (IV) PEAK RESPONSE OF 1 NG/ML OR LESS AND BMI IS GREATER THAN 30 KG/M2), OR (C) MACIMORELIN TEST (PEAK GH OF 2.8 NG/ML OR LESS). |
| <b>Age Restrictions</b>             | SGA: 2 YEARS OF AGE OR OLDER.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Prescriber Restrictions</b>      | INITIAL/RENEWAL: ALL INDICATIONS: PRESCRIBED BY OR IN CONSULTATION WITH AN ENDOCRINOLOGIST.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Coverage Duration</b>            | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

| <b>PA Criteria</b>                   | <b>Criteria Details</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Other Criteria</b>                | <p>INITIAL: PEDIATRIC GHD, ISS, SGA, TS, NOONAN SYNDROME: OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF THE WRIST AND HAND. INITIAL/RENEWAL: ADULT GHD, PEDIATRIC GHD, SGA, TS, PWS, NOONAN SYNDROME: NO CONCURRENT USE WITH INCRELEX. RENEWAL: ISS: 1) IMPROVEMENT WHILE ON THERAPY (INCREASED HEIGHT OR INCREASED GROWTH VELOCITY), AND 2) OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF THE WRIST AND HAND. PEDIATRIC GHD, SGA, TS, NOONAN SYNDROME: 1) IMPROVEMENT WHILE ON THERAPY (INCREASED HEIGHT OR INCREASED GROWTH VELOCITY), AND 2) OPEN EPIPHYSES AS CONFIRMED BY RADIOGRAPH OF THE WRIST AND HAND OR HAS NOT COMPLETED PREPUBERTAL GROWTH. PWS: IMPROVEMENT IN BODY COMPOSITION.</p> |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

# SOMATROPIN - SEROSTIM

## Products Affected

- SEROSTIM SUBCUTANEOUS RECON  
SOLN 4 MG, 5 MG, 6 MG

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            | INITIAL/RENEWAL: ATHLETIC ENHANCEMENT, ANTI-AGING PURPOSES                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Required Medical Information</b>  | INITIAL: HIV/WASTING: ONE OF THE FOLLOWING FOR WEIGHT LOSS: 1) 10% UNINTENTIONAL WEIGHT LOSS OVER 12 MONTHS OR 5% WEIGHT LOSS OVER 6 MONTHS, 2) 5% BODY CELL MASS (BCM) LOSS WITHIN 6 MONTHS, 3) BCM LESS THAN 35% (MEN) OF TOTAL BODY WEIGHT AND BODY MASS INDEX (BMI) LESS THAN 27 KG PER METER SQUARED, 4) BCM LESS THAN 23% (WOMEN) OF TOTAL BODY WEIGHT AND BMI LESS THAN 27 KG PER METER SQUARED, OR 5) BMI LESS THAN 20 KG PER METER SQUARED. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Prescriber Restrictions</b>       | HIV/WASTING: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST, NUTRITIONAL SUPPORT SPECIALIST, OR INFECTIOUS DISEASE SPECIALIST.                                                                                                                                                                                                                                                                                                  |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 9 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Other Criteria</b>                | HIV/WASTING: RENEWAL: 1) CLINICAL BENEFIT IN MUSCLE MASS AND WEIGHT.                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

# SONIDEGIB

## Products Affected

- ODOMZO

| PA Criteria                   | Criteria Details                                                                                                |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                 |
| Required Medical Information  | LOCALLY ADVANCED BASAL CELL CARCINOMA (BCC):<br>BASELINE SERUM CREATINE KINASE (CK) AND SERUM CREATININE LEVELS |
| Age Restrictions              |                                                                                                                 |
| Prescriber Restrictions       |                                                                                                                 |
| Coverage Duration             | 12 MONTHS                                                                                                       |
| Other Criteria                |                                                                                                                 |
| Indications                   | All FDA-approved Indications.                                                                                   |
| Off Label Uses                |                                                                                                                 |
| Part B Prerequisite           | No                                                                                                              |
| Prerequisite Therapy Required | No                                                                                                              |

# SORAFENIB

## Products Affected

- *sorafenib*

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# SOTATERCEPT-CSRK

## Products Affected

- WINREVAIR

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Required Medical Information</b> | PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS.                                                                                   |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Prescriber Restrictions</b>      | PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.                                                                                                                                                                                                                                                                                                                                     |
| <b>Coverage Duration</b>            | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Other Criteria</b>               | PAH: INITIAL: 1) ON BACKGROUND PAH THERAPY (FOR AT LEAST 3 MONTHS) WITH AT LEAST TWO OF THE FOLLOWING AGENTS FROM DIFFERENT DRUG CLASSES: A) ORAL ENDOTHELIN RECEPTOR ANTAGONIST, B) ORAL PHOSPHODIESTERASE TYPE-5 INHIBITOR FOR PAH, C) ORAL CGMP STIMULATOR, D) IV/SQ PROSTACYCLIN, OR 2) ON ONE AGENT FROM ONE OF THE ABOVE DRUG CLASSES, AND HAS A CONTRAINDICATION OR INTOLERANCE TO ALL OF THE OTHER DRUG CLASSES. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                                                                                       |

| PA Criteria                                  | Criteria Details |
|----------------------------------------------|------------------|
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes              |

# SOTORASIB

## Products Affected

- LUMAKRAS ORAL TABLET 120 MG, 240 MG, 320 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# STIRIPENTOL

## Products Affected

- DIACOMIT ORAL CAPSULE 250 MG, 500 MG
- DIACOMIT ORAL POWDER IN PACKET 250 MG, 500 MG

| PA Criteria                   | Criteria Details                                                               |
|-------------------------------|--------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                |
| Required Medical Information  |                                                                                |
| Age Restrictions              |                                                                                |
| Prescriber Restrictions       | DRAVET SYNDROME: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST. |
| Coverage Duration             | INITIAL/RENEWAL: 12 MONTHS.                                                    |
| Other Criteria                |                                                                                |
| Indications                   | All FDA-approved Indications.                                                  |
| Off Label Uses                |                                                                                |
| Part B Prerequisite           | No                                                                             |
| Prerequisite Therapy Required | No                                                                             |

# SUNITINIB

## Products Affected

- *sunitinib malate*

| PA Criteria                   | Criteria Details                                                                  |
|-------------------------------|-----------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                   |
| Required Medical Information  |                                                                                   |
| Age Restrictions              |                                                                                   |
| Prescriber Restrictions       |                                                                                   |
| Coverage Duration             | 12 MONTHS                                                                         |
| Other Criteria                | GASTROINTESTINAL STROMAL TUMORS (GIST): TRIAL OF OR CONTRAINDICATION TO IMATINIB. |
| Indications                   | All FDA-approved Indications.                                                     |
| Off Label Uses                |                                                                                   |
| Part B Prerequisite           | No                                                                                |
| Prerequisite Therapy Required | Yes                                                                               |

# TADALAFIL - ADCIRCA, ALYQ

## Products Affected

- *alyq*

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                       |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                                                        |
| <b>Required Medical Information</b>  | PULMONARY ARTERIAL HYPERTENSION (PAH): INITIAL: DIAGNOSIS CONFIRMED BY RIGHT HEART CATHETERIZATION WITH THE FOLLOWING PARAMETERS: 1) MEAN PULMONARY ARTERY PRESSURE (PAP) GREATER THAN 20 MMHG, 2) PULMONARY CAPILLARY WEDGE PRESSURE (PCWP) OF 15 MMHG OR LESS, AND 3) PULMONARY VASCULAR RESISTANCE (PVR) GREATER THAN 2 WOOD UNITS. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                                                        |
| <b>Prescriber Restrictions</b>       | PAH: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST OR PULMONOLOGIST.                                                                                                                                                                                                                                                   |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                            |
| <b>Other Criteria</b>                | PAH: INITIAL/RENEWAL: 1) NOT CONCURRENTLY OR INTERMITTENTLY TAKING ORAL ERECTILE DYSFUNCTION AGENTS (E.G. CIALIS, VIAGRA) OR ANY ORGANIC NITRATES IN ANY FORM, AND 2) NO CONCURRENT USE WITH GUANYLATE CYCLASE STIMULATORS.                                                                                                            |
| <b>Indications</b>                   | All Medically-accepted Indications.                                                                                                                                                                                                                                                                                                    |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                        |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                     |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                                                     |

# TADALAFIL-CIALIS

## Products Affected

- *tadalafil oral tablet 2.5 mg, 5 mg*

| PA Criteria                          | Criteria Details                                                                                                                                                                                                  |
|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            | ERECTILE DYSFUNCTION WITHOUT DIAGNOSIS OF BENIGN PROSTATIC HYPERPLASIA (BPH).                                                                                                                                     |
| <b>Required Medical Information</b>  |                                                                                                                                                                                                                   |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                   |
| <b>Prescriber Restrictions</b>       |                                                                                                                                                                                                                   |
| <b>Coverage Duration</b>             | 12 MONTHS                                                                                                                                                                                                         |
| <b>Other Criteria</b>                | BPH: 1) TRIAL OF ONE ALPHA BLOCKER (E.G., DOXAZOSIN, TERAZOSIN, TAMSULOSIN, ALFUZOSIN), AND 2) TRIAL OF ONE 5-ALPHA-REDUCTASE INHIBITOR (E.G., FINASTERIDE, DUTASTERIDE). APPLIES TO 2.5MG AND 5MG STRENGTHS ONLY |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                     |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                   |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                |
| <b>Prerequisite Therapy Required</b> | Yes                                                                                                                                                                                                               |

# TAFAMIDIS

## Products Affected

- VYNDAMAX

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Required Medical Information</b>  | CARDIOMYOPATHY ASSOCIATED WITH WILD TYPE OR HEREDITARY TRANSTHYRETIN-MEDIATED AMYLOIDOSIS (ATTR-CM): INITIAL: 1) NEW YORK HEART ASSOCIATION (NYHA) CLASS I, II, OR III HEART FAILURE, AND 2) DIAGNOSIS CONFIRMED BY (A) BONE SCAN (SCINTIGRAPHY) STRONGLY POSITIVE FOR MYOCARDIAL UPTAKE OF TC-99M-PYP, OR (B) BIOPSY OF TISSUE OF AFFECTED ORGAN(S) (CARDIAC AND POSSIBLY NON-CARDIAC SITES) TO CONFIRM AMYLOID PRESENCE AND CHEMICAL TYPING TO CONFIRM PRESENCE OF TRANSTHYRETIN (TTR) PROTEIN. |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Prescriber Restrictions</b>       | ATTR-CM: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A CARDIOLOGIST, ATTR SPECIALIST, OR MEDICAL GENETICIST.                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 12 MONTHS                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Other Criteria</b>                | ATTR-CM: INITIAL/RENEWAL: NO CONCURRENT USE WITH OTHER ATTR-CM TTR STABILIZERS (E.G., ACORAMIDIS)                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

# TALAZOPARIB

## Products Affected

- TALZENNA

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Required Medical Information |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Age Restrictions             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Prescriber Restrictions      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Coverage Duration            | 12 MONTHS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Other Criteria               | ADVANCED OR METASTATIC BREAST CANCER: 1) HAS BEEN TREATED WITH CHEMOTHERAPY IN THE NEOADJUVANT, ADJUVANT, OR METASTATIC SETTING, AND 2) IF HORMONE RECEPTOR (HR)-POSITIVE BREAST CANCER, RECEIVED PRIOR TREATMENT WITH ENDOCRINE THERAPY OR IS CONSIDERED INAPPROPRIATE FOR ENDOCRINE THERAPY. METASTATIC CASTRATION-RESISTANT PROSTATE CANCER: 1) RECEIVED A BILATERAL ORCHIECTOMY, 2) CASTRATE LEVEL OF TESTOSTERONE (I.E., LESS THAN 50 NG/DL), OR 3) CONCURRENT USE WITH A GONADOTROPIN RELEASING HORMONE (GNRH) ANALOG. |
| Indications                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Off Label Uses               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Part B Prerequisite          | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |

| PA Criteria                   | Criteria Details |
|-------------------------------|------------------|
| Prerequisite Therapy Required | Yes              |

# TALETRECTINIB

## Products Affected

- IBTROZI

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TALQUETAMAB-TGVS

---

## Products Affected

- TALVEY

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TARLATAMAB-DLLE

## Products Affected

- IMDELLTRA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TAZEMETOSTAT

---

## Products Affected

- TAZVERIK

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TEBENTAFUSP-TEBN

## Products Affected

- KIMMTRAK

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TECLISTAMAB-CQYV

---

## Products Affected

- TECVAYLI

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TELISOTUZUMAB VEDOTIN-TLLV

---

## Products Affected

- EMRELIS

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TELOTRISTAT

## Products Affected

- XERMELO

| PA Criteria                   | Criteria Details                                                                                       |
|-------------------------------|--------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                        |
| Required Medical Information  |                                                                                                        |
| Age Restrictions              |                                                                                                        |
| Prescriber Restrictions       | CARCINOID SYNDROME DIARRHEA: PRESCRIBED BY OR IN CONSULTATION WITH AN ONCOLOGIST OR GASTROENTEROLOGIST |
| Coverage Duration             | 12 MONTHS                                                                                              |
| Other Criteria                |                                                                                                        |
| Indications                   | All FDA-approved Indications.                                                                          |
| Off Label Uses                |                                                                                                        |
| Part B Prerequisite           | No                                                                                                     |
| Prerequisite Therapy Required | No                                                                                                     |

# TEPOTINIB

## Products Affected

- TEPMETKO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TERIPARATIDE

## Products Affected

- *teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)*

| PA Criteria                   | Criteria Details                                                                                                                                                                     |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                      |
| Required Medical Information  |                                                                                                                                                                                      |
| Age Restrictions              |                                                                                                                                                                                      |
| Prescriber Restrictions       |                                                                                                                                                                                      |
| Coverage Duration             | 24 MONTHS                                                                                                                                                                            |
| Other Criteria                | OSTEOPOROSIS: HAS NOT RECEIVED A TOTAL OF 24 MONTHS CUMULATIVE TREATMENT WITH ANY PARATHYROID HORMONE THERAPY, UNLESS REMAINS AT OR HAS RETURNED TO HAVING A HIGH RISK FOR FRACTURE. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                        |
| Off Label Uses                |                                                                                                                                                                                      |
| Part B Prerequisite           | No                                                                                                                                                                                   |
| Prerequisite Therapy Required | No                                                                                                                                                                                   |

# TESTOSTERONE

## Products Affected

- *testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %), 20.25 mg/1.25 gram (1.62 %)* (25 mg/2.5gram), 1 % (50 mg/5 gram)
- *testosterone transdermal gel in packet 1 %*

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                   |
|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                    |
| <b>Required Medical Information</b>  | MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.                                                                                            |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                    |
| <b>Prescriber Restrictions</b>       |                                                                                                                                                                                                                                                                                                    |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: 12 MONTHS                                                                                                                                                                                                                                                                         |
| <b>Other Criteria</b>                | MALE HYPOGONADISM: INITIAL: 1) 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING. RENEWAL: 1) 40 YEARS OR OLDER: PSA HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING, AND 2) IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT. |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                      |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                    |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                 |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                 |

# TESTOSTERONE CYPIONATE - DEPO

## Products Affected

- *testosterone cypionate*

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                   |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                    |
| Required Medical Information  | MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.                                                                                            |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                    |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                    |
| Coverage Duration             | INITIAL/RENEWAL: 12 MONTHS                                                                                                                                                                                                                                                                         |
| Other Criteria                | MALE HYPOGONADISM: INITIAL: 1) 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING. RENEWAL: 1) 40 YEARS OR OLDER: PSA HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING, AND 2) IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                      |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                    |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                 |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                 |

# TESTOSTERONE ENANTHATE

## Products Affected

- *testosterone enanthate*

| PA Criteria                          | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>            |                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Required Medical Information</b>  | MALE HYPOGONADISM: INITIAL: CONFIRMED BY: 1) AT LEAST TWO TOTAL SERUM TESTOSTERONE LEVELS OF LESS THAN 300 NG/DL TAKEN ON SEPARATE OCCASIONS, OR 2) FREE SERUM TESTOSTERONE LEVEL OF LESS THAN 5 NG/DL.                                                                                                                                                                                                                        |
| <b>Age Restrictions</b>              |                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Prescriber Restrictions</b>       |                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Coverage Duration</b>             | INITIAL/RENEWAL: MALE DELAYED PUBERTY: 6MO, MALE HYPOGONADISM: 12 MO. OTHER INDICATIONS: 12 MO.                                                                                                                                                                                                                                                                                                                                |
| <b>Other Criteria</b>                | INITIAL: MALE HYPOGONADISM: 1) 40 YEARS OR OLDER: PROSTATE SPECIFIC ANTIGEN (PSA) HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING. RENEWAL: MALE HYPOGONADISM: 1) 40 YEARS OR OLDER: PSA HAS BEEN EVALUATED FOR PROSTATE CANCER SCREENING, AND 2) IMPROVED SYMPTOMS COMPARED TO BASELINE AND TOLERANCE TO TREATMENT. MALE DELAYED PUBERTY: HAS NOT RECEIVED MORE THAN TWO 6-MONTH COURSES OF TESTOSTERONE REPLACEMENT THERAPY |
| <b>Indications</b>                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Off Label Uses</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Part B Prerequisite</b>           | No                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Prerequisite Therapy Required</b> | No                                                                                                                                                                                                                                                                                                                                                                                                                             |

# TETRABENAZINE

## Products Affected

- *tetrabenazine*

| PA Criteria                   | Criteria Details                                                                                         |
|-------------------------------|----------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                          |
| Required Medical Information  |                                                                                                          |
| Age Restrictions              |                                                                                                          |
| Prescriber Restrictions       | HUNTINGTONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST |
| Coverage Duration             | 12 MONTHS                                                                                                |
| Other Criteria                |                                                                                                          |
| Indications                   | All FDA-approved Indications.                                                                            |
| Off Label Uses                |                                                                                                          |
| Part B Prerequisite           | No                                                                                                       |
| Prerequisite Therapy Required | No                                                                                                       |

# THALIDOMIDE

---

## Products Affected

- THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TISLELIZUMAB-JSGR

---

## Products Affected

- TEVIMBRA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TISOTUMAB VEDOTIN-TFTV

---

## Products Affected

- TIVDAK

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TIVOZANIB

## Products Affected

- FOTIVDA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TOCILIZUMAB-AAZG IV

---

## Products Affected

- TYENNE

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                       |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           | CORONAVIRUS DISEASE 2019 (COVID-19) IN HOSPITALIZED ADULTS                                                                                                                                                                                                                             |
| Required Medical Information |                                                                                                                                                                                                                                                                                        |
| Age Restrictions             |                                                                                                                                                                                                                                                                                        |
| Prescriber Restrictions      | INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST. |
| Coverage Duration            | INITIAL: RA, PJIA, SJIA, GCA: 6 MONTHS. CRS: 1 MONTH. RENEWAL: RA, PJIA, SJIA, GCA: 12 MONTHS.                                                                                                                                                                                         |

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Criteria                | <p>INITIAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. GIANT CELL ARTERITIS (GCA): 1) HAS COMPLETED, STARTED, OR WILL SOON START A TAPERING COURSE OF GLUCOCORTICOID, AND 2) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: RINVOQ. PJIA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/CYLTEZO/YUFLYMA, XELJANZ IR, ORENCIA, RINVOQ. RENEWAL: RA, PJIA, SJIA: 1) CONTINUES TO BENEFIT FROM THE MEDICATION, AND 2) NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR THE SAME INDICATION. GCA: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES FOR THE SAME INDICATION.</p> |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

# TOCILIZUMAB-AAZG SQ

## Products Affected

- TYENNE
- TYENNE AUTOINJECTOR

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Required Medical Information |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Age Restrictions             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Prescriber Restrictions      | INITIAL: RHEUMATOID ARTHRITIS (RA), POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. SYSTEMIC JUVENILE IDIOPATHIC ARTHRITIS (SJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST, DERMATOLOGIST, OR IMMUNOLOGIST.                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Coverage Duration            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Other Criteria               | INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/CYLTEZO/YUFLYMA, XELJANZ, RINVOQ, ORENCIA. GIANT CELL ARTERITIS (GCA): 1) HAS COMPLETED, STARTED, OR WILL SOON START A TAPERING COURSE OF GLUCOCORTICIDS, AND 2) TRIAL OF OR CONTRAINDICATION TO THE PREFERRED AGENT: RINVOQ. PJIA: TRIAL OF OR CONTRAINDICATION TO TWO OF THE FOLLOWING PREFERRED AGENTS: HUMIRA/CYLTEZO/YUFLYMA, XELJANZ IR, ORENCIA, RINVOQ. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: RA, PJIA, SJIA: CONTINUES TO BENEFIT FROM THE MEDICATION. |
| Indications                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

| <b>PA Criteria</b>                   | <b>Criteria Details</b> |
|--------------------------------------|-------------------------|
| <b>Off Label Uses</b>                |                         |
| <b>Part B Prerequisite</b>           | No                      |
| <b>Prerequisite Therapy Required</b> | Yes                     |

# TOFACITINIB

## Products Affected

- XELJANZ
- XELJANZ XR

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Required Medical Information |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Age Restrictions             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Prescriber Restrictions      | INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS), POLYARTICULAR COURSE JUVENILE IDIOPATHIC ARTHRITIS (PCJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.                                                                                                                                                                                                   |
| Coverage Duration            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Other Criteria               | INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE CONVENTIONAL SYNTHETIC DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF A PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE OF AT LEAST 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. AS: TRIAL OF OR CONTRAINDICATION TO AN NSAID. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: RA, PSA, AS, PCJIA: CONTINUES TO BENEFIT FROM THE MEDICATION. |
| Indications                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Off Label Uses               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

| <b>PA Criteria</b>                           | <b>Criteria Details</b> |
|----------------------------------------------|-------------------------|
| <b>Part B<br/>Prerequisite</b>               | No                      |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes                     |

# TOLVAPTAN

## Products Affected

- JYNARQUE ORAL TABLET
- *tolvaptan (polycyst kidney dis) oral tablets, sequential*

| PA Criteria                   | Criteria Details                                                                                                               |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                |
| Required Medical Information  | AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE (ADPKD): INITIAL: CONFIRMED POLYCYSTIC KIDNEY DISEASE VIA CT, MRI, OR ULTRASOUND. |
| Age Restrictions              |                                                                                                                                |
| Prescriber Restrictions       | ADPKD: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A NEPHROLOGIST.                                                          |
| Coverage Duration             | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                         |
| Other Criteria                | ADPKD: INITIAL: DOES NOT HAVE ESRD (I.E., RECEIVING DIALYSIS). RENEWAL: HAS NOT PROGRESSED TO ESRD/DIALYSIS.                   |
| Indications                   | All FDA-approved Indications.                                                                                                  |
| Off Label Uses                |                                                                                                                                |
| Part B Prerequisite           | No                                                                                                                             |
| Prerequisite Therapy Required | No                                                                                                                             |

# TOPICAL TRETINOIN

---

## Products Affected

- ALTRENO
- *tretinoin topical cream*

| PA Criteria                   | Criteria Details                                                                                                     |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            | COSMETIC INDICATIONS SUCH AS WRINKLES, PHOTOAGING, MELASMA.                                                          |
| Required Medical Information  |                                                                                                                      |
| Age Restrictions              |                                                                                                                      |
| Prescriber Restrictions       |                                                                                                                      |
| Coverage Duration             | 12 MONTHS                                                                                                            |
| Other Criteria                | ACNE VULGARIS: BRAND TOPICAL TRETINOIN REQUIRES TRIAL OF OR CONTRAINDICATION TO A GENERIC TOPICAL TRETINOIN PRODUCT. |
| Indications                   | All FDA-approved Indications.                                                                                        |
| Off Label Uses                |                                                                                                                      |
| Part B Prerequisite           | No                                                                                                                   |
| Prerequisite Therapy Required | Yes                                                                                                                  |

# TORIPALIMAB-TPZI

## Products Affected

- LOQTORZI

| PA Criteria                   | Criteria Details                                                                            |
|-------------------------------|---------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                             |
| Required Medical Information  |                                                                                             |
| Age Restrictions              |                                                                                             |
| Prescriber Restrictions       |                                                                                             |
| Coverage Duration             | NASOPHARYNGEAL CARCINOMA (NPC): FIRST LINE TREATMENT: 24 MOS, PREVIOUSLY TREATED: LIFETIME. |
| Other Criteria                |                                                                                             |
| Indications                   | All FDA-approved Indications.                                                               |
| Off Label Uses                |                                                                                             |
| Part B Prerequisite           | No                                                                                          |
| Prerequisite Therapy Required | No                                                                                          |

# TOVORAFENIB

---

## Products Affected

- OJEMDA ORAL SUSPENSION FOR RECONSTITUTION
- OJEMDA ORAL TABLET

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TRAMETINIB SOLUTION

## Products Affected

- MEKINIST ORAL RECON SOLN

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                  |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                   |
| Required Medical Information  |                                                                                                                                                                                                                                                                   |
| Age Restrictions              |                                                                                                                                                                                                                                                                   |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                   |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                         |
| Other Criteria                | UNRESECTABLE OR METASTATIC MELANOMA, MELANOMA, METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC), LOCALLY ADVANCED OR METASTATIC ANAPLASTIC THYROID CANCER (ATC), UNRESECTABLE OR METASTATIC SOLID TUMOR, LOW-GRADE GLIOMA (LGG): UNABLE TO SWALLOW MEKINIST TABLETS. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                     |
| Off Label Uses                |                                                                                                                                                                                                                                                                   |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                                |

# TRAMETINIB TABLET

## Products Affected

- MEKINIST ORAL TABLET 0.5 MG, 2 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TRASTUZUMAB-DKST

## Products Affected

- OGIVRI

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TRASTUZUMAB-HYALURONIDASE-OYSK

## Products Affected

- HERCEPTIN HYLECTA

| PA Criteria                   | Criteria Details                                                                                                                                                |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                 |
| Required Medical Information  |                                                                                                                                                                 |
| Age Restrictions              |                                                                                                                                                                 |
| Prescriber Restrictions       |                                                                                                                                                                 |
| Coverage Duration             | 12 MONTHS                                                                                                                                                       |
| Other Criteria                | ADJUVANT BREAST CANCER, METASTATIC BREAST CANCER: TRIAL OF OR CONTRAINDICATION TO ONE OF THE FOLLOWING PREFERRED AGENTS: HERZUMA, OGIVRI, ONTRUZANT, TRAZIMERA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                   |
| Off Label Uses                |                                                                                                                                                                 |
| Part B Prerequisite           | No                                                                                                                                                              |
| Prerequisite Therapy Required | Yes                                                                                                                                                             |

# TRAZODONE

## Products Affected

- RALDESY

| PA Criteria                   | Criteria Details                                                                             |
|-------------------------------|----------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                              |
| Required Medical Information  |                                                                                              |
| Age Restrictions              |                                                                                              |
| Prescriber Restrictions       |                                                                                              |
| Coverage Duration             | 12 MONTHS                                                                                    |
| Other Criteria                | MAJOR DEPRESSIVE DISORDER (MDD): CONTRAINDICATION TO OR UNABLE TO SWALLOW TRAZODONE TABLETS. |
| Indications                   | All FDA-approved Indications.                                                                |
| Off Label Uses                |                                                                                              |
| Part B Prerequisite           | No                                                                                           |
| Prerequisite Therapy Required | No                                                                                           |

# TREMELIMUMAB-ACTL

## Products Affected

- IMJUDO

| PA Criteria                   | Criteria Details                                                                                                                                  |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                   |
| Required Medical Information  |                                                                                                                                                   |
| Age Restrictions              |                                                                                                                                                   |
| Prescriber Restrictions       |                                                                                                                                                   |
| Coverage Duration             | UHCC: 30 DAYS. METASTATIC NON-SMALL CELL LUNG CANCER (NSCLC): 5 MONTHS.                                                                           |
| Other Criteria                | UNRESECTABLE HEPATOCELLULAR CARCINOMA (UHCC): HAS NOT RECEIVED PRIOR TREATMENT WITH IMJUDO. NSCLC: HAS NOT RECEIVED A TOTAL OF 5 DOSES OF IMJUDO. |
| Indications                   | All FDA-approved Indications.                                                                                                                     |
| Off Label Uses                |                                                                                                                                                   |
| Part B Prerequisite           | No                                                                                                                                                |
| Prerequisite Therapy Required | No                                                                                                                                                |

# TRIENTINE CAPSULE

## Products Affected

- *trientine oral capsule 250 mg*

| PA Criteria                   | Criteria Details                                                                                                                                        |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                         |
| Required Medical Information  | WILSONS DISEASE: INITIAL: LEIPZIG SCORE OF 4 OR GREATER.                                                                                                |
| Age Restrictions              |                                                                                                                                                         |
| Prescriber Restrictions       | WILSONS DISEASE: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A HEPATOLOGIST OR GASTROENTEROLOGIST.                                                   |
| Coverage Duration             | INITIAL: 12 MONTHS, RENEWAL: LIFETIME.                                                                                                                  |
| Other Criteria                | WILSONS DISEASE: INITIAL: TRIAL OF OR CONTRAINDICATION TO FORMULARY VERSION OF PENICILLAMINE TABLET. RENEWAL: CONTINUES TO BENEFIT FROM THE MEDICATION. |
| Indications                   | All FDA-approved Indications.                                                                                                                           |
| Off Label Uses                |                                                                                                                                                         |
| Part B Prerequisite           | No                                                                                                                                                      |
| Prerequisite Therapy Required | Yes                                                                                                                                                     |

# TRIFLURIDINE/TIPIRACIL

## Products Affected

- LONSURF ORAL TABLET 15-6.14 MG,  
20-8.19 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TRIPTORELIN-TRELSTAR

---

## Products Affected

- TRELSTAR INTRAMUSCULAR  
SUSPENSION FOR RECONSTITUTION

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS.                    |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# TUCATINIB

## Products Affected

- TUKYSA ORAL TABLET 150 MG, 50 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# UBROGEPANT

## Products Affected

- UBRELVY

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Coverage Duration             | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Other Criteria                | ACUTE MIGRAINE TREATMENT: INITIAL: 1) TRIAL OF OR CONTRAINDICATION TO ONE TRIPTAN (E.G., SUMATRIPTAN, RIZATRIPTAN), AND 2) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT. RENEWAL: 1) NO CONCURRENT USE WITH OTHER CGRP INHIBITORS FOR ACUTE MIGRAINE TREATMENT, AND 2) ONE OF THE FOLLOWING: (A) IMPROVEMENT FROM BASELINE IN A VALIDATED ACUTE TREATMENT PATIENT-REPORTED OUTCOME QUESTIONNAIRE, OR (B) THERAPY WORKS CONSISTENTLY IN MAJORITY OF MIGRAINE ATTACKS. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

# UPADACITINIB

## Products Affected

- RINVOQ
- RINVOQ LQ

| PA Criteria                  | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Required Medical Information | INITIAL: NON-RADIOGRAPHIC AXIAL SPONDYLOARTHRITIS (NR-AXSPA): 1) C-REACTIVE PROTEIN LEVELS ABOVE THE UPPER LIMIT OF NORMAL, OR 2) SACROILIITIS ON MAGNETIC RESONANCE IMAGING (MRI).                                                                                                                                                                                                                                                                                                         |
| Age Restrictions             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Prescriber Restrictions      | INITIAL: RHEUMATOID ARTHRITIS (RA), ANKYLOSING SPONDYLITIS (AS), NR-AXSPA, POLYARTICULAR JUVENILE IDIOPATHIC ARTHRITIS (PJIA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST. PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A RHEUMATOLOGIST OR DERMATOLOGIST. AD: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST, ALLERGIST, OR IMMUNOLOGIST. ULCERATIVE COLITIS (UC), CROHNS DISEASE (CD): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST. |
| Coverage Duration            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Other Criteria                | <p>INITIAL: RA: TRIAL OF OR CONTRAINDICATION TO 3 MONTHS OF TREATMENT WITH ONE CONVENTIONAL SYNTHETIC DMARD (DISEASE-MODIFYING ANTIRHEUMATIC DRUG) - IF A PATIENT TRIED METHOTREXATE, THEN TRIAL AT A DOSE OF AT LEAST 20 MG PER WEEK OR MAXIMALLY TOLERATED DOSE IS REQUIRED. AD: 1) INTRACTABLE PRURITUS OR CRACKING/OOZING/BLEEDING OF AFFECTED SKIN, AND 2) TRIAL OF OR CONTRAINDICATION TO A TOPICAL CORTICOSTEROID, TOPICAL CALCINEURIN INHIBITOR, TOPICAL PDE4 INHIBITOR, OR TOPICAL JAK INHIBITOR. AS, NR-AXSPA: TRIAL OF OR CONTRAINDICATION TO AN NSAID (NON-STEROIDAL ANTI-INFLAMMATORY DRUG). GIANT CELL ARTERITIS (GCA): HAS COMPLETED, STARTED, OR WILL SOON START A TAPERING COURSE OF GLUCOCORTICOIDS.</p> <p>INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: RA, PSA, AS, NR-AXSPA, PJIA: CONTINUES TO BENEFIT FROM THE MEDICATION. AD: IMPROVEMENT WHILE ON THERAPY.</p> |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |

# USTEKINUMAB-AAUZ SQ

## Products Affected

- *ustekinumab-aauz*

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Required Medical Information</b> | INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Prescriber Restrictions</b>      | INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.                                                                                                                                                                                                                                                                                           |
| <b>Coverage Duration</b>            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Other Criteria</b>               | INITIAL: PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: PSA, PSO: CONTINUES TO BENEFIT FROM THE MEDICATION. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

| <b>PA Criteria</b>                           | <b>Criteria Details</b> |
|----------------------------------------------|-------------------------|
| <b>Part B<br/>Prerequisite</b>               | No                      |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes                     |

# USTEKINUMAB-AEKN IV

## Products Affected

- SELARSDI

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Required Medical Information</b> | INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Prescriber Restrictions</b>      | INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.                                                                                                                                                                                                                                                                                           |
| <b>Coverage Duration</b>            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Other Criteria</b>               | INITIAL: PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: PSA, PSO: CONTINUES TO BENEFIT FROM THE MEDICATION. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

| <b>PA Criteria</b>                           | <b>Criteria Details</b> |
|----------------------------------------------|-------------------------|
| <b>Part B<br/>Prerequisite</b>               | No                      |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes                     |

# USTEKINUMAB-AEKN SQ

## Products Affected

- SELARSDI

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Required Medical Information</b> | INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Prescriber Restrictions</b>      | INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.                                                                                                                                                                                                                                                                                           |
| <b>Coverage Duration</b>            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Other Criteria</b>               | INITIAL: PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: PSA, PSO: CONTINUES TO BENEFIT FROM THE MEDICATION. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

| <b>PA Criteria</b>                           | <b>Criteria Details</b> |
|----------------------------------------------|-------------------------|
| <b>Part B<br/>Prerequisite</b>               | No                      |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes                     |

# USTEKINUMAB-KFCE IV

## Products Affected

- YESINTEK

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Required Medical Information</b> | INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Prescriber Restrictions</b>      | INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.                                                                                                                                                                                                                                                                                           |
| <b>Coverage Duration</b>            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Other Criteria</b>               | INITIAL: PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: PSA, PSO: CONTINUES TO BENEFIT FROM THE MEDICATION. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

| <b>PA Criteria</b>                           | <b>Criteria Details</b> |
|----------------------------------------------|-------------------------|
| <b>Part B<br/>Prerequisite</b>               | No                      |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes                     |

# USTEKINUMAB-KFCE SQ

## Products Affected

- YESINTEK

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Required Medical Information</b> | INITIAL: PLAQUE PSORIASIS (PSO): PSORIASIS COVERING 3 PERCENT OR MORE OF BODY SURFACE AREA OR PSORIATIC LESIONS AFFECTING THE HANDS, FEET, GENITAL AREA, SCALP OR FACE.                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Prescriber Restrictions</b>      | INITIAL: PSORIATIC ARTHRITIS (PSA): PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST OR RHEUMATOLOGIST. PSO: PRESCRIBED BY OR IN CONSULTATION WITH A DERMATOLOGIST. CROHNS DISEASE (CD), ULCERATIVE COLITIS (UC): PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.                                                                                                                                                                                                                                                                                           |
| <b>Coverage Duration</b>            | INITIAL: 6 MONTHS. RENEWAL: 12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Other Criteria</b>               | INITIAL: PSO: 1) AT LEAST A 3 MONTH TRIAL OF ONE ORAL IMMUNOSUPPRESSANT (CYCLOSPORINE, METHOTREXATE, TACROLIMUS) OR PUVA (PHOTOTHERAPY), 2) CONTRAINDICATION OR INTOLERANCE TO BOTH IMMUNOSUPPRESSANT AND PUVA, OR 3) PATIENT IS SWITCHING FROM A DIFFERENT BIOLOGIC, PDE-4 INHIBITOR, OR JAK INHIBITOR FOR THE SAME INDICATION. INITIAL/RENEWAL: ALL INDICATIONS: NO CONCURRENT USE WITH ANOTHER SYSTEMIC BIOLOGIC OR TARGETED SMALL MOLECULES (E.G., JAK INHIBITOR, PDE-4 INHIBITOR) FOR THE SAME INDICATION. RENEWAL: PSA, PSO: CONTINUES TO BENEFIT FROM THE MEDICATION. |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

| <b>PA Criteria</b>                           | <b>Criteria Details</b> |
|----------------------------------------------|-------------------------|
| <b>Part B<br/>Prerequisite</b>               | No                      |
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes                     |

# VALBENAZINE

## Products Affected

- INGREZZA
- INGREZZA INITIATION PK(TARDIV)
- INGREZZA SPRINKLE

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                              |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                               |
| Required Medical Information  |                                                                                                                                                                                                                                                               |
| Age Restrictions              |                                                                                                                                                                                                                                                               |
| Prescriber Restrictions       | TARDIVE DYSKINESIA (TD): PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST, PSYCHIATRIST, OR MOVEMENT DISORDER SPECIALIST. CHOREA ASSOCIATED WITH HUNTINGTONS DISEASE: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST OR MOVEMENT DISORDER SPECIALIST. |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                                                                                     |
| Other Criteria                | TD: HISTORY OF USING AGENTS THAT CAUSE TARDIVE DYSKINESIA.                                                                                                                                                                                                    |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                 |
| Off Label Uses                |                                                                                                                                                                                                                                                               |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                            |
| Prerequisite Therapy Required | No                                                                                                                                                                                                                                                            |

# VANDETANIB

## Products Affected

- CAPRELSA ORAL TABLET 100 MG, 300 MG

| PA Criteria                   | Criteria Details                                         |
|-------------------------------|----------------------------------------------------------|
| Exclusion Criteria            |                                                          |
| Required Medical Information  |                                                          |
| Age Restrictions              |                                                          |
| Prescriber Restrictions       |                                                          |
| Coverage Duration             | 12 MONTHS                                                |
| Other Criteria                | CURRENTLY STABLE ON CAPRELSA REQUIRES NO EXTRA CRITERIA. |
| Indications                   | All FDA-approved Indications.                            |
| Off Label Uses                |                                                          |
| Part B Prerequisite           | No                                                       |
| Prerequisite Therapy Required | No                                                       |

# VANZACAFTOR-TEZACAFTOR- DEUTIVACAFTOR

## Products Affected

- ALYFTREK ORAL TABLET 10-50-125  
MG, 4-20-50 MG

| PA Criteria                   | Criteria Details                                                                                                                                              |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                               |
| Required Medical Information  |                                                                                                                                                               |
| Age Restrictions              |                                                                                                                                                               |
| Prescriber Restrictions       | CF: INITIAL: PRESCRIBED BY OR IN CONSULTATION WITH A PULMONOLOGIST OR CYSTIC FIBROSIS EXPERT.                                                                 |
| Coverage Duration             | INITIAL: 6 MONTHS. RENEWAL: LIFETIME.                                                                                                                         |
| Other Criteria                | CF: INITIAL: NO CONCURRENT USE WITH ANOTHER CFTR MODULATOR. RENEWAL: 1) IMPROVEMENT IN CLINICAL STATUS, AND 2) NO CONCURRENT USE WITH ANOTHER CFTR MODULATOR. |
| Indications                   | All FDA-approved Indications.                                                                                                                                 |
| Off Label Uses                |                                                                                                                                                               |
| Part B Prerequisite           | No                                                                                                                                                            |
| Prerequisite Therapy Required | No                                                                                                                                                            |

# VEMURAFENIB

## Products Affected

- ZELBORAF

| PA Criteria                   | Criteria Details                                                      |
|-------------------------------|-----------------------------------------------------------------------|
| Exclusion Criteria            |                                                                       |
| Required Medical Information  |                                                                       |
| Age Restrictions              |                                                                       |
| Prescriber Restrictions       |                                                                       |
| Coverage Duration             | 12 MONTHS                                                             |
| Other Criteria                | MELANOMA: ZELBORAF WILL BE USED ALONE OR IN COMBINATION WITH COTELLIC |
| Indications                   | All FDA-approved Indications.                                         |
| Off Label Uses                |                                                                       |
| Part B Prerequisite           | No                                                                    |
| Prerequisite Therapy Required | No                                                                    |

# VENETOCLAX

---

## Products Affected

- VENCLEXTA ORAL TABLET 10 MG, 100 MG, 50 MG
- VENCLEXTA STARTING PACK

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# VERICIGUAT

## Products Affected

- VERQUVO

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Required Medical Information  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Age Restrictions              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Prescriber Restrictions       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Coverage Duration             | INITIAL/RENEWAL:12 MONTHS.                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Other Criteria                | HEART FAILURE (HF): INITIAL: 1) TRIAL OF, CONTRAINDICATION, OR INTOLERANCE TO ONE PREFERRED SGLT-2 INHIBITOR, AND 2) TRIAL OF, CONTRAINDICATION, OR INTOLERANCE TO ONE AGENT FROM ANY OF THE FOLLOWING STANDARD OF CARE CLASSES: (A) ACE INHIBITOR, ARB, OR ARNI, (B) BETA BLOCKER (BISOPROLOL, CARVEDILOL, METOPROLOL SUCCINATE), OR (C) ALDOSTERONE ANTAGONIST (SPIRONOLACTONE, EPLERENONE). INITIAL/RENEWAL: NO CONCURRENT USE WITH RIOCIGUAT OR PDE-5 INHIBITORS. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Off Label Uses                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Part B Prerequisite           | No                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

# VIGABATRIN

## Products Affected

- *vigabatrin*
- *vigadrone*
- *vigpoder*

| PA Criteria                   | Criteria Details                                                                                                           |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                            |
| Required Medical Information  |                                                                                                                            |
| Age Restrictions              |                                                                                                                            |
| Prescriber Restrictions       | INITIAL: REFRACTORY COMPLEX PARTIAL SEIZURES (CPS), INFANTILE SPASMS: PRESCRIBED BY OR IN CONSULTATION WITH A NEUROLOGIST. |
| Coverage Duration             | INITIAL/RENEWAL: 12 MONTHS                                                                                                 |
| Other Criteria                | INITIAL: CPS: TRIAL OF OR CONTRAINDICATION TO TWO ANTIEPILEPTIC AGENTS.                                                    |
| Indications                   | All FDA-approved Indications.                                                                                              |
| Off Label Uses                |                                                                                                                            |
| Part B Prerequisite           | No                                                                                                                         |
| Prerequisite Therapy Required | Yes                                                                                                                        |

# VIMSELTINIB

## Products Affected

- ROMVIMZA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# VISMODEGIB

## Products Affected

- ERIVEDGE

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# VONOPRAZAN

## Products Affected

- VOQUEZNA

| PA Criteria                         | Criteria Details                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Exclusion Criteria</b>           |                                                                                                                                                                                                                                                                                                                                                              |
| <b>Required Medical Information</b> | INITIAL: EROSIVE ESOPHAGITIS (EE): DIAGNOSIS CONFIRMED BY ENDOSCOPY (E.G., LOS ANGELES CLASSIFICATION OF REFLUX ESOPHAGITIS GRADE A-D). NON-EROSIVE GASTROESOPHAGEAL REFLUX DISEASE (NERD): DIAGNOSIS CONFIRMED BY ENDOSCOPY AND DOES NOT HAVE PRESENCE OF VISIBLE EROSION (E.G., DOES NOT HAVE LOS ANGELES CLASSIFICATION OF REFLUX ESOPHAGITIS GRADE A-D). |
| <b>Age Restrictions</b>             |                                                                                                                                                                                                                                                                                                                                                              |
| <b>Prescriber Restrictions</b>      | INITIAL: EE, NERD: PRESCRIBED BY OR IN CONSULTATION WITH A GASTROENTEROLOGIST.                                                                                                                                                                                                                                                                               |
| <b>Coverage Duration</b>            | INITIAL: H PYLORI: 30 DAYS. EE: 8 WEEKS. NERD: 4 WEEKS. RENEWAL: EE: 24 WEEKS.                                                                                                                                                                                                                                                                               |
| <b>Other Criteria</b>               | INITIAL: EE: TRIAL OF OR CONTRAINDICATION TO TWO PROTON PUMP INHIBITORS AT MAXIMUM DOSE FOR 8 WEEKS EACH. NERD: 1) NO PREVIOUS TREATMENT FAILURE WITH VOQUEZNA IN THE LAST 12 MONTHS, AND 2) TRIAL OF OR CONTRAINDICATION TO TWO PROTON PUMP INHIBITORS AT MAXIMUM DOSE FOR 8 WEEKS EACH. RENEWAL: EE: MAINTAINED A CLINICAL RESPONSE ON VOQUEZNA            |
| <b>Indications</b>                  | All FDA-approved Indications.                                                                                                                                                                                                                                                                                                                                |
| <b>Off Label Uses</b>               |                                                                                                                                                                                                                                                                                                                                                              |
| <b>Part B Prerequisite</b>          | No                                                                                                                                                                                                                                                                                                                                                           |

| PA Criteria                                  | Criteria Details |
|----------------------------------------------|------------------|
| <b>Prerequisite<br/>Therapy<br/>Required</b> | Yes              |

# VORASIDENIB

## Products Affected

- VORANIGO

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# VORICONAZOLE SUSPENSION

## Products Affected

- *voriconazole oral suspension for reconstitution*

| PA Criteria                   | Criteria Details                                                                                                                                                                                                                         |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                                                          |
| Required Medical Information  |                                                                                                                                                                                                                                          |
| Age Restrictions              |                                                                                                                                                                                                                                          |
| Prescriber Restrictions       |                                                                                                                                                                                                                                          |
| Coverage Duration             | CANDIDA INFECTIONS: 3 MOS. CONTINUATION OF THERAPY, ALL OTHER INDICATIONS: 6 MOS.                                                                                                                                                        |
| Other Criteria                | CANDIDA INFECTIONS: CONTRAINDICATION TO OR UNABLE TO SWALLOW FLUCONAZOLE TABLETS. ALL INDICATIONS EXCEPT ESOPHAGEAL CANDIDIASIS: UNABLE TO SWALLOW TABLETS. CONTINUATION OF THERAPY AFTER HOSPITAL DISCHARGE REQUIRES NO EXTRA CRITERIA. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                                                            |
| Off Label Uses                |                                                                                                                                                                                                                                          |
| Part B Prerequisite           | No                                                                                                                                                                                                                                       |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                                                      |

# ZANIDATAMAB-HR11

## Products Affected

- ZIIHERA

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ZANUBRUTINIB

## Products Affected

- BRUKINSA ORAL CAPSULE
- BRUKINSA ORAL TABLET

| PA Criteria                   | Criteria Details                                                                                                                                                                                   |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Exclusion Criteria            |                                                                                                                                                                                                    |
| Required Medical Information  |                                                                                                                                                                                                    |
| Age Restrictions              |                                                                                                                                                                                                    |
| Prescriber Restrictions       |                                                                                                                                                                                                    |
| Coverage Duration             | 12 MONTHS                                                                                                                                                                                          |
| Other Criteria                | MANTLE CELL LYMPHOMA: INTOLERANCE TO CALQUENCE. CHRONIC LYMPHOCYTIC LEUKEMIA, SMALL LYMPHOCYTIC LYMPHOMA: INTOLERANCE TO CALQUENCE OR IMBRUVICA. WALDENSTROMS MACROGLOBULINEMIA: NO STEP REQUIRED. |
| Indications                   | All FDA-approved Indications.                                                                                                                                                                      |
| Off Label Uses                |                                                                                                                                                                                                    |
| Part B Prerequisite           | No                                                                                                                                                                                                 |
| Prerequisite Therapy Required | Yes                                                                                                                                                                                                |

# ZENOCUTUZUMAB-ZBCO

---

## Products Affected

- BIZENGRI

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ZOLBETUXIMAB-CLZB

## Products Affected

- VYLOY

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ZONGERTINIB

## Products Affected

- HERNEXEOS

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 12 MONTHS                     |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

# ZURANOLONE

## Products Affected

- ZURZUVAE ORAL CAPSULE 20 MG, 25 MG, 30 MG

| PA Criteria                   | Criteria Details              |
|-------------------------------|-------------------------------|
| Exclusion Criteria            |                               |
| Required Medical Information  |                               |
| Age Restrictions              |                               |
| Prescriber Restrictions       |                               |
| Coverage Duration             | 14 DAYS                       |
| Other Criteria                |                               |
| Indications                   | All FDA-approved Indications. |
| Off Label Uses                |                               |
| Part B Prerequisite           | No                            |
| Prerequisite Therapy Required | No                            |

## INDEX

|                                         |     |                                     |     |
|-----------------------------------------|-----|-------------------------------------|-----|
| 1ST TIER UNIFINE PENTP 5MM 31G...       | 180 | AQINJECT PEN NEEDLE 31G 5MM.....    | 180 |
| 1ST TIER UNIFINE PNTIP 4MM 32G.....     | 180 | AQINJECT PEN NEEDLE 32G 4MM.....    | 180 |
| 1ST TIER UNIFINE PNTIP 6MM 31G.....     | 180 | ARCALYST.....                       | 301 |
| 1ST TIER UNIFINE PNTIP 8MM 31G          |     | ARIKAYCE.....                       | 21  |
| STRL,SINGLE-USE,SHRT.....               | 180 | <i>armodafinil</i> .....            | 242 |
| 1ST TIER UNIFINE PNTIP 29GX1/2".....    | 180 | ASSURE ID DUO PRO NDL 31G 5MM..     | 180 |
| 1ST TIER UNIFINE PNTIP 31GX3/16.....    | 180 | ASSURE ID DUO-SHIELD 30GX3/16"...   | 180 |
| 1ST TIER UNIFINE PNTIP 32GX5/32.....    | 180 | ASSURE ID DUO-SHIELD 30GX5/16"...   | 180 |
| <i>abigale</i> .....                    | 158 | ASSURE ID INSULIN SAFETY            |     |
| <i>abiraterone</i> .....                | 7   | SYRINGE 1 ML 29 GAUGE X 1/2".....   | 180 |
| <i>abiraterone, submicronized</i> ..... | 8   | ASSURE ID PEN NEEDLE 30GX3/16"...   | 180 |
| <i>abirtega</i> .....                   | 7   | ASSURE ID PEN NEEDLE 30GX5/16"...   | 180 |
| ABOUTTIME PEN NEEDLE.....               | 180 | ASSURE ID PEN NEEDLE 31GX3/16"...   | 180 |
| ACTIMMUNE.....                          | 193 | ASSURE ID PRO PEN NDL 30G 5MM...    | 180 |
| ADEMPAS.....                            | 305 | ASSURE ID SYR 0.5 ML 31GX15/64".... | 180 |
| ADVOCATE INS 0.3 ML 30GX5/16".....      | 180 | ASSURE ID SYR 1 ML 31GX15/64".....  | 180 |
| ADVOCATE INS 0.3 ML 31GX5/16".....      | 180 | ATTRUBY.....                        | 10  |
| ADVOCATE INS 0.5 ML 30GX5/16".....      | 180 | AUGTYRO ORAL CAPSULE 160 MG,        |     |
| ADVOCATE INS 0.5 ML 31GX5/16".....      | 180 | 40 MG.....                          | 294 |
| ADVOCATE INS 1 ML 31GX5/16".....        | 180 | AUSTEDO ORAL TABLET 12 MG, 6        |     |
| ADVOCATE INS SYR 0.3 ML 29GX1/2..       | 180 | MG, 9 MG.....                       | 89  |
| ADVOCATE INS SYR 0.5 ML 29GX1/2..       | 180 | AUSTEDO XR ORAL TABLET              |     |
| ADVOCATE INS SYR 1 ML 29GX1/2"..        | 180 | EXTENDED RELEASE 24 HR 12 MG, 18    |     |
| ADVOCATE INS SYR 1 ML 30GX5/16..        | 180 | MG, 24 MG, 30 MG, 36 MG, 42 MG, 48  |     |
| ADVOCATE PEN NDL 12.7MM 29G.....        | 180 | MG, 6 MG.....                       | 89  |
| ADVOCATE PEN NEEDLE 32G 4MM...          | 180 | AUSTEDO XR TITRATION KT(WK1-4)..    | 89  |
| ADVOCATE PEN NEEDLE 4MM 33G...          | 180 | AUTOSHIELD DUO PEN NDL 30G          |     |
| ADVOCATE PEN NEEDLES 5MM 31G..          | 180 | 5MM.....                            | 180 |
| ADVOCATE PEN NEEDLES 8MM 31G..          | 180 | AVMAPKI.....                        | 39  |
| AIMOVIG AUTOINJECTOR.....               | 122 | AVMAPKI-FAKZYNJA.....               | 39  |
| AKEEGA.....                             | 250 | AVONEX INTRAMUSCULAR PEN            |     |
| ALCOHOL PADS.....                       | 180 | INJECTOR KIT.....                   | 190 |
| ALCOHOL PREP SWABS.....                 | 180 | AVONEX INTRAMUSCULAR                |     |
| ALCOHOL WIPES.....                      | 180 | SYRINGE KIT.....                    | 190 |
| ALECENSA.....                           | 19  | AYVAKIT.....                        | 38  |
| ALTRENO.....                            | 374 | BALVERSA ORAL TABLET 3 MG, 4        |     |
| ALUNBRIG ORAL TABLET 180 MG, 30         |     | MG, 5 MG.....                       | 121 |
| MG, 90 MG.....                          | 58  | BD AUTOSHIELD DUO NDL               |     |
| ALUNBRIG ORAL TABLETS,DOSE              |     | 5MMX30G.....                        | 180 |
| PACK.....                               | 58  | BD ECLIPSE 30GX1/2" SYRINGE.....    | 180 |
| ALVAIZ.....                             | 109 | BD ECLIPSE NEEDLE 30GX1/2" (OTC)    | 180 |
| ALYFTREK ORAL TABLET 10-50-125          |     | BD INS SYR 0.3 ML 8MMX31G(1/2)..... | 180 |
| MG, 4-20-50 MG.....                     | 402 | BD INS SYR UF 0.3 ML 12.7MMX30G..   | 180 |
| <i>alyq</i> .....                       | 344 | BD INS SYR UF 0.5 ML 12.7MMX30G     |     |
| ANKTIVA.....                            | 256 | NOT FOR RETAIL SALE.....            | 180 |

|                                                  |     |                                                    |     |
|--------------------------------------------------|-----|----------------------------------------------------|-----|
| BD INSULIN SYR 1 ML 27GX12.7MM..                 | 180 | BRUKINSA ORAL TABLET.....                          | 414 |
| BD INSULIN SYR 1 ML 27GX5/8"                     |     | <i>butalbital-acetaminop-caf-cod oral capsule</i>  |     |
| MICRO-FINE.....                                  | 180 | <i>50-325-40-30 mg.....</i>                        | 156 |
| BD LO-DOSE ULTRA-FINE.....                       | 180 | <i>butalbital-acetaminophen-caff oral capsule</i>  |     |
| BD NANO 2 GEN PEN NDL 32G 4MM..                  | 180 | .....                                              | 156 |
| BD SAFETGLD INS 0.3 ML 29G 13MM.                 | 180 | <i>butalbital-acetaminophen-caff oral tablet..</i> | 156 |
| BD SAFETYGLD INS 0.3 ML 31G 8MM                  | 180 | CABOMETYX ORAL TABLET 20 MG,                       |     |
| BD SAFETYGLD INS 0.5 ML 30G 8MM                  | 180 | 40 MG, 60 MG.....                                  | 61  |
| BD SAFETYGLD INS 1 ML 29G 13MM.                  | 180 | CALQUENCE.....                                     | 9   |
| BD SAFETYGLID INS 1 ML 6MMX31G                   | 180 | CALQUENCE (ACALABRUTINIB                           |     |
| BD SAFETYGLIDE SYRINGE 27GX5/8                   | 180 | MAL).....                                          | 9   |
| BD SAFTYGLD INS 0.3 ML 6MMX31G                   | 180 | CAMCEVI (6 MONTH).....                             | 210 |
| BD SAFTYGLD INS 0.5 ML 29G 13MM                  | 180 | CAMZYOS.....                                       | 228 |
| BD SAFTYGLD INS 0.5 ML 6MMX31G                   | 180 | CAPRELSA ORAL TABLET 100 MG,                       |     |
| BD SINGLE USE SWAB.....                          | 180 | 300 MG.....                                        | 401 |
| BD UF MICRO PEN NEEDLE                           |     | CAREFINE PEN NEEDLE 12.7MM 29G.                    | 180 |
| 6MMX32G.....                                     | 180 | CAREFINE PEN NEEDLE 4MM 32G.....                   | 180 |
| BD UF MINI PEN NEEDLE 5MMX31G.                   | 180 | CAREFINE PEN NEEDLE 5MM 32G.....                   | 180 |
| BD UF NANO PEN NEEDLE 4MMX32G                    |     | CAREFINE PEN NEEDLE 6MM 31G.....                   | 180 |
| .....                                            | 180 | CAREFINE PEN NEEDLE 8MM 30G.....                   | 180 |
| BD UF ORIG PEN NDL 12.7MMX29G...                 | 180 | CAREFINE PEN NEEDLES 6MM 32G...                    | 180 |
| BD UF SHORT PEN NEEDLE                           |     | CAREFINE PEN NEEDLES 8MM 31G...                    | 180 |
| 8MMX31G.....                                     | 180 | CARETOUCH ALCOHOL 70% PREP                         |     |
| BD VEO INS 0.3 ML 6MMX31G (1/2)....              | 180 | PAD.....                                           | 180 |
| BD VEO INS SYRING 1 ML 6MMX31G                   | 180 | CARETOUCH PEN NEEDLE 29G 12MM                      |     |
| BD VEO INS SYRN 0.3 ML 6MMX31G.                  | 180 | .....                                              | 180 |
| BD VEO INS SYRN 0.5 ML 6MMX31G.                  | 180 | CARETOUCH PEN NEEDLE 31GX1/4" .                    | 180 |
| <i>bendamustine intravenous recon soln</i> ..... | 48  | CARETOUCH PEN NEEDLE 31GX3/16"                     |     |
| BENDAMUSTINE INTRAVENOUS                         |     | .....                                              | 180 |
| SOLUTION.....                                    | 48  | CARETOUCH PEN NEEDLE 31GX5/16"                     |     |
| BENDEKA.....                                     | 48  | .....                                              | 180 |
| BENLYSTA SUBCUTANEOUS.....                       | 45  | CARETOUCH PEN NEEDLE 32GX3/16"                     |     |
| BESREMI.....                                     | 313 | .....                                              | 180 |
| <i>betaine</i> .....                             | 51  | CARETOUCH PEN NEEDLE 32GX5/32"                     |     |
| BETASERON SUBCUTANEOUS KIT....                   | 191 | .....                                              | 180 |
| <i>bexarotene</i> .....                          | 53  | CARETOUCH SYR 0.3 ML 31GX5/16"..                   | 180 |
| BIZENGRI.....                                    | 415 | CARETOUCH SYR 0.5 ML 30GX5/16"..                   | 180 |
| BORDERED GAUZE 2"X2".....                        | 180 | CARETOUCH SYR 0.5 ML 31GX5/16"..                   | 180 |
| <i>bortezomib injection</i> .....                | 55  | CARETOUCH SYR 1 ML 28GX5/16".....                  | 180 |
| BORUZU.....                                      | 55  | CARETOUCH SYR 1 ML 29GX5/16".....                  | 180 |
| <i>bosentan oral tablet</i> .....                | 56  | CARETOUCH SYR 1 ML 30GX5/16".....                  | 180 |
| BOSULIF ORAL CAPSULE 100 MG, 50                  |     | CARETOUCH SYR 1 ML 31GX5/16".....                  | 180 |
| MG.....                                          | 57  | <i>carglumic acid</i> .....                        | 65  |
| BOSULIF ORAL TABLET 100 MG, 400                  |     | CAYSTON.....                                       | 43  |
| MG, 500 MG.....                                  | 57  | CIMZIA 200 MG/ML SYRINGE KIT.....                  | 67  |
| BRAFTOVI.....                                    | 113 | CIMZIA POWDER FOR RECONST.....                     | 67  |
| BRUKINSA ORAL CAPSULE.....                       | 414 | CIMZIA STARTER KIT.....                            | 67  |

|                                      |     |
|--------------------------------------|-----|
| CIMZIA SUBCUTANEOUS SYRINGE          |     |
| KIT 400 MG/2 ML (200 MG/ML X 2)..... | 67  |
| CLICKFINE PEN NEEDLE 32GX5/32"       |     |
| 32GX4MM, STERILE.....                | 180 |
| COMETRIQ ORAL CAPSULE 100            |     |
| MG/DAY(80 MG X1-20 MG X1), 140       |     |
| MG/DAY(80 MG X1-20 MG X3), 60        |     |
| MG/DAY (20 MG X 3/DAY).....          | 60  |
| COMFORT EZ 0.3 ML 31G 15/64" .....   | 180 |
| COMFORT EZ 0.5 ML 31G 15/64" .....   | 180 |
| COMFORT EZ INS 0.3 ML 30GX1/2".....  | 180 |
| COMFORT EZ INS 0.3 ML 30GX5/16"...   | 180 |
| COMFORT EZ INS 1 ML 31G 15/64" ..... | 180 |
| COMFORT EZ INS 1 ML 31GX5/16" .....  | 180 |
| COMFORT EZ INSULIN SYR 0.3 ML....    | 180 |
| COMFORT EZ INSULIN SYR 0.5 ML....    | 180 |
| COMFORT EZ PEN NEEDLE 12MM           |     |
| 29G.....                             | 180 |
| COMFORT EZ PEN NEEDLES 4MM           |     |
| 32G SINGLE USE, MICRO .....          | 180 |
| COMFORT EZ PEN NEEDLES 4MM           |     |
| 33G.....                             | 180 |
| COMFORT EZ PEN NEEDLES 5MM           |     |
| 31G MINI.....                        | 180 |
| COMFORT EZ PEN NEEDLES 5MM           |     |
| 32G SINGLE USE,MINI,HRI.....         | 180 |
| COMFORT EZ PEN NEEDLES 5MM           |     |
| 33G.....                             | 180 |
| COMFORT EZ PEN NEEDLES 6MM           |     |
| 31G.....                             | 180 |
| COMFORT EZ PEN NEEDLES 6MM           |     |
| 32G.....                             | 180 |
| COMFORT EZ PEN NEEDLES 6MM           |     |
| 33G.....                             | 180 |
| COMFORT EZ PEN NEEDLES 8MM           |     |
| 31G SHORT.....                       | 180 |
| COMFORT EZ PEN NEEDLES 8MM           |     |
| 32G.....                             | 180 |
| COMFORT EZ PEN NEEDLES 8MM           |     |
| 33G.....                             | 180 |
| COMFORT EZ PRO PEN NDL 30G 8MM       |     |
| .....                                | 180 |
| COMFORT EZ PRO PEN NDL 31G 4MM       |     |
| .....                                | 180 |
| COMFORT EZ PRO PEN NDL 31G 5MM       |     |
| .....                                | 180 |
| COMFORT EZ SYR 0.3 ML 29GX1/2" ....  | 180 |
| COMFORT EZ SYR 0.5 ML 28GX1/2" ....  | 180 |
| COMFORT EZ SYR 0.5 ML 29GX1/2" ....  | 180 |
| COMFORT EZ SYR 0.5 ML 30GX1/2" ....  | 180 |
| COMFORT EZ SYR 1 ML 27G 12.7MM.      | 180 |
| COMFORT EZ SYR 1 ML 28GX1/2" .....   | 180 |
| COMFORT EZ SYR 1 ML 29GX1/2" .....   | 180 |
| COMFORT EZ SYR 1 ML 30GX1/2" .....   | 180 |
| COMFORT EZ SYR 1 ML 30GX5/16" .....  | 180 |
| COMFORT POINT PEN NDL 31GX1/3".      | 180 |
| COMFORT POINT PEN NDL 31GX1/6".      | 180 |
| COMFORT TOUCH PEN NDL 31G 4MM        |     |
| .....                                | 180 |
| COMFORT TOUCH PEN NDL 31G 5MM        |     |
| .....                                | 180 |
| COMFORT TOUCH PEN NDL 31G 6MM        |     |
| .....                                | 180 |
| COMFORT TOUCH PEN NDL 31G 8MM        |     |
| .....                                | 180 |
| COMFORT TOUCH PEN NDL 32G 4MM        |     |
| .....                                | 180 |
| COMFORT TOUCH PEN NDL 32G 5MM        |     |
| .....                                | 180 |
| COMFORT TOUCH PEN NDL 32G 6MM        |     |
| .....                                | 180 |
| COMFORT TOUCH PEN NDL 32G 8MM        |     |
| .....                                | 180 |
| COMFORT TOUCH PEN NDL 33G 4MM        |     |
| .....                                | 180 |
| COMFORT TOUCH PEN NDL 33G 6MM        |     |
| .....                                | 180 |
| COMFORT TOUCH PEN NDL                |     |
| 33GX5MM.....                         | 180 |
| COPIKTRA.....                        | 101 |
| CORTROPHIN GEL INJECTION.....        | 73  |
| COSENTYX (2 SYRINGES).....           | 317 |
| COSENTYX PEN (2 PENS).....           | 317 |
| COSENTYX SUBCUTANEOUS                |     |
| SYRINGE 75 MG/0.5 ML.....            | 317 |
| COSENTYX UNOREADY PEN.....           | 317 |
| COTELLIC.....                        | 72  |
| CRESEMBA ORAL.....                   | 195 |
| CURAD GAUZE PADS 2" X 2" .....       | 180 |
| CURITY ALCOHOL PREPS 2               |     |
| PLY,MEDIUM.....                      | 180 |
| CURITY GAUZE PADS.....               | 180 |
| CURITY GAUZE SPONGES (12 PLY)-       |     |
| 200/BAG.....                         | 180 |

|                                                  |     |                                   |     |
|--------------------------------------------------|-----|-----------------------------------|-----|
| CYLTEZO(CF).....                                 | 16  | DROPLET INS 0.5 ML 31GX6MM(1/2).. | 180 |
| CYLTEZO(CF) PEN.....                             | 16  | DROPLET INS 0.5 ML 31GX8MM(1/2).. | 180 |
| CYLTEZO(CF) PEN CROHN'S-UC-HS.....               | 16  | DROPLET INS SYR 0.3 ML 30GX6MM.   | 180 |
| CYLTEZO(CF) PEN PSORIASIS-UV.....                | 16  | DROPLET INS SYR 0.3 ML 30GX8MM.   | 180 |
| <i>dalfampridine</i> .....                       | 80  | DROPLET INS SYR 0.3 ML 31GX6MM.   | 180 |
| DANYELZA.....                                    | 243 | DROPLET INS SYR 0.3 ML 31GX8MM.   | 180 |
| DANZITEN.....                                    | 246 | DROPLET INS SYR 0.5 ML 30G 8MM... | 180 |
| <i>dasatinib oral tablet 100 mg, 140 mg, 20</i>  |     | DROPLET INS SYR 0.5 ML 31G 6MM... | 180 |
| <i>mg, 50 mg, 70 mg, 80 mg</i> .....             | 82  | DROPLET INS SYR 0.5 ML 31G 8MM... | 180 |
| DATROWAY.....                                    | 83  | DROPLET INS SYR 1 ML 29G 12.7MM.  | 180 |
| DAURISMO ORAL TABLET 100 MG, 25                  |     | DROPLET INS SYR 1 ML 30G 8MM..... | 180 |
| MG.....                                          | 147 | DROPLET INS SYR 1 ML 30GX12.5MM   |     |
| <i>deferasirox oral granules in packet</i> ..... | 85  | .....                             | 180 |
| <i>deferasirox oral tablet</i> .....             | 85  | DROPLET INS SYR 1 ML 30GX6MM....  | 180 |
| DERMACEA 2"X2" GAUZE 12 PLY,                     |     | DROPLET INS SYR 1 ML 31G 6MM..... | 180 |
| USP TYPE VII.....                                | 180 | DROPLET INS SYR 1 ML 31GX8MM....  | 180 |
| DERMACEA GAUZE 2"X2" SPONGE 8                    |     | DROPLET MICRON 34G X 9/64".....   | 180 |
| PLY.....                                         | 180 | DROPLET PEN NEEDLE 29G 10MM.....  | 180 |
| DERMACEA NON-WOVEN 2"X2"                         |     | DROPLET PEN NEEDLE 29G 12MM.....  | 180 |
| SPNGE.....                                       | 180 | DROPLET PEN NEEDLE 30G 8MM.....   | 180 |
| <i>dermacinrx lidocan 5% patch outer</i> .....   | 218 | DROPLET PEN NEEDLE 31G 5MM.....   | 180 |
| DIACOMIT ORAL CAPSULE 250 MG,                    |     | DROPLET PEN NEEDLE 31G 6MM.....   | 180 |
| 500 MG.....                                      | 342 | DROPLET PEN NEEDLE 31G 8MM.....   | 180 |
| DIACOMIT ORAL POWDER IN                          |     | DROPLET PEN NEEDLE 32G 4MM.....   | 180 |
| PACKET 250 MG, 500 MG.....                       | 342 | DROPLET PEN NEEDLE 32G 5MM.....   | 180 |
| <i>diclofenac epolamine</i> .....                | 91  | DROPLET PEN NEEDLE 32G 6MM.....   | 180 |
| <i>diclofenac sodium topical solution in</i>     |     | DROPLET PEN NEEDLE 32G 8MM.....   | 180 |
| <i>metered-dose pump</i> .....                   | 90  | DROPSAFE ALCOHOL 70% PREP         |     |
| <i>dimethyl fumarate oral capsule, delayed</i>   |     | PADS.....                         | 180 |
| <i>release(dr/ec) 120 mg, 120 mg (14)- 240</i>   |     | DROPSAFE INS SYR 0.3 ML 31G 6MM   | 180 |
| <i>mg (46), 240 mg</i> .....                     | 92  | DROPSAFE INS SYR 0.3 ML 31G 8MM   | 180 |
| <i>diphenoxylate-atropine oral tablet</i> .....  | 166 | DROPSAFE INS SYR 0.5 ML 31G 6MM   | 180 |
| <i>dipyridamole oral</i> .....                   | 157 | DROPSAFE INS SYR 0.5 ML 31G 8MM   | 180 |
| <i>dronabinol</i> .....                          | 96  | DROPSAFE INSUL SYR 1 ML 31G       |     |
| DROPLET 0.3 ML 29G 12.7MM(1/2).....              | 180 | 6MM.....                          | 180 |
| DROPLET 0.3 ML 30G 12.7MM(1/2).....              | 180 | DROPSAFE INSUL SYR 1 ML 31G       |     |
| DROPLET 0.5 ML 29GX12.5MM(1/2).....              | 180 | 8MM.....                          | 180 |
| DROPLET 0.5 ML 30GX12.5MM(1/2).....              | 180 | DROPSAFE INSULN 1 ML 29G 12.5MM   |     |
| DROPLET INS 0.3 ML 29GX12.5MM.....               | 180 | .....                             | 180 |
| DROPLET INS 0.3 ML 30G 8MM(1/2)....              | 180 | DROPSAFE PEN NEEDLE 31G 5MM.....  | 180 |
| DROPLET INS 0.3 ML 30GX12.5MM.....               | 180 | DROPSAFE PEN NEEDLE 31G 8MM.....  | 180 |
| DROPLET INS 0.3 ML 31G 6MM(1/2)....              | 180 | DROPSAFE PEN NEEDLE 31GX1/4"..... | 180 |
| DROPLET INS 0.3 ML 31G 8MM(1/2)....              | 180 | <i>droxidopa</i> .....            | 97  |
| DROPLET INS 0.5 ML 29G 12.7MM.....               | 180 | DRUG MART ULTRA COMFORT SYR.      | 180 |
| DROPLET INS 0.5 ML 30G 12.7MM.....               | 180 | DUPIXENT PEN.....                 | 98  |
| DROPLET INS 0.5 ML 30GX6MM(1/2)..                | 180 | DUPIXENT SYRINGE.....             | 98  |
| DROPLET INS 0.5 ML 30GX8MM(1/2)..                | 180 | EASY CMFT SFTY PEN NDL 31G 5MM    | 180 |

|                                     |     |                                                 |     |
|-------------------------------------|-----|-------------------------------------------------|-----|
| EASY CMFT SFTY PEN NDL 31G 6MM      | 180 | EASY TOUCH INSULIN SYR 1 ML                     |     |
| EASY CMFT SFTY PEN NDL 32G 4MM      | 180 | RETRACTABLE.....                                | 180 |
| EASY COMFORT 0.3 ML 31G 1/2".....   | 180 | EASY TOUCH INSULN 1 ML 29GX1/2"                 | 180 |
| EASY COMFORT 0.3 ML 31G 5/16".....  | 180 | EASY TOUCH INSULN 1 ML 30GX1/2"                 | 180 |
| EASY COMFORT 0.3 ML SYRINGE.....    | 180 | EASY TOUCH INSULN 1 ML 30GX5/16                 | 180 |
| EASY COMFORT 0.5 ML 30GX1/2".....   | 180 | EASY TOUCH INSULN 1 ML 31GX5/16                 | 180 |
| EASY COMFORT 0.5 ML 31GX5/16".....  | 180 | EASY TOUCH LUER LOK INSUL 1 ML                  | 180 |
| EASY COMFORT 0.5 ML 32GX5/16".....  | 180 | EASY TOUCH PEN NEEDLE 29GX1/2"                  | 180 |
| EASY COMFORT 0.5 ML SYRINGE.....    | 180 | EASY TOUCH PEN NEEDLE 30GX5/16                  | 180 |
| EASY COMFORT 1 ML 31GX5/16".....    | 180 | EASY TOUCH PEN NEEDLE 31GX1/4"                  | 180 |
| EASY COMFORT 1 ML 32GX5/16".....    | 180 | EASY TOUCH PEN NEEDLE 31GX3/16                  | 180 |
| EASY COMFORT ALCOHOL 70% PAD        | 180 | EASY TOUCH PEN NEEDLE 31GX5/16                  | 180 |
| EASY COMFORT INSULIN 1 ML SYR..     | 180 | EASY TOUCH PEN NEEDLE 32GX1/4"                  | 180 |
| EASY COMFORT PEN NDL 29G 4MM..      | 180 | EASY TOUCH PEN NEEDLE 32GX3/16                  | 180 |
| EASY COMFORT PEN NDL 29G 5MM..      | 180 | EASY TOUCH PEN NEEDLE 32GX5/32                  | 180 |
| EASY COMFORT PEN NDL 31GX1/4" ..    | 180 | EASY TOUCH SAF PEN NDL 29G 5MM                  |     |
| EASY COMFORT PEN NDL 31GX3/16"      | 180 | .....                                           | 180 |
| EASY COMFORT PEN NDL 31GX5/16"      | 180 | EASY TOUCH SAF PEN NDL 29G 8MM                  |     |
| EASY COMFORT PEN NDL 32GX5/32"      | 180 | .....                                           | 180 |
| EASY COMFORT PEN NDL 33G 4MM..      | 180 | EASY TOUCH SAF PEN NDL 30G 5MM                  |     |
| EASY COMFORT PEN NDL 33G 5MM..      | 180 | .....                                           | 180 |
| EASY COMFORT PEN NDL 33G 6MM..      | 180 | EASY TOUCH SAF PEN NDL 30G 8MM                  |     |
| EASY COMFORT SYR 0.5 ML 29G         |     | .....                                           | 180 |
| 8MM.....                            | 180 | EASY TOUCH SYR 0.5 ML 28G                       |     |
| EASY COMFORT SYR 1 ML 29G 8MM.      | 180 | 12.7MM.....                                     | 180 |
| EASY COMFORT SYR 1 ML 30GX1/2" .    | 180 | EASY TOUCH SYR 0.5 ML 29G                       |     |
| EASY GLIDE INS 0.3 ML 31GX6MM....   | 180 | 12.7MM.....                                     | 180 |
| EASY GLIDE INS 0.5 ML 31GX6MM....   | 180 | EASY TOUCH SYR 1 ML 27G 16MM....                | 180 |
| EASY GLIDE INS 1 ML 31GX6MM.....    | 180 | EASY TOUCH SYR 1 ML 28G 12.7MM.                 | 180 |
| EASY GLIDE PEN NEEDLE 4MM 33G..     | 180 | EASY TOUCH SYR 1 ML 29G 12.7MM.                 | 180 |
| EASY TOUCH 0.3 ML SYR 30GX1/2" .... | 180 | EASY TOUCH UNI-SLIP SYR 1 ML.....               | 180 |
| EASY TOUCH 0.5 ML SYR 27GX1/2" .... | 180 | EASYTOUCH SAF PEN NDL 30G 6MM                   | 180 |
| EASY TOUCH 0.5 ML SYR 29GX1/2" .... | 180 | ELAHERE.....                                    | 239 |
| EASY TOUCH 0.5 ML SYR 30GX1/2" .... | 180 | ELIGARD.....                                    | 211 |
| EASY TOUCH 0.5 ML SYR 30GX5/16...   | 180 | ELIGARD (3 MONTH).....                          | 211 |
| EASY TOUCH 1 ML SYR 27GX1/2" .....  | 180 | ELIGARD (4 MONTH).....                          | 211 |
| EASY TOUCH 1 ML SYR 29GX1/2" .....  | 180 | ELIGARD (6 MONTH).....                          | 211 |
| EASY TOUCH 1 ML SYR 30GX1/2" .....  | 180 | ELREXFIO 44 MG/1.1 ML VIAL INNER,               |     |
| EASY TOUCH ALCOHOL 70% PADS         |     | SUV, P/F.....                                   | 108 |
| GAMMA-STERILIZED.....               | 180 | ELREXFIO SUBCUTANEOUS                           |     |
| EASY TOUCH FLIPLOK 1 ML 27GX0.5     | 180 | SOLUTION 40 MG/ML.....                          | 108 |
| EASY TOUCH INSULIN 1 ML 29GX1/2     | 180 | <i>eltrombopag olamine oral powder in</i>       |     |
| EASY TOUCH INSULIN 1 ML 30GX1/2     | 180 | <i>packet 12.5 mg, 25 mg.....</i>               | 110 |
| EASY TOUCH INSULIN SYR 0.3 ML....   | 180 | <i>eltrombopag olamine oral tablet 12.5 mg,</i> |     |
| EASY TOUCH INSULIN SYR 0.5 ML....   | 180 | <i>25 mg, 50 mg, 75 mg.....</i>                 | 110 |
| EASY TOUCH INSULIN SYR 1 ML.....    | 180 | EMBRACE PEN NEEDLE 29G 12MM....                 | 180 |
|                                     |     | EMBRACE PEN NEEDLE 30G 5MM.....                 | 180 |

|                                                    |     |                                                  |     |
|----------------------------------------------------|-----|--------------------------------------------------|-----|
| EMBRACE PEN NEEDLE 30G 8MM.....                    | 180 | FREESTYLE PREC 0.5 ML 30GX5/16....               | 180 |
| EMBRACE PEN NEEDLE 31G 5MM.....                    | 180 | FREESTYLE PREC 0.5 ML 31GX5/16....               | 180 |
| EMBRACE PEN NEEDLE 31G 6MM.....                    | 180 | FREESTYLE PREC 1 ML 30GX5/16".....               | 180 |
| EMBRACE PEN NEEDLE 31G 8MM.....                    | 180 | FREESTYLE PREC 1 ML 31GX5/16".....               | 180 |
| EMBRACE PEN NEEDLE 32G 4MM.....                    | 180 | FRUZAQLA ORAL CAPSULE 1 MG, 5                    |     |
| EMGALITY PEN.....                                  | 142 | MG.....                                          | 140 |
| EMGALITY SYRINGE                                   |     | FYARRO.....                                      | 327 |
| SUBCUTANEOUS SYRINGE 120                           |     | GAUZE PAD TOPICAL BANDAGE 2 X                    |     |
| MG/ML, 300 MG/3 ML (100 MG/ML X                    |     | 2 ".....                                         | 180 |
| 3).....                                            | 142 | GAUZE PADS 2"X2" STRL.....                       | 180 |
| EMRELIS.....                                       | 355 | GAVRETO.....                                     | 288 |
| ENBREL.....                                        | 125 | <i>gefitinib</i> .....                           | 144 |
| ENBREL MINI.....                                   | 125 | GILOTRIF.....                                    | 18  |
| ENBREL SURECLICK.....                              | 125 | <i>glatiramer subcutaneous syringe 20 mg/ml,</i> |     |
| ENSACOVE ORAL CAPSULE 100 MG,                      |     | <i>40 mg/ml</i> .....                            | 148 |
| 25 MG.....                                         | 114 | <i>glatopa subcutaneous syringe 20 mg/ml, 40</i> |     |
| EPCLUSA ORAL PELLETS IN PACKET                     |     | <i>mg/ml</i> .....                               | 148 |
| 150-37.5 MG, 200-50 MG.....                        | 330 | <i>glutamine (sickle cell)</i> .....             | 216 |
| EPCLUSA ORAL TABLET.....                           | 330 | <i>glyburide</i> .....                           | 160 |
| EPIDIOLEX.....                                     | 62  | <i>glyburide micronized</i> .....                | 160 |
| EPKINLY.....                                       | 118 | <i>glyburide-metformin</i> .....                 | 160 |
| EQL INSULIN 0.5 ML SYRINGE.....                    | 180 | GNP ALCOHOL SWAB STERILE, TWO                    |     |
| EQL INSULIN 0.5 ML SYRINGE                         |     | PLY.....                                         | 180 |
| SHORT NEEDLE.....                                  | 180 | GNP CLICKFINE 31G X 1/4" NDL 6MM,                |     |
| ERBITUX.....                                       | 69  | UNIVERSAL.....                                   | 180 |
| ERIVEDGE.....                                      | 408 | GNP CLICKFINE 31G X 5/16" NDL                    |     |
| ERLEADA ORAL TABLET 240 MG, 60                     |     | 8MM, UNIVERSAL.....                              | 180 |
| MG.....                                            | 26  | GNP PEN NEEDLE 31G 5MM.....                      | 180 |
| <i>erlotinib oral tablet 100 mg, 150 mg, 25</i>    |     | GNP PEN NEEDLE 32G 4MM.....                      | 180 |
| <i>mg</i> .....                                    | 123 | GNP PEN NEEDLE 32G 6MM.....                      | 180 |
| <i>estradiol-norethindrone acet</i> .....          | 158 | GNP SIMPLI PEN NEEDLE 32G 4MM...                 | 180 |
| <i>everolimus (antineoplastic) oral tablet 10</i>  |     | GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2              |     |
| <i>mg, 2.5 mg, 5 mg, 7.5 mg</i> .....              | 127 | UNIT.....                                        | 180 |
| <i>everolimus (antineoplastic) oral tablet for</i> |     | GNP ULT CMFRT 0.5 ML 29GX1/2".....               | 180 |
| <i>suspension</i> .....                            | 128 | GNP ULTRA COMFORT 0.5 ML SYR....                 | 180 |
| EXEL U100 0.3 ML 29GX1/2".....                     | 180 | GNP ULTRA COMFORT 1 ML                           |     |
| EXXUA ORAL TABLET EXTENDED                         |     | SYRINGE.....                                     | 180 |
| RELEASE 24 HR.....                                 | 145 | GNP ULTRA COMFORT 3/10 ML SYR..                  | 180 |
| FAKZYNJA.....                                      | 39  | GOMEKLI ORAL CAPSULE 1 MG, 2                     |     |
| FASENRA.....                                       | 49  | MG.....                                          | 238 |
| FASENRA PEN.....                                   | 49  | GOMEKLI ORAL TABLET FOR                          |     |
| <i>fentanyl citrate buccal lozenge on a handle</i> |     | SUSPENSION.....                                  | 238 |
| .....                                              | 132 | GS PEN NEEDLE 31G X 8MM.....                     | 180 |
| <i> fingolimod</i> .....                           | 138 | HAEGARDA SUBCUTANEOUS RECON                      |     |
| FINTEPLA.....                                      | 131 | SOLN 2,000 UNIT, 3,000 UNIT.....                 | 59  |
| FOTIVDA.....                                       | 366 | HARVONI ORAL PELLETS IN PACKET                   |     |
| FP INSULIN 1 ML SYRINGE.....                       | 180 | 33.75-150 MG, 45-200 MG.....                     | 204 |

|                                                  |     |                                        |     |
|--------------------------------------------------|-----|----------------------------------------|-----|
| HARVONI ORAL TABLET.....                         | 204 | IMJUDO.....                            | 382 |
| HEALTHWISE INS 0.3 ML 30GX5/16"..                | 180 | IMKELDI.....                           | 174 |
| HEALTHWISE INS 0.3 ML 31GX5/16"..                | 180 | IMPAVIDO.....                          | 237 |
| HEALTHWISE INS 0.5 ML 30GX5/16"..                | 180 | INCONTROL PEN NEEDLE 12MM 29G          | 180 |
| HEALTHWISE INS 0.5 ML 31GX5/16"..                | 180 | INCONTROL PEN NEEDLE 4MM 32G..         | 180 |
| HEALTHWISE INS 1 ML 30GX5/16".....               | 180 | INCONTROL PEN NEEDLE 5MM 31G..         | 180 |
| HEALTHWISE INS 1 ML 31GX5/16".....               | 180 | INCONTROL PEN NEEDLE 6MM 31G..         | 180 |
| HEALTHWISE PEN NEEDLE 31G 5MM                    | 180 | INCONTROL PEN NEEDLE 8MM 31G..         | 180 |
| HEALTHWISE PEN NEEDLE 31G 8MM                    | 180 | INCRELEX.....                          | 229 |
| HEALTHWISE PEN NEEDLE 32G 4MM                    | 180 | <i>indomethacin oral capsule</i> ..... | 167 |
| HEALTHY ACCENTS PENTIP 4MM                       |     | <i>infliximab</i> .....                | 178 |
| 32G.....                                         | 180 | INGREZZA.....                          | 400 |
| HEALTHY ACCENTS PENTIP 5MM                       |     | INGREZZA INITIATION PK(TARDIV)..       | 400 |
| 31G.....                                         | 180 | INGREZZA SPRINKLE.....                 | 400 |
| HEALTHY ACCENTS PENTIP 6MM                       |     | INLURIYO.....                          | 176 |
| 31G.....                                         | 180 | INLYTA ORAL TABLET 1 MG, 5 MG....      | 41  |
| HEALTHY ACCENTS PENTIP 8MM                       |     | INQOVI.....                            | 84  |
| 31G.....                                         | 180 | INREBIC.....                           | 130 |
| HEALTHY ACCENTS PENTP 12MM                       |     | INSULIN 1 ML SYRINGE.....              | 180 |
| 29G.....                                         | 180 | INSULIN SYR 0.3 ML 31GX1/4(1/2).....   | 180 |
| HEB INCONTROL ALCOHOL 70%                        |     | INSULIN SYR 0.5 ML 28G 12.7MM          |     |
| PADS.....                                        | 180 | (OTC).....                             | 180 |
| HERCEPTIN HYLECTA.....                           | 380 | INSULIN SYRIN 0.5 ML 30GX1/2" (RX)     | 180 |
| HERNEXEOS.....                                   | 417 | INSULIN SYRING 0.5 ML 27G 1/2"         |     |
| HUMIRA PEN.....                                  | 12  | INNER.....                             | 180 |
| HUMIRA PEN CROHNS-UC-HS START.                   | 12  | INSULIN SYRINGE 0.3 ML.....            | 180 |
| HUMIRA PEN PSOR-UEVITS-ADOL HS                   | 12  | INSULIN SYRINGE 0.3 ML 31GX1/4.....    | 180 |
| HUMIRA SUBCUTANEOUS SYRINGE                      |     | INSULIN SYRINGE 0.5 ML.....            | 180 |
| KIT 40 MG/0.8 ML.....                            | 12  | INSULIN SYRINGE 0.5 ML 31GX1/4.....    | 180 |
| HUMIRA(CF).....                                  | 12  | INSULIN SYRINGE 1 ML.....              | 180 |
| HUMIRA(CF) PEDI CROHNS STARTER                   | 12  | INSULIN SYRINGE 1 ML 27G 1/2"          |     |
| HUMIRA(CF) PEN.....                              | 12  | INNER.....                             | 180 |
| HUMIRA(CF) PEN CROHNS-UC-HS.....                 | 12  | INSULIN SYRINGE 1 ML 27G 16MM....      | 180 |
| HUMIRA(CF) PEN PEDIATRIC UC.....                 | 12  | INSULIN SYRINGE 1 ML 28G 12.7MM        |     |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS.                  | 12  | (OTC).....                             | 180 |
| HYRNUO.....                                      | 323 | INSULIN SYRINGE 1 ML 30GX1/2"          |     |
| IBRANCE.....                                     | 267 | SHORT NEEDLE (OTC).....                | 180 |
| IBTROZI.....                                     | 349 | INSULIN SYRINGE 1 ML 31GX1/4".....     | 180 |
| <i>icatibant</i> .....                           | 171 | INSULIN SYRINGE NEEDLELESS.....        | 180 |
| ICLUSIG.....                                     | 286 | INSULIN SYRINGE-NEEDLE U-100           |     |
| IDHIFA.....                                      | 112 | SYRINGE 0.3 ML 29 GAUGE, 1 ML 29       |     |
| <i>imatinib oral tablet 100 mg, 400 mg</i> ..... | 173 | GAUGE X 1/2", 1/2 ML 28 GAUGE.....     | 180 |
| IMBRUVICA ORAL CAPSULE 140 MG,                   |     | INSULIN U-500 SYRINGE-NEEDLE.....      | 180 |
| 70 MG.....                                       | 170 | INSUPEN 30G ULTRAFIN NEEDLE.....       | 180 |
| IMBRUVICA ORAL SUSPENSION.....                   | 170 | INSUPEN 31G ULTRAFIN NEEDLE.....       | 180 |
| IMBRUVICA ORAL TABLET.....                       | 170 | INSUPEN 32G 8MM PEN NEEDLE.....        | 180 |
| IMDELLTRA.....                                   | 351 | INSUPEN PEN NEEDLE 29GX12MM....        | 180 |

|                                            |     |                                                   |     |
|--------------------------------------------|-----|---------------------------------------------------|-----|
| INSUPEN PEN NEEDLE 31G 8MM.....            | 180 | <i>leuprolide subcutaneous kit</i> .....          | 208 |
| INSUPEN PEN NEEDLE 31GX3/16".....          | 180 | <i>lidocaine topical adhesive patch,medicated</i> |     |
| INSUPEN PEN NEEDLE 32G 6MM (RX)            |     | 5 %.....                                          | 218 |
| .....                                      | 180 | <i>lidocaine topical ointment</i> .....           | 217 |
| INSUPEN PEN NEEDLE 32GX4MM.....            | 180 | <i>lidocaine-prilocaine topical cream</i> .....   | 219 |
| INSUPEN PEN NEEDLE 33GX4MM.....            | 180 | <i>lidocan iii</i> .....                          | 218 |
| ITOVEBI ORAL TABLET 3 MG, 9 MG..           | 177 | LISCO SPONGES 100/BAG.....                        | 180 |
| IV ANTISEPTIC WIPES.....                   | 180 | LITE TOUCH 31GX1/4" PEN NEEDLE..                  | 180 |
| IWILFIN.....                               | 102 | LITE TOUCH INSULIN 0.5 ML SYR.....                | 180 |
| JAKAFI.....                                | 315 | LITE TOUCH INSULIN 1 ML SYR.....                  | 180 |
| <i>javygtor oral tablet,soluble</i> .....  | 316 | LITE TOUCH INSULIN SYR 1 ML.....                  | 180 |
| JAYPIRCA ORAL TABLET 100 MG, 50            |     | LITE TOUCH PEN NEEDLE 29G.....                    | 180 |
| MG.....                                    | 284 | LITE TOUCH PEN NEEDLE 31G.....                    | 180 |
| JEMPERLI.....                              | 95  | LITETOUCH INS 0.3 ML 29GX1/2".....                | 180 |
| JYNARQUE ORAL TABLET.....                  | 373 | LITETOUCH INS 0.3 ML 30GX5/16".....               | 180 |
| KALYDECO.....                              | 196 | LITETOUCH INS 0.3 ML 31GX5/16".....               | 180 |
| KENDALL ALCOHOL 70% PREP PAD..             | 180 | LITETOUCH INS 0.5 ML 31GX5/16".....               | 180 |
| KERENDIA.....                              | 136 | LITETOUCH SYR 0.5 ML 28GX1/2".....                | 180 |
| KESIMPTA PEN.....                          | 257 | LITETOUCH SYR 0.5 ML 29GX1/2".....                | 180 |
| <i>ketorolac oral</i> .....                | 161 | LITETOUCH SYR 0.5 ML 30GX5/16"....                | 180 |
| KEYTRUDA.....                              | 275 | LITETOUCH SYRIN 1 ML 28GX1/2".....                | 180 |
| KEYTRUDA QLEX.....                         | 276 | LITETOUCH SYRIN 1 ML 29GX1/2".....                | 180 |
| KIMMTRAK.....                              | 353 | LITETOUCH SYRIN 1 ML 30GX5/16"...                 | 180 |
| KINERET.....                               | 24  | LIVTENCITY.....                                   | 227 |
| KISQALI FEMARA CO-PACK ORAL                |     | LONSURF ORAL TABLET 15-6.14 MG,                   |     |
| TABLET 200 MG/DAY(200 MG X 1)-2.5          |     | 20-8.19 MG.....                                   | 384 |
| MG, 400 MG/DAY(200 MG X 2)-2.5 MG,         |     | LOQTORZI.....                                     | 375 |
| 600 MG/DAY(200 MG X 3)-2.5 MG.....         | 299 | LORBRENA ORAL TABLET 100 MG,                      |     |
| KISQALI ORAL TABLET 200 MG/DAY             |     | 25 MG.....                                        | 222 |
| (200 MG X 1), 400 MG/DAY (200 MG X         |     | LUMAKRAS ORAL TABLET 120 MG,                      |     |
| 2), 600 MG/DAY (200 MG X 3).....           | 298 | 240 MG, 320 MG.....                               | 341 |
| KOSELUGO ORAL CAPSULE 10 MG,               |     | LUNSUMIO.....                                     | 241 |
| 25 MG.....                                 | 322 | LUPRON DEPOT.....                                 | 212 |
| KOSELUGO ORAL CAPSULE,                     |     | LUPRON DEPOT (3 MONTH).....                       | 212 |
| SPRINKLE 5 MG, 7.5 MG.....                 | 322 | LUPRON DEPOT (4 MONTH).....                       | 212 |
| KRAZATI.....                               | 11  | LUPRON DEPOT (6 MONTH).....                       | 212 |
| KYNMOBI SUBLINGUAL FILM 10 MG,             |     | LUPRON DEPOT-PED (3 MONTH).....                   | 214 |
| 10-15-20-25-30 MG, 15 MG, 20 MG, 25        |     | LUPRON DEPOT-PED                                  |     |
| MG, 30 MG.....                             | 28  | INTRAMUSCULAR SYRINGE KIT.....                    | 214 |
| <i>lanreotide subcutaneous syringe 120</i> |     | LUTRATE DEPOT (3 MONTH).....                      | 209 |
| <i>mg/0.5 ml</i> .....                     | 200 | LYNOZYFIC INTRAVENOUS                             |     |
| <i>lapatinib</i> .....                     | 201 | SOLUTION 2 MG/ML, 20 MG/ML.....                   | 220 |
| LAZCLUZE ORAL TABLET 240 MG, 80            |     | LYNPARZA.....                                     | 258 |
| MG.....                                    | 203 | LYTGOBI.....                                      | 141 |
| <i>lenalidomide</i> .....                  | 205 | MAGELLAN INSUL SYRINGE 0.3 ML..                   | 180 |
| LENVIMA.....                               | 206 | MAGELLAN INSUL SYRINGE 0.5 ML..                   | 180 |
| <i>leuprolide acetate (3 month)</i> .....  | 209 | MAGELLAN INSULIN SYR 0.3 ML.....                  | 180 |

|                                                  |     |                                                   |     |
|--------------------------------------------------|-----|---------------------------------------------------|-----|
| MAGELLAN INSULIN SYR 0.5 ML .....                | 180 | MINI ULTRA-THIN II PEN NDL 31G                    |     |
| MAGELLAN INSULIN SYRINGE 1 ML                    | 180 | STERILE .....                                     | 180 |
| MARGENZA .....                                   | 226 | MIPLYFFA .....                                    | 31  |
| MAVENCLAD (10 TABLET PACK) .....                 | 70  | <i>modafinil oral tablet 100 mg, 200 mg</i> ..... | 242 |
| MAVENCLAD (4 TABLET PACK) .....                  | 70  | MODEYSO .....                                     | 94  |
| MAVENCLAD (5 TABLET PACK) .....                  | 70  | MONOJECT 0.5 ML SYRN 28GX1/2" .....               | 180 |
| MAVENCLAD (6 TABLET PACK) .....                  | 70  | MONOJECT 1 ML SYRN 27X1/2" .....                  | 180 |
| MAVENCLAD (7 TABLET PACK) .....                  | 70  | MONOJECT 1 ML SYRN 28GX1/2"                       |     |
| MAVENCLAD (8 TABLET PACK) .....                  | 70  | (OTC) .....                                       | 180 |
| MAVENCLAD (9 TABLET PACK) .....                  | 70  | MONOJECT INSUL SYR U100 (OTC) ....                | 180 |
| MAXICOMFORT II PEN NDL                           |     | MONOJECT INSUL SYR U100                           |     |
| 31GX6MM .....                                    | 180 | .5ML,29GX1/2" (OTC) .....                         | 180 |
| MAXICOMFORT INS 0.5 ML 27GX1/2" .....            | 180 | MONOJECT INSUL SYR U100 0.5 ML                    |     |
| MAXI-COMFORT INS 0.5 ML 28G .....                | 180 | CONVERTS TO 29G (OTC) .....                       | 180 |
| MAXICOMFORT INS 1 ML 27GX1/2" ...                | 180 | MONOJECT INSUL SYR U100 1 ML .....                | 180 |
| MAXI-COMFORT INS 1 ML 28GX1/2" ..                | 180 | MONOJECT INSUL SYR U100 1 ML 3'S,                 |     |
| MAXICOMFORT PEN NDL 29G X 5MM                    |     | 29GX1/2" (OTC) .....                              | 180 |
| .....                                            | 180 | MONOJECT INSUL SYR U100 1 ML                      |     |
| MAXICOMFORT PEN NDL 29G X 8MM                    |     | W/O NEEDLE (OTC) .....                            | 180 |
| .....                                            | 180 | MONOJECT INSULIN SYR 0.3 ML .....                 | 180 |
| MAYZENT ORAL TABLET 0.25 MG, 1                   |     | MONOJECT INSULIN SYR 0.3 ML                       |     |
| MG, 2 MG .....                                   | 326 | (OTC) .....                                       | 180 |
| MAYZENT STARTER(FOR 1MG                          |     | MONOJECT INSULIN SYR 0.5 ML .....                 | 180 |
| MAINT) .....                                     | 326 | MONOJECT INSULIN SYR 0.5 ML                       |     |
| MAYZENT STARTER(FOR 2MG                          |     | (OTC) .....                                       | 180 |
| MAINT) .....                                     | 326 | MONOJECT INSULIN SYR 1 ML 3'S                     |     |
| <i>megestrol oral suspension 400 mg/10 ml</i>    |     | (OTC) .....                                       | 180 |
| <i>(40 mg/ml), 625 mg/5 ml (125 mg/ml)</i> ..... | 168 | MONOJECT INSULIN SYR U-100 .....                  | 180 |
| <i>megestrol oral tablet</i> .....               | 168 | MONOJECT SYRINGE 0.3 ML .....                     | 180 |
| MEKINIST ORAL RECON SOLN .....                   | 377 | MONOJECT SYRINGE 0.5 ML .....                     | 180 |
| MEKINIST ORAL TABLET 0.5 MG, 2                   |     | MONOJECT SYRINGE 1 ML .....                       | 180 |
| MG .....                                         | 378 | <i>morphine concentrate oral solution</i> .....   | 155 |
| MEKTOVI .....                                    | 54  | MOUNJARO .....                                    | 151 |
| <i>metirosine</i> .....                          | 234 | MS INSULIN SYR 1 ML 31GX5/16"                     |     |
| MICRODOT PEN NEEDLE 31GX6MM ..                   | 180 | (OTC) .....                                       | 180 |
| MICRODOT PEN NEEDLE 32GX4MM ..                   | 180 | MS INSULIN SYRINGE 0.3 ML .....                   | 180 |
| MICRODOT PEN NEEDLE 33GX4MM ..                   | 180 | NANO 2 GEN PEN NEEDLE 32G 4MM ..                  | 180 |
| MICRODOT READYGARD NDL 31G                       |     | NANO PEN NEEDLE 32G 4MM .....                     | 180 |
| 5MM OUTER .....                                  | 180 | NATPARA .....                                     | 268 |
| <i>mifepristone oral tablet 300 mg</i> .....     | 236 | NERLYNX .....                                     | 244 |
| <i>mimvey</i> .....                              | 158 | NIKTIMVO .....                                    | 40  |
| MINI PEN NEEDLE 32G 5MM .....                    | 180 | NINLARO .....                                     | 198 |
| MINI PEN NEEDLE 32G 8MM .....                    | 180 | <i>nitisinone</i> .....                           | 252 |
| MINI PEN NEEDLE 33G 4MM .....                    | 180 | NIVESTYM .....                                    | 135 |
| MINI PEN NEEDLE 33G 5MM .....                    | 180 | NORDITROPIN FLEXPPO .....                         | 334 |
| MINI PEN NEEDLE 33G 6MM .....                    | 180 | NOVOFINE 30 .....                                 | 180 |
|                                                  |     | NOVOFINE 32G NEEDLES .....                        | 180 |

|                                                                 |                                                                                                                      |
|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| NOVOFINE PLUS PEN NDL 32GX1/6" ..180                            | PC UNIFINE PENTIPS 8MM NEEDLE                                                                                        |
| NOVOTWIST ..... 180                                             | SHORT ..... 180                                                                                                      |
| NUBEQA .....81                                                  | PEGASYS ..... 273                                                                                                    |
| NUCALA SUBCUTANEOUS AUTO-<br>INJECTOR..... 231                  | PEMAZYRE .....277                                                                                                    |
| NUCALA SUBCUTANEOUS RECON<br>SOLN .....231                      | PEN NEEDLE 30G 5MM OUTER.....180                                                                                     |
| NUCALA SUBCUTANEOUS SYRINGE<br>100 MG/ML, 40 MG/0.4 ML..... 231 | PEN NEEDLE 30G 8MM INNER.....180                                                                                     |
| NUPLAZID ..... 281                                              | PEN NEEDLE 30G X 5/16" .....180                                                                                      |
| NURTEC ODT ..... 303                                            | PEN NEEDLE 31G X 1/4" HRI.....180                                                                                    |
| NYVEPRIA .....271                                               | PEN NEEDLE 6MM 31G 6MM.....180                                                                                       |
| ODOMZO .....337                                                 | PEN NEEDLE, DIABETIC NEEDLE 29<br>GAUGE X 1/2" .....180                                                              |
| OFEV .....247                                                   | PEN NEEDLES 12MM 29G<br>29GX12MM,STRL ..... 180                                                                      |
| OGIVRI..... 379                                                 | PEN NEEDLES 4MM 32G .....180                                                                                         |
| OGSIVEO ORAL TABLET 100 MG, 150<br>MG, 50 MG ..... 251          | PEN NEEDLES 5MM 31G<br>31GX5MM,STRL,MINI (OTC).....180                                                               |
| OJEMDA ORAL SUSPENSION FOR<br>RECONSTITUTION .....376           | PEN NEEDLES 8MM 31G<br>31GX8MM,STRL,SHORT (OTC).....180                                                              |
| OJEMDA ORAL TABLET .....376                                     | <i>penicillamine oral tablet</i> .....278                                                                            |
| OJJAARA .....240                                                | PENTIPS PEN NEEDLE 29G 1/2" .....180                                                                                 |
| ONAPGO .....27                                                  | PENTIPS PEN NEEDLE 31G 1/4" .....180                                                                                 |
| ONUREG .....42                                                  | PENTIPS PEN NEEDLE 31GX3/16"<br>MINI, 5MM ..... 180                                                                  |
| OPDIVO ..... 253                                                | PENTIPS PEN NEEDLE 31GX5/16"<br>SHORT, 8MM..... 180                                                                  |
| OPDIVO QVANTIG .....254                                         | PENTIPS PEN NEEDLE 32G 1/4" .....180                                                                                 |
| OPDUALAG .....255                                               | PENTIPS PEN NEEDLE 32GX5/32"<br>4MM..... 180                                                                         |
| OPSUMIT .....225                                                | <i>phenobarbital</i> ..... 162                                                                                       |
| ORENCIA ..... 4                                                 | PIP PEN NEEDLE 31G X 5MM..... 180                                                                                    |
| ORENCIA (WITH MALTOSE)..... 2                                   | PIP PEN NEEDLE 32G X 4MM..... 180                                                                                    |
| ORENCIA CLICKJECT ..... 4                                       | PIQRAY ORAL TABLET 200 MG/DAY<br>(200 MG X 1), 250 MG/DAY (200 MG<br>X1-50 MG X1), 300 MG/DAY (150 MG X<br>2).....20 |
| ORFADIN ORAL SUSPENSION..... 252                                | <i>pirfenidone oral capsule</i> .....282                                                                             |
| ORGOVYX..... 293                                                | <i>pirfenidone oral tablet 267 mg, 534 mg,<br/>801 mg</i> ..... 282                                                  |
| ORILISSA ORAL TABLET 150 MG, 200<br>MG .....104                 | PLEGRIDY SUBCUTANEOUS PEN<br>INJECTOR 125 MCG/0.5 ML, 63<br>MCG/0.5 ML- 94 MCG/0.5 ML ..... 192                      |
| ORKAMBI ORAL TABLET ..... 224                                   | PLEGRIDY SUBCUTANEOUS<br>SYRINGE 125 MCG/0.5 ML, 63 MCG/0.5<br>ML- 94 MCG/0.5 ML .....192                            |
| ORSERDU ORAL TABLET 345 MG, 86<br>MG .....103                   | POMALYST .....285                                                                                                    |
| OSENVELT .....87                                                | <i>posaconazole oral tablet,delayed release<br/>(dr/ec)</i> ..... 287                                                |
| OTEZLA .....29                                                  |                                                                                                                      |
| OTEZLA STARTER.....29                                           |                                                                                                                      |
| OTEZLA XR..... 29                                               |                                                                                                                      |
| OTEZLA XR INITIATION..... 29                                    |                                                                                                                      |
| <i>oxandrolone</i> .....265                                     |                                                                                                                      |
| OZEMPIC .....150                                                |                                                                                                                      |
| <i>paroxetine hcl</i> ..... 169                                 |                                                                                                                      |
| <i>pazopanib oral tablet 200 mg, 400 mg</i> .....270            |                                                                                                                      |

|                                                               |     |                                                                                                                                                            |     |
|---------------------------------------------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| PREFPLS INS SYR 1 ML 30GX5/16"<br>(OTC).....                  | 180 | RELI-ON INSULIN 1 ML SYR.....                                                                                                                              | 180 |
| PREMPHASE.....                                                | 159 | RETACRIT INJECTION SOLUTION<br>10,000 UNIT/ML, 2,000 UNIT/ML,<br>20,000 UNIT/2 ML, 20,000 UNIT/ML,<br>3,000 UNIT/ML, 4,000 UNIT/ML, 40,000<br>UNIT/ML..... | 119 |
| PREMPRO.....                                                  | 159 | RETEVMO ORAL CAPSULE 40 MG, 80<br>MG.....                                                                                                                  | 321 |
| PREVENT PEN NEEDLE 31GX1/4".....                              | 180 | RETEVMO ORAL TABLET 120 MG, 160<br>MG, 40 MG, 80 MG.....                                                                                                   | 321 |
| PREVENT PEN NEEDLE 31GX5/16".....                             | 180 | REVCIVI.....                                                                                                                                               | 106 |
| PREVYMIS ORAL TABLET.....                                     | 207 | REVUFORJ ORAL TABLET 110 MG,<br>160 MG, 25 MG.....                                                                                                         | 297 |
| PRO COMFORT 0.5 ML 30GX1/2".....                              | 180 | REZDIFFRA.....                                                                                                                                             | 295 |
| PRO COMFORT 0.5 ML 30GX5/16".....                             | 180 | REZLIDHIA.....                                                                                                                                             | 259 |
| PRO COMFORT 0.5 ML 31GX5/16".....                             | 180 | REZUROCK.....                                                                                                                                              | 46  |
| PRO COMFORT 1 ML 30GX1/2".....                                | 180 | RINVOQ.....                                                                                                                                                | 388 |
| PRO COMFORT 1 ML 30GX5/16".....                               | 180 | RINVOQ LQ.....                                                                                                                                             | 388 |
| PRO COMFORT 1 ML 31GX5/16".....                               | 180 | RITUXAN HYCELA.....                                                                                                                                        | 310 |
| PRO COMFORT ALCOHOL 70% PADS                                  | 180 | ROMVIMZA.....                                                                                                                                              | 407 |
| PRO COMFORT PEN NDL 32G 8MM....                               | 180 | ROZLYTREK ORAL CAPSULE 100 MG,<br>200 MG.....                                                                                                              | 115 |
| PRO COMFORT PEN NDL 32G X 1/4"...                             | 180 | ROZLYTREK ORAL PELLETS IN<br>PACKET.....                                                                                                                   | 116 |
| PRO COMFORT PEN NDL 4MM 32G....                               | 180 | RUBRACA.....                                                                                                                                               | 314 |
| PRO COMFORT PEN NDL 5MM 32G....                               | 180 | RYBELSUS.....                                                                                                                                              | 150 |
| PRODIGY INS SYR 1 ML 28GX1/2".....                            | 180 | RYBREVANT.....                                                                                                                                             | 23  |
| PRODIGY SYRNG 0.5 ML 31GX5/16"...                             | 180 | RYBREVANT FASPRO.....                                                                                                                                      | 22  |
| PRODIGY SYRNGE 0.3 ML 31GX5/16".                              | 180 | RYDAPT.....                                                                                                                                                | 235 |
| <i>promethazine injection solution 25 mg/ml.</i>              | 163 | RYTELO.....                                                                                                                                                | 175 |
| <i>promethazine oral tablet.....</i>                          | 163 | SAFESNAP INS SYR UNITS-100 0.3 ML<br>30GX5/16",10X10.....                                                                                                  | 180 |
| <i>promethazine rectal suppository 25 mg.....</i>             | 163 | SAFESNAP INS SYR UNITS-100 0.5 ML<br>29GX1/2",10X10.....                                                                                                   | 180 |
| <i>promethegan rectal suppository 12.5 mg,<br/>25 mg.....</i> | 163 | SAFESNAP INS SYR UNITS-100 0.5 ML<br>30GX5/16",10X10.....                                                                                                  | 180 |
| PURE CMFT SFTY PEN NDL 31G 5MM                                | 180 | SAFESNAP INS SYR UNITS-100 1 ML<br>28GX1/2",10X10.....                                                                                                     | 180 |
| PURE CMFT SFTY PEN NDL 31G 6MM                                | 180 | SAFESNAP INS SYR UNITS-100 1 ML<br>29GX1/2",10X10.....                                                                                                     | 180 |
| PURE CMFT SFTY PEN NDL 32G 4MM                                | 180 | SAFETY PEN NEEDLE 31G 4MM.....                                                                                                                             | 180 |
| PURE COMFORT ALCOHOL 70%<br>PADS.....                         | 180 | SAFETY PEN NEEDLE 5MM X 31G.....                                                                                                                           | 180 |
| PURE COMFORT PEN NDL 32G 4MM..                                | 180 | SAFETY SYRINGE 0.5 ML 30G 1/2".....                                                                                                                        | 180 |
| PURE COMFORT PEN NDL 32G 5MM..                                | 180 | <i>sapropterin oral tablet,soluble.....</i>                                                                                                                | 316 |
| PURE COMFORT PEN NDL 32G 6MM..                                | 180 | SCEMBLIX ORAL TABLET 100 MG, 20<br>MG, 40 MG.....                                                                                                          | 32  |
| PURE COMFORT PEN NDL 32G 8MM..                                | 180 | <i>scopolamine base.....</i>                                                                                                                               | 165 |
| <i>pyrimethamine.....</i>                                     | 289 |                                                                                                                                                            |     |
| QINLOCK.....                                                  | 307 |                                                                                                                                                            |     |
| <i>quinine sulfate.....</i>                                   | 290 |                                                                                                                                                            |     |
| QULIPTA.....                                                  | 36  |                                                                                                                                                            |     |
| RALDESY.....                                                  | 381 |                                                                                                                                                            |     |
| RAYA SURE PEN NEEDLE 29G 12MM.                                | 180 |                                                                                                                                                            |     |
| RAYA SURE PEN NEEDLE 31G 4MM...                               | 180 |                                                                                                                                                            |     |
| RAYA SURE PEN NEEDLE 31G 5MM...                               | 180 |                                                                                                                                                            |     |
| RAYA SURE PEN NEEDLE 31G 6MM...                               | 180 |                                                                                                                                                            |     |
| RELION INS SYR 0.3 ML 31GX6MM....                             | 180 |                                                                                                                                                            |     |
| RELION INS SYR 0.5 ML 31GX6MM....                             | 180 |                                                                                                                                                            |     |
| RELION INS SYR 1 ML 31GX15/64".....                           | 180 |                                                                                                                                                            |     |

|                                                     |          |                                                |     |
|-----------------------------------------------------|----------|------------------------------------------------|-----|
| SECURESAFE PEN NDL 30GX5/16"                        |          | SURE-FINE PEN NEEDLES 12.7MM.....              | 180 |
| OUTER.....                                          | 180      | SURE-FINE PEN NEEDLES 5MM.....                 | 180 |
| SECURESAFE SYR 0.5 ML 29G 1/2"                      |          | SURE-FINE PEN NEEDLES 8MM.....                 | 180 |
| OUTER.....                                          | 180      | SURE-JECT INSU SYR U100 0.3 ML.....            | 180 |
| SECURESAFE SYRNG 1 ML 29G 1/2"                      |          | SURE-JECT INSU SYR U100 0.5 ML.....            | 180 |
| OUTER.....                                          | 180      | SURE-JECT INSU SYR U100 1 ML.....              | 180 |
| SELARSDI.....                                       | 392, 394 | SURE-JECT INSUL SYR U100 1 ML.....             | 180 |
| SEROSTIM SUBCUTANEOUS RECON                         |          | SURE-JECT INSULIN SYRINGE 1 ML..               | 180 |
| SOLN 4 MG, 5 MG, 6 MG.....                          | 336      | SURE-PREP ALCOHOL PREP PADS.....               | 180 |
| SIGNIFOR.....                                       | 269      | SYMPAZAN.....                                  | 71  |
| <i>sildenafil (pulm.hypertension) oral tablet..</i> | 324      | SYNRIBO.....                                   | 260 |
| SIRTURO.....                                        | 44       | TABRECTA.....                                  | 64  |
| SKY SAFETY PEN NEEDLE 30G 5MM.                      | 180      | <i>tadalafil oral tablet 2.5 mg, 5 mg.....</i> | 345 |
| SKY SAFETY PEN NEEDLE 30G 8MM.                      | 180      | TAFINLAR ORAL CAPSULE.....                     | 77  |
| SKYRIZI.....                                        | 308      | TAFINLAR ORAL TABLET FOR                       |     |
| SM ULT CFT 0.3 ML 31GX5/16(1/2).....                | 180      | SUSPENSION.....                                | 78  |
| <i>sodium oxybate.....</i>                          | 328      | TAGRISO.....                                   | 264 |
| SOMATULINE DEPOT                                    |          | TALVEY.....                                    | 350 |
| SUBCUTANEOUS SYRINGE 60 MG/0.2                      |          | TALZENNA.....                                  | 347 |
| ML, 90 MG/0.3 ML.....                               | 200      | TASIGNA ORAL CAPSULE 150 MG,                   |     |
| SOMAVERT.....                                       | 274      | 200 MG, 50 MG.....                             | 245 |
| <i>sorafenib.....</i>                               | 338      | TAVNEOS.....                                   | 37  |
| SPRAVATO.....                                       | 124      | TAZVERIK.....                                  | 352 |
| STERILE PADS 2" X 2".....                           | 180      | TECHLITE 0.3 ML 29GX12MM (1/2)....             | 180 |
| STIVARGA.....                                       | 292      | TECHLITE 0.3 ML 30GX8MM (1/2).....             | 180 |
| STRENSIQ.....                                       | 33       | TECHLITE 0.3 ML 31GX6MM (1/2).....             | 180 |
| SUBVENITE ORAL SUSPENSION.....                      | 199      | TECHLITE 0.3 ML 31GX8MM (1/2).....             | 180 |
| <i>sunitinib malate.....</i>                        | 343      | TECHLITE 0.5 ML 30GX12MM (1/2)....             | 180 |
| SURE CMFT SFTY PEN NDL 31G 6MM                      | 180      | TECHLITE 0.5 ML 30GX8MM (1/2).....             | 180 |
| SURE CMFT SFTY PEN NDL 32G 4MM                      | 180      | TECHLITE 0.5 ML 31GX6MM (1/2).....             | 180 |
| SURE COMFORT 0.5 ML SYRINGE.....                    | 180      | TECHLITE 0.5 ML 31GX8MM (1/2).....             | 180 |
| SURE COMFORT 1 ML SYRINGE.....                      | 180      | TECHLITE INS SYR 1 ML 29GX12MM.                | 180 |
| SURE COMFORT 3/10 ML SYRINGE....                    | 180      | TECHLITE INS SYR 1 ML 30GX12MM.                | 180 |
| SURE COMFORT 3/10 ML SYRINGE                        |          | TECHLITE INS SYR 1 ML 31GX6MM...               | 180 |
| INSULIN SYRINGE.....                                | 180      | TECHLITE INS SYR 1 ML 31GX8MM...               | 180 |
| SURE COMFORT 30G PEN NEEDLE.....                    | 180      | TECHLITE PEN NEEDLE 29GX1/2".....              | 180 |
| SURE COMFORT ALCOHOL PREP                           |          | TECHLITE PEN NEEDLE 29GX3/8".....              | 180 |
| PADS.....                                           | 180      | TECHLITE PEN NEEDLE 31GX1/4".....              | 180 |
| SURE COMFORT INS 0.3 ML 31GX1/4.                    | 180      | TECHLITE PEN NEEDLE 31GX3/16"....              | 180 |
| SURE COMFORT INS 0.5 ML 31GX1/4.                    | 180      | TECHLITE PEN NEEDLE 31GX5/16"....              | 180 |
| SURE COMFORT INS 1 ML 31GX1/4"....                  | 180      | TECHLITE PEN NEEDLE 32GX1/4".....              | 180 |
| SURE COMFORT PEN NDL 29GX1/2"                       |          | TECHLITE PEN NEEDLE 32GX5/16"....              | 180 |
| 12.7MM.....                                         | 180      | TECHLITE PEN NEEDLE 32GX5/32"....              | 180 |
| SURE COMFORT PEN NDL 31G 5MM..                      | 180      | TECHLITE PLUS PEN NDL 32G 4MM...               | 180 |
| SURE COMFORT PEN NDL 31G 8MM..                      | 180      | TECVAYLI.....                                  | 354 |
| SURE COMFORT PEN NDL 32G 4MM..                      | 180      | TEPMETKO.....                                  | 357 |
| SURE COMFORT PEN NDL 32G 6MM..                      | 180      |                                                |     |

|                                                                                                                      |     |                                     |     |
|----------------------------------------------------------------------------------------------------------------------|-----|-------------------------------------|-----|
| <i>teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)</i> .....                                      | 358 | TRUE CMFRT PRO 0.5 ML 30G 5/16".... | 180 |
| TERUMO INS SYRINGE U100-1 ML.....                                                                                    | 180 | TRUE CMFRT PRO 0.5 ML 31G 5/16".... | 180 |
| TERUMO INS SYRINGE U100-1/2 ML..                                                                                     | 180 | TRUE CMFRT PRO 0.5 ML 32G 5/16".... | 180 |
| TERUMO INS SYRINGE U100-1/3 ML..                                                                                     | 180 | TRUE CMFT SFTY PEN NDL 31G 5MM      | 180 |
| TERUMO INS SYRNG U100-1/2 ML.....                                                                                    | 180 | TRUE CMFT SFTY PEN NDL 31G 6MM      | 180 |
| <i>testosterone cypionate</i> .....                                                                                  | 360 | TRUE CMFT SFTY PEN NDL 32G 4MM      | 180 |
| <i>testosterone enanthate</i> .....                                                                                  | 361 | TRUE COMFORT 0.5 ML 30G 1/2".....   | 180 |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %), 20.25 mg/1.25 gram (1.62 %)</i> ..... | 359 | TRUE COMFORT 0.5 ML 30G 5/16".....  | 180 |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram), 1 % (50 mg/5 gram)</i> .....                          | 359 | TRUE COMFORT 0.5 ML 31G 5/16".....  | 180 |
| <i>tetrabenazine</i> .....                                                                                           | 362 | TRUE COMFORT 0.5 ML 31GX5/16".....  | 180 |
| TEVIMBRA.....                                                                                                        | 364 | TRUE COMFORT 1 ML 31GX5/16".....    | 180 |
| THALOMID ORAL CAPSULE 100 MG, 150 MG, 200 MG, 50 MG.....                                                             | 363 | TRUE COMFORT ALCOHOL 70%            |     |
| THINPRO INS SYRIN U100-0.3 ML.....                                                                                   | 180 | PADS.....                           | 180 |
| THINPRO INS SYRIN U100-0.5 ML.....                                                                                   | 180 | TRUE COMFORT PEN NDL 31G 8MM..      | 180 |
| THINPRO INS SYRIN U100-1 ML.....                                                                                     | 180 | TRUE COMFORT PEN NDL 31GX5MM        | 180 |
| TIBSOVO.....                                                                                                         | 197 | TRUE COMFORT PEN NDL 31GX6MM        | 180 |
| TIVDAK.....                                                                                                          | 365 | TRUE COMFORT PEN NDL 32G 5MM..      | 180 |
| <i>tolvaptan (polycys kidney dis) oral tablets, sequential</i> .....                                                 | 373 | TRUE COMFORT PEN NDL 32G 6MM..      | 180 |
| TOPCARE CLICKFINE 31G X 1/4".....                                                                                    | 180 | TRUE COMFORT PEN NDL 32GX4MM        | 180 |
| TOPCARE CLICKFINE 31G X 5/16".....                                                                                   | 180 | TRUE COMFORT PEN NDL 33G 4MM..      | 180 |
| TOPCARE ULTRA COMFORT SYRINGE.....                                                                                   | 180 | TRUE COMFORT PEN NDL 33G 5MM..      | 180 |
| <i>torpenz oral tablet 10 mg, 2.5 mg, 5 mg, 7.5 mg</i> .....                                                         | 127 | TRUE COMFORT PEN NDL 33G 6MM..      | 180 |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION                                                                 | 385 | TRUE COMFORT PRO 1 ML 30G 1/2"...   | 180 |
| TREMFYA INTRAVENOUS.....                                                                                             | 153 | TRUE COMFORT PRO 1 ML 30G 5/16"...  | 180 |
| TREMFYA ONE-PRESS.....                                                                                               | 153 | TRUE COMFORT PRO 1 ML 31G 5/16"...  | 180 |
| TREMFYA PEN INDUCTION PK(2PEN).....                                                                                  | 153 | TRUE COMFORT PRO 1 ML 32G 5/16"...  | 180 |
| TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML.....                                                               | 153 | TRUE COMFORT PRO ALCOHOL            |     |
| TREMFYA SUBCUTANEOUS SYRINGE.....                                                                                    | 153 | PADS.....                           | 180 |
| <i>tretinoin topical cream</i> .....                                                                                 | 374 | TRUE COMFORT SFTY 1 ML 30G 1/2"...  | 180 |
| <i>tridacaine ii</i> .....                                                                                           | 218 | TRUE COMFRT PRO 0.5 ML 30G 1/2"...  | 180 |
| <i>trientine oral capsule 250 mg</i> .....                                                                           | 383 | TRUE COMFRT SFTY 1 ML 30G 5/16"...  | 180 |
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL.....                                                                    | 107 | TRUE COMFRT SFTY 1 ML 31G 5/16"...  | 180 |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL.....                                                                               | 107 | TRUE COMFRT SFTY 1 ML 32G 5/16"...  | 180 |
|                                                                                                                      |     | TRUEPLUS PEN NEEDLE 29GX1/2".....   | 180 |
|                                                                                                                      |     | TRUEPLUS PEN NEEDLE 31G X 1/4"...   | 180 |
|                                                                                                                      |     | TRUEPLUS PEN NEEDLE 31GX3/16"...    | 180 |
|                                                                                                                      |     | TRUEPLUS PEN NEEDLE 31GX5/16"...    | 180 |
|                                                                                                                      |     | TRUEPLUS PEN NEEDLE 32GX5/32"...    | 180 |
|                                                                                                                      |     | TRUEPLUS SYR 0.3 ML 29GX1/2".....   | 180 |
|                                                                                                                      |     | TRUEPLUS SYR 0.3 ML 30GX5/16".....  | 180 |
|                                                                                                                      |     | TRUEPLUS SYR 0.3 ML 31GX5/16".....  | 180 |
|                                                                                                                      |     | TRUEPLUS SYR 0.5 ML 28GX1/2".....   | 180 |
|                                                                                                                      |     | TRUEPLUS SYR 0.5 ML 29GX1/2".....   | 180 |
|                                                                                                                      |     | TRUEPLUS SYR 0.5 ML 30GX5/16".....  | 180 |
|                                                                                                                      |     | TRUEPLUS SYR 0.5 ML 31GX5/16".....  | 180 |
|                                                                                                                      |     | TRUEPLUS SYR 1 ML 28GX1/2".....     | 180 |
|                                                                                                                      |     | TRUEPLUS SYR 1 ML 29GX1/2".....     | 180 |

|                                      |          |                                      |     |
|--------------------------------------|----------|--------------------------------------|-----|
| TRUEPLUS SYR 1 ML 30GX5/16".....     | 180      | ULTIGUARD SAFE0.5 ML 30G 12.7MM      |     |
| TRUEPLUS SYR 1 ML 31GX5/16".....     | 180      | .....                                | 180 |
| TRULICITY.....                       | 149      | ULTIGUARD SAFEPACK 1 ML 31G          |     |
| TRUQAP.....                          | 63       | 8MM.....                             | 180 |
| TRUXIMA.....                         | 311      | ULTIGUARD SAFEPACK 29G 12.7MM        | 180 |
| TUKYSA ORAL TABLET 150 MG, 50        |          | ULTIGUARD SAFEPACK 31G 5MM.....      | 180 |
| MG.....                              | 386      | ULTIGUARD SAFEPACK 31G 6MM.....      | 180 |
| TURALIO.....                         | 280      | ULTIGUARD SAFEPACK 31G 8MM.....      | 180 |
| TYENNE.....                          | 367, 369 | ULTIGUARD SAFEPACK 32G 4MM.....      | 180 |
| TYENNE AUTOINJECTOR.....             | 369      | ULTIGUARD SAFEPACK 32G 6MM.....      | 180 |
| TYMLOS.....                          | 1        | ULTIGUARD SAFEPK 0.3 ML 31G          |     |
| UBRELVY.....                         | 387      | 8MM.....                             | 180 |
| UDENYCA ONBODY.....                  | 272      | ULTIGUARD SAFEPK 0.5 ML 31G          |     |
| ULTICAR INS 0.3 ML 31GX1/4(1/2)..... | 180      | 8MM.....                             | 180 |
| ULTICARE INS 1 ML 31GX1/4".....      | 180      | ULTILET ALCOHOL STERL SWAB.....      | 180 |
| ULTICARE INS SYR 0.3 ML 30G 8MM.     | 180      | ULTILET INSULIN SYRINGE 0.3 ML...    | 180 |
| ULTICARE INS SYR 0.3 ML 31G 6MM.     | 180      | ULTILET INSULIN SYRINGE 0.5 ML...    | 180 |
| ULTICARE INS SYR 0.3 ML 31G 8MM.     | 180      | ULTILET INSULIN SYRINGE 1 ML.....    | 180 |
| ULTICARE INS SYR 0.5 ML 30G 8MM      |          | ULTILET PEN NEEDLE.....              | 180 |
| (OTC).....                           | 180      | ULTILET PEN NEEDLE 4MM 32G.....      | 180 |
| ULTICARE INS SYR 0.5 ML 31G 6MM.     | 180      | ULTRA COMFORT 0.3 ML SYRINGE...      | 180 |
| ULTICARE INS SYR 0.5 ML 31G 8MM      |          | ULTRA COMFORT 0.5 ML 28GX1/2"        |     |
| (OTC).....                           | 180      | CONVERTS TO 29G.....                 | 180 |
| ULTICARE INS SYR 1 ML 30GX1/2".....  | 180      | ULTRA COMFORT 0.5 ML 29GX1/2".....   | 180 |
| ULTICARE PEN NEEDLE 31GX3/16".....   | 180      | ULTRA COMFORT 0.5 ML SYRINGE...      | 180 |
| ULTICARE PEN NEEDLE 6MM 31G.....     | 180      | ULTRA COMFORT 1 ML 31GX5/16".....    | 180 |
| ULTICARE PEN NEEDLE 8MM 31G.....     | 180      | ULTRA COMFORT 1 ML SYRINGE.....      | 180 |
| ULTICARE PEN NEEDLES 12MM 29G.       | 180      | ULTRA FLO 0.3 ML 30G 1/2" (1/2)..... | 180 |
| ULTICARE PEN NEEDLES 4MM 32G         |          | ULTRA FLO 0.3 ML 30G 5/16"(1/2)..... | 180 |
| MICRO, 32GX4MM.....                  | 180      | ULTRA FLO 0.3 ML 31G 5/16"(1/2)..... | 180 |
| ULTICARE PEN NEEDLES 6MM 32G...      | 180      | ULTRA FLO PEN NEEDLE 31G 5MM...      | 180 |
| ULTICARE SAFE PEN NDL 30G 8MM..      | 180      | ULTRA FLO PEN NEEDLE 31G 8MM...      | 180 |
| ULTICARE SAFE PEN NDL 5MM 30G..      | 180      | ULTRA FLO PEN NEEDLE 32G 4MM...      | 180 |
| ULTICARE SAFETY 0.5 ML 29GX1/2       |          | ULTRA FLO PEN NEEDLE 33G 4MM...      | 180 |
| (RX).....                            | 180      | ULTRA FLO PEN NEEDLES 12MM 29G       |     |
| ULTICARE SYR 0.3 ML 29G 12.7MM....   | 180      | .....                                | 180 |
| ULTICARE SYR 0.3 ML 30GX1/2".....    | 180      | ULTRA FLO SYR 0.3 ML 29GX1/2".....   | 180 |
| ULTICARE SYR 0.3 ML 31GX5/16"        |          | ULTRA FLO SYR 0.3 ML 30G 5/16".....  | 180 |
| SHORT NDL.....                       | 180      | ULTRA FLO SYR 0.3 ML 31G 5/16".....  | 180 |
| ULTICARE SYR 0.5 ML 30GX1/2".....    | 180      | ULTRA FLO SYR 0.5 ML 29G 1/2".....   | 180 |
| ULTICARE SYR 0.5 ML 31GX5/16"        |          | ULTRA THIN PEN NDL 32G X 4MM.....    | 180 |
| SHORT NDL.....                       | 180      | ULTRACARE INS 0.3 ML 30GX5/16"....   | 180 |
| ULTICARE SYR 1 ML 31GX5/16".....     | 180      | ULTRACARE INS 0.3 ML 31GX5/16"....   | 180 |
| ULTIGUARD SAFE 1 ML 30G 12.7MM.      | 180      | ULTRACARE INS 0.5 ML 30GX1/2".....   | 180 |
| ULTIGUARD SAFE0.3 ML 30G 12.7MM      |          | ULTRACARE INS 0.5 ML 30GX5/16"....   | 180 |
| .....                                | 180      | ULTRACARE INS 0.5 ML 31GX5/16"....   | 180 |
|                                      |          | ULTRACARE INS 1 ML 30G X 5/16".....  | 180 |

|                                                 |     |                                                                                                               |     |
|-------------------------------------------------|-----|---------------------------------------------------------------------------------------------------------------|-----|
| ULTRACARE INS 1 ML 30GX1/2".....                | 180 | UNIFINE PENTIPS PLUS 30GX3/16".....                                                                           | 180 |
| ULTRACARE INS 1 ML 31G X 5/16".....             | 180 | UNIFINE PENTIPS PLUS 31GX1/4"                                                                                 |     |
| ULTRACARE PEN NEEDLE 31GX1/4".....              | 180 | ULTRA SHORT, 6MM.....                                                                                         | 180 |
| ULTRACARE PEN NEEDLE 31GX3/16".....             | 180 | UNIFINE PENTIPS PLUS 31GX3/16"                                                                                |     |
| ULTRACARE PEN NEEDLE 31GX5/16".....             | 180 | MINI.....                                                                                                     | 180 |
| ULTRACARE PEN NEEDLE 32GX1/4".....              | 180 | UNIFINE PENTIPS PLUS 31GX5/16"                                                                                |     |
| ULTRACARE PEN NEEDLE 32GX3/16".....             | 180 | SHORT.....                                                                                                    | 180 |
| ULTRACARE PEN NEEDLE 32GX5/32".....             | 180 | UNIFINE PENTIPS PLUS 32GX5/32".....                                                                           | 180 |
| ULTRACARE PEN NEEDLE 33GX5/32".....             | 180 | UNIFINE PENTIPS PLUS 33GX5/32".....                                                                           | 180 |
| ULTRA-FINE 0.3 ML 30G 12.7MM.....               | 180 | UNIFINE PROTECT 30G 5MM.....                                                                                  | 180 |
| ULTRA-FINE 0.3 ML 31G 6MM (1/2).....            | 180 | UNIFINE PROTECT 30G 8MM.....                                                                                  | 180 |
| ULTRA-FINE 0.3 ML 31G 8MM (1/2).....            | 180 | UNIFINE PROTECT 32G 4MM.....                                                                                  | 180 |
| ULTRA-FINE 0.5 ML 30G 12.7MM.....               | 180 | UNIFINE SAFECONTROL 30G 5MM.....                                                                              | 180 |
| ULTRA-FINE INS SYR 1 ML 31G 6MM.....            | 180 | UNIFINE SAFECONTROL 30G 8MM.....                                                                              | 180 |
| ULTRA-FINE INS SYR 1 ML 31G 8MM.....            | 180 | UNIFINE SAFECONTROL 31G 5MM.....                                                                              | 180 |
| ULTRA-FINE PEN NDL 29G 12.7MM.....              | 180 | UNIFINE SAFECONTROL 31G 6MM.....                                                                              | 180 |
| ULTRA-FINE PEN NEEDLE 31G 5MM.....              | 180 | UNIFINE SAFECONTROL 31G 8MM.....                                                                              | 180 |
| ULTRA-FINE PEN NEEDLE 31G 8MM.....              | 180 | UNIFINE SAFECONTROL 32G 4MM.....                                                                              | 180 |
| ULTRA-FINE PEN NEEDLE 32G 6MM.....              | 180 | UNIFINE ULTRA PEN NDL 31G 5MM.....                                                                            | 180 |
| ULTRA-FINE SYR 0.5 ML 31G 6MM.....              | 180 | UNIFINE ULTRA PEN NDL 31G 6MM.....                                                                            | 180 |
| ULTRA-FINE SYR 0.5 ML 31G 8MM.....              | 180 | UNIFINE ULTRA PEN NDL 31G 8MM.....                                                                            | 180 |
| ULTRA-FINE SYR 1 ML 30G 12.7MM.....             | 180 | UNIFINE ULTRA PEN NDL 32G 4MM.....                                                                            | 180 |
| ULTRA-THIN II 1 ML 31GX5/16".....               | 180 | UPTRAVI ORAL TABLET 1,000 MCG,<br>1,200 MCG, 1,400 MCG, 1,600 MCG, 200<br>MCG, 400 MCG, 600 MCG, 800 MCG..... | 319 |
| ULTRA-THIN II INS 0.3 ML 30G.....               | 180 | UPTRAVI ORAL TABLETS,DOSE<br>PACK.....                                                                        | 319 |
| ULTRA-THIN II INS 0.3 ML 31G.....               | 180 | <i>ustekinumab-aauz</i> .....                                                                                 | 390 |
| ULTRA-THIN II INS 0.5 ML 29G.....               | 180 | VALCHLOR.....                                                                                                 | 230 |
| ULTRA-THIN II INS 0.5 ML 30G.....               | 180 | VANFLYTA.....                                                                                                 | 291 |
| ULTRA-THIN II INS 0.5 ML 31G.....               | 180 | VANISHPOINT 0.5 ML 30GX1/2" SY<br>OUTER.....                                                                  | 180 |
| ULTRA-THIN II INS SYR 1 ML 29G.....             | 180 | VANISHPOINT INS 1 ML 30GX3/16".....                                                                           | 180 |
| ULTRA-THIN II INS SYR 1 ML 30G.....             | 180 | VANISHPOINT U-100 29X1/2 SYR.....                                                                             | 180 |
| ULTRA-THIN II PEN NDL 29GX1/2".....             | 180 | VENCLEXTA ORAL TABLET 10 MG,<br>100 MG, 50 MG.....                                                            | 404 |
| ULTRA-THIN II PEN NDL 31GX5/16.....             | 180 | VENCLEXTA STARTING PACK.....                                                                                  | 404 |
| UNIFINE OTC PEN NEEDLE 31G 5MM.....             | 180 | VEOZAH.....                                                                                                   | 133 |
| UNIFINE OTC PEN NEEDLE 32G 4MM.....             | 180 | VERIFINE INS SYR 1 ML 29G 1/2".....                                                                           | 180 |
| UNIFINE PEN NEEDLE 32G 4MM.....                 | 180 | VERIFINE PEN NEEDLE 29G 12MM.....                                                                             | 180 |
| UNIFINE PENTIPS 12MM 29G<br>29GX12MM, STRL..... | 180 | VERIFINE PEN NEEDLE 31G 5MM.....                                                                              | 180 |
| UNIFINE PENTIPS 31GX3/16"                       |     | VERIFINE PEN NEEDLE 31G X 6MM.....                                                                            | 180 |
| 31GX5MM,STRL,MINI.....                          | 180 | VERIFINE PEN NEEDLE 31G X 8MM.....                                                                            | 180 |
| UNIFINE PENTIPS 32G 4MM.....                    | 180 | VERIFINE PEN NEEDLE 32G 6MM.....                                                                              | 180 |
| UNIFINE PENTIPS 32GX1/4".....                   | 180 | VERIFINE PEN NEEDLE 32G X 4MM.....                                                                            | 180 |
| UNIFINE PENTIPS 32GX5/32".....                  | 180 | VERIFINE PEN NEEDLE 32G X 5MM.....                                                                            | 180 |
| UNIFINE PENTIPS 6MM 31G.....                    | 180 | VERIFINE PLUS PEN NDL 31G 5MM.....                                                                            | 180 |
| UNIFINE PENTIPS MAX 30GX3/16".....              | 180 |                                                                                                               |     |
| UNIFINE PENTIPS NEEDLES 29G.....                | 180 |                                                                                                               |     |
| UNIFINE PENTIPS PLUS 29GX1/2"                   |     |                                                                                                               |     |
| 12MM.....                                       | 180 |                                                                                                               |     |

|                                         |     |                                     |          |
|-----------------------------------------|-----|-------------------------------------|----------|
| VERIFINE PLUS PEN NDL 31G 8MM...        | 180 | XPOVIO ORAL TABLET 100              |          |
| VERIFINE PLUS PEN NDL 32G 4MM...        | 180 | MG/WEEK (50 MG X 2), 40 MG/WEEK     |          |
| VERIFINE PLUS PEN NDL 32G 4MM-          |     | (10 MG X 4), 40 MG/WEEK (40 MG X    |          |
| SHARPS CONTAINER.....                   | 180 | 1), 40MG TWICE WEEK (40 MG X 2), 60 |          |
| VERIFINE SYRING 0.5 ML 29G 1/2".....    | 180 | MG/WEEK (60 MG X 1), 60MG TWICE     |          |
| VERIFINE SYRING 1 ML 31G 5/16".....     | 180 | WEEK (120 MG/WEEK), 80 MG/WEEK      |          |
| VERIFINE SYRNG 0.3 ML 31G 5/16".....    | 180 | (40 MG X 2), 80 MG/WEEK (80 MG X    |          |
| VERIFINE SYRNG 0.5 ML 31G 5/16".....    | 180 | 1), 80MG TWICE WEEK (160            |          |
| VERQUVO.....                            | 405 | MG/WEEK).....                       | 320      |
| VERSALON ALL PURPOSE SPONGE             |     | XTANDI ORAL CAPSULE.....            | 117      |
| 25'S,N-STERILE,3PLY.....                | 180 | XTANDI ORAL TABLET 40 MG, 80 MG     |          |
| VERZENIO.....                           | 6   | .....                               | 117      |
| <i>vigabatrin</i> .....                 | 406 | YERVOY.....                         | 194      |
| <i>vigadrone</i> .....                  | 406 | YESINTEK.....                       | 396, 398 |
| <i>vigpoder</i> .....                   | 406 | YONSA.....                          | 8        |
| VITRAKVI ORAL CAPSULE 100 MG,           |     | YUFLYMA(CF).....                    | 14       |
| 25 MG.....                              | 202 | YUFLYMA(CF) AI CROHN'S-UC-HS.....   | 14       |
| VITRAKVI ORAL SOLUTION.....             | 202 | YUFLYMA(CF) AUTOINJECTOR.....       | 14       |
| VIVIMUSTA.....                          | 48  | ZEJULA ORAL CAPSULE.....            | 249      |
| VIZIMPRO.....                           | 79  | ZEJULA ORAL TABLET.....             | 249      |
| VONJO.....                              | 266 | ZELBORAF.....                       | 403      |
| VOQUEZNA.....                           | 409 | ZIIHERA.....                        | 413      |
| VORANIGO.....                           | 411 | ZIRABEV.....                        | 52       |
| <i>voriconazole oral suspension for</i> |     | ZOLADEX.....                        | 152      |
| <i>reconstitution</i> .....             | 412 | ZTALMY.....                         | 143      |
| VOSEVI.....                             | 332 | ZTLIDO.....                         | 218      |
| VOWST.....                              | 129 | ZURZUVAE ORAL CAPSULE 20 MG,        |          |
| VUMERITY.....                           | 93  | 25 MG, 30 MG.....                   | 418      |
| VYALEV.....                             | 139 | ZYDELIG.....                        | 172      |
| VYLOY.....                              | 416 | ZYKADIA.....                        | 66       |
| VYNDAMAX.....                           | 346 | ZYNLONTA.....                       | 221      |
| WEBCOL ALCOHOL PREPS                    |     | ZYNYZ.....                          | 296      |
| 20'S,LARGE.....                         | 180 |                                     |          |
| WELIREG.....                            | 47  |                                     |          |
| WINREVAIR.....                          | 339 |                                     |          |
| XALKORI ORAL CAPSULE.....               | 75  |                                     |          |
| XALKORI ORAL PELLETT 150 MG, 20         |     |                                     |          |
| MG, 50 MG.....                          | 76  |                                     |          |
| XDEMVI.....                             | 223 |                                     |          |
| XELJANZ.....                            | 371 |                                     |          |
| XELJANZ XR.....                         | 371 |                                     |          |
| XERMELO.....                            | 356 |                                     |          |
| XGEVA.....                              | 88  |                                     |          |
| XIFAXAN ORAL TABLET 200 MG, 550         |     |                                     |          |
| MG.....                                 | 300 |                                     |          |
| XOLAIR.....                             | 261 |                                     |          |
| XOSPATA.....                            | 146 |                                     |          |