

# VILLAGE CARE MAX

## MEDICARE SELECT ADVANTAGE PLAN (HMO)



### ФОРМУЛЯР НА 2026 Г.

#### (СПИСОК ОПЛАЧИВАЕМЫХ ПЛАНОМ ЛЕКАРСТВ)

ПОЖАЛУЙСТА ПРОЧИТАЙТЕ ЭТОТ ДОКУМЕНТ: В ЭТОМ ДОКУМЕНТЕ СОДЕРЖИТСЯ ИНФОРМАЦИЯ

Этот формуляр был обновлен 03/24/2026. Для получения самой последней информации и ответов на любые вопросы обращайтесь в Отдел обслуживания плана VillageCareMAX Medicare Select Advantage по телефону: 1-855-296-8800 (для пользователей ТТУ - звоните 711).

Часы работы: с 08:00 до 20:00, без выходных. Или заходите на наш веб-сайт:  
[www.villagecaremax.org](http://www.villagecaremax.org).

Одобренный идентификационный номер файла с формуляром: 00026731

# VillageCareMAX Medicare Select Advantage Plan (HMO)

## Формуляр на 2026 г.

### (Список оплачиваемых планом лекарственных средств ("список лекарственных средств"))

**ПОЖАЛУЙСТА ПРОЧИТАЙТЕ ЭТОТ ДОКУМЕНТ: В ЭТОМ ДОКУМЕНТЕ СОДЕРЖИТСЯ  
ИНФОРМАЦИЯ  
О ЛЕКАРСТВАХ, КОТОРЫЕ МЫ ОПЛАЧИВАЕМ ПО ЭТОМУ ПЛАНУ**

Одобренный идентификационный номер файла с формуляром: 00026371

Этот формуляр был обновлен 03.26.2026. Для получения самой последней информации и ответов на любые вопросы обращайтесь в план VillageCareMAX по телефону: 1-855-296-8800 (для пользователей ТТУ - звоните 711). Часы работы: с 08:00 до 20:00, без выходных. Или заходите на наш веб-сайт: [www.villagecaremax.org](http://www.villagecaremax.org).

**Примечание для нынешних участников:** В этом формуляре произошли изменения, по сравнению с прошлым годом. Просим вас изучить этот документ, чтобы убедиться в том, что в нем все еще указано то лекарство, которое вы принимаете.

Слова "мы", "нас" или "наш", которые используются в данном "Списке лекарственных средств" (формуляре), обозначают компанию "Village Senior Services Corporation". А когда употребляются термины "план" или "наш план", они обозначают план VillageCareMAX.

В этом документе описывается "Список лекарственных средств" (формуляр) для нашего плана, по состоянию на 03.26.2026. Если вам нужна обновленная версия "Списка лекарственных средств" (формуляра) - обращайтесь к нам. Наша контактная информация, а также дата последнего обновления "Списка лекарственных средств" (формуляра), указаны на передней и задней обложках буклета.

В целом, при получении льгот, касающихся рецептурных лекарств, вы обязаны использовать те аптеки, которые входят в состав нашей сети. Льготы, список оплачиваемых лекарств, перечень аптек, которые входят в состав нашей сети и/или суммы совместной оплаты и совместного страхования могут подвергнуться изменению с 1 января 2026 года (а также периодическим изменениям в течение года). В случае необходимости вам будет предоставлено уведомление.

### **Что это такое - формуляр плана VillageCareMAX?**

В данном документе мы используем названия "Список лекарственных средств" и "формуляр", которые означают одно и то же. Формуляр это список оплачиваемых лекарственных средств, которые выбрал план VillageCareMAX после консультаций с группой поставщиков медицинских услуг, который соответствует методам лечения с помощью рецептурных лекарственных средств,

предположительно необходимым для качественного лечения. В целом, план VillageCareMAX будет оплачивать такие лекарства, которые перечислены в нашем формуляре, при условии, что такое лекарственное средство необходимо с медицинской точки зрения, было получено в аптеке, входящей в состав сети плана VillageCareMAX и соблюдались другие правила, которые установлены планом. Для получения дополнительной информации о том, как получать свои рецептурные лекарства, просим вас обращаться к буклету "Описание страхового покрытия".

## **Изменяется ли информация, указанная в формуляре?**

Большинство изменений, которые касаются оплаты страховкой лекарственных средств, происходят по состоянию на 1 января. Однако наш план может в течение года добавлять или удалять лекарственные средства, входящие в "Список лекарственных средств", переводить их в другие группы совместной оплаты или может устанавливать новые ограничения. При внесении таких изменений мы обязаны соблюдать правила, установленные программой "Медикар". Обновленный формуляр ежемесячно публикуется на нашем веб-сайте по этому адресу: [www.villagecaremax.org](http://www.villagecaremax.org).

**Изменения, которые могут затронуть вас в этом году:** В нижеописанных случаях вас будут затрагивать изменения, вносимые в страховое покрытие в течение года.

- **Немедленная замена определенных новых версий запатентованных лекарственных средств и оригинальных биологических продуктов.** Мы можем немедленно удалить из нашего формуляра какое-либо запатентованное лекарственное средство, если мы заменим его на какую-либо новую версию такого лекарственного средства, которое будет использоваться в той же самой группе совместной оплаты (или в более низкой группе), с одинаковым или меньшим объемом ограничений. Когда мы будем добавлять в формуляр новую версию лекарственного средства, мы можем принять решение о том, что запатентованное лекарственное средство или оригинальный биологический продукт будут продолжать находиться в нашем списке, однако мы немедленно переведем его в другую группу по совместной оплате, или можем добавить новые ограничения для него.

*Мы можем вносить такие немедленные изменения только в том случае, если мы добавляем новое воспроизведенное лекарственное средство, заменяющее запатентованное лекарственное средство, или добавляем определенные новые биоаналоги оригинального биологического продукта, который уже внесен в формуляр (например: мы добавляем взаимозаменяемое биоаналогичное средство, которым в аптеке могут заменять оригинальный биологический продукт без необходимости получать новый рецепт).*

Если в настоящее время вы принимаете запатентованное лекарственное средство или оригинальный биологический продукт - возможно мы не сможем заранее предупредить вас о внесении такого немедленного изменения. Однако мы позже предоставим вам информацию о конкретном изменении (или изменениях), которые мы внесли.

Если мы внесем указанное выше изменение, в таком случае вы (или лицо, которое выписывает вам лекарственные средства) можете попросить нас, чтобы мы сделали исключение и продолжили оплачивать вам лекарственное средство, которое было заменено. Для получения дополнительной информации см. раздел "Как я могу запросить, чтобы мне предоставили исключение из формуляра плана VillageCareMAX?"

Некоторые из таких типов лекарственных средств могут быть для вас новинкой. Для получения дополнительной информации см. раздел "Что это такое - оригинальные биологические продукты и каким образом они связаны с биоаналогами?"

- **Лекарственные средства, которые выводятся с рынка.** Если производитель лекарственного средства выводит его с рынка, или если Управление по контролю за продуктами и лекарственными средствами (FDA) решит отозвать его с рынка по причинам, касающимся безопасности или эффективности такого средства, в таком случае мы можем немедленно удалить соответствующее лекарственное средство из нашего формуляра и позже мы предоставим уведомление для тех участников, которые принимают такое лекарственное средство.
- **Прочие изменения.** Мы можем вносить другие изменения, которые будут касаться участников принимающих лекарство в настоящее время. Например: мы можем удалить из формуляра запатентованное лекарственное средство, когда мы добавляем его воспроизведенный эквивалент, или можем удалить оригинальный биологический продукт, когда мы добавляем биоаналог. Мы также можем установить новые ограничения на запатентованное лекарственное средство или оригинальный биологический продукт, или можем перевести его в другую группу по совместной оплате (или можем сделать и то, и другое). Мы можем вносить изменения на основании новых клинических указаний. Если мы исключим лекарственное средство из нашего формуляра, добавили требование о получении предварительного разрешения, о предельном количестве, поэтапном лечении и/или введем другие ограничения, мы обязаны будем сообщить участникам, которых коснутся эти изменения, как минимум за 30 дней до вступления изменений в силу. Альтернативным вариантом для такой ситуации, когда участник запросил получение нового запаса лекарственного средства, может быть получение им 60-дневного запаса соответствующего лекарственного средства и предоставление уведомления о внесенном изменении.

Если мы внесем указанные выше изменения, в таком случае вы (или лицо, которое выписывает вам лекарства) можете попросить нас, чтобы мы сделали для вас исключение и продолжили оплачивать вам то лекарственное средство, которое вы принимаете. В предоставленном вам уведомлении мы также приложим информацию о том, как вы можете подать прошение о предоставлении исключения для вас. Вы также можете найти эту информацию ниже в разделе, который называется "Как я могу запросить, чтобы мне предоставили исключение из формуляра лекарств плана VillageCareMAX"?

**Изменения, которые не будут затрагивать вас в том случае, если вы в настоящее время примете лекарственное средство.** В целом, если вы примете лекарственное средство, которое включено в наш формуляр на 2026 год, и которое оплачивалось в начале года, мы не будем прекращать или сокращать страховое покрытие для такого лекарственного средства в течение всего 2026 страхового года (за исключением тех ситуаций, которые описаны выше). Это означает, что в течение оставшейся части страхового года такие лекарственные средства будут предоставляться с тем же самым уровнем совместной оплаты (и без дополнительных ограничений) для тех участников, которые принимают их. В этом году вы не получите непосредственных уведомлений об изменениях, которые не затрагивают вас. Однако такие изменения будут затрагивать вас с 1 января следующего года. Поэтому вам нужно проверять формуляр в новом страховом году, чтобы узнать о каких-либо изменениях.

Прилагаемый формуляр действителен по состоянию на 03.26.2026. Для получения обновленной информации о лекарствах, которые оплачивает план VillageCareMAX, просим вас обращаться к нам. Наша контактная информация указана на передней и задней обложках буклета.

Если план внесет в середине года изменения в формуляр, которые не являются "текущими" изменениями, в таком случае мы уведомим вас о таких изменениях по почте. В таком письме будет содержаться конкретная информация о вносимых в формуляр изменениях, которые не являются

"текущими", и письмо будет предоставлено вам по крайней мере за 30 дней до даты вступления в силу соответствующего изменения. Вы также можете просмотреть последние изменения и сам формуляр на нашем веб-сайте по адресу: [www.villagescaremax.org](http://www.villagescaremax.org) или можете позвонить в Отдел обслуживания, чтобы получить дополнительную информацию.

## **Каким образом я могу пользоваться формуляром?**

Для поиска своего лекарства в формуляре можно использовать два способа:

### **Медицинское заболевание**

Формуляр начинается на странице 3. Лекарства в формуляре сгруппированы по категориям, в зависимости от того, для какого типа заболевания они используются. Например, лекарства, которые используются для заболеваний сердца, перечислены в категории "Кардиоваскулярные средства". Если вы знаете, для чего применяется ваше лекарство - найдите в списке название категории (список начинается ниже на 3-й странице). Затем найдите свое лекарство под названием соответствующей категории.

### **Перечень по алфавиту**

Если вы не уверены в том, в какой категории нужно искать - в таком случае вам нужно искать свое лекарство по алфавитному указателю, который начинается на странице I-1. В алфавитном указателе содержится алфавитный список всех лекарств, включенных в данный документ. В алфавитном списке указаны запатентованные и воспроизведенные (непатентованные) лекарства. Посмотрите в алфавитный указатель и найдите свое лекарство. Возле названия вашего лекарства будет указан номер страницы, на которой указана информация об оплате за него. Перейдите к странице, которая указана в алфавитном указателе, и найдите название своего лекарства в первой колонке списка.

## **Что это такое - "воспроизведенные" лекарственные средства?**

План VillageCareMAX оплачивает как запатентованные, так и воспроизведенные лекарственные средства. Воспроизведенное лекарственное средство получило от FDA одобрение. В нем используется тот же самый активный ингредиент, что и в запатентованном лекарственном средстве. Обычно воспроизведенные лекарственные средства имеют такую же лечебную эффективность, но они стоят меньше, чем запатентованные лекарственные средства. Для многих запатентованных лекарств существуют их заменители - воспроизведенные лекарственные средства. Обычно в аптеках можно заменять запатентованные лекарственные средства воспроизведенными лекарственными средствами, без необходимости получать новый рецепт (в зависимости от законов штата).

## **Что это такое - оригинальные биологические продукты и каким образом они связаны с биоаналогами?**

Когда в формуляре мы описываем лекарственные средства, под это определение подпадают лекарственные средства или биологические продукты. Биологические продукты это такие лекарственные средства, которые более сложны, чем обычные лекарственные средства. Вследствие того, что биологические продукты более сложны, чем обычные лекарственные средства, вместо использования их универсальной формы используются их альтернативы, которые называются биоаналоги. В целом биоаналоги действуют точно так же, как и оригинальный биологический продукт, и они могут иметь меньшую стоимость. Для некоторых оригинальных биологических продуктов существуют биоаналоги. Некоторые биоаналоги взаимозаменяемы и, в зависимости от законов штата, в аптеках они могут заменять оригинальный

биологический продукт, не требуя нового рецепта, точно так же, как воспроизведенные лекарственные средства могут заменять запатентованные лекарственные средства.

- Для получения информации о типах лекарственных средств см. "Описание страхового покрытия", глава 5, раздел 3.1, "Список лекарственных средств", где описывается то, какие лекарственные средства по части "D" будут оплачиваться".

## **Существуют ли какие-либо ограничения, касающиеся страхового покрытия?**

Для некоторых оплачиваемых лекарств могут быть установлены дополнительные требования или ограничения в отношении страхового покрытия. Эти требования и ограничения могут включать в себя:

- **Предварительное разрешение:** План VillageCareMAX требует, чтобы вы, или лицо, которое выписывает вам рецепт, получили предварительное разрешение для использования определенных лекарственных средств. Это означает, что вам необходимо сначала получить одобрение у плана VillageCareMAX перед тем, как вы сможете получать рецептурное лекарство. План VillageCareMAX возможно не будет оплачивать такое лекарственное средство, если вы не получите предварительное разрешение на использование его.
- **Ограничение по количеству:** Для некоторых лекарственных средств план VillageCareMAX установил ограничение в отношении объема лекарственного средства, который будет оплачивать план. Например, план предоставляет 60 капсул за один выписанный рецепт для лекарственного средства Celebrex. Этот объем может выдаваться в дополнение к обычной одномесячной или трехмесячной поставке.
- **Поэтапная терапия:** В некоторых случаях план VillageCareMAX требует, чтобы вы для лечения своего заболевания сначала попробовали определенные другие лекарства перед тем, как мы начнем оплачивать иное лекарство для лечения вашего заболевания. Например, если лекарства "А" и "В" применяются для лечения одного и того же заболевания - план может не оплачивать лекарство "В" до тех пор, пока вы сначала не попробуете лекарство "А". Если лекарство "А" не окажется эффективным для вас, в таком случае мы оплатим лекарство "В".

Для того, чтобы узнать о наличии установленных для вашего лекарства каких-либо дополнительных требований или ограничений, нужно просмотреть формуляр, который начинается со страницы 3. Для получения дополнительной информации об ограничениях, касающихся конкретных лекарств оплачиваемых планом, вы также можете посетить наш веб-сайт по адресу: [www.villagescaremax.org](http://www.villagescaremax.org). На нашем веб-сайте размещена документация, объясняющая ограничения, касающиеся необходимости получать предварительное разрешение и ступенчатой терапии. Вы также можете попросить, чтобы мы послали вам отдельную копию. Наша контактная информация, а также дата последнего обновления формуляра, указаны на передней и задней обложках буклета.

Вы можете попросить, чтобы план VillageCareMAX сделал для вас исключение в отношении указанных ограничений или лимитов, или в отношении списка других подобных лекарств, которые могут лечить ваше заболевание. Для получения информации о том, как можно подавать запрос на предоставление исключения, см. раздел "Как я могу запросить, чтобы мне предоставили исключение из формуляра лекарств плана VillageCareMAX?", который находится ниже на странице "v".

## **Что это такое - лекарства, которые отпускаются без рецептов (ОТС)?**

Нерецептурные лекарства это такие средства, которые отпускаются без наличия рецепта, и которые обычно не оплачиваются планом для рецептурных лекарств, оплачиваемых по программе "Медикар". План VillageCareMAX оплачивает определенные нерецептурные лекарства. План оплачивает некоторые нерецептурные лекарства в рамках своей программы для нерецептурных льгот, чтобы лечить различные заболевания, которые включают в себя, среди всего прочего, следующие средства:

- Аспирин и обезболивающие средства для взрослых лиц
- Жидкости или таблетки от гриппа, кашля и простуды, для взрослых лиц
- Лекарства от аллергий и синусита
- Лекарственные средства от диареи
- Лекарственные средства для борьбы с грибками
- Лекарственные средства для борьбы с газообразованием
- Противозудные лекарственные средства
- Добавки для диабетиков
- Средства для органов пищеварения
- Пищеварительные пре- и пробиотики
- Здоровье сердечной системы
- Снотворные средства
- Витамины и минералы
- Средства для контроля веса (таблетки, капсулы и пр.)

Указанные нерецептурные средства план VillageCareMAX будет предоставлять вам бесплатно. Стоимость таких нерецептурных лекарственных средств для плана VillageCareMAX не будет идти в зачет ваших совокупных затрат на лекарственные средства по части "D".

## **Что делать в том случае, если мое лекарственное средство не внесено в формуляр?**

Если ваше лекарство не внесено в этот формуляр (список оплачиваемых лекарств), в таком случае необходимо сначала связаться с Отделом обслуживания и спросить, оплачивается ли ваше лекарство.

Если вам сообщат, что план VillageCareMAX не оплачивает ваше лекарство, в таком случае у вас есть два варианта действий:

- Вы можете попросить, чтобы Отдел обслуживания предоставил список подобных лекарств, которые оплачивает план VillageCareMAX. Когда вы получите этот список, покажите его своему врачу и попросите врача назначить вам подобное лекарство, которое оплачивается планом VillageCareMAX.
- Вы можете подать в план VillageCareMAX запрос о предоставлении исключения для оплаты вашего лекарственного средства. Для получения информации о том, как подавать запрос на предоставление исключения, см. предоставленное ниже описание.

## **Как я могу запросить, чтобы мне предоставили исключение из формуляра лекарственных средств плана VillageCareMAX?**

Вы можете подать запрос, чтобы план VillageCareMAX сделал для вас исключение из наших правил страхового покрытия. Ниже приведены некоторые примеры исключений, которые вы можете запросить у нас.

- Вы можете попросить нас предоставить страховое покрытие для лекарства, даже если оно не внесено в формуляр. Если вы получите одобрение - это лекарство будет оплачиваться на предварительно установленном уровне совместной оплаты и вы не сможете просить о том, чтобы мы предоставляли это лекарство с более низким уровнем совместной оплаты.
- Вы можете обратиться к нам с просьбой о снятии ограничений на оплату, включая необходимость получения предварительного разрешения, поэтапную терапию или лимиты на объем получаемого вами лекарственного средства. Например, план VillageCareMAX может ограничивать объем лекарственных средств, который мы будем оплачивать. Если для вашего лекарственного средства установлен лимит по его объему - в таком случае вы можете попросить нас снять этот лимит и предоставлять оплату для большего объема.
- Вы можете попросить, чтобы мы оплачивали лекарственное средство, которое внесено в формуляр, на более низком уровне совместной оплаты, за исключением таких случаев, когда лекарственное средство входит в специальную группу лекарственных средств.

В целом, план VillageCareMAX одобрит ваш запрос о предоставлении исключения только в том случае, если альтернативные лекарственные средства, которые включены в формуляр плана (или лекарственное средство с более низким уровнем совместной оплаты), или применение ограничений, не смогут так же эффективно лечить вас, и/или будут вызывать у вас неблагоприятное побочное воздействие.

Вы, или лицо, которое выписывает вам рецепт, должны обращаться к нам для того, чтобы подать запрос о предоставлении исключения из формуляра, включая исключения касающиеся установленных ограничений на страховое покрытие. **При подаче просьбы о предоставлении исключения ваш врач должен будет объяснить медицинские причины, по которым вам нужно предоставить исключение.** В целом, мы обязаны принять наше решение в течение 72 часов после получения заявления от вашего врача, поддерживающего ваш запрос. Вы можете подать запрос о принятии ускоренного ("быстрого") решения в том случае, если вы полагаете (и мы согласились с вашим мнением), что ожидание решения в течение 72 часов может нанести серьезный вред вашему здоровью. Если мы согласимся с вами, или если лицо, которое выписало вам рецепт, подало просьбу об ускоренном рассмотрении дела, в таком случае мы должны будем принять наше решение в течение 24 часов после получения от лица, которое выписало рецепт, заявления в поддержку такого решения.

### **Что мне делать в том случае, если мое лекарственное средство не внесено в формуляр или для него установлены ограничения?**

Если вы новый участник нашего плана (или продолжаете участие в нем), вы, возможно, принимать те лекарственные средства, которые не внесены в наш формуляр. Или вы можете принимать такое лекарственное средство, которое указано в нашем формуляре, но для него установлены ограничения, касающиеся страхового покрытия (например - наличие предварительного разрешения). Вам необходимо будет поговорить с лицом, которое выписало вам рецепт, о подаче запроса на принятие страхового решения, чтобы показать, что вы соответствуете требованиям установленным для получения одобрения, перехода на другое соответствующее лекарственное средство, которое мы оплачиваем, или подачи запроса о предоставлении исключения из формуляра, чтобы мы смогли оплачивать вам то лекарственное средство, которое вы принимаете. До того, как вы обсудите этот вопрос со своим врачом, чтобы выбрать правильный план действий, мы можем оплачивать ваше лекарственное средство, в определенных случаях, в течение первых 90 дней вашего участия в нашем плане.

Для каждого вашего лекарственного средства, которое не включено в наш формуляр (или в отношении которого установлены ограничения), мы будем оплачивать временный 30-дневный запас такого лекарственного средства. Если ваш рецепт выписан на меньшее количество дней, мы обеспечим повторную выдачу такого лекарственного средства на срок до 30 дней (максимум). Если оплата не будет одобрена, в таком случае, после истечения вашего первого 30-дневного запаса, мы больше не будем оплачивать такие лекарственные средства, даже если вы были участником нашего плана менее 90 дней.

Если вы будете находиться в заведении для долгосрочного ухода и вам понадобится лекарство, которое не включено в наш формуляр, или если у вас ограниченные возможности для получения вашего лекарства, но вы уже преодолели 90-дневный срок участия в нашем плане - в таком случае мы будем оплачивать 31-дневный аварийный запас такого лекарства в то время, чтобы вы подали запрос на предоставление исключения из формуляра.

В плане VillageCareMAX предусмотрен переходной период, который предназначен для того, чтобы обеспечить непрерывное предоставление страховых льгот по оплате лекарств для новых и существующих участников плана. Иногда возникают такие ситуации, когда вы возможно столкнетесь с измененным уровнем ухода за собой - например: поступление в больницу или в заведение для долгосрочного ухода (или выписка из таких заведений). В таких случаях мы, в одноразовом порядке, предоставим вам срочный запас лекарства, которое не входит в наш формуляр. Лекарства, которые не входят в наш формуляр, включают в себя такие лекарственные средства, которые не вошли в состав нашего формуляра, и лекарства, которые находятся в нем, но требуют получения предварительного разрешения или проведения поэтапной терапии согласно установленным планом правил по использованию лекарств.

## **Получение дополнительной информации**

Для получения более подробной информации о страховом покрытии для рецептурных лекарств, которое предоставляет план VillageCareMAX, просим вас обращаться к "Описанию страхового покрытия" и другим материалам, предоставляемым нашим планом.

Если у вас возникли вопросы, касающиеся плана VillageCareMAX - обращайтесь к нам. Наша контактная информация, а также дата последнего обновления формуляра, указаны на передней и задней обложках буклета.

Если у вас есть общие вопросы, касающиеся страхового покрытия для рецептурных лекарств по программе "Медикар" - обращайтесь в программу "Медикар" по телефону: 1-800-MEDICARE (1-800-633-4227), круглосуточно, без выходных. Пользователи ТТУ должны звонить по телефону: 1-877-486-2048. Или посетите веб-сайт: <http://www.medicare.gov>.

## **Формуляр плана VillageCareMAX**

В предоставленном ниже формуляре указывается информация о страховом покрытии для лекарств, которые оплачивает план VillageCareMAX. Если вы не можете найти свое лекарство в этом списке - обращайтесь к алфавитному указателю, который начинается на странице I-1.

В первом столбце таблицы указываются названия лекарств. Названия запатентованных лекарств написаны заглавными буквами (например, BENICAR); названия воспроизведенных лекарств указаны строчными буквами и курсивом (например, *losartan*).

Информация в столбце "Требования/ограничения" сообщает вам о наличии в плане специальных требований в отношении страхового покрытия для вашего лекарственного средства.

## Availability of Language Assistance Services and Auxiliary Aids and Services

**English:** ATTENTION: If you speak English, free language assistance services are available to you. Appropriate auxiliary aids and services to provide information in accessible formats are also available free of charge. Call 1-855-296-8800 (TTY: 711) or speak to your provider.

**Spanish:** ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. También están disponibles' de forma gratuita' ayuda y servicios auxiliares adecuados para proporcionar información en formatos accesibles. Llame al 1-855-296-8800 (TTY:711) o hable con su proveedor.

**Simplified Chinese:** 中文

注意：如果您说[中文]，我们将免费为您提供语言协助服务。我们还免费提供适当的辅助工具和服务，以无障碍格式提供信息。致电 1-855-296-8800（文本电话：711）或咨询您的服务提供商。

**Traditional Chinese:** 台語

注意：如果您說[台語]，我們可以為您提供免費語言協助服務。也可以免費提供適當的輔助工具與服務，以無障礙格式提供資訊。請致電 1-855-296-8800（TTY：711）或與您的提供者討論。

**Tagalog:** PAALALA: Kung nagsasalita ka ng Tagalog, magagamit mo ang mga libreng serbisyong tulong sa wika. Magagamit din nang libre ang mga naaangkop na auxiliary na tulong at serbisyo pero magbigay ng impormasyon sa mga naa-access na format. Tumawag sa 1-855-296-8800 (TTY:711) o makipag-usap sa iyong provider.

**French:** ATTENTION : Si vous parlez français, des services d'assistance linguistique gratuits sont à votre disposition. Des aides et services auxiliaires appropriés pour fournir des informations dans des formats accessibles sont également disponibles gratuitement. Appelez le 1-855-296-8800 (TTY :711) ou adressez-vous à votre prestataire.

**Vietnamese:** LƯU Ý: Nếu quý vị nói tiếng Việt, chúng tôi cung cấp miễn phí các dịch vụ hỗ trợ ngôn ngữ. Các hỗ trợ dịch vụ phù hợp để cung cấp thông tin theo các định dạng dễ tiếp cận cũng được cung cấp miễn phí. Vui lòng gọi theo số 1-855-296-8800 (Người khuyết tật: 711) hoặc trao đổi với người cung cấp dịch vụ của quý vị.

**German:** ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlose

Sprachassistentenzdienste zur Verfügung.  
Entsprechende Hilfsmittel und Dienste zur  
Bereitstellung von Informationen zugänglichen  
Formaten stehen ebenfalls kostenlos zur  
Verfügung. Rufen Sie 1-855-296-8800 (TTY:711)  
an oder sprechen Sie mit Ihrem Provider.

**Korean:** 주의: 한국어를 사용하시는 경우 무료 언어 지원 서비스를 이용하실 수 있습니다. 이용 가능한 형식으로 정보를 제공하는 적절한 보조 기구 및 서비스도 무료로 제공됩니다. 1-855-296-8800 (TTY: 711)번으로 전화하거나 서비스 제공업체에 문의하십시오.

**Russian:** ВНИМАНИЕ! Если вы говорите на русском языке, вы можете бесплатно воспользоваться услугами языковой поддержки. Также бесплатно предоставляются соответствующие вспомогательные средства и услуги, обеспечивающие доступ к информации в удобном формате. Позвоните по телефону 1-855-296-8800 (TTY: 711) или обратитесь к своему поставщику стоматологических услуг.

(Arabic)تنبيه: إذا كنت تتحدث اللغة العربية، فستتوفر لك خدمات المساعدة اللغوية المجانية. كما تتوفر وسائل مساعدة وخدمات مناسبة لتوفير المعلومات بتنسيقات يمكن الوصول إليها مجانًا. اتصل على الرقم 1-855-296-8800 (711) أو تحدث إلى مقدم الخدمة".

**Hindi:** ध्यान दें: यदि आप हिंदी बोलते हैं, तो आपके लिए निःशुल्क भाषा सहायता सेवाएं उपलब्ध होती हैं। सुलभ प्रारूपों में जानकारी प्रदान करने के लिए उपयुक्त सहायक साधन और सेवाएँ भी निःशुल्क उपलब्ध हैं। 1-855-296-8800 (TTY: 711) पर कॉल करें या अपने प्रदाता से बात करें।”

**Italian:** ATTENZIONE: se parli Italiano, sono disponibili servizi di assistenza linguistica gratuiti. Sono inoltre disponibili gratuitamente ausili e servizi ausiliari adeguati per fornire informazioni in formati accessibili. Chiama l'1-855-296-8800 (tty: 711) o parla con il tuo fornitore.

**Portuguese:** ATENÇÃO: Se você fala português, serviços gratuitos de assistência linguística estão disponíveis para você. Auxílios e serviços auxiliares apropriados para fornecer informações em formatos acessíveis também estão disponíveis gratuitamente. Ligue para 1-855-296-8800 (TTY: 711) ou fale com seu provedor.

**French Creole:** ATANSYON: Si w pale Kreyòl Ayisyen, gen sèvis èd ki disponib pou ou gratis nan lang ou pale a. Èd ak sèvis anplis apwopriye pou bay enfòmasyon nan fòm aksèsib yo

disponib gratis tou. Rele nan 1-855-296-8800 (TTY: 711) oswa pale avèk founisè w la.

**Polish:** UWAGA: Osoby mówiące po polsku mogą skorzystać z bezpłatnej pomocy językowej. Dodatkowe pomoce i usługi zapewniające informacje w dostępnych formatach są również dostępne bezpłatnie. Prosimy zadzwonić pod numer 1-855-296-8800 (TTY:711) lub porozmawiać ze swoim świadczeniodawcą.

**Japanese:** 注：日本語を話される場合、無料の言語支援サービスをご利用いただけます。アクセシブル（誰もが利用できるよう配慮された）な形式で情報を提供するための適切な補助支援やサービスも無料をご利用いただけます。1-855-296-8800（TTY：711）までお電話ください。または、ご利用の事業者にご相談ください。

## Table of Contents

|  |    |
|--|----|
| <b>Analgesics</b> .....                                      | 3  |
| <b>Anesthetics</b> .....                                     | 6  |
| <b>Anti-Addiction/Substance Abuse Treatment Agents</b> ..... | 7  |
| <b>Antianxiety Agents</b> .....                              | 8  |
| <b>Antibacterials</b> .....                                  | 9  |
| <b>Anticancer Agents</b> .....                               | 16 |
| <b>Anticonvulsants</b> .....                                 | 34 |
| <b>Antidementia Agents</b> .....                             | 40 |
| <b>Antidepressants</b> .....                                 | 41 |
| <b>Antidiabetic Agents</b> .....                             | 44 |
| <b>Antifungals</b> .....                                     | 49 |
| <b>Antigout Agents</b> .....                                 | 52 |
| <b>Antihistamines</b> .....                                  | 52 |
| <b>Anti-Infectives (Skin And Mucous Membrane)</b> .....      | 52 |
| <b>Antimigraine Agents</b> .....                             | 52 |
| <b>Antimycobacterials</b> .....                              | 53 |
| <b>Antinausea Agents</b> .....                               | 54 |
| <b>Antiparasite Agents</b> .....                             | 55 |
| <b>Antiparkinsonian Agents</b> .....                         | 56 |
| <b>Antipsychotic Agents</b> .....                            | 57 |
| <b>Antivirals (Systemic)</b> .....                           | 64 |
| <b>Blood Products/Modifiers/Volume Expanders</b> .....       | 71 |
| <b>Caloric Agents</b> .....                                  | 74 |
| <b>Cardiovascular Agents</b> .....                           | 74 |
| <b>Central Nervous System Agents</b> .....                   | 85 |
| <b>Contraceptives</b> .....                                  | 88 |
| <b>Dental And Oral Agents</b> .....                          | 96 |

|   |     |
|---|-----|
| <b>Dermatological Agents</b> .....                            | 97  |
| <b>Devices</b> .....  | 101 |
| <b>Enzyme Cofactors/Chaperones</b> .....                      | 146 |
| <b>Enzyme Replacement/Modifiers</b> .....                     | 146 |
| <b>Eye, Ear, Nose, Throat Agents</b> .....                    | 147 |
| <b>Gastrointestinal Agents</b> .....                          | 151 |
| <b>Genitourinary Agents</b> .....                             | 154 |
| <b>Heavy Metal Antagonists</b> .....                          | 155 |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying</b> ..... | 155 |
| <b>Immunological Agents</b> .....                             | 160 |
| <b>Inflammatory Bowel Disease Agents</b> .....                | 172 |
| <b>Metabolic Bone Disease Agents</b> .....                    | 173 |
| <b>Miscellaneous Therapeutic Agents</b> .....                 | 174 |
| <b>Ophthalmic Agents</b> .....                                | 175 |
| <b>Replacement Preparations</b> .....                         | 176 |
| <b>Respiratory Tract Agents</b> .....                         | 178 |
| <b>Skeletal Muscle Relaxants</b> .....                        | 182 |
| <b>Sleep Disorder Agents</b> .....                            | 182 |
| <b>Vasodilating Agents</b> .....                              | 183 |
| <b>Vitamins And Minerals</b> .....                            | 184 |

| Drug Name   | Drug Tier | Requirements/Limits                              |
|---|-----------|--|
| <b>Analgesics</b>   |           |  |
| <b>Analgesics, Miscellaneous</b>  |           |  |
| <i>acetaminophen-codeine 300-30 mg/12.5 ml cup inner 300 mg-30 mg /12.5 ml</i>  | 1         | QL (4500 per 30 days)                            |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>   | 1         | QL (4500 per 30 days)                            |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>   | 2         | QL (360 per 30 days)                             |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i>  | 2         | QL (180 per 30 days)                             |
| <i>buprenorphine transdermal patch (Butrans) weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> | 3         | QL (4 per 28 days)                               |
| <i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>   | 2         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg (Fioricet)</i>   | 4         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>  | 4         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>   | 2         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>endocet oral tablet 10-325 mg (oxycodone-acetaminophen)</i>  | 2         | QL (180 per 30 days)                             |
| <i>endocet oral tablet 2.5-325 mg, 5-325 mg (oxycodone-acetaminophen)</i>   | 2         | QL (360 per 30 days)                             |
| <i>endocet oral tablet 7.5-325 mg (oxycodone-acetaminophen)</i>   | 2         | QL (240 per 30 days)                             |
| <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>                      | 5         | PA; NDS; QL (120 per 30 days)                    |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>  | 2         | PA; QL (120 per 30 days)                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|---|------------------|-----------------------------|
| <i>fentanyl transdermal patch 72 hour<br/>100 mcg/hr, 12 mcg/hr, 25 mcg/hr,<br/>50 mcg/hr, 75 mcg/hr</i>  | 2                | QL (10 per 30 days)         |
| <i>hydrocodone-acetaminophen oral<br/>solution 10-300 mg/15 ml, 10-325<br/>mg/15 ml, 7.5-325 mg/15 ml</i> | 2                | QL (2700 per 30 days)       |
| <i>hydrocodone-acetaminophen oral<br/>tablet 10-325 mg, 7.5-325 mg</i>                                    | 2                | QL (180 per 30 days)        |
| <i>hydrocodone-acetaminophen oral<br/>tablet 5-325 mg</i>   | 2                | QL (240 per 30 days)        |
| <i>hydromorphone oral tablet 2 mg, 4<br/>mg, 8 mg</i> (Dilaudid)  | 2                | QL (180 per 30 days)        |
| <i>methadone oral tablet 10 mg</i>  | 2                | QL (120 per 30 days)        |
| <i>methadone oral tablet 5 mg</i>   | 2                | QL (180 per 30 days)        |
| <i>morphine concentrate oral solution<br/>100 mg/5 ml (20 mg/ml)</i>                                      | 2                | PA; QL (180 per 30<br>days) |
| <i>morphine oral solution 10 mg/5 ml</i>  | 2                | QL (700 per 30 days)        |
| <i>morphine oral solution 20 mg/5 ml (4<br/>mg/ml)</i>  | 2                | QL (300 per 30 days)        |
| MORPHINE ORAL TABLET 15<br>MG   | 4                | QL (180 per 30 days)        |
| MORPHINE ORAL TABLET 30<br>MG   | 4                | QL (120 per 30 days)        |
| <i>morphine oral tablet extended<br/>release 100 mg</i>   | 2                | QL (60 per 30 days)         |
| <i>morphine oral tablet extended<br/>release 15 mg, 30 mg</i> (MS Contin)                                 | 2                | QL (90 per 30 days)         |
| <i>morphine oral tablet extended<br/>release 200 mg</i>   | 4                | QL (60 per 30 days)         |
| <i>morphine oral tablet extended<br/>release 60 mg</i> (MS Contin)  | 2                | QL (60 per 30 days)         |
| <i>oxycodone oral capsule 5 mg</i>  | 2                | QL (180 per 30 days)        |
| <i>oxycodone oral tablet 10 mg, 5 mg</i>  | 2                | QL (180 per 30 days)        |
| <i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)  | 2                | QL (120 per 30 days)        |
| <i>oxycodone oral tablet 20 mg</i>  | 2                | QL (120 per 30 days)        |
| <i>oxycodone-acetaminophen oral tablet<br/>10-325 mg</i> (Endocet)  | 2                | QL (180 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|---|------------------|-------------------------------|
| <i>oxycodone-acetaminophen oral tablet</i> (Endocet)<br>2.5-325 mg, 5-325 mg                      | 2                | QL (360 per 30 days)          |
| <i>oxycodone-acetaminophen oral tablet</i> (Endocet)<br>7.5-325 mg                                | 2                | QL (240 per 30 days)          |
| <i>tramadol oral tablet 50 mg</i>   | 1                | QL (240 per 30 days)          |
| <i>tramadol-acetaminophen oral tablet</i><br>37.5-325 mg  | 2                | QL (300 per 30 days)          |
| <b>Nonsteroidal Anti-Inflammatory Agents</b>  |                  |                               |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)                            | 2                | QL (60 per 30 days)           |
| <i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)                             | 4                | PA; QL (60 per 30 days)       |
| <i>diclofenac potassium oral tablet 50 mg</i>   | 2                | QL (120 per 30 days)          |
| <i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>                                | 2                |                               |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>                               | 2                |                               |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>                               | 2                | QL (120 per 30 days)          |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>                               | 2                | QL (60 per 30 days)           |
| <i>diclofenac sodium topical drops 1.5 %</i>  | 3                | QL (300 per 30 days)          |
| <i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i>         | 5                | PA; NDS; QL (224 per 28 days) |
| <i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50) | 2                |                               |
| <i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 75) | 2                |                               |
| <i>etodolac oral capsule 200 mg, 300 mg</i>   | 2                |                               |
| <i>etodolac oral tablet 400 mg</i> (Lodine)   | 2                |                               |
| <i>etodolac oral tablet 500 mg</i>  | 2                |                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits                             |
|---|-----------|---|
| <i>flurbiprofen oral tablet 100 mg</i> (Lurbiro)                          | 2         |   |
| <i>ibu oral tablet 400 mg</i> (ibuprofen)                                 | 1         | QL (240 per 30 days)                            |
| <i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)                         | 1         |   |
| <i>ibuprofen oral tablet 400 mg</i> (IBU)                                 | 1         | QL (240 per 30 days)                            |
| <i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)                         | 1         |   |
| <i>indomethacin oral capsule 25 mg, 50 mg</i>                             | 2         | PA-HRM; AGE (Max 64 Years)                      |
| <i>ketorolac oral tablet 10 mg</i>  | 2         | PA-HRM; QL (20 per 30 days); AGE (Max 64 Years) |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i>                                | 1         |   |
| <i>nabumetone oral tablet 500 mg, 750 mg</i>                              | 2         |   |
| <i>naproxen oral tablet 250 mg, 375 mg</i>                                | 1         |   |
| <i>naproxen oral tablet 500 mg</i> (Naprosyn)                             | 1         |   |
| <i>naproxen oral tablet, delayed release (dr/ec) 375 mg</i> (EC-Naprosyn) | 2         |   |
| <i>sulindac oral tablet 150 mg, 200 mg</i>                                | 2         |   |

## Anesthetics

### Local Anesthetics

|   |   |                          |
|---|---|--------------------------|
| <i>dermacinrx lidocan 5% patch outer</i> (lidocaine)                        | 3 | PA; QL (90 per 30 days)  |
| <i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)        | 2 | QL (30 per 30 days)      |
| <i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)        | 2 | QL (30 per 30 days)      |
| <i>lidocaine topical adhesive patch, medicated 5 %</i> (DermacinRx Lidocan) | 3 | PA; QL (90 per 30 days)  |
| <i>lidocaine topical ointment 5 %</i>                                       | 2 | PA; QL (240 per 30 days) |
| <i>lidocaine viscous mucous membrane solution 2 %</i> (lidocaine hcl)       | 2 |                          |
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>                         | 2 | PA; QL (30 per 30 days)  |
| <i>lidocan iii topical adhesive patch, medicated 5 %</i> (lidocaine)        | 3 | PA; QL (90 per 30 days)  |
| <i>tridacaine ii topical adhesive patch, medicated 5 %</i> (lidocaine)      | 3 | PA; QL (90 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name  | Drug Tier | Requirements/Limits     |
|--|-----------|-------------------------|
| ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %  | 3         | PA; QL (90 per 30 days) |
| <b>Anti-Addiction/Substance Abuse Treatment Agents</b>   |           |                         |
| <b>Anti-Addiction/Substance Abuse Treatment Agents</b>   |           |                         |
| <i>acamprosate oral tablet,delayed release (dr/ec) 333 mg</i>  | 3         |                         |
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>  | 2         |                         |
| <i>buprenorphine-naloxone sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)             | 4         |                         |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>                                       | 2         |                         |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>                         | 2         |                         |
| <i>disulfiram oral tablet 250 mg, 500 mg</i>   | 2         |                         |
| KLOXXADO NASAL SPRAY,NON-AEROSOL 8 MG/ACTUATION  | 3         | QL (4 per 30 days)      |
| <i>naloxone injection solution 0.4 mg/ml</i>   | 2         |                         |
| <i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i>                    | 2         |                         |
| <i>naloxone nasal spray,non-aerosol 4 mg/actuation</i> (Narcan)  | 2         | QL (4 per 30 days)      |
| <i>naltrexone oral tablet 50 mg</i>  | 2         |                         |
| NICOTROL NS NASAL SPRAY,NON-AEROSOL 10 MG/ML   | 4         | QL (240 per 180 days)   |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> (Chantix)   | 3         | QL (336 per 365 days)   |
| <i>varenicline tartrate oral tablet 1 mg (56 pack)</i>   | 3         | QL (336 per 365 days)   |
| <i>varenicline tartrate oral tablets,dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box) | 3         |                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits   |
|---|-----------|-----------------------|
| <b>Antianxiety Agents</b>   |           |                       |
| <b>Benzodiazepines</b>  |           |                       |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)                   | 1         | QL (120 per 30 days)  |
| <i>alprazolam oral tablet 2 mg</i> (Xanax)                                    | 1         | QL (150 per 30 days)  |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>                   | 2         | QL (120 per 30 days)  |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)                         | 1         | QL (90 per 30 days)   |
| <i>clonazepam oral tablet 2 mg</i> (Klonopin)                                 | 1         | QL (300 per 30 days)  |
| <i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 2         | QL (90 per 30 days)   |
| <i>clonazepam oral tablet, disintegrating 2 mg</i>                            | 2         | QL (300 per 30 days)  |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>             | 4         | QL (180 per 30 days)  |
| <i>diazepam injection solution 5 mg/ml</i>                                    | 2         | QL (10 per 28 days)   |
| <i>diazepam injection syringe 5 mg/ml</i>                                     | 3         |                       |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)                  | 2         | QL (1200 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>                             | 2         | QL (1200 per 30 days) |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)                        | 1         | QL (120 per 30 days)  |
| <i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)                    | 2         | QL (150 per 30 days)  |
| <i>lorazepam 4 mg/ml vial inner</i> (Ativan)                                  | 1         | QL (2 per 30 days)    |
| <i>lorazepam injection solution 2 mg/ml</i> (Ativan)                          | 1         | QL (2 per 30 days)    |
| <i>lorazepam injection solution 4 mg/ml</i> (Ativan)                          | 4         | QL (2 per 30 days)    |
| <i>lorazepam injection syringe 2 mg/ml</i>                                    | 1         | QL (2 per 30 days)    |
| <i>lorazepam intensol oral concentrate 2 mg/ml</i> (lorazepam)                | 2         | QL (150 per 30 days)  |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)                            | 1         | QL (90 per 30 days)   |
| <i>lorazepam oral tablet 2 mg</i> (Ativan)                                    | 1         | QL (150 per 30 days)  |
| <i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)                         | 1         | QL (30 per 30 days)   |
| <i>temazepam oral capsule 22.5 mg</i> (Restoril)                              | 2         | QL (30 per 30 days)   |
| <i>temazepam oral capsule 7.5 mg</i> (Restoril)                               | 2         | QL (120 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits             |
|---|-----------|---------------------------------|
| <b>Antibacterials</b>   |           |                                 |
| <b>Aminoglycosides</b>  |           |                                 |
| <i>amikacin injection solution 500 mg/2 ml</i>  | 2         |                                 |
| ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML                             | 5         | PA; NDS; QL (235.2 per 28 days) |
| <i>gentamicin injection solution 40 mg/ml</i>   | 2         |                                 |
| <i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>                        | 2         |                                 |
| <i>gentamicin sulfate (pf) intravenous solution 100 mg/10 ml, 60 mg/6 ml</i>              | 2         |                                 |
| <i>neomycin oral tablet 500 mg</i>  | 2         |                                 |
| <i>streptomycin intramuscular recon soln 1 gram</i>                                       | 5         | NDS                             |
| TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG                               | 5         | NDS; QL (224 per 28 days)       |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi) | 5         | PA BvD; NDS                     |
| <i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>                           | 3         |                                 |
| <b>Antibacterials, Miscellaneous</b>  |           |                                 |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)                   | 2         |                                 |
| <i>clindamycin phosphate injection solution 150 (mg/ml) (4 ml), 150 (mg/ml) (6 ml)</i>    | 2         |                                 |
| <i>clindamycin phosphate injection solution 150 mg/ml</i> (Cleocin)                       | 2         |                                 |
| <i>colistin (colistimethate na) injection recon soln 150 mg</i> (Coly-Mycin M Parenteral) | 5         | NDS                             |
| <i>daptomycin intravenous recon soln 350 mg, 500 mg</i>                                   | 5         | NDS                             |
| <i>fosfomycin tromethamine oral packet 3 gram</i>   | 2         |                                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---|------------------|------------------------------|
| <i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i> (Zyvox)                   | 3                |                              |
| <i>linezolid oral suspension for reconstitution 100 mg/5 ml</i> (Zyvox)                       | 5                | NDS                          |
| <i>linezolid oral tablet 600 mg</i>   | 3                |                              |
| <i>methenamine hippurate oral tablet 1 gram</i>   | 2                |                              |
| <i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i> (Metro I.V.)        | 2                |                              |
| <i>metronidazole oral tablet 250 mg, 500 mg</i>   | 1                |                              |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>                                 | 2                | QL (120 per 30 days)         |
| <i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i> (Macrobid)                          | 2                | QL (60 per 30 days)          |
| <i>trimethoprim oral tablet 100 mg</i>  | 2                |                              |
| <i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg, 750 mg</i> | 3                |                              |
| <i>vancomycin oral capsule 125 mg</i> (Vancocin)  | 3                | QL (56 per 14 days)          |
| <i>vancomycin oral capsule 250 mg</i> (Vancocin)  | 3                | QL (112 per 14 days)         |
| XIFAXAN ORAL TABLET 200 MG  | 3                | PA; QL (9 per 30 days)       |
| XIFAXAN ORAL TABLET 550 MG  | 5                | PA; NDS; QL (90 per 30 days) |
| <b>Cephalosporins</b>   |                  |                              |
| <i>cefactor oral capsule 250 mg, 500 mg</i>   | 2                |                              |
| <i>cefadroxil oral capsule 500 mg</i>   | 2                |                              |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i>                 | 2                |                              |
| <i>cefazolin injection recon soln 1 gram, 500 mg</i>  | 2                |                              |
| <i>cefazolin intravenous recon soln 10 gram</i>   | 2                |                              |
| <i>cefdinir oral capsule 300 mg</i>   | 2                |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>     | 2                |                            |
| <i>cefepime injection recon soln 1 gram, 2 gram</i>                             | 3                |                            |
| <i>cefixime oral capsule 400 mg</i>   | 4                |                            |
| <i>cefixime oral tablet 400 mg</i>  | 4                |                            |
| <i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>                 | 3                |                            |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i>                                   | 4                |                            |
| <i>cefprozil oral tablet 250 mg, 500 mg</i>                                     | 2                |                            |
| <i>ceftaroline fosamil intravenous recon soln 400 mg, 600 mg</i> (Teflaro)      | 5                | NDS                        |
| <i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)        | 3                |                            |
| <i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i> | 2                |                            |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>                             | 2                |                            |
| <i>cefuroxime sodium injection recon soln 750 mg</i>                            | 2                |                            |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>              | 2                |                            |
| <i>cephalexin oral capsule 250 mg, 500 mg</i>                                   | 1                |                            |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>   | 2                |                            |
| <i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i> (ceftazidime)        | 3                |                            |
| TEFLARO INTRAVENOUS RECON SOLN 400 MG, 600 MG (ceftaroline fosamil)             | 5                | NDS                        |
| <b>Macrolides</b>   |                  |                            |
| <i>azithromycin intravenous recon soln 500 mg</i> (Zithromax)                   | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml</i>                                  | 2                |                            |
| <i>azithromycin oral suspension for reconstitution 200 mg/5 ml</i> (Zithromax)                      | 2                |                            |
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>                            | 1                |                            |
| <i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)  | 1                |                            |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>                   | 3                |                            |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>  | 2                |                            |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules) | 4                |                            |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)      | 4                |                            |
| <i>erythromycin oral tablet 250 mg, 500 mg</i>  | 4                |                            |
| <i>fidaxomicin oral tablet 200 mg</i> (Dificid)   | 5                | NDS; QL (20 per 10 days)   |
| <b>Miscellaneous B-Lactam Antibiotics</b>   |                  |                            |
| <i>aztreonam injection recon soln 1 gram, 2 gram</i> (Azactam)                                      | 3                |                            |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML   | 5                | PA; LA; NDS                |
| <i>ertapenem injection recon soln 1 gram</i>  | 3                |                            |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i>  | 3                |                            |
| <i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)                              | 3                |                            |
| <i>meropenem intravenous recon soln 1 gram, 500 mg</i>  | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>meropenem intravenous recon soln 2 gram</i>  | 4                |                            |
| <b>Penicillins</b>  |                  |                            |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i>  | 1                |                            |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i>  | 1                |                            |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i>   | 1                |                            |
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>   | 2                |                            |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>    | 2                |                            |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)        | 2                |                            |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600) | 2                |                            |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>                                     | 2                |                            |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)                                     | 2                |                            |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>                           | 4                |                            |
| <i>ampicillin oral capsule 500 mg</i>   | 2                |                            |
| <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>                                     | 2                |                            |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)                       | 3                |                            |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML              | 4                |                            |
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i>  | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| EXTENCILLINE<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 1.2<br>MILLION UNIT, 2.4 MILLION<br>UNIT  | 4                |                            |
| LENTOCILIN S<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 1.2<br>MILLION UNIT                       | 4                |                            |
| <i>nafcillin injection recon soln 1 gram,<br/>10 gram, 2 gram</i>  | 3                |                            |
| <i>penicillin g potassium injection recon (Pfizerpen-G)<br/>soln 20 million unit</i>                     | 3                |                            |
| <i>penicillin g procaine intramuscular<br/>syringe 1.2 million unit/2 ml, 600,000<br/>unit/ml</i>        | 2                |                            |
| <i>penicillin v potassium oral recon soln<br/>125 mg/5 ml, 250 mg/5 ml</i>                               | 2                |                            |
| <i>penicillin v potassium oral tablet 250<br/>mg, 500 mg</i>   | 1                |                            |
| <i>piperacillin-tazobactam intravenous<br/>recon soln 2.25 gram, 3.375 gram,<br/>4.5 gram, 40.5 gram</i> | 3                |                            |
| <b>Quinolones</b>  |                  |                            |
| <i>ciprofloxacin hcl oral tablet 250 mg, (Cipro)<br/>500 mg</i>  | 1                |                            |
| <i>ciprofloxacin hcl oral tablet 750 mg</i>  | 1                |                            |
| <i>ciprofloxacin in 5 % dextrose<br/>intravenous piggyback 200 mg/100<br/>ml, 400 mg/200 ml</i>          | 2                |                            |
| <i>levofloxacin in d5w intravenous<br/>piggyback 250 mg/50 ml, 500 mg/100<br/>ml, 750 mg/150 ml</i>      | 2                |                            |
| <i>levofloxacin oral solution 250 mg/10<br/>ml</i>   | 4                |                            |
| <i>levofloxacin oral tablet 250 mg, 500<br/>mg, 750 mg</i>   | 1                |                            |
| <i>moxifloxacin 400 mg/250 ml bag suv,<br/>p/f, inner</i>  | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>moxifloxacin oral tablet 400 mg</i>   | 2                |                            |
| <i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Avelox in NaCl (iso-osmotic)) | 3                |                            |
| <b>Sulfonamides</b>  |                  |                            |
| <i>sulfadiazine oral tablet 500 mg</i>   | 3                |                            |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)                          | 2                |                            |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)                                     | 1                |                            |
| <i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)                                 | 1                |                            |
| <b>Tetracyclines</b>   |                  |                            |
| <i>demeclocycline oral tablet 150 mg, 300 mg</i>   | 4                |                            |
| <i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)                                      | 3                |                            |
| <i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)                                      | 3                |                            |
| <i>doxycycline hyclate oral capsule 100 mg</i>   | 2                |                            |
| <i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)   | 2                |                            |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>   | 2                |                            |
| <i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxyne NL)  | 2                |                            |
| <i>doxycycline monohydrate oral capsule 50 mg</i>  | 2                |                            |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>                             | 2                |                            |
| <i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)  | 2                |                            |
| <i>doxycycline monohydrate oral tablet 50 mg</i>   | 2                |                            |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>   | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits               |
|---|-----------|-----------------------------------|
| <i>tetracycline oral capsule 250 mg, 500 mg</i>                   | 4         |                                   |
| <i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)         | 3         |                                   |
| <b>Anticancer Agents</b>  |           |                                   |
| <b>Anticancer Agents</b>  |           |                                   |
| <i>abiraterone oral tablet 250 mg</i> (Abirtega)                  | 5         | PA NSO; NDS; QL (120 per 30 days) |
| <i>abiraterone oral tablet 500 mg</i> (Zytiga)                    | 5         | PA NSO; NDS; QL (120 per 30 days) |
| <i>abiraterone, submicronized oral tablet 125 mg</i> (Yonsa)      | 5         | PA NSO; NDS; QL (120 per 30 days) |
| <i>abirtega oral tablet 250 mg</i> (abiraterone)                  | 2         | PA NSO; QL (120 per 30 days)      |
| <i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil) | 2         | PA BvD                            |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG                          | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| ALECENSA ORAL CAPSULE 150 MG                                      | 5         | PA NSO; NDS; QL (240 per 30 days) |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG                                | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| ALUNBRIG ORAL TABLET 30 MG  | 5         | PA NSO; NDS; QL (120 per 30 days) |
| ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)             | 5         | PA NSO; NDS                       |
| <i>anastrozole oral tablet 1 mg</i> (Arimidex)                    | 1         |                                   |
| ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML                      | 5         | PA NSO; NDS; QL (1.6 per 28 days) |
| AUGTYRO ORAL CAPSULE 160 MG                                       | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| AUGTYRO ORAL CAPSULE 40 MG  | 5         | PA NSO; NDS; QL (240 per 30 days) |
| AVMAPKI ORAL CAPSULE 0.8 MG                                       | 5         | PA NSO; NDS; QL (24 per 28 days)  |
| AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG                       | 5         | PA NSO; NDS; QL (66 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--|------------------|-----------------------------------|
| AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG                        | 5                | NDS                               |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG           | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| <i>azacitidine injection recon soln 100 mg</i> (Vidaza)            | 5                | NDS                               |
| BALVERSA ORAL TABLET 3 MG  | 5                | PA NSO; NDS; QL (84 per 28 days)  |
| BALVERSA ORAL TABLET 4 MG  | 5                | PA NSO; NDS; QL (56 per 28 days)  |
| BALVERSA ORAL TABLET 5 MG  | 5                | PA NSO; NDS; QL (28 per 28 days)  |
| <i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda) | 5                | PA NSO; NDS                       |
| BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)               | 5                | PA NSO; NDS                       |
| BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)               | 5                | PA NSO; NDS                       |
| <i>bexarotene oral capsule 75 mg</i> (Targretin)                   | 5                | PA NSO; NDS                       |
| <i>bexarotene topical gel 1 %</i> (Targretin)                      | 5                | PA NSO; NDS                       |
| <i>bicalutamide oral tablet 50 mg</i> (Casodex)                    | 2                |                                   |
| BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)           | 5                | PA NSO; NDS; QL (75 per 28 days)  |
| <i>bleomycin injection recon soln 15 unit, 30 unit</i>             | 2                |                                   |
| <i>bortezomib injection recon soln 1 mg, 2.5 mg</i>                | 4                | PA NSO                            |
| <i>bortezomib injection recon soln 3.5 mg</i> (Velcade)            | 5                | PA NSO; NDS                       |
| BORUZU INJECTION SOLUTION 2.5 MG/ML                                | 4                | PA NSO                            |
| BOSULIF ORAL CAPSULE 100 MG  | 5                | PA NSO; NDS; QL (180 per 30 days) |
| BOSULIF ORAL CAPSULE 50 MG   | 5                | PA NSO; NDS; QL (30 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|--|------------------|--------------------------------------|
| BOSULIF ORAL TABLET 100 MG   | 5                | PA NSO; NDS; QL (180 per 30 days)    |
| BOSULIF ORAL TABLET 400 MG, 500 MG   | 5                | PA NSO; NDS; QL (30 per 30 days)     |
| BRAFTOVI ORAL CAPSULE 75 MG  | 5                | PA NSO; NDS; QL (180 per 30 days)    |
| BRUKINSA ORAL CAPSULE 80 MG  | 5                | PA NSO; NDS; QL (120 per 30 days)    |
| BRUKINSA ORAL TABLET 160 MG  | 5                | PA NSO; NDS; QL (60 per 30 days)     |
| CABOMETYX ORAL TABLET 20 MG, 60 MG   | 5                | PA NSO; NDS; QL (30 per 30 days)     |
| CABOMETYX ORAL TABLET 40 MG  | 5                | PA NSO; NDS; QL (60 per 30 days)     |
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG                               | 5                | PA NSO; NDS; QL (60 per 30 days)     |
| CALQUENCE ORAL CAPSULE 100 MG  | 5                | PA NSO; NDS; QL (60 per 30 days)     |
| CAMCEVI (6 MONTH) SUBCUTANEOUS SYRINGE 42 MG                                   | 4                | PA NSO                               |
| CAPRELSA ORAL TABLET 100 MG (vandetanib)                                       | 5                | PA NSO; NDS; QL (60 per 30 days)     |
| CAPRELSA ORAL TABLET 300 MG (vandetanib)                                       | 5                | PA NSO; NDS; QL (30 per 30 days)     |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY) | 5                | PA NSO; NDS                          |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)                            | 5                | PA NSO; NDS; QL (112 per 28 days)    |
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG   | 5                | PA NSO; NDS; QL (56 per 28 days)     |
| COTELLIC ORAL TABLET 20 MG   | 5                | PA NSO; LA; NDS; QL (63 per 28 days) |
| <i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>          | 5                | PA BvD; NDS                          |
| <i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>              | 5                | PA BvD; NDS                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--|------------------|-----------------------------------|
| <i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovyx)         | 5                | PA BvD; NDS                       |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i>                          | 3                | PA BvD; ST                        |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i>                           | 3                | PA BvD; ST                        |
| DANYELZA INTRAVENOUS SOLUTION 4 MG/ML                                      | 5                | PA NSO; NDS; QL (120 per 28 days) |
| DANZITEN ORAL TABLET 71 MG, 95 MG  | 5                | PA NSO; NDS; QL (112 per 28 days) |
| <i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Sprycel) | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| <i>dasatinib oral tablet 20 mg</i> (Sprycel)                               | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| DATROWAY INTRAVENOUS RECON SOLN 100 MG                                     | 5                | PA NSO; NDS                       |
| DAURISMO ORAL TABLET 100 MG  | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| DAURISMO ORAL TABLET 25 MG   | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| <i>decitabine intravenous recon soln 50 mg</i>                             | 5                | NDS                               |
| <i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)  | 5                | PA BvD; NDS                       |
| ELAHERE INTRAVENOUS SOLUTION 5 MG/ML                                       | 5                | PA NSO; NDS                       |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG                             | 4                | PA NSO                            |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG                               | 4                | PA NSO                            |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG                               | 4                | PA NSO                            |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)                              | 4                | PA NSO                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits                  |
|---|-----------|--------------------------------------|
| ELREXFIO 44 MG/1.1 ML VIAL<br>INNER, SUV, P/F 40 MG/ML              | 5         | PA NSO; NDS                          |
| ELREXFIO SUBCUTANEOUS<br>SOLUTION 40 MG/ML                          | 5         | PA NSO; NDS; QL (9.5<br>per 28 days) |
| EMCYT ORAL CAPSULE 140 MG   | 5         | NDS                                  |
| EMRELIS INTRAVENOUS<br>RECON SOLN 100 MG, 20 MG                     | 5         | PA NSO; NDS                          |
| ENSACOVE ORAL CAPSULE 100<br>MG                                     | 5         | PA NSO; NDS; QL (60<br>per 30 days)  |
| ENSACOVE ORAL CAPSULE 25<br>MG                                      | 5         | PA NSO; NDS; QL (270<br>per 30 days) |
| EPKINLY SUBCUTANEOUS<br>SOLUTION 4 MG/0.8 ML, 48<br>MG/0.8 ML       | 5         | PA NSO; NDS                          |
| ERBITUX INTRAVENOUS<br>SOLUTION 100 MG/50 ML, 200<br>MG/100 ML      | 5         | PA NSO; NDS                          |
| ERIVEDGE ORAL CAPSULE 150<br>MG                                     | 5         | PA NSO; NDS; QL (28<br>per 28 days)  |
| ERLEADA ORAL TABLET 240<br>MG                                       | 5         | PA NSO; NDS; QL (30<br>per 30 days)  |
| ERLEADA ORAL TABLET 60 MG   | 5         | PA NSO; NDS; QL (90<br>per 30 days)  |
| <i>erlotinib oral tablet 100 mg, 25 mg</i>                          | 5         | PA NSO; NDS; QL (60<br>per 30 days)  |
| <i>erlotinib oral tablet 150 mg</i>                                 | 5         | PA NSO; NDS; QL (90<br>per 30 days)  |
| ETOPOPHOS INTRAVENOUS<br>RECON SOLN 100 MG                          | 4         |                                      |
| <i>etoposide intravenous solution 20<br/>mg/ml</i>                  | 2         |                                      |
| EULEXIN ORAL CAPSULE 125 (flutamide)<br>MG                          | 5         | NDS                                  |
| <i>everolimus (antineoplastic) oral<br/>tablet 10 mg</i> (Torpenz)  | 5         | PA NSO; NDS; QL (56<br>per 28 days)  |
| <i>everolimus (antineoplastic) oral<br/>tablet 2.5 mg</i> (Torpenz) | 5         | PA NSO; NDS; QL (28<br>per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---|------------------|-----------------------------------|
| <i>everolimus (antineoplastic) oral tablet 5 mg</i> (Torpenz)                                     | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| <i>everolimus (antineoplastic) oral tablet 7.5 mg</i> (Torpenz)                                   | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz) | 5                | PA NSO; NDS; QL (112 per 28 days) |
| <i>exemestane oral tablet 25 mg</i> (Aromasin)  | 2                |                                   |
| FAKZYNJA ORAL TABLET 200 MG   | 5                | PA NSO; NDS; QL (42 per 28 days)  |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG                                     | 5                | PA BvD; NDS                       |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG                                      | 3                | PA BvD                            |
| <i>floxuridine injection recon soln 0.5 gram</i>  | 2                | PA BvD                            |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>                | 2                | PA BvD                            |
| <i>flutamide oral capsule 125 mg</i> (Eulexin)  | 3                |                                   |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG   | 5                | PA NSO; NDS; QL (21 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 1 MG  | 5                | PA NSO; NDS; QL (84 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 5 MG  | 5                | PA NSO; NDS; QL (21 per 28 days)  |
| <i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)                                   | 5                | NDS                               |
| FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG   | 5                | PA NSO; NDS                       |
| GAVRETO ORAL CAPSULE 100 MG   | 5                | PA NSO; NDS; QL (120 per 30 days) |
| <i>gefitinib oral tablet 250 mg</i> (Iressa)  | 5                | PA NSO; NDS; QL (60 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|---|------------------|--------------------------------------|
| GILOTRIF ORAL TABLET 20 MG,<br>30 MG, 40 MG                           | 5                | PA NSO; NDS; QL (30<br>per 30 days)  |
| GOMEKLI ORAL CAPSULE 1 MG   | 5                | PA NSO; NDS; QL (224<br>per 28 days) |
| GOMEKLI ORAL CAPSULE 2 MG   | 5                | PA NSO; NDS; QL (112<br>per 28 days) |
| GOMEKLI ORAL TABLET FOR<br>SUSPENSION 1 MG                            | 5                | PA NSO; NDS; QL (224<br>per 28 days) |
| HERCEPTIN HYLECTA<br>SUBCUTANEOUS SOLUTION 600<br>MG-10,000 UNIT/5 ML | 5                | PA NSO; NDS; QL (5<br>per 21 days)   |
| HERNEXEOS ORAL TABLET 60<br>MG  | 5                | PA NSO; NDS; QL (90<br>per 30 days)  |
| <i>hydroxyurea oral capsule 500 mg</i> (Hydrea)                       | 2                |                                      |
| HYRNUO ORAL TABLET 10 MG  | 5                | PA NSO; NDS; QL (120<br>per 30 days) |
| IBRANCE ORAL CAPSULE 100<br>MG, 125 MG, 75 MG                         | 5                | PA NSO; NDS; QL (21<br>per 28 days)  |
| IBRANCE ORAL TABLET 100<br>MG, 125 MG, 75 MG                          | 5                | PA NSO; NDS; QL (21<br>per 28 days)  |
| IBTROZI ORAL CAPSULE 200<br>MG  | 5                | PA NSO; NDS; QL (90<br>per 30 days)  |
| ICLUSIG ORAL TABLET 10 MG,<br>15 MG, 30 MG, 45 MG                     | 5                | PA NSO; NDS; QL (30<br>per 30 days)  |
| IDHIFA ORAL TABLET 100 MG,<br>50 MG                                   | 5                | PA NSO; NDS; QL (30<br>per 30 days)  |
| <i>ifosfamide intravenous recon soln 1<br/>gram</i> (Ifex)            | 2                |                                      |
| <i>ifosfamide intravenous solution 1<br/>gram/20 ml, 3 gram/60 ml</i> | 2                |                                      |
| <i>imatinib oral tablet 100 mg</i> (Gleevec)                          | 2                | PA NSO; QL (180 per 30<br>days)      |
| <i>imatinib oral tablet 400 mg</i> (Gleevec)                          | 2                | PA NSO; QL (60 per 30<br>days)       |
| IMBRUVICA ORAL CAPSULE 140<br>MG                                      | 5                | PA NSO; NDS; QL (120<br>per 30 days) |
| IMBRUVICA ORAL CAPSULE 70<br>MG                                       | 5                | PA NSO; NDS; QL (28<br>per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|---|------------------|--------------------------------------|
| IMBRUVICA ORAL SUSPENSION<br>70 MG/ML                   | 5                | PA NSO; NDS; QL (216<br>per 30 days) |
| IMBRUVICA ORAL TABLET 140<br>MG, 280 MG, 420 MG, 560 MG | 5                | PA NSO; NDS; QL (28<br>per 28 days)  |
| IMDELLTRA INTRAVENOUS<br>RECON SOLN 1 MG, 10 MG         | 5                | PA NSO; NDS                          |
| IMJUDO INTRAVENOUS<br>SOLUTION 20 MG/ML                 | 5                | PA NSO; NDS                          |
| IMKELDI ORAL SOLUTION 80<br>MG/ML                       | 5                | PA NSO; NDS; QL (280<br>per 28 days) |
| INLEXZO INTRAVESICAL<br>IMPLANT 225 MG                  | 5                | PA BvD; NDS                          |
| INLURIYO ORAL TABLET 200<br>MG                          | 5                | PA NSO; NDS; QL (60<br>per 30 days)  |
| INLYTA ORAL TABLET 1 MG                                 | 5                | PA NSO; NDS; QL (180<br>per 30 days) |
| INLYTA ORAL TABLET 5 MG                                 | 5                | PA NSO; NDS; QL (120<br>per 30 days) |
| INQOVI ORAL TABLET 35-100<br>MG                         | 5                | PA NSO; NDS; QL (5<br>per 28 days)   |
| INREBIC ORAL CAPSULE 100<br>MG                          | 5                | PA NSO; NDS; QL (120<br>per 30 days) |
| ITOVEBI ORAL TABLET 3 MG                                | 5                | PA NSO; NDS; QL (60<br>per 30 days)  |
| ITOVEBI ORAL TABLET 9 MG                                | 5                | PA NSO; NDS; QL (30<br>per 30 days)  |
| IWILFIN ORAL TABLET 192 MG                              | 5                | PA NSO; NDS; QL (240<br>per 30 days) |
| JAKAFI ORAL TABLET 10 MG, 15<br>MG, 20 MG, 25 MG, 5 MG  | 5                | PA NSO; NDS; QL (60<br>per 30 days)  |
| JAYPIRCA ORAL TABLET 100<br>MG                          | 5                | PA NSO; NDS; QL (60<br>per 30 days)  |
| JAYPIRCA ORAL TABLET 50 MG                              | 5                | PA NSO; NDS; QL (90<br>per 30 days)  |
| JEMPERLI INTRAVENOUS<br>SOLUTION 50 MG/ML               | 5                | PA NSO; NDS                          |
| JYLAMVO ORAL SOLUTION 2<br>MG/ML                        | 4                | PA BvD; ST                           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--|------------------|-----------------------------------|
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML   | 5                | PA NSO; NDS                       |
| KEYTRUDA QLEX SUBCUTANEOUS SOLUTION 395 MG-4,800 UNIT/2.4 ML, 790 MG-9,600 UNIT/4.8 ML | 5                | PA NSO; NDS                       |
| KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML   | 5                | PA NSO; NDS; QL (2 per 28 days)   |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG                       | 5                | PA NSO; NDS; QL (49 per 28 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG                       | 5                | PA NSO; NDS; QL (70 per 28 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG                       | 5                | PA NSO; NDS; QL (91 per 28 days)  |
| KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)  | 5                | PA NSO; NDS; QL (21 per 28 days)  |
| KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)  | 5                | PA NSO; NDS; QL (42 per 28 days)  |
| KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)  | 5                | PA NSO; NDS; QL (63 per 28 days)  |
| KOMZIFTI ORAL CAPSULE 200 MG   | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| KOSELUGO ORAL CAPSULE 10 MG  | 5                | PA NSO; NDS; QL (300 per 30 days) |
| KOSELUGO ORAL CAPSULE 25 MG  | 5                | PA NSO; NDS; QL (120 per 30 days) |
| KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG   | 5                | PA NSO; NDS; QL (600 per 30 days) |
| KOSELUGO ORAL CAPSULE, SPRINKLE 7.5 MG   | 5                | PA NSO; NDS; QL (390 per 30 days) |
| KRAZATI ORAL TABLET 200 MG   | 5                | PA NSO; NDS; QL (180 per 30 days) |
| <i>lapatinib oral tablet 250 mg</i> (Tykerb)   | 5                | PA NSO; NDS                       |
| LAZCLUZE ORAL TABLET 240 MG  | 5                | PA NSO; NDS; QL (30 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---|------------------|-----------------------------------|
| LAZCLUZE ORAL TABLET 80 MG  | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| <i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)  | 5                | PA NSO; NDS; QL (28 per 28 days)  |
| LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2) | 5                | PA NSO; NDS                       |
| <i>letrozole oral tablet 2.5 mg</i> (Femara)  | 2                |                                   |
| LEUKERAN ORAL TABLET 2 MG   | 5                | NDS                               |
| <i>leuprolide acetate (3 month) intramuscular suspension for reconstitution 22.5 mg</i> (Lutrate Depot (3 month))   | 4                | PA NSO                            |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>  | 3                | PA NSO                            |
| <i>lomustine oral capsule 10 mg</i> (Gleostine)   | 3                |                                   |
| <i>lomustine oral capsule 100 mg, 40 mg</i> (Gleostine)   | 5                | NDS                               |
| LONSURF ORAL TABLET 15-6.14 MG  | 5                | PA NSO; NDS; QL (100 per 28 days) |
| LONSURF ORAL TABLET 20-8.19 MG  | 5                | PA NSO; NDS; QL (80 per 28 days)  |
| LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)  | 5                | PA NSO; NDS                       |
| LORBRENA ORAL TABLET 100 MG   | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| LORBRENA ORAL TABLET 25 MG  | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| LUMAKRAS ORAL TABLET 120 MG   | 5                | PA NSO; NDS; QL (240 per 30 days) |
| LUMAKRAS ORAL TABLET 240 MG   | 5                | PA NSO; NDS; QL (120 per 30 days) |
| LUMAKRAS ORAL TABLET 320 MG   | 5                | PA NSO; NDS; QL (90 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--|------------------|-----------------------------------|
| LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML  | 5                | PA NSO; NDS                       |
| LUNSUMIO VELO SUBCUTANEOUS SOLUTION 45 MG/ML, 5 MG/0.5 ML  | 5                | PA NSO; NDS                       |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG   | 5                | PA NSO; NDS                       |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG   | 5                | PA NSO; NDS                       |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG   | 5                | PA NSO; NDS                       |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG  | 5                | PA NSO; NDS                       |
| LUTRATE DEPOT (3 MONTH) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG (leuprolide acetate (3 month)) | 4                | PA NSO                            |
| LYNOZYFIC INTRAVENOUS SOLUTION 2 MG/ML   | 5                | PA NSO; NDS; QL (15 per 8 days)   |
| LYNOZYFIC INTRAVENOUS SOLUTION 20 MG/ML  | 5                | PA NSO; NDS; QL (40 per 28 days)  |
| LYNPARZA ORAL TABLET 100 MG, 150 MG  | 5                | PA NSO; NDS; QL (120 per 30 days) |
| LYSODREN ORAL TABLET 500 MG  | 5                | NDS                               |
| LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)                       | 5                | PA NSO; NDS; QL (140 per 28 days) |
| MARGENZA INTRAVENOUS SOLUTION 25 MG/ML   | 5                | PA NSO; NDS                       |
| MATULANE ORAL CAPSULE 50 MG  | 5                | NDS                               |
| <i>megestrol oral tablet 20 mg, 40 mg</i>  | 2                | PA NSO-HRM; AGE (Max 64 Years)    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|---|------------------|---------------------------------------|
| MEKINIST ORAL RECON SOLN<br>0.05 MG/ML                          | 5                | PA NSO; NDS; QL<br>(1260 per 30 days) |
| MEKINIST ORAL TABLET 0.5<br>MG                                  | 5                | PA NSO; NDS; QL (90<br>per 30 days)   |
| MEKINIST ORAL TABLET 2 MG                                       | 5                | PA NSO; NDS; QL (30<br>per 30 days)   |
| MEKTOVI ORAL TABLET 15 MG                                       | 5                | PA NSO; NDS; QL (180<br>per 30 days)  |
| <i>mercaptopurine oral suspension 20<br/>mg/ml</i> (Purixan)    | 5                | NDS                                   |
| <i>mercaptopurine oral tablet 50 mg</i>                         | 2                |                                       |
| <i>methotrexate sodium (pf) injection<br/>recon soln 1 gram</i> | 2                |                                       |
| <i>methotrexate sodium (pf) injection<br/>solution 25 mg/ml</i> | 2                |                                       |
| <i>methotrexate sodium injection<br/>solution 25 mg/ml</i>      | 2                |                                       |
| <i>methotrexate sodium oral tablet 2.5<br/>mg</i>               | 2                | PA BvD; ST                            |
| <i>mitoxantrone intravenous<br/>concentrate 2 mg/ml</i>         | 2                |                                       |
| MODEYSO ORAL CAPSULE 125<br>MG                                  | 5                | PA NSO; NDS; QL (20<br>per 28 days)   |
| NERLYNX ORAL TABLET 40 MG                                       | 5                | PA NSO; NDS; QL (180<br>per 30 days)  |
| <i>nilutamide oral tablet 150 mg</i>                            | 5                | NDS                                   |
| NINLARO ORAL CAPSULE 2.3<br>MG, 3 MG, 4 MG                      | 5                | PA NSO; NDS; QL (3<br>per 28 days)    |
| NUBEQA ORAL TABLET 300 MG                                       | 5                | PA NSO; NDS; QL (120<br>per 30 days)  |
| ODOMZO ORAL CAPSULE 200<br>MG                                   | 5                | PA NSO; LA; NDS                       |
| OGIVRI INTRAVENOUS RECON<br>SOLN 150 MG, 420 MG                 | 5                | PA NSO; NDS                           |
| OGSIVEO ORAL TABLET 100<br>MG, 150 MG                           | 5                | PA NSO; NDS; QL (60<br>per 30 days)   |
| OGSIVEO ORAL TABLET 50 MG                                       | 5                | PA NSO; NDS; QL (180<br>per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---|------------------|-----------------------------------|
| OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML  | 5                | PA NSO; NDS; QL (96 per 28 days)  |
| OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6) | 5                | PA NSO; NDS; QL (24 per 28 days)  |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG  | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| ONUREG ORAL TABLET 200 MG, 300 MG   | 5                | PA NSO; NDS; QL (14 per 28 days)  |
| OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML                | 5                | PA NSO; NDS                       |
| OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 300 MG-5,000 UNIT/2.5 ML, 600 MG-10,000 UNIT/5 ML          | 5                | PA NSO; NDS                       |
| OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML   | 5                | PA NSO; NDS                       |
| ORSERDU ORAL TABLET 345 MG  | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| ORSERDU ORAL TABLET 86 MG   | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| <i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)     | 5                | PA BvD; NDS                       |
| <i>pazopanib oral tablet 200 mg</i> (Votrient)  | 5                | PA NSO; NDS; QL (120 per 30 days) |
| <i>pazopanib oral tablet 400 mg</i>   | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG  | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| <i>pemetrexed disodium intravenous recon soln 1,000 mg, 750 mg</i>                              | 5                | NDS                               |
| <i>pemetrexed disodium intravenous recon soln 100 mg, 500 mg</i> (Alimta)                       | 5                | NDS                               |
| <i>pemetrexed disodium intravenous solution 25 mg/ml</i>  | 5                | NDS                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---|------------------|-----------------------------------|
| PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML   | 5                | NDS                               |
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)  | 5                | PA NSO; NDS; QL (28 per 28 days)  |
| PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)                   | 5                | PA NSO; NDS; QL (56 per 28 days)  |
| <i>pomalidomide oral capsule 1 mg, 2 mg, 3 mg, 4 mg</i> (Pomalyst)                            | 5                | PA NSO; NDS; QL (21 per 28 days)  |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG (pomalidomide)                                   | 5                | PA NSO; NDS; QL (21 per 28 days)  |
| QINLOCK ORAL TABLET 50 MG   | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| RETEVMO ORAL CAPSULE 40 MG  | 5                | PA NSO; NDS; QL (180 per 30 days) |
| RETEVMO ORAL CAPSULE 80 MG  | 5                | PA NSO; NDS; QL (120 per 30 days) |
| RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG   | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| RETEVMO ORAL TABLET 40 MG   | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| REVUFORJ ORAL TABLET 110 MG   | 5                | PA NSO; NDS; QL (120 per 30 days) |
| REVUFORJ ORAL TABLET 160 MG   | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| REVUFORJ ORAL TABLET 25 MG  | 5                | PA NSO; NDS; QL (240 per 30 days) |
| REZLIDHIA ORAL CAPSULE 150 MG   | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML) | 5                | PA NSO; NDS                       |
| ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG   | 5                | PA NSO; NDS; QL (8 per 28 days)   |
| ROZLYTREK ORAL CAPSULE 100 MG   | 5                | PA NSO; NDS; QL (180 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--|------------------|-----------------------------------|
| ROZLYTREK ORAL CAPSULE<br>200 MG   | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| ROZLYTREK ORAL PELLETS IN<br>PACKET 50 MG  | 5                | PA NSO; NDS; QL (360 per 30 days) |
| RUBRACA ORAL TABLET 200<br>MG, 250 MG, 300 MG  | 5                | PA NSO; NDS; QL (120 per 30 days) |
| RYBREVANT FASPRO<br>SUBCUTANEOUS SOLUTION<br>1,600 MG-20,000 UNIT/10 ML,<br>2,240 MG-28,000 UNIT/14 ML,<br>2,400 MG-30,000 UNIT/15 ML,<br>3,520 MG-44,000 UNIT/22 ML | 5                | PA NSO; NDS                       |
| RYBREVANT INTRAVENOUS<br>SOLUTION 50 MG/ML   | 5                | PA NSO; NDS                       |
| RYDAPT ORAL CAPSULE 25 MG  | 5                | PA NSO; NDS; QL (224 per 28 days) |
| RYTELO INTRAVENOUS RECON<br>SOLN 188 MG, 47 MG   | 5                | PA NSO; NDS                       |
| SCEMBLIX ORAL TABLET 100<br>MG   | 5                | PA NSO; NDS; QL (120 per 30 days) |
| SCEMBLIX ORAL TABLET 20<br>MG  | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| SCEMBLIX ORAL TABLET 40<br>MG  | 5                | PA NSO; NDS; QL (300 per 30 days) |
| SOLTAMOX ORAL SOLUTION 20<br>MG/10 ML  | 5                | NDS                               |
| <i>sorafenib oral tablet 200 mg</i> (Nexavar)  | 5                | PA NSO; NDS; QL (120 per 30 days) |
| STIVARGA ORAL TABLET 40<br>MG  | 5                | PA NSO; NDS; QL (84 per 28 days)  |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)   | 5                | PA NSO; NDS; QL (28 per 28 days)  |
| SYNRIBO SUBCUTANEOUS<br>RECON SOLN 3.5 MG  | 5                | PA NSO; NDS                       |
| TABLOID ORAL TABLET 40 MG (thioguanine)  | 5                | NDS                               |
| TABRECTA ORAL TABLET 150<br>MG, 200 MG   | 5                | PA NSO; NDS; QL (112 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|---|------------------|--------------------------------------|
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG  | 5                | PA NSO; NDS; QL (120 per 30 days)    |
| TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG                                     | 5                | PA NSO; NDS; QL (900 per 30 days)    |
| TAGRISSE ORAL TABLET 40 MG, 80 MG   | 5                | PA NSO; LA; NDS; QL (30 per 30 days) |
| TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML                                | 5                | PA NSO; NDS                          |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG         | 5                | PA NSO; NDS; QL (30 per 30 days)     |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i>                                     | 2                |                                      |
| TASIGNA ORAL CAPSULE 150 MG, 200 MG (nilotinib hcl)                           | 5                | PA NSO; NDS; QL (112 per 28 days)    |
| TASIGNA ORAL CAPSULE 50 MG (nilotinib hcl)                                    | 5                | PA NSO; NDS; QL (120 per 30 days)    |
| TAZVERIK ORAL TABLET 200 MG   | 5                | PA NSO; NDS; QL (240 per 30 days)    |
| TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML                             | 5                | PA NSO; NDS                          |
| TEPMETKO ORAL TABLET 225 MG   | 5                | PA NSO; NDS; QL (60 per 30 days)     |
| TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML  | 5                | PA NSO; NDS                          |
| TIBSOVO ORAL TABLET 250 MG  | 5                | PA NSO; NDS; QL (60 per 30 days)     |
| TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG                     | 4                |                                      |
| TIVDAK INTRAVENOUS RECON SOLN 40 MG   | 5                | PA NSO; NDS; QL (5 per 21 days)      |
| <i>toposar intravenous solution 20 mg/ml</i> (etoposide)                      | 2                |                                      |
| <i>toremifene oral tablet 60 mg</i> (Fareston)                                | 5                | NDS                                  |
| <i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))                | 5                | PA NSO; NDS; QL (60 per 30 days)     |
| <i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic)) | 5                | PA NSO; NDS; QL (30 per 30 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|---|------------------|---------------------------------------|
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG | 4                | PA NSO                                |
| <i>tretinoin (antineoplastic) oral capsule 10 mg</i>                            | 5                | NDS                                   |
| TRUQAP ORAL TABLET 160 MG, 200 MG   | 5                | PA NSO; NDS; QL (64 per 28 days)      |
| TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML   | 5                | PA NSO; NDS                           |
| TUKYSA ORAL TABLET 150 MG   | 5                | PA NSO; NDS; QL (120 per 30 days)     |
| TUKYSA ORAL TABLET 50 MG  | 5                | PA NSO; NDS; QL (300 per 30 days)     |
| TURALIO ORAL CAPSULE 125 MG, 200 MG   | 5                | PA NSO; NDS; QL (120 per 30 days)     |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG   | 5                | PA NSO; NDS                           |
| VENCLEXTA ORAL TABLET 10 MG   | 3                | PA NSO; LA; QL (60 per 30 days)       |
| VENCLEXTA ORAL TABLET 100 MG  | 5                | PA NSO; LA; NDS; QL (180 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG   | 5                | PA NSO; LA; NDS; QL (30 per 30 days)  |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG              | 5                | PA NSO; LA; NDS                       |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG                              | 5                | PA NSO; NDS; QL (56 per 28 days)      |
| <i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>                    | 3                |                                       |
| VITRAKVI ORAL CAPSULE 100 MG  | 5                | PA NSO; NDS; QL (60 per 30 days)      |
| VITRAKVI ORAL CAPSULE 25 MG   | 5                | PA NSO; NDS; QL (180 per 30 days)     |
| VITRAKVI ORAL SOLUTION 20 MG/ML   | 5                | PA NSO; NDS; QL (300 per 30 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---|------------------|-----------------------------------|
| VIVIMUSTA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)  | 5                | PA NSO; NDS                       |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG  | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| VONJO ORAL CAPSULE 100 MG   | 5                | PA NSO; NDS; QL (120 per 30 days) |
| VORANIGO ORAL TABLET 10 MG, 40 MG   | 5                | PA NSO; NDS                       |
| VYLOY INTRAVENOUS RECON SOLN 100 MG, 300 MG   | 5                | PA NSO; NDS                       |
| WELIREG ORAL TABLET 40 MG   | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| XALKORI ORAL CAPSULE 200 MG, 250 MG   | 5                | PA NSO; NDS; QL (120 per 30 days) |
| XALKORI ORAL PELLETT 150 MG   | 5                | PA NSO; NDS; QL (180 per 30 days) |
| XALKORI ORAL PELLETT 20 MG  | 5                | PA NSO; NDS; QL (240 per 30 days) |
| XALKORI ORAL PELLETT 50 MG  | 5                | PA NSO; NDS; QL (120 per 30 days) |
| XATMEP ORAL SOLUTION 2.5 MG/ML  | 4                | PA BvD; ST                        |
| XOSPATA ORAL TABLET 40 MG   | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2), 80 MG/WEEK (80 MG X 1) | 5                | PA NSO; NDS; QL (8 per 28 days)   |
| XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)   | 5                | PA NSO; NDS; QL (16 per 28 days)  |
| XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)   | 5                | PA NSO; NDS; QL (4 per 28 days)   |
| XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)  | 5                | PA NSO; NDS; QL (24 per 28 days)  |
| XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)  | 5                | PA NSO; NDS; QL (32 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---|------------------|-----------------------------------|
| XTANDI ORAL CAPSULE 40 MG   | 5                | PA NSO; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG  | 5                | PA NSO; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG  | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) | 5                | PA NSO; NDS                       |
| YONSA ORAL TABLET 125 MG (abiraterone, submicronized)                     | 5                | PA NSO; NDS; QL (120 per 30 days) |
| ZEJULA ORAL CAPSULE 100 MG  | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG                                 | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| ZELBORAF ORAL TABLET 240 MG   | 5                | PA NSO; NDS; QL (240 per 30 days) |
| ZIIHERA INTRAVENOUS RECON SOLN 300 MG                                     | 5                | PA NSO; NDS                       |
| ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML                                     | 5                | PA NSO; NDS                       |
| ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG                              | 4                | PA NSO                            |
| ZOLINZA ORAL CAPSULE 100 MG   | 5                | NDS                               |
| ZYDELIG ORAL TABLET 100 MG, 150 MG  | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| ZYKADIA ORAL TABLET 150 MG  | 5                | PA NSO; NDS; QL (84 per 28 days)  |
| ZYNLONTA INTRAVENOUS RECON SOLN 10 MG                                     | 5                | PA NSO; NDS                       |
| ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML                                   | 5                | PA NSO; NDS; QL (20 per 28 days)  |
| <b>Anticonvulsants</b>  |                  |                                   |
| <b>Anticonvulsants</b>  |                  |                                   |
| BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML (brivaracetam)                   | 5                | NDS; QL (80 per 30 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--|------------------|-----------------------------------|
| BRIVIACT ORAL SOLUTION 10 MG/ML (brivaracetam)   | 5                | NDS; QL (600 per 30 days)         |
| BRIVIACT ORAL TABLET 10 MG, 100 MG, 25 MG, 50 MG, 75 MG (brivaracetam)                       | 5                | NDS; QL (60 per 30 days)          |
| <i>carbamazepine 100 mg/5 ml cup outer 100 mg/5 ml (5 ml)</i>                                | 2                |                                   |
| <i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)    | 2                |                                   |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)                                  | 2                |                                   |
| <i>carbamazepine oral tablet 200 mg</i> (Tegretol)   | 2                |                                   |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR) | 2                |                                   |
| <i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i>                                    | 2                |                                   |
| <i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)   | 3                | QL (480 per 30 days)              |
| <i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)  | 3                | QL (60 per 30 days)               |
| DIACOMIT ORAL CAPSULE 250 MG   | 5                | PA NSO; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL CAPSULE 500 MG   | 5                | PA NSO; NDS; QL (180 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 250 MG  | 5                | PA NSO; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 500 MG  | 5                | PA NSO; NDS; QL (180 per 30 days) |
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i>                                   | 3                |                                   |
| <i>diazepam rectal kit 2.5 mg</i>  | 4                |                                   |
| DILANTIN ORAL CAPSULE 30 MG  | 4                |                                   |
| <i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)             | 2                |                                   |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)            | 2                |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|--|------------------|------------------------------|
| <i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote) | 2                |                              |
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG                                   | 5                | ST; NDS; QL (90 per 30 days) |
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,500 MG                                   | 5                | ST; NDS; QL (60 per 30 days) |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML  | 5                | PA NSO; NDS                  |
| <i>epitol oral tablet 200 mg</i> (carbamazepine)   | 2                |                              |
| <i>eslicarbazepine oral tablet 200 mg, 400 mg</i> (Aptiom)                               | 5                | ST; NDS; QL (30 per 30 days) |
| <i>eslicarbazepine oral tablet 600 mg, 800 mg</i> (Aptiom)                               | 5                | ST; NDS; QL (60 per 30 days) |
| <i>ethosuximide oral capsule 250 mg</i> (Zarontin)                                       | 2                |                              |
| <i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)                                 | 2                |                              |
| <i>felbamate oral suspension 600 mg/5 ml</i>   | 3                |                              |
| <i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)                                   | 3                |                              |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML   | 5                | PA NSO; NDS                  |
| <i>fosphephenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)      | 2                |                              |
| <i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)                                | 2                | QL (360 per 30 days)         |
| <i>gabapentin oral capsule 400 mg</i> (Neurontin)  | 2                | QL (270 per 30 days)         |
| <i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)                                  | 2                | QL (2160 per 30 days)        |
| <i>gabapentin oral tablet 600 mg</i> (Neurontin)   | 2                | QL (180 per 30 days)         |
| <i>gabapentin oral tablet 800 mg</i> (Neurontin)   | 2                | QL (120 per 30 days)         |
| <i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)                             | 2                | QL (200 per 5 days)          |
| <i>lacosamide oral solution 10 mg/ml</i> (Vimpat)  | 3                | QL (1200 per 30 days)        |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)                     | 3                | QL (60 per 30 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|--|------------------|--------------------------------|
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)                   | 1                |                                |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)                | 2                |                                |
| <i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT) | 3                |                                |
| <i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)                             | 2                |                                |
| <i>levetiracetam oral solution 100 mg/ml</i> (Keppra)                                      | 2                |                                |
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)                 | 2                |                                |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)         | 2                |                                |
| <i>levetiracetam oral tablet for suspension 250 mg</i> (Spritam)                           | 3                | ST                             |
| <i>levetiracetam oral tablet for suspension 500 mg</i> (Spritam)                           | 4                | ST                             |
| LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG                                  | 4                | QL (10 per 30 days)            |
| <i>methsuximide oral capsule 300 mg</i> (Celontin)   | 3                |                                |
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)                                      | 4                | QL (10 per 30 days)            |
| <i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)                    | 3                |                                |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)                        | 2                |                                |
| <i>perampanel oral suspension 0.5 mg/ml</i> (Fycompa)                                      | 5                | ST; NDS; QL (720 per 30 days)  |
| <i>perampanel oral tablet 10 mg, 12 mg, 8 mg</i> (Fycompa)                                 | 5                | ST; NDS; QL (30 per 30 days)   |
| <i>perampanel oral tablet 2 mg</i> (Fycompa)   | 3                | ST; QL (30 per 30 days)        |
| <i>perampanel oral tablet 4 mg, 6 mg</i> (Fycompa)   | 5                | ST; NDS; QL (60 per 30 days)   |
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>                                      | 2                | PA NSO-HRM; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|--|------------------|--------------------------------|
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 2                | PA NSO-HRM; AGE (Max 64 Years) |
| <i>phenytek oral capsule 200 mg, 300 mg</i> (phenytoin sodium extended)                          | 2                |                                |
| <i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)                                      | 2                |                                |
| <i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)                                 | 2                |                                |
| <i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)                         | 2                |                                |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)                          | 2                |                                |
| <i>phenytoin sodium intravenous solution 50 mg/ml</i>  | 2                |                                |
| <i>phenytoin sodium intravenous syringe 50 mg/ml</i>   | 2                |                                |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)              | 2                | QL (90 per 30 days)            |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)   | 2                | QL (60 per 30 days)            |
| <i>pregabalin oral solution 20 mg/ml</i> (Lyrica)  | 3                | QL (900 per 30 days)           |
| <i>primidone oral tablet 125 mg</i>  | 2                |                                |
| <i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)  | 2                |                                |
| <i>rufinamide oral suspension 40 mg/ml</i> (Banzel)  | 5                | ST; NDS                        |
| <i>rufinamide oral tablet 200 mg</i> (Banzel)  | 3                | ST                             |
| <i>rufinamide oral tablet 400 mg</i> (Banzel)  | 5                | ST; NDS                        |
| SEZABY INTRAVENOUS RECON SOLN 100 MG   | 5                | PA BvD; NDS                    |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 750 MG  | 4                | ST                             |
| SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG (levetiracetam)                                | 4                | ST                             |
| SUBVENITE ORAL SUSPENSION 10 MG/ML   | 4                | PA NSO                         |
| <i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)                         | 1                |                                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name  | Drug Tier | Requirements/Limits               |
|--|-----------|-----------------------------------|
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG  | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| <i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>  | 3         |                                   |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)  | 2         |                                   |
| <i>topiramate oral capsule, sprinkle 50 mg</i>   | 3         |                                   |
| <i>topiramate oral solution 25 mg/ml</i> (Eprontia)  | 3         | ST                                |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)   | 1         |                                   |
| <i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>   | 2         |                                   |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>  | 2         |                                   |
| <i>valproic acid oral capsule 250 mg</i>   | 2         |                                   |
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) | 5         | NDS; QL (10 per 30 days)          |
| <i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)   | 5         | PA NSO; NDS; QL (180 per 30 days) |
| <i>vigabatrin oral tablet 500 mg</i> (Vigadrone)   | 5         | PA NSO; NDS; QL (180 per 30 days) |
| <i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)   | 5         | PA NSO; NDS; QL (180 per 30 days) |
| <i>vigadrone oral tablet 500 mg</i> (vigabatrin)   | 5         | PA NSO; NDS; QL (180 per 30 days) |
| <i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)  | 5         | PA NSO; NDS; QL (180 per 30 days) |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)                                       | 5         | NDS; QL (56 per 28 days)          |
| XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG  | 5         | NDS; QL (30 per 30 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|--|------------------|------------------------------------|
| XCOPRI ORAL TABLET 150 MG, 200 MG  | 5                | NDS; QL (60 per 30 days)           |
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14)                          | 4                |                                    |
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14) | 5                | NDS                                |
| ZONISADE ORAL SUSPENSION 100 MG/5 ML   | 4                |                                    |
| <i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)  | 2                |                                    |
| <i>zonisamide oral capsule 50 mg</i>   | 2                |                                    |
| ZTALMY ORAL SUSPENSION 50 MG/ML  | 5                | PA NSO; NDS; QL (1080 per 30 days) |
| <b>Antidementia Agents</b>   |                  |                                    |
| <b>Antidementia Agents</b>   |                  |                                    |
| <i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)   | 1                | QL (30 per 30 days)                |
| <i>donepezil oral tablet 23 mg</i> (Aricept)   | 2                | QL (30 per 30 days)                |
| <i>donepezil oral tablet,disintegrating 10 mg</i>  | 2                |                                    |
| <i>donepezil oral tablet,disintegrating 5 mg</i>   | 2                | QL (30 per 30 days)                |
| <i>ergoloid oral tablet 1 mg</i>   | 2                |                                    |
| <i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>                      | 2                | QL (30 per 30 days)                |
| <i>galantamine oral solution 4 mg/ml</i>   | 3                | QL (200 per 30 days)               |
| <i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>   | 2                | QL (60 per 30 days)                |
| <i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg</i>                             | 2                | ST; QL (30 per 30 days)            |
| <i>memantine oral capsule,sprinkle,er 24hr 7 mg</i> (Namenda XR)                               | 2                | ST; QL (30 per 30 days)            |
| <i>memantine oral solution 2 mg/ml</i>   | 3                | QL (300 per 30 days)               |
| <i>memantine oral tablet 10 mg, 5 mg</i>   | 2                | QL (60 per 30 days)                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name  | Drug Tier | Requirements/Limits     |
|--|-----------|-------------------------|
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>   | 2         |                         |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch) | 3         | QL (30 per 30 days)     |
| <b>Antidepressants</b>   |           |                         |
| <b>Antidepressants</b>   |           |                         |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                                  | 2         |                         |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>  | 2         |                         |
| AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG  | 5         | ST; NDS                 |
| <i>bupropion hcl oral tablet 100 mg, 75 mg</i>   | 2         |                         |
| <i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)                       | 2         |                         |
| <i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)              | 2         |                         |
| <i>citalopram oral solution 10 mg/5 ml</i>   | 2         |                         |
| <i>citalopram oral tablet 10 mg</i> (Celexa)   | 1         | QL (120 per 30 days)    |
| <i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)  | 1         | QL (30 per 30 days)     |
| <i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)   | 4         |                         |
| <i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)  | 4         |                         |
| <i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i>  | 4         |                         |
| <i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)            | 2         | QL (30 per 30 days)     |
| <i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                                       | 2         |                         |
| <i>doxepin oral concentrate 10 mg/ml</i>   | 2         |                         |
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG                                     | 4         | ST; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---|------------------|----------------------------------|
| DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG                          | 4                | ST; QL (30 per 30 days)          |
| <i>duloxetine oral capsule, delayed release(dr/ec) 20 mg, 30 mg, 60 mg</i>          | 2                | QL (60 per 30 days)              |
| EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR                 | 5                | ST; NDS; QL (30 per 30 days)     |
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i>                                 | 3                |                                  |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)                | 1                |                                  |
| EXXUA ORAL TABLET EXTENDED RELEASE 24 HR 18.2 MG, 36.3 MG, 54.5 MG, 72.6 MG         | 5                | PA NSO; NDS; QL (30 per 30 days) |
| EXXUA ORAL TABLET, EXT REL 24HR DOSE PACK 18.2 MG (32 TABS)                         | 5                | PA NSO; NDS                      |
| FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)                   | 4                | ST                               |
| FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG             | 4                | ST; QL (30 per 30 days)          |
| <i>fluoxetine oral capsule 10 mg, 20 mg</i> (Prozac)                                | 1                |                                  |
| <i>fluoxetine oral capsule 40 mg</i>  | 1                |                                  |
| <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>                                | 2                |                                  |
| <i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>                                 | 2                |                                  |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                               | 2                |                                  |
| MARPLAN ORAL TABLET 10 MG   | 4                |                                  |
| <i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)                               | 2                |                                  |
| <i>mirtazapine oral tablet 45 mg, 7.5 mg</i>  | 2                |                                  |
| <i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab) | 2                |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|---|------------------|------------------------------------|
| <i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>                         | 2                |                                    |
| <i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)                      | 1                |                                    |
| <i>nortriptyline oral solution 10 mg/5 ml</i>   | 4                |                                    |
| <i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)                                    | 4                | PA NSO-HRM; AGE (Max 64 Years)     |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)                        | 1                | PA NSO-HRM; AGE (Max 64 Years)     |
| <i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR) | 4                | PA NSO-HRM; AGE (Max 64 Years)     |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>   | 2                |                                    |
| <i>phenelzine oral tablet 15 mg</i> (Nardil)  | 2                |                                    |
| <i>protriptyline oral tablet 10 mg, 5 mg</i>  | 4                |                                    |
| RALDESY ORAL SOLUTION 10 MG/ML  | 5                | PA NSO; NDS; QL (1200 per 30 days) |
| <i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)  | 2                |                                    |
| <i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)                                 | 1                |                                    |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)               | 5                | PA NSO; NDS                        |
| <i>tranlycypromine oral tablet 10 mg</i> (Parnate)  | 4                |                                    |
| <i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>                                  | 1                |                                    |
| <i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>                                       | 4                |                                    |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG   | 3                | QL (30 per 30 days)                |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)                  | 2                | QL (30 per 30 days)                |
| <i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)          | 2                | QL (90 per 30 days)                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|---|------------------|----------------------------------|
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>                 | 2                |                                  |
| <i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)                         | 2                | QL (30 per 30 days)              |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG  | 5                | PA NSO; NDS; QL (28 per 14 days) |
| ZURZUVAE ORAL CAPSULE 30 MG   | 5                | PA NSO; NDS; QL (14 per 14 days) |
| <b>Antidiabetic Agents</b>  |                  |                                  |
| <b>Antidiabetic Agents, Miscellaneous</b>   |                  |                                  |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)                          | 2                |                                  |
| <i>dapagliflozin propanediol oral tablet 10 mg, 5 mg</i> (Farxiga)                  | 3                | QL (30 per 30 days)              |
| FARXIGA ORAL TABLET 10 MG, 5 MG (dapagliflozin propanediol)                         | 3                | QL (30 per 30 days)              |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG   | 3                | QL (30 per 30 days)              |
| JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG  | 3                | QL (60 per 30 days)              |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG                            | 3                | QL (30 per 30 days)              |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG                  | 3                | QL (60 per 30 days)              |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG  | 3                | QL (30 per 30 days)              |
| JARDIANCE ORAL TABLET 10 MG, 25 MG  | 3                | QL (30 per 30 days)              |
| JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG (linagliptin-metformin) | 3                | QL (60 per 30 days)              |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG                      | 3                | QL (60 per 30 days)              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|---|------------------|-------------------------------|
| JENTADUETO XR ORAL<br>TABLET, IR - ER, BIPHASIC 24HR<br>5-1,000 MG  | 3                | QL (30 per 30 days)           |
| <i>metformin oral solution 500 mg/5 ml</i> (Riomet)   | 4                | QL (765 per 30 days)          |
| <i>metformin oral tablet 1,000 mg</i>   | 6                | QL (75 per 30 days)           |
| <i>metformin oral tablet 500 mg</i>   | 6                | QL (150 per 30 days)          |
| <i>metformin oral tablet 750 mg, 850 mg</i>   | 6                | QL (90 per 30 days)           |
| <i>metformin oral tablet extended release 24 hr 500 mg</i>  | 6                | QL (120 per 30 days)          |
| <i>metformin oral tablet extended release 24 hr 750 mg</i>  | 6                | QL (60 per 30 days)           |
| <i>mifepristone oral tablet 300 mg</i> (Korlym)   | 5                | PA; NDS; QL (112 per 28 days) |
| MOUNJARO SUBCUTANEOUS<br>PEN INJECTOR 10 MG/0.5 ML,<br>12.5 MG/0.5 ML, 15 MG/0.5 ML,<br>2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5<br>MG/0.5 ML                      | 3                | PA; QL (2 per 28 days)        |
| <i>nateglinide oral tablet 120 mg, 60 mg</i>  | 6                | QL (90 per 30 days)           |
| OZEMPIC SUBCUTANEOUS PEN<br>INJECTOR 0.25 MG OR 0.5 MG (2<br>MG/3 ML), 0.25 MG OR 0.5 MG(2<br>MG/1.5 ML), 1 MG/DOSE (4 MG/3<br>ML), 2 MG/DOSE (8 MG/3 ML) | 3                | PA; QL (3 per 28 days)        |
| <i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)   | 6                | QL (30 per 30 days)           |
| <i>pioglitazone-metformin oral tablet 15-500 mg</i>   | 6                | QL (90 per 30 days)           |
| <i>pioglitazone-metformin oral tablet 15-850 mg</i> (Actoplus MET)  | 6                | QL (90 per 30 days)           |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i>   | 6                | QL (120 per 30 days)          |
| <i>repaglinide oral tablet 2 mg</i>   | 6                | QL (240 per 30 days)          |
| RYBELSUS ORAL TABLET 1.5<br>MG, 14 MG, 3 MG, 4 MG, 7 MG, 9<br>MG  | 3                | PA; QL (30 per 30 days)       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>                           |
|---|------------------|--|
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG                         | 3                | QL (60 per 30 days)                                  |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG                      | 3                | QL (30 per 30 days)                                  |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG                     | 3                | QL (60 per 30 days)                                  |
| TRADJENTA ORAL TABLET 5 MG (linagliptin)  | 3                | QL (30 per 30 days)                                  |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG                  | 3                | QL (30 per 30 days)                                  |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG             | 3                | QL (60 per 30 days)                                  |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML | 3                | PA; QL (2 per 28 days)                               |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapaglifloz propaned-metformin)    | 3                | QL (30 per 30 days)                                  |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-500 MG                                       | 3                | QL (30 per 30 days)                                  |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG, 5-500 MG                          | 3                | QL (60 per 30 days)                                  |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapaglifloz propaned-metformin)     | 3                | QL (60 per 30 days)                                  |
| <b>Insulins</b>   |                  |  |
| FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)                     | 3                | max \$35 copay per month supply; QL (30 per 28 days) |
| FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)                         | 3                | max \$35 copay per month supply; QL (30 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b>                     | <b>Requirements/Limits</b>                                 |  |
|---|--------------------------------------|--|--|
| FIASP PUMPCART<br>SUBCUTANEOUS CARTRIDGE<br>100 UNIT/ML (1.6 ML)                                | 3                                    | max \$35 copay per<br>month supply                         |  |
| FIASP U-100 INSULIN<br>SUBCUTANEOUS SOLUTION 100<br>UNIT/ML                                     | 3                                    | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |  |
| HUMULIN R U-500 (CONC)<br>INSULIN SUBCUTANEOUS<br>SOLUTION 500 UNIT/ML                          | 3                                    | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |  |
| HUMULIN R U-500 (CONC)<br>KWIKPEN SUBCUTANEOUS<br>INSULIN PEN 500 UNIT/ML (3<br>ML)             | 3                                    | max \$35 copay per<br>month supply; QL (24<br>per 28 days) |  |
| <i>insulin asp prt-insulin aspart</i><br><i>subcutaneous insulin pen 100 unit/ml</i><br>(70-30) | (Novolog Mix 70-<br>30FlexPen U-100) | 3  | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin asp prt-insulin aspart</i><br><i>subcutaneous solution 100 unit/ml</i><br>(70-30)    | (Novolog Mix 70-30 U-<br>100 Insuln) | 3  | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous</i><br><i>cartridge 100 unit/ml</i>                        | (Novolog PenFill U-100<br>Insulin)   | 3  | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous</i><br><i>insulin pen 100 unit/ml (3 ml)</i>               | (Novolog FlexPen U-<br>100 Insulin)  | 3  | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous</i><br><i>solution 100 unit/ml</i>                         | (Novolog U-100 Insulin<br>aspart)    | 3  | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| <i>insulin glargine-yfng subcutaneous</i><br><i>insulin pen 100 unit/ml (3 ml)</i>              | (Semglee(insulin glarg-<br>yfng)Pen) | 3  | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin glargine-yfng subcutaneous</i><br><i>solution 100 unit/ml</i>                        | (Semglee(insulin<br>glargine-yfng))  | 3  | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| <i>insulin lispro subcutaneous solution</i><br><i>100 unit/ml</i>                               | (Admelog U-100 Insulin<br>lispro)    | 3  | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>                                 |
|---|------------------|--|
| LANTUS SOLOSTAR U-100 (insulin glargine)<br>INSULIN SUBCUTANEOUS<br>INSULIN PEN 100 UNIT/ML (3<br>ML)                 | 3                | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| LANTUS U-100 INSULIN (insulin glargine)<br>SUBCUTANEOUS SOLUTION 100<br>UNIT/ML                                       | 3                | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLIN 70/30 U-100 INSULIN<br>SUBCUTANEOUS SUSPENSION<br>100 UNIT/ML (70-30)   | 3                | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLIN 70-30 FLEXPEN U-100<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (70-30)  | 3                | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLIN N FLEXPEN<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (3 ML)   | 3                | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLIN N NPH U-100 INSULIN<br>SUBCUTANEOUS SUSPENSION<br>100 UNIT/ML   | 3                | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLIN R FLEXPEN<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (3 ML)   | 3                | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLIN R REGULAR U100<br>INSULIN INJECTION SOLUTION<br>100 UNIT/ML   | 3                | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLOG FLEXPEN U-100 (insulin aspart u-100)<br>INSULIN SUBCUTANEOUS<br>INSULIN PEN 100 UNIT/ML (3<br>ML)             | 3                | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLOG MIX 70-30 U-100 (insulin asp prt-insulin<br>aspart)<br>INSULN SUBCUTANEOUS<br>SOLUTION 100 UNIT/ML (70-30)    | 3                | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLOG MIX 70-30FLEXPEN (insulin asp prt-insulin<br>aspart)<br>U-100 SUBCUTANEOUS INSULIN<br>PEN 100 UNIT/ML (70-30) | 3                | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLOG PENFILL U-100 (insulin aspart u-100)<br>INSULIN SUBCUTANEOUS<br>CARTRIDGE 100 UNIT/ML                         | 3                | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>                             |
|---|------------------|--|
| NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin aspart u-100)                     | 3                | max \$35 copay per month supply; QL (40 per 28 days)   |
| SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML  | 3                | max \$35 copay per month supply; QL (30 per 30 days)   |
| TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML) (insulin glargine u-300 conc)       | 3                | max \$35 copay per month supply; QL (18 per 28 days)   |
| TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML) (insulin glargine u-300 conc) | 3                | max \$35 copay per month supply; QL (13.5 per 28 days) |
| XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)                                      | 3                | max \$35 copay per month supply; QL (15 per 28 days)   |
| <b>Sulfonylureas</b>  |                  |  |
| <i>glimepiride oral tablet 1 mg, 2 mg</i>   | 6                | QL (30 per 30 days)                                    |
| <i>glimepiride oral tablet 4 mg</i>   | 6                | QL (60 per 30 days)                                    |
| <i>glipizide oral tablet 10 mg</i>  | 6                | QL (120 per 30 days)                                   |
| <i>glipizide oral tablet 2.5 mg</i>   | 6                | QL (90 per 30 days)                                    |
| <i>glipizide oral tablet 5 mg</i>   | 6                | QL (240 per 30 days)                                   |
| <i>glipizide oral tablet extended release 24hr 10 mg</i>  | 6                | QL (60 per 30 days)                                    |
| <i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i>   | 6                | QL (30 per 30 days)                                    |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i>   | 6                | QL (240 per 30 days)                                   |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>   | 6                | QL (120 per 30 days)                                   |
| <i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>  | 6                | PA-HRM; AGE (Max 64 Years)                             |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>  | 6                | PA-HRM; AGE (Max 64 Years)                             |
| <i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>                                  | 6                | PA-HRM; AGE (Max 64 Years)                             |
| <b>Antifungals</b>  |                  |  |
| <b>Antifungals</b>  |                  |  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| ABELCET INTRAVENOUS<br>SUSPENSION 5 MG/ML   | 4                | PA BvD                     |
| <i>amphotericin b injection recon soln<br/>50 mg</i>  | 2                | PA BvD                     |
| <i>amphotericin b liposome intravenous<br/>suspension for reconstitution 50 mg</i> (AmBisome)   | 5                | PA BvD; NDS                |
| <i>ciclopirox topical cream 0.77 %</i> (Ciclodan)   | 2                | QL (180 per 30 days)       |
| <i>ciclopirox topical solution 8 %</i> (Ciclodan)   | 2                | QL (19.8 per 30 days)      |
| <i>ciclopirox topical suspension 0.77 %</i> (Loprox (as olamine))                               | 4                | QL (180 per 30 days)       |
| <i>clotrimazole mucous membrane<br/>troche 10 mg</i>  | 2                |                            |
| <i>clotrimazole topical cream 1 %</i> (Antifungal<br>(clotrimazole))                            | 2                |                            |
| <i>clotrimazole topical solution 1 %</i> (Athlete's Foot<br>(clotrimazole))                     | 2                |                            |
| <i>clotrimazole-betamethasone topical<br/>cream 1-0.05 %</i>                                    | 2                | QL (90 per 30 days)        |
| CRESEMBA INTRAVENOUS<br>RECON SOLN 372 MG   | 5                | NDS                        |
| CRESEMBA ORAL CAPSULE 186<br>MG, 74.5 MG  | 5                | PA; NDS                    |
| <i>econazole nitrate topical cream 1 %</i>  | 2                | QL (170 per 30 days)       |
| <i>fluconazole in nacl (iso-osm)<br/>intravenous piggyback 200 mg/100<br/>ml, 400 mg/200 ml</i> | 2                |                            |
| <i>fluconazole oral suspension for<br/>reconstitution 10 mg/ml</i>                              | 2                |                            |
| <i>fluconazole oral suspension for<br/>reconstitution 40 mg/ml</i> (Diflucan)                   | 2                |                            |
| <i>fluconazole oral tablet 100 mg, 150<br/>mg, 200 mg, 50 mg</i>                                | 2                |                            |
| <i>flucytosine oral capsule 250 mg, 500<br/>mg</i> (Ancobon)                                    | 5                | NDS                        |
| <i>griseofulvin microsize oral<br/>suspension 125 mg/5 ml</i>                                   | 3                |                            |
| <i>griseofulvin microsize oral tablet 500<br/>mg</i>  | 4                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 165 mg, 250 mg</i>                 | 4                |                            |
| <i>itraconazole oral capsule 100 mg</i> (Sporanox)                                    | 3                |                            |
| <i>ketoconazole oral tablet 200 mg</i>  | 2                |                            |
| <i>ketoconazole topical cream 2 %</i>   | 2                | QL (180 per 30 days)       |
| <i>ketoconazole topical shampoo 2 %</i>   | 2                | QL (360 per 30 days)       |
| <i>micafungin intravenous recon soln 100 mg, 50 mg</i>                                | 2                |                            |
| <i>miconazole-3 vaginal suppository 200 mg</i>  | 2                |                            |
| <i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)                             | 2                | QL (60 per 30 days)        |
| <i>nystatin oral suspension 100,000 unit/ml</i>                                       | 2                |                            |
| <i>nystatin oral tablet 500,000 unit</i>  | 2                |                            |
| <i>nystatin topical cream 100,000 unit/gram</i>                                       | 2                | QL (60 per 30 days)        |
| <i>nystatin topical ointment 100,000 unit/gram</i>                                    | 2                | QL (60 per 30 days)        |
| <i>nystatin topical powder 100,000 unit/gram</i> (Nyamyc)                             | 2                | QL (60 per 30 days)        |
| <i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>                      | 2                |                            |
| <i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i>                | 2                |                            |
| <i>nystop topical powder 100,000 unit/gram</i> (nystatin)                             | 2                | QL (60 per 30 days)        |
| <i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i>                       | 5                | PA; NDS                    |
| <i>terbinafine hcl oral tablet 250 mg</i>   | 1                |                            |
| <i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)                          | 5                | PA BvD; NDS                |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend) | 5                | PA; NDS                    |
| <i>voriconazole oral tablet 200 mg, 50 mg</i>   | 4                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits         |
|---|-----------|-----------------------------|
| <b>Antigout Agents</b>  |           |                             |
| <b>Antigout Agents, Other</b>   |           |                             |
| <i>allopurinol oral tablet 100 mg</i> (Zyloprim)  | 1         |                             |
| <i>allopurinol oral tablet 300 mg</i>   | 1         |                             |
| <i>colchicine oral capsule 0.6 mg</i> (Mitigare)  | 3         | QL (60 per 30 days)         |
| <i>colchicine oral tablet 0.6 mg</i> (Colcrys)  | 2         | QL (120 per 30 days)        |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)                                     | 4         | QL (30 per 30 days)         |
| <i>probenecid oral tablet 500 mg</i>  | 2         |                             |
| <i>probenecid-colchicine oral tablet 500-0.5 mg</i>                                     | 2         |                             |
| <b>Antihistamines</b>   |           |                             |
| <b>Antihistamines</b>   |           |                             |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                                  | 2         |                             |
| <i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)                            | 1         |                             |
| <b>Anti-Infectives (Skin And Mucous Membrane)</b>                                       |           |                             |
| <b>Anti-Infectives (Skin And Mucous Membrane)</b>                                       |           |                             |
| <i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)                                | 4         |                             |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)                     | 4         |                             |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i>   | 2         |                             |
| <i>terconazole vaginal suppository 80 mg</i>  | 4         |                             |
| <b>Antimigraine Agents</b>  |           |                             |
| <b>Antimigraine Agents</b>  |           |                             |
| AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML                     | 3         | PA; QL (1 per 30 days)      |
| <i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal) | 5         | ST; NDS; QL (8 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| EMGALITY PEN<br>SUBCUTANEOUS PEN INJECTOR<br>120 MG/ML   | 3                | PA; QL (2 per 30 days)     |
| EMGALITY SYRINGE<br>SUBCUTANEOUS SYRINGE 120<br>MG/ML  | 3                | PA; QL (2 per 30 days)     |
| EMGALITY SYRINGE<br>SUBCUTANEOUS SYRINGE 300<br>MG/3 ML (100 MG/ML X 3)  | 3                | PA; QL (3 per 30 days)     |
| <i>naratriptan oral tablet 1 mg, 2.5 mg</i>  | 2                | QL (18 per 30 days)        |
| NURTEC ODT ORAL<br>TABLET,DISINTEGRATING 75<br>MG  | 3                | PA; QL (18 per 30 days)    |
| QULIPTA ORAL TABLET 10 MG,<br>30 MG, 60 MG   | 3                | PA; QL (30 per 30 days)    |
| <i>rizatriptan oral tablet 10 mg</i> (Maxalt)  | 2                | QL (18 per 30 days)        |
| <i>rizatriptan oral tablet 5 mg</i>  | 2                | QL (18 per 30 days)        |
| <i>rizatriptan oral tablet,disintegrating</i> (Maxalt-MLT)<br><i>10 mg</i>                                       | 2                | QL (18 per 30 days)        |
| <i>rizatriptan oral tablet,disintegrating</i><br><i>5 mg</i>   | 2                | QL (18 per 30 days)        |
| <i>sumatriptan 4 mg/0.5 ml inject outer,</i> (Imitrex STATdose Pen)<br><i>suv</i>                                | 3                | QL (4 per 28 days)         |
| <i>sumatriptan nasal spray,non-aerosol</i><br><i>20 mg/actuation, 5 mg/actuation</i>                             | 3                | QL (12 per 30 days)        |
| <i>sumatriptan succinate oral tablet 100</i> (Imitrex)<br><i>mg</i>  | 2                | QL (9 per 30 days)         |
| <i>sumatriptan succinate oral tablet 25</i> (Imitrex)<br><i>mg, 50 mg</i>  | 2                | QL (18 per 30 days)        |
| <i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose Pen)<br><i>pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> | 4                | QL (4 per 28 days)         |
| <i>sumatriptan succinate subcutaneous</i><br><i>solution 6 mg/0.5 ml</i>   | 2                | QL (5 per 28 days)         |
| UBRELVY ORAL TABLET 100<br>MG, 50 MG   | 3                | PA; QL (16 per 30 days)    |
| <b>Antimycobacterials</b>  |                  |                            |
| <b>Antimycobacterials</b>  |                  |                            |
| <i>dapsone oral tablet 100 mg, 25 mg</i>   | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>ethambutol oral tablet 100 mg, 400 mg</i>                              | 2                |                            |
| <i>isoniazid oral tablet 100 mg, 300 mg</i>                               | 1                |                            |
| PRIFTIN ORAL TABLET 150 MG  | 4                |                            |
| <i>pyrazinamide oral tablet 500 mg</i>                                    | 3                |                            |
| <i>rifabutin oral capsule 150 mg</i>                                      | 4                |                            |
| <i>rifampin intravenous recon soln 600 mg</i> (Rifadin)                   | 3                |                            |
| <i>rifampin oral capsule 150 mg, 300 mg</i>                               | 2                |                            |
| SIRTURO ORAL TABLET 100 MG, 20 MG   | 5                | PA; NDS                    |
| TRECTOR ORAL TABLET 250 MG  | 4                |                            |
| <b>Antinausea Agents</b>  |                  |                            |
| <b>Antinausea Agents</b>  |                  |                            |
| <i>aprepitant oral capsule 125 mg</i>                                     | 3                | PA BvD; QL (2 per 28 days) |
| <i>aprepitant oral capsule 40 mg</i>                                      | 3                | PA BvD; QL (1 per 28 days) |
| <i>aprepitant oral capsule 80 mg</i> (Emend)                              | 3                | PA BvD; QL (4 per 28 days) |
| <i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend)   | 3                | PA BvD                     |
| <i>compro rectal suppository 25 mg</i> (prochlorperazine)                 | 3                |                            |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)              | 4                | PA; QL (60 per 30 days)    |
| <i>meclizine oral tablet 12.5 mg</i>                                      | 1                |                            |
| <i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))                | 1                |                            |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i>                             | 2                | PA BvD                     |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>                 | 2                | PA BvD                     |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>                      |
|--|------------------|---|
| <i>prochlorperazine maleate oral tablet</i> (Compazine)<br>10 mg, 5 mg               | 2                |   |
| <i>prochlorperazine rectal suppository</i> (Compro)<br>25 mg                         | 3                |   |
| <i>promethazine injection solution</i> 25 (Phenergan)<br>mg/ml                       | 2                | PA-HRM; AGE (Max 64 Years)                      |
| <i>promethazine oral tablet</i> 12.5 mg, 25 mg, 50 mg                                | 1                | PA-HRM; AGE (Max 64 Years)                      |
| <i>promethazine rectal suppository</i> 25 (Promethegan)<br>mg                        | 2                | PA-HRM; AGE (Max 64 Years)                      |
| <i>promethegan rectal suppository</i> 12.5 (promethazine)<br>mg, 25 mg               | 2                | PA-HRM; AGE (Max 64 Years)                      |
| <i>scopolamine base transdermal patch</i> (Transderm-Scop)<br>3 day 1 mg over 3 days | 4                | PA-HRM; QL (10 per 30 days); AGE (Max 64 Years) |

## **Antiparasite Agents**

### **Antiparasite Agents**

|  |   |                              |
|--|---|------------------------------|
| <i>albendazole oral tablet</i> 200 mg                                      | 3 |                              |
| <i>atovaquone oral suspension</i> 750 (Mepron)<br>mg/5 ml                  | 3 |                              |
| <i>atovaquone-proguanil oral tablet</i> (Malarone)<br>250-100 mg           | 2 |                              |
| <i>atovaquone-proguanil oral tablet</i> (Malarone Pediatric)<br>62.5-25 mg | 2 |                              |
| <i>chloroquine phosphate oral tablet</i><br>250 mg, 500 mg                 | 2 |                              |
| COARTEM ORAL TABLET 20-120 MG  | 4 |                              |
| <i>hydroxychloroquine oral tablet</i> 100 mg                               | 2 | QL (180 per 30 days)         |
| <i>hydroxychloroquine oral tablet</i> 200 (Plaquenil)<br>mg                | 2 | QL (90 per 30 days)          |
| <i>hydroxychloroquine oral tablet</i> 300 (Sovuna)<br>mg                   | 2 | QL (60 per 30 days)          |
| <i>hydroxychloroquine oral tablet</i> 400 mg                               | 2 | QL (60 per 30 days)          |
| IMPAVIDO ORAL CAPSULE 50 MG  | 5 | PA; NDS; QL (84 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>ivermectin oral tablet 3 mg</i> (Stromectol)                             | 2                |                            |
| <i>ivermectin oral tablet 6 mg</i>  | 2                |                            |
| <i>mefloquine oral tablet 250 mg</i>  | 2                |                            |
| <i>nitazoxanide oral tablet 500 mg</i> (Alinia)                             | 5                | NDS; QL (60 per 30 days)   |
| <i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)                  | 3                | PA BvD                     |
| <i>pentamidine injection recon soln 300 mg</i> (Pentam)                     | 3                |                            |
| <i>praziquantel oral tablet 600 mg</i> (Biltricide)                         | 3                |                            |
| PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)                                 | 4                |                            |
| <i>pyrimethamine oral tablet 25 mg</i> (Daraprim)                           | 5                | PA; NDS                    |
| <i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)                      | 2                | PA                         |
| <i>tinidazole oral tablet 250 mg, 500 mg</i>                                | 2                |                            |
| <b>Antiparkinsonian Agents</b>  |                  |                            |
| <b>Antiparkinsonian Agents</b>  |                  |                            |
| <i>amantadine hcl oral capsule 100 mg</i>                                   | 2                |                            |
| <i>amantadine hcl oral solution 50 mg/5 ml</i>                              | 2                |                            |
| <i>amantadine hcl oral tablet 100 mg</i>                                    | 2                |                            |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>                           | 2                |                            |
| <i>bromocriptine oral tablet 2.5 mg</i>                                     | 2                |                            |
| <i>cabergoline oral tablet 0.5 mg</i>                                       | 2                |                            |
| <i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)                   | 2                |                            |
| <i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)                     | 2                |                            |
| <i>carbidopa-levodopa oral tablet 25-250 mg</i>                             | 2                |                            |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> | 2                |                            |
| <i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg</i>             | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|--|------------------|-------------------------------|
| <i>carbidopa-levodopa oral tablet, disintegrating 25-100 mg, 25-250 mg</i>             | 4                |                               |
| <i>entacapone oral tablet 200 mg</i>   | 3                |                               |
| KYNMOBI SUBLINGUAL FILM<br>10 MG, 15 MG, 20 MG, 25 MG, 30 MG                           | 5                | PA; NDS; QL (150 per 30 days) |
| KYNMOBI SUBLINGUAL FILM<br>10-15-20-25-30 MG   | 5                | PA; NDS                       |
| ONAPGO SUBCUTANEOUS<br>CARTRIDGE 4.9 MG/ ML  | 5                | PA; NDS; QL (600 per 30 days) |
| <i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i>        | 2                |                               |
| <i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)                                   | 4                |                               |
| <i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>            | 2                |                               |
| <i>ropinirole oral tablet extended release 24 hr 2 mg, 4 mg</i>                        | 2                |                               |
| <i>selegiline hcl oral capsule 5 mg</i>  | 2                |                               |
| <i>selegiline hcl oral tablet 5 mg</i>   | 4                |                               |
| <i>trihexyphenidyl oral tablet 2 mg, 5 mg</i>  | 2                |                               |
| VYALEV CONTIN.<br>SUBCUTANEOUS INFUSION<br>SOLUTION 12-240 MG/ML                       | 5                | PA; NDS; QL (560 per 28 days) |
| <b>Antipsychotic Agents</b>  |                  |                               |
| <b>Antipsychotic Agents</b>  |                  |                               |
| ABILIFY ASIMTUFII<br>INTRAMUSCULAR<br>SUSPENSION, EXTENDED REL<br>SYRING 720 MG/2.4 ML | 5                | NDS; QL (2.4 per 42 days)     |
| ABILIFY ASIMTUFII<br>INTRAMUSCULAR<br>SUSPENSION, EXTENDED REL<br>SYRING 960 MG/3.2 ML | 5                | NDS; QL (3.2 per 42 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---|------------------|------------------------------|
| ABILIFY MAINTENA<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>RECON 300 MG, 400 MG  | 5                | NDS; QL (2 per 28 days)      |
| ABILIFY MAINTENA<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 300 MG, 400 MG | 5                | NDS; QL (2 per 28 days)      |
| <i>aripiprazole oral solution 1 mg/ml</i>   | 3                |                              |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)      | 2                |                              |
| <i>aripiprazole oral tablet,disintegrating 10 mg</i>                                  | 4                | ST; QL (90 per 30 days)      |
| <i>aripiprazole oral tablet,disintegrating 15 mg</i>                                  | 4                | ST; QL (60 per 30 days)      |
| ARISTADA INITIO<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 675 MG/2.4 ML   | 5                | NDS; QL (4.8 per 365 days)   |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 1,064 MG/3.9 ML           | 5                | NDS; QL (3.9 per 14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 441 MG/1.6 ML             | 5                | NDS; QL (1.6 per 14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 662 MG/2.4 ML             | 5                | NDS; QL (2.4 per 14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 882 MG/3.2 ML             | 5                | NDS; QL (3.2 per 14 days)    |
| <i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)              | 4                | QL (60 per 30 days)          |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG  | 5                | ST; NDS; QL (30 per 30 days) |
| <i>chlorpromazine injection solution 25 mg/ml</i>                                     | 2                |                              |
| <i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>                            | 3                |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---|------------------|------------------------------|
| <i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>           | 4                |                              |
| <i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)            | 2                |                              |
| <i>clozapine oral tablet, disintegrating 100 mg, 12.5 mg, 25 mg</i>             | 4                | ST; QL (90 per 30 days)      |
| <i>clozapine oral tablet, disintegrating 150 mg</i>                             | 4                | ST; QL (180 per 30 days)     |
| <i>clozapine oral tablet, disintegrating 200 mg</i>                             | 4                | ST; QL (120 per 30 days)     |
| COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG                             | 5                | ST; NDS; QL (60 per 30 days) |
| COBENFY STARTER PACK ORAL CAPSULE, DOSE PACK 50 MG-20 MG /100 MG-20 MG          | 5                | ST; NDS                      |
| ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML                                    | 5                | NDS; QL (0.75 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML   | 5                | NDS; QL (1 per 21 days)      |
| ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML                                     | 5                | NDS; QL (1.5 per 21 days)    |
| ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML                                    | 5                | NDS; QL (2.25 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML                                     | 5                | NDS; QL (0.25 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML                                      | 5                | NDS; QL (0.5 per 21 days)    |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG                   | 5                | ST; NDS; QL (60 per 30 days) |
| FANAPT TITRATION PACK A ORAL TABLETS, DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)    | 4                | ST                           |
| FANAPT TITRATION PACK B ORAL TABLETS, DOSE PACK 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2) | 4                | ST                           |
| FANAPT TITRATION PACK C ORAL TABLETS, DOSE PACK 1 MG(4)-2 MG(2) -6 MG (2)       | 4                | ST                           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>fluphenazine decanoate injection solution 25 mg/ml</i>  | 2                |                            |
| <i>fluphenazine hcl injection solution 2.5 mg/ml</i>   | 3                |                            |
| <i>fluphenazine hcl oral concentrate 5 mg/ml</i>   | 3                |                            |
| <i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i>  | 3                |                            |
| <i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i>  | 4                |                            |
| <i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml (1 ml), 50 mg/ml, 50 mg/ml(1ml)</i> | 2                |                            |
| <i>haloperidol lactate injection solution 5 mg/ml</i>  | 2                |                            |
| <i>haloperidol lactate intramuscular syringe 5 mg/ml</i>   | 2                |                            |
| <i>haloperidol lactate oral concentrate 2 mg/ml</i>  | 2                |                            |
| <i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i>                                    | 2                |                            |
| INVEGA HAFYERA<br>INTRAMUSCULAR SYRINGE<br>1,092 MG/3.5 ML   | 5                | NDS; QL (3.5 per 166 days) |
| INVEGA HAFYERA<br>INTRAMUSCULAR SYRINGE<br>1,560 MG/5 ML   | 5                | NDS; QL (5 per 166 days)   |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 117<br>MG/0.75 ML   | 5                | NDS; QL (0.75 per 21 days) |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 156<br>MG/ML  | 5                | NDS; QL (1 per 21 days)    |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 234<br>MG/1.5 ML  | 5                | NDS; QL (1.5 per 21 days)  |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 39<br>MG/0.25 ML  | 3                | QL (0.25 per 21 days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>          |
|--|------------------|-------------------------------------|
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 78<br>MG/0.5 ML             | 5                | NDS; QL (0.5 per 21<br>days)        |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 273<br>MG/0.88 ML             | 5                | NDS; QL (0.88 per 70<br>days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 410<br>MG/1.32 ML             | 5                | NDS; QL (1.32 per 70<br>days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 546<br>MG/1.75 ML             | 5                | NDS; QL (1.75 per 70<br>days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 819<br>MG/2.63 ML             | 5                | NDS; QL (2.63 per 70<br>days)       |
| <i>loxapine succinate oral capsule 10<br/>mg, 25 mg, 5 mg, 50 mg</i> | 2                |                                     |
| <i>lurasidone oral tablet 120 mg</i> (Latuda)                        | 4                | QL (30 per 30 days)                 |
| <i>lurasidone oral tablet 20 mg, 40 mg,<br/>60 mg</i> (Latuda)       | 3                | QL (30 per 30 days)                 |
| <i>lurasidone oral tablet 80 mg</i> (Latuda)                         | 3                | QL (60 per 30 days)                 |
| LYBALVI ORAL TABLET 10-10<br>MG, 15-10 MG, 20-10 MG, 5-10<br>MG      | 5                | NDS; QL (30 per 30<br>days)         |
| <i>molindone oral tablet 10 mg</i>                                   | 2                | QL (240 per 30 days)                |
| <i>molindone oral tablet 25 mg</i>                                   | 2                | QL (270 per 30 days)                |
| <i>molindone oral tablet 5 mg</i>                                    | 5                | NDS; QL (120 per 30<br>days)        |
| NUPLAZID ORAL CAPSULE 34<br>MG                                       | 5                | PA NSO; NDS; QL (30<br>per 30 days) |
| NUPLAZID ORAL TABLET 10 MG   | 5                | PA NSO; NDS; QL (30<br>per 30 days) |
| <i>olanzapine intramuscular recon soln</i> (Zyprexa)<br><i>10 mg</i> | 3                | QL (30 per 30 days)                 |
| <i>olanzapine oral tablet 10 mg, 15 mg,<br/>7.5 mg</i>               | 2                |                                     |
| <i>olanzapine oral tablet 2.5 mg, 20 mg,<br/>5 mg</i> (Zyprexa)      | 2                |                                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|---|------------------|-----------------------------|
| <i>olanzapine oral tablet, disintegrating</i><br>10 mg, 15 mg, 20 mg, 5 mg  | 3                |                             |
| OPIPZA ORAL FILM 10 MG, 2<br>MG, 5 MG   | 5                | ST; NDS                     |
| <i>paliperidone oral tablet extended</i><br><i>release 24hr 1.5 mg</i>  | 4                | QL (30 per 30 days)         |
| <i>paliperidone oral tablet extended</i> (Invega)<br><i>release 24hr 3 mg, 9 mg</i>   | 4                | QL (30 per 30 days)         |
| <i>paliperidone oral tablet extended</i> (Invega)<br><i>release 24hr 6 mg</i>   | 4                | QL (60 per 30 days)         |
| <i>perphenazine oral tablet 16 mg, 2</i><br><i>mg, 4 mg, 8 mg</i>   | 2                |                             |
| PERSERIS SUBCUTANEOUS<br>SUSPENSION, EXTENDED REL<br>SYRING 120 MG, 90 MG   | 5                | NDS; QL (1 per 30 days)     |
| <i>pimozide oral tablet 1 mg, 2 mg</i>  | 2                |                             |
| <i>prochlorperazine 10 mg/2 ml vial inner</i><br><i>10 mg/2 ml (5 mg/ml)</i>  | 2                |                             |
| <i>quetiapine oral tablet 100 mg, 200</i> (Seroquel)<br><i>mg, 25 mg, 300 mg, 400 mg, 50 mg</i>                                     | 2                |                             |
| <i>quetiapine oral tablet 150 mg</i>  | 2                | QL (30 per 30 days)         |
| <i>quetiapine oral tablet extended</i> (Seroquel XR)<br><i>release 24 hr 150 mg, 200 mg, 300</i><br><i>mg, 400 mg, 50 mg</i>        | 2                |                             |
| REXULTI ORAL TABLET 0.25<br>MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4<br>MG   | 5                | NDS; QL (30 per 30<br>days) |
| <i>risperidone microspheres</i> (Risperdal Consta)<br><i>intramuscular suspension, extended</i><br><i>rel recon 12.5 mg/2 ml</i>    | 2                | QL (2 per 28 days)          |
| <i>risperidone microspheres</i> (Rykindo)<br><i>intramuscular suspension, extended</i><br><i>rel recon 25 mg/2 ml</i>               | 2                | QL (2 per 28 days)          |
| <i>risperidone microspheres</i> (Rykindo)<br><i>intramuscular suspension, extended</i><br><i>rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> | 5                | NDS; QL (2 per 28 days)     |
| <i>risperidone oral solution 1 mg/ml</i> (Risperdal)  | 2                |                             |
| <i>risperidone oral tablet 0.25 mg</i>  | 2                |                             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|--|------------------|------------------------------|
| <i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)  | 2                |                              |
| <i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>                               | 4                |                              |
| RYKINDO INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML (risperidone microspheres) | 5                | NDS; QL (2 per 28 days)      |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR                                     | 5                | ST; NDS; QL (30 per 30 days) |
| <i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>  | 2                |                              |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>  | 2                |                              |
| <i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>   | 2                |                              |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 100 MG/0.28 ML  | 5                | NDS; QL (0.28 per 28 days)   |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 125 MG/0.35 ML  | 5                | NDS; QL (0.35 per 28 days)   |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 150 MG/0.42 ML  | 5                | NDS; QL (0.42 per 56 days)   |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 200 MG/0.56 ML  | 5                | NDS; QL (0.56 per 56 days)   |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 250 MG/0.7 ML   | 5                | NDS; QL (0.7 per 56 days)    |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 50 MG/0.14 ML   | 5                | NDS; QL (0.14 per 28 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|--|------------------|-------------------------------|
| UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML                      | 5                | NDS; QL (0.21 per 28 days)    |
| VERSACLOZ ORAL SUSPENSION 50 MG/ML   | 5                | ST; NDS; QL (540 per 30 days) |
| VRAYLAR ORAL CAPSULE 0.5 MG, 0.75 MG, 1.5 MG, 3 MG, 4.5 MG, 6 MG                     | 5                | ST; NDS; QL (30 per 30 days)  |
| VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)                                  | 4                | ST                            |
| <i>ziprasidone hcl oral capsule 20 mg, 40 mg, 60 mg, 80 mg</i> (Geodon)              | 2                |                               |
| <i>ziprasidone mesylate intramuscular recon soln 20 mg/ml (final conc.)</i> (Geodon) | 3                | QL (6 per 28 days)            |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG                  | 4                | QL (2 per 28 days)            |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG                  | 5                | NDS; QL (2 per 28 days)       |
| ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG                  | 5                | NDS; QL (1 per 28 days)       |
| <b>Antivirals (Systemic)</b>   |                  |                               |
| <b>Antiretrovirals</b>   |                  |                               |
| <i>abacavir oral solution 20 mg/ml</i> (Ziagen)                                      | 2                |                               |
| <i>abacavir oral tablet 300 mg</i>   | 2                |                               |
| <i>abacavir-lamivudine oral tablet 600-300 mg</i>                                    | 2                |                               |
| APTIVUS ORAL CAPSULE 250 MG  | 5                | NDS                           |
| <i>atazanavir oral capsule 150 mg</i>  | 2                |                               |
| <i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)                              | 2                |                               |
| BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG                                      | 5                | NDS; QL (30 per 30 days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| CABENUVA INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML | 5                | NDS                        |
| <i>cabotegravir intramuscular suspension,extended release 400 mg/2 ml (200 mg/ml)</i>                 | 5                | NDS; QL (24 per 365 days)  |
| <i>cabotegravir intramuscular suspension,extended release 600 mg/3 ml (200 mg/ml)</i> (Apretude)      | 5                | NDS; QL (24 per 365 days)  |
| CIMDUO ORAL TABLET 300-300 MG   | 5                | NDS                        |
| <i>darunavir oral tablet 600 mg</i> (Prezista)  | 3                |                            |
| <i>darunavir oral tablet 800 mg</i> (Prezista)  | 5                | NDS                        |
| DELSTRIGO ORAL TABLET 100-300-300 MG  | 5                | NDS                        |
| DESCOVY ORAL TABLET 120-15 MG, 200-25 MG  | 5                | NDS                        |
| <i>didanosine oral capsule,delayed release(dr/ec) 250 mg, 400 mg</i>                                  | 3                |                            |
| DOVATO ORAL TABLET 50-300 MG  | 5                | NDS                        |
| EDURANT ORAL TABLET 25 MG (rilpivirine hcl)   | 5                | NDS                        |
| EDURANT PED ORAL TABLET FOR SUSPENSION 2.5 MG   | 5                | NDS                        |
| <i>efavirenz oral capsule 200 mg</i>  | 3                |                            |
| <i>efavirenz oral capsule 50 mg</i>   | 2                |                            |
| <i>efavirenz oral tablet 600 mg</i>   | 3                |                            |
| <i>efavirenz-emtricitabin-tenofov oral tablet 600-200-300 mg</i>                                      | 2                |                            |
| <i>efavirenz-lamivu-tenofov disop oral tablet 400-300-300 mg</i>                                      | 5                | NDS                        |
| <i>efavirenz-lamivu-tenofov disop oral tablet 600-300-300 mg</i> (Symfi)                              | 5                | NDS                        |
| <i>emtricitabine oral capsule 200 mg</i> (Emtriva)  | 3                |                            |
| <i>emtricitabine-tenofov (tdf) oral tablet 100-150 mg, 167-250 mg</i> (Truvada)                       | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>emtricitabine-tenofovir (tdf) oral tablet 133-200 mg</i> (Truvada)  | 5                | NDS                        |
| <i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)  | 2                |                            |
| <i>emtricitabine-tenofovir-tenofovir disoproxil fumarate (Complera) oral tablet 200-25-300 mg</i> (Complera) | 5                | NDS                        |
| EMTRIVA ORAL SOLUTION 10 MG/ML   | 4                |                            |
| EPIVIR HBV ORAL SOLUTION 25 MG/5 ML (5 MG/ML)  | 4                |                            |
| <i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)   | 5                | NDS                        |
| EVOTAZ ORAL TABLET 300-150 MG  | 5                | NDS                        |
| <i>fosamprenavir oral tablet 700 mg</i>  | 5                | NDS                        |
| FUZEON SUBCUTANEOUS RECON SOLN 90 MG   | 5                | NDS                        |
| GENVOYA ORAL TABLET 150-150-200-10 MG  | 5                | NDS                        |
| INTELENCE ORAL TABLET 25 MG  | 4                |                            |
| ISENTRESS HD ORAL TABLET 600 MG  | 5                | NDS                        |
| ISENTRESS ORAL POWDER IN PACKET 100 MG   | 5                | NDS                        |
| ISENTRESS ORAL TABLET 400 MG   | 5                | NDS                        |
| ISENTRESS ORAL TABLET,CHEWABLE 100 MG  | 5                | NDS                        |
| ISENTRESS ORAL TABLET,CHEWABLE 25 MG   | 3                |                            |
| JULUCA ORAL TABLET 50-25 MG  | 5                | NDS                        |
| KALETRA ORAL SOLUTION 400-100 MG/5 ML (lopinavir-ritonavir)  | 4                | QL (480 per 30 days)       |
| <i>lamivudine oral solution 10 mg/ml</i> (Epivir)  | 2                |                            |
| <i>lamivudine oral tablet 100 mg</i>   | 2                |                            |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)  | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i>                | 3                |                            |
| LEXIVA ORAL SUSPENSION 50 MG/ML                                    | 4                |                            |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra) | 2                | QL (480 per 30 days)       |
| <i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)         | 3                | QL (300 per 30 days)       |
| <i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)         | 3                | QL (120 per 30 days)       |
| <i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)            | 5                | NDS                        |
| <i>nevirapine oral suspension 50 mg/5 ml</i>                       | 3                | QL (1200 per 30 days)      |
| <i>nevirapine oral tablet 200 mg</i>                               | 2                | QL (60 per 30 days)        |
| <i>nevirapine oral tablet extended release 24 hr 100 mg</i>        | 3                | QL (90 per 30 days)        |
| <i>nevirapine oral tablet extended release 24 hr 400 mg</i>        | 3                | QL (30 per 30 days)        |
| NORVIR ORAL POWDER IN PACKET 100 MG                                | 4                |                            |
| NORVIR ORAL SOLUTION 80 MG/ML                                      | 4                |                            |
| ODEFSEY ORAL TABLET 200-25-25 MG                                   | 5                | NDS                        |
| PIFELTRO ORAL TABLET 100 MG  | 5                | NDS                        |
| PREZCOBIX ORAL TABLET 675-150 MG, 800-150 MG-MG                    | 5                | NDS                        |
| PREZISTA ORAL SUSPENSION 100 MG/ML                                 | 5                | NDS                        |
| PREZISTA ORAL TABLET 150 MG  | 5                | NDS                        |
| PREZISTA ORAL TABLET 75 MG   | 4                |                            |
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML                             | 4                |                            |
| REYATAZ ORAL POWDER IN PACKET 50 MG                                | 5                | NDS                        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>rilpivirine hcl oral tablet 25 mg</i> (Edurant)   | 5                | NDS                        |
| <i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i> | 5                | NDS                        |
| <i>ritonavir oral tablet 100 mg</i> (Norvir)   | 2                |                            |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG  | 5                | NDS                        |
| SELZENTRY ORAL SOLUTION 20 MG/ML   | 5                | NDS                        |
| SELZENTRY ORAL TABLET 25 MG  | 3                |                            |
| SELZENTRY ORAL TABLET 75 MG  | 5                | NDS                        |
| <i>stavudine oral capsule 15 mg, 20 mg, 30 mg, 40 mg</i>   | 2                |                            |
| STRIBILD ORAL TABLET 150-150-200-300 MG  | 5                | NDS                        |
| SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK), 300 MG (5-TABLET PACK)                                    | 5                | NDS                        |
| SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML   | 5                | PA BvD; NDS                |
| SYMITUZA ORAL TABLET 800-150-200-10 MG   | 5                | NDS                        |
| TEMIXYS ORAL TABLET 300-300 MG   | 5                | NDS                        |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)   | 2                |                            |
| TIVICAY ORAL TABLET 10 MG  | 4                |                            |
| TIVICAY ORAL TABLET 25 MG, 50 MG   | 5                | NDS                        |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG   | 5                | NDS                        |
| TRIUMEQ ORAL TABLET 600-50-300 MG  | 5                | NDS; QL (30 per 30 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits      |
|---|-----------|--------------------------|
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG                        | 4         |                          |
| TRIZIVIR ORAL TABLET 300-150-300 MG                                     | 5         | NDS                      |
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)                | 5         | NDS                      |
| VEMLIDY ORAL TABLET 25 MG   | 5         | NDS; QL (30 per 30 days) |
| VIRACEPT ORAL TABLET 250 MG, 625 MG                                     | 5         | NDS                      |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)                             | 5         | NDS                      |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG                               | 5         | NDS                      |
| VOCABRIA ORAL TABLET 30 MG  | 4         |                          |
| <i>zidovudine oral capsule 100 mg</i> (Retrovir)                        | 2         |                          |
| <i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)                        | 2         |                          |
| <i>zidovudine oral tablet 300 mg</i>                                    | 2         |                          |
| <b>Antivirals, Miscellaneous</b>  |           |                          |
| LIVTENCITY ORAL TABLET 200 MG   | 5         | PA; NDS                  |
| <i>oseltamivir oral capsule 30 mg</i>                                   | 2         | QL (84 per 180 days)     |
| <i>oseltamivir oral capsule 45 mg</i> (Tamiflu)                         | 2         | QL (48 per 180 days)     |
| <i>oseltamivir oral capsule 75 mg</i> (Tamiflu)                         | 2         | QL (42 per 180 days)     |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu) | 2         | QL (540 per 180 days)    |
| PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)                | 2         | QL (20 per 5 days)       |
| PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (6)- 100 MG (5)                  | 2         | QL (11 per 28 days)      |
| PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG              | 2         | QL (30 per 5 days)       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---|------------------|------------------------------|
| PREVYMIS ORAL TABLET 240 MG, 480 MG                             | 5                | PA; NDS; QL (28 per 28 days) |
| RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION | 4                | QL (60 per 180 days)         |
| <b>Hcv Antivirals</b>   |                  |                              |
| EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG                      | 5                | PA; NDS; QL (28 per 28 days) |
| EPCLUSA ORAL PELLETS IN PACKET 200-50 MG                        | 5                | PA; NDS; QL (56 per 28 days) |
| EPCLUSA ORAL TABLET 200-50 MG                                   | 5                | PA; NDS; QL (28 per 28 days) |
| EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG         | 5                | PA; NDS; QL (28 per 28 days) |
| HARVONI ORAL PELLETS IN PACKET 33.75-150 MG                     | 5                | PA; NDS; QL (28 per 28 days) |
| HARVONI ORAL PELLETS IN PACKET 45-200 MG                        | 5                | PA; NDS; QL (56 per 28 days) |
| HARVONI ORAL TABLET 45-200 MG                                   | 5                | PA; NDS; QL (28 per 28 days) |
| HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir) MG           | 5                | PA; NDS; QL (28 per 28 days) |
| VOSEVI ORAL TABLET 400-100-100 MG                               | 5                | PA; NDS; QL (28 per 28 days) |
| <b>Interferons</b>  |                  |                              |
| PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML                        | 5                | PA; NDS                      |
| PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML                     | 5                | PA; NDS                      |
| <b>Nucleosides And Nucleotides</b>                              |                  |                              |
| <i>acyclovir oral capsule 200 mg</i>                            | 1                |                              |
| <i>acyclovir oral suspension 200 mg/5 ml</i> (Zovirax)          | 4                |                              |
| <i>acyclovir oral tablet 400 mg, 800 mg</i>                     | 2                |                              |
| <i>acyclovir sodium intravenous solution 50 mg/ml</i>           | 3                | PA BvD                       |
| <i>adefovir oral tablet 10 mg</i> (Hepsera)                     | 3                |                              |
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)           | 3                |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>                             | 2                |                            |
| <i>ribavirin oral tablet 200 mg</i>   | 2                |                            |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)                          | 2                |                            |
| <i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)                          | 5                | NDS                        |
| <i>valganciclovir oral tablet 450 mg</i>  | 2                |                            |
| <b>Blood Products/Modifiers/Volume Expanders</b>                                  |                  |                            |
| <b>Anticoagulants</b>   |                  |                            |
| <i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)          | 3                | QL (60 per 30 days)        |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)              | 3                |                            |
| ELIQUIS ORAL TABLET 2.5 MG  | 3                | QL (60 per 30 days)        |
| ELIQUIS ORAL TABLET 5 MG  | 3                | QL (74 per 30 days)        |
| ELIQUIS ORAL TABLET FOR SUSPENSION 0.5 MG, 1.5 MG (0.5 MG X 3), 2 MG (0.5 MG X 4) | 3                | QL (960 per 30 days)       |
| ELIQUIS SPRINKLE ORAL CAPSULE, SPRINKLE 0.15 MG                                   | 3                | QL (120 per 30 days)       |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)             | 3                | QL (60 per 30 days)        |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)      | 3                | QL (48 per 30 days)        |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)                     | 3                | QL (18 per 30 days)        |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)                     | 3                | QL (24 per 30 days)        |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)                     | 3                | QL (36 per 30 days)        |
| <i>fondaparinux subcutaneous syringe 10 mg/0.8 ml</i> (Arixtra)                   | 5                | NDS; QL (24 per 30 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|--|------------------|-------------------------------|
| <i>fondaparinux subcutaneous syringe 2.5 mg/0.5 ml</i> (Arixtra)   | 2                | QL (15 per 30 days)           |
| <i>fondaparinux subcutaneous syringe 5 mg/0.4 ml</i> (Arixtra)   | 5                | NDS; QL (12 per 30 days)      |
| <i>fondaparinux subcutaneous syringe 7.5 mg/0.6 ml</i> (Arixtra)   | 5                | NDS; QL (18 per 30 days)      |
| <i>heparin (porcine) injection solution 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml</i> | 2                |                               |
| <i>jantoven oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (warfarin)         | 1                |                               |
| <i>rivaroxaban oral suspension for reconstitution 1 mg/ml</i> (Xarelto)                                  | 2                | QL (600 per 30 days)          |
| <i>rivaroxaban oral tablet 2.5 mg</i> (Xarelto)  | 2                | QL (60 per 30 days)           |
| <i>warfarin oral tablet 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg</i> (Jantoven)         | 1                |                               |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)                              | 3                |                               |
| XARELTO ORAL SUSPENSION FOR RECONSTITUTION 1 MG/ML (rivaroxaban)   | 3                | QL (600 per 30 days)          |
| XARELTO ORAL TABLET 10 MG, 20 MG (rivaroxaban)   | 3                | QL (30 per 30 days)           |
| XARELTO ORAL TABLET 15 MG (rivaroxaban)  | 3                | QL (60 per 30 days)           |
| XARELTO ORAL TABLET 2.5 MG (rivaroxaban)   | 3                | ST; QL (60 per 30 days)       |
| <b>Blood Formation Modifiers</b>   |                  |                               |
| ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG   | 5                | PA; NDS; QL (60 per 30 days)  |
| <i>eltrombopag olamine oral powder in packet 12.5 mg</i> (Promacta)                                      | 5                | PA; NDS; QL (90 per 30 days)  |
| <i>eltrombopag olamine oral powder in packet 25 mg</i> (Promacta)  | 5                | PA; NDS; QL (180 per 30 days) |
| <i>eltrombopag olamine oral tablet 12.5 mg</i> (Promacta)  | 5                | PA; NDS; QL (90 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---|------------------|------------------------------|
| <i>eltrombopag olamine oral tablet 25 mg</i> (Promacta)   | 5                | PA; NDS; QL (30 per 30 days) |
| <i>eltrombopag olamine oral tablet 50 mg, 75 mg</i> (Promacta)  | 5                | PA; NDS; QL (60 per 30 days) |
| HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT   | 5                | PA; NDS; QL (30 per 30 days) |
| HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT   | 5                | PA; NDS; QL (20 per 30 days) |
| NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML  | 5                | PA; NDS                      |
| NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML  | 5                | PA; NDS                      |
| NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML   | 5                | PA; NDS                      |
| RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3                | PA; QL (12 per 28 days)      |
| RETACRIT INJECTION SOLUTION 40,000 UNIT/ML  | 3                | PA; QL (4 per 28 days)       |
| UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML   | 5                | PA; NDS                      |
| <b>Hematologic Agents, Miscellaneous</b>  |                  |                              |
| <i>anagrelide oral capsule 0.5 mg</i> (Agrylin)   | 3                |                              |
| <i>anagrelide oral capsule 1 mg</i>   | 3                |                              |
| <i>tranexamic acid oral tablet 650 mg</i>   | 2                |                              |
| <b>Platelet-Aggregation Inhibitors</b>  |                  |                              |
| <i>aspirin-dipyridamole oral capsule, er multiphase 12 hr 25-200 mg</i>   | 3                |                              |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>   | 2                |                              |
| <i>clopidogrel oral tablet 75 mg</i> (Plavix)   | 1                |                              |
| <i>dipyridamole oral tablet 25 mg, 50 mg, 75 mg</i>   | 2                | PA-HRM; AGE (Max 64 Years)   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>pentoxifylline oral tablet extended release 400 mg</i>               | 2                |                            |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)                  | 2                | QL (30 per 30 days)        |
| <i>ticagrelor oral tablet 60 mg, 90 mg</i> (Brilinta)                   | 2                |                            |
| <b>Caloric Agents</b>   |                  |                            |
| <b>Caloric Agents</b>   |                  |                            |
| CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %    | 4                | PA BvD                     |
| CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %   | 4                | PA BvD                     |
| CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %   | 4                | PA BvD                     |
| CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %   | 4                | PA BvD                     |
| CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %   | 4                | PA BvD                     |
| <i>dextrose 5 % in water (d5w) intravenous parenteral solution</i>      | 2                |                            |
| <b>Cardiovascular Agents</b>  |                  |                            |
| <b>Alpha-Adrenergic Agents</b>  |                  |                            |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>                 | 1                |                            |
| <i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1) | 2                |                            |
| <i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2) | 2                |                            |
| <i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3) | 2                |                            |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)           | 1                |                            |
| <i>droxidopa oral capsule 100 mg</i> (Northera)                         | 2                | PA; QL (180 per 30 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|---|------------------|-------------------------------|
| <i>droxidopa oral capsule 200 mg, 300 mg</i> (Northera)   | 5                | PA; NDS; QL (180 per 30 days) |
| <i>guanfacine oral tablet 1 mg, 2 mg</i>  | 2                |                               |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>  | 2                |                               |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>   | 2                |                               |
| <b>Angiotensin II Receptor Antagonists</b>  |                  |                               |
| <i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)   | 6                |                               |
| <i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)                                | 6                |                               |
| ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG (sacubitril-valsartan)   | 3                | QL (60 per 30 days)           |
| ENTRESTO SPRINKLE ORAL PELLETT 15-16 MG, 6-6 MG   | 3                | QL (240 per 30 days)          |
| <i>irbesartan oral tablet 150 mg, 300 mg</i> (Avapro)   | 6                |                               |
| <i>irbesartan oral tablet 75 mg</i>   | 6                |                               |
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)  | 6                |                               |
| <i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)   | 6                |                               |
| <i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)                                     | 6                |                               |
| <i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)  | 6                |                               |
| <i>olmesartan-amlodipin-hctiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor) | 6                |                               |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)                                | 6                |                               |
| <i>sacubitril-valsartan oral tablet 24-26 mg, 49-51 mg, 97-103 mg</i> (Entresto)  | 2                | QL (60 per 30 days)           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>telmisartan oral tablet 20 mg</i>   | 6                |                            |
| <i>telmisartan oral tablet 40 mg, 80 mg</i> (Micardis)   | 6                |                            |
| <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)                        | 6                |                            |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)   | 6                |                            |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT) | 6                |                            |
| <b>Angiotensin-Converting Enzyme Inhibitors</b>  |                  |                            |
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)   | 6                |                            |
| <i>benazepril oral tablet 5 mg</i>   | 6                |                            |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)                        | 6                |                            |
| <i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>  | 6                |                            |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>   | 6                |                            |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)  | 6                |                            |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)  | 6                |                            |
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>   | 6                |                            |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>  | 6                |                            |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>   | 6                |                            |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)   | 6                |                            |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)                          | 6                |                            |
| <i>moexipril oral tablet 15 mg, 7.5 mg</i>   | 6                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>                          | 6                |                            |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>                            | 6                |                            |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> | 6                |                            |
| <i>ramipril oral capsule 1.25 mg, 2.5 mg, 5 mg</i> (Altace)                       | 6                |                            |
| <i>ramipril oral capsule 10 mg</i>  | 6                |                            |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>                                  | 6                |                            |
| <b>Antiarrhythmic Agents</b>  |                  |                            |
| <i>amiodarone oral tablet 100 mg, 200 mg</i> (Pacerone)                           | 2                |                            |
| <i>amiodarone oral tablet 400 mg</i>  | 2                |                            |
| <i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)                | 3                |                            |
| <i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i>                               | 2                |                            |
| MULTAQ ORAL TABLET 400 MG   | 3                |                            |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (amiodarone)                   | 2                |                            |
| <i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i>    | 3                |                            |
| <i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i>                             | 2                |                            |
| <i>quinidine sulfate oral tablet 200 mg, 300 mg</i>                               | 3                |                            |
| <b>Beta-Adrenergic Blocking Agents</b>  |                  |                            |
| <i>acebutolol oral capsule 200 mg, 400 mg</i>                                     | 2                |                            |
| <i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)                       | 1                |                            |
| <i>atenolol-chlorthalidone oral tablet 100-25 mg</i> (Tenoretic 100)              | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>atenolol-chlorthalidone oral tablet 50-25 mg</i> (Tenoretic 50)                                      | 2                |                            |
| <i>bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg</i>  | 2                |                            |
| <i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i>                    | 2                |                            |
| <i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)                                 | 1                |                            |
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>   | 2                |                            |
| <i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL) | 1                |                            |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i>  | 4                |                            |
| <i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)  | 1                |                            |
| <i>metoprolol tartrate oral tablet 25 mg, 37.5 mg, 75 mg</i>  | 1                |                            |
| <i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)                                      | 2                |                            |
| <i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)       | 2                |                            |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>  | 2                |                            |
| <i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)                                       | 2                |                            |
| <i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)   | 2                |                            |
| <i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)   | 2                |                            |
| <i>sotalol oral tablet 240 mg</i> (Betapace)  | 2                |                            |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>   | 4                |                            |
| <b>Calcium-Channel Blocking Agents</b>  |                  |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|--|------------------|-------------------------------|
| <i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)                   | 2                |                               |
| <i>diltiazem 24hr er 360 mg cap once-a-day dosage</i> (Tiadylt ER)   | 2                |                               |
| <i>diltiazem 24hr er 420 mg cap</i> (Tiadylt ER)   | 2                |                               |
| <i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>  | 4                |                               |
| <i>diltiazem hcl oral capsule,extended release 24 hr 180 mg, 360 mg, 420 mg</i> (Tiadylt ER)                         | 2                |                               |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)                   | 2                |                               |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)   | 2                |                               |
| <i>diltiazem hcl oral tablet 90 mg</i>   | 2                |                               |
| <i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)                            | 2                |                               |
| <i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)          | 2                |                               |
| <i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl) | 2                |                               |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>  | 2                |                               |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>  | 4                |                               |
| <i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>  | 1                |                               |
| <i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>   | 2                |                               |
| <b>Cardiovascular Agents, Miscellaneous</b>  |                  |                               |
| ATTRUBY ORAL TABLET 356 MG   | 5                | PA; NDS; QL (112 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---|------------------|------------------------------|
| CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG   | 5                | PA; NDS; QL (30 per 30 days) |
| CORLANOR ORAL SOLUTION 5 MG/5 ML  | 4                | QL (600 per 30 days)         |
| <i>digoxin injection syringe 250 mcg/ml (0.25 mg/ml)</i>                                | 3                |                              |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Digitek)              | 2                |                              |
| <i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i> (Auvi-Q)                     | 3                | QL (4 per 30 days)           |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)                   | 2                | QL (4 per 30 days)           |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>                                | 3                | QL (4 per 30 days)           |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)                       | 2                | QL (4 per 30 days)           |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                              | 1                |                              |
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)                              | 5                | PA; NDS; QL (18 per 30 days) |
| <i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)                                   | 3                | QL (60 per 30 days)          |
| <i>metyrosine oral capsule 250 mg</i>   | 5                | PA; NDS                      |
| <i>ranolazine oral tablet extended release 12 hr 1,000 mg</i>                           | 2                | QL (60 per 30 days)          |
| <i>ranolazine oral tablet extended release 12 hr 500 mg</i>                             | 2                | QL (120 per 30 days)         |
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG   | 4                | PA; QL (30 per 30 days)      |
| VYNDAMAX ORAL CAPSULE 61 MG   | 5                | PA; NDS; QL (30 per 30 days) |
| <b>Dihydropyridines</b>   |                  |                              |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)                             | 1                |                              |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel) | 6                |                              |
| <i>amlodipine-benazepril oral capsule 2.5-10 mg, 5-40 mg</i>                            | 6                |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>amlodipine-olmesartan oral tablet</i> (Azor)<br>10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg                                  | 6                |                            |
| <i>amlodipine-valsartan oral tablet</i> 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg (Exforge)                               | 6                |                            |
| <i>amlodipine-valsartan-hcthiiazid oral tablet</i> 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-25 mg (Exforge HCT) | 3                |                            |
| <i>amlodipine-valsartan-hcthiiazid oral tablet</i> 5-160-12.5 mg (Exforge HCT)   | 4                |                            |
| <i>felodipine oral tablet extended release</i> 24 hr 10 mg, 2.5 mg, 5 mg   | 2                |                            |
| <i>nifedipine oral tablet extended release</i> 24hr 30 mg, 60 mg (Procardia XL)  | 2                |                            |
| <i>nifedipine oral tablet extended release</i> 24hr 90 mg  | 2                |                            |
| <i>nifedipine oral tablet extended release</i> 30 mg, 60 mg, 90 mg   | 2                |                            |
| <b>Diuretics</b>   |                  |                            |
| <i>amiloride oral tablet</i> 5 mg  | 1                |                            |
| <i>amiloride-hydrochlorothiazide oral tablet</i> 5-50 mg   | 2                |                            |
| <i>bumetanide oral tablet</i> 0.5 mg, 1 mg, 2 mg   | 2                |                            |
| <i>chlorthalidone oral tablet</i> 25 mg, 50 mg   | 2                |                            |
| <i>furosemide injection solution</i> 10 mg/ml  | 1                |                            |
| <i>furosemide injection syringe</i> 10 mg/ml   | 1                |                            |
| <i>furosemide oral solution</i> 10 mg/ml, 40 mg/5 ml (8 mg/ml)   | 2                |                            |
| <i>furosemide oral tablet</i> 20 mg, 40 mg, 80 mg (Lasix)  | 1                |                            |
| <i>hydrochlorothiazide oral capsule</i> 12.5 mg  | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|---|------------------|-------------------------------|
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>  | 1                |                               |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i>   | 1                |                               |
| JYNARQUE ORAL TABLET 15 MG, 30 MG (tolvaptan (polycyst kidney dis))   | 5                | PA; NDS; QL (120 per 30 days) |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>   | 2                |                               |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)  | 1                |                               |
| <i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>  | 2                |                               |
| <i>tolvaptan (polycyst kidney dis) oral tablets, sequential 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm)</i> (Jynarque) | 5                | PA; NDS; QL (56 per 28 days)  |
| <i>toremide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>  | 1                |                               |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>   | 1                |                               |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>  | 1                |                               |
| <b>Dyslipidemics</b>  |                  |                               |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)   | 6                |                               |
| <i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)   | 6                | QL (30 per 30 days)           |
| <i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>  | 6                |                               |
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)  | 6                |                               |
| <i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine)   | 2                |                               |
| <i>cholestyramine oral powder in packet 4 gram</i> (Cholestyramine Light)   | 2                |                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)            | 4                |                            |
| <i>colesevelam oral tablet 625 mg</i> (WelChol)                         | 3                |                            |
| <i>colestipol oral packet 5 gram</i>                                    | 2                |                            |
| <i>colestipol oral tablet 1 gram</i> (Colestid)                         | 2                |                            |
| <i>ezetimibe oral tablet 10 mg</i> (Zetia)                              | 2                | QL (30 per 30 days)        |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)       | 6                | QL (30 per 30 days)        |
| <i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)       | 6                | QL (30 per 30 days)        |
| <i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)       | 6                | QL (30 per 30 days)        |
| <i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)       | 6                | QL (30 per 30 days)        |
| <i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i>        | 2                |                            |
| <i>fenofibrate nanocrystallized oral tablet 145 mg</i> (Tricor)         | 2                |                            |
| <i>fenofibrate nanocrystallized oral tablet 48 mg</i>                   | 2                |                            |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i>                            | 2                |                            |
| <i>fluvastatin oral capsule 20 mg, 40 mg</i>                            | 6                | QL (60 per 30 days)        |
| <i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL) | 6                |                            |
| <i>gemfibrozil oral tablet 600 mg</i> (Lopid)                           | 1                |                            |
| <i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)                  | 3                | QL (240 per 30 days)       |
| <i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)                    | 3                | QL (120 per 30 days)       |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>                       | 6                |                            |
| NEXLETOL ORAL TABLET 180 MG   | 3                | ST; QL (30 per 30 days)    |
| NEXLIZET ORAL TABLET 180-10 MG  | 3                | ST; QL (30 per 30 days)    |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg</i>       | 2                |                            |
| <i>niacin oral tablet extended release 24 hr 750 mg</i>                 | 4                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)                         | 2                | ST; QL (120 per 30 days)   |
| <i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)                     | 3                | QL (30 per 30 days)        |
| <i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>                             | 6                |                            |
| <i>prevalite oral powder in packet 4 gram</i> (cholestyramine)                        | 2                |                            |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML                       | 3                | ST; QL (7 per 28 days)     |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML                                 | 3                | ST; QL (6 per 28 days)     |
| REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML  | 3                | ST; QL (6 per 28 days)     |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)                   | 6                |                            |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)                            | 6                |                            |
| <i>simvastatin oral tablet 5 mg, 80 mg</i>  | 6                |                            |
| <b>Renin-Angiotensin-Aldosterone System Inhibitors</b>                                |                  |                            |
| <i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)                                | 3                |                            |
| <i>eplerenone oral tablet 25 mg</i> (Inspra)  | 2                |                            |
| <i>eplerenone oral tablet 50 mg</i>   | 2                |                            |
| KERENDIA ORAL TABLET 10 MG, 20 MG, 40 MG  | 3                | PA; QL (30 per 30 days)    |
| <b>Vasodilators</b>   |                  |                            |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>                           | 2                |                            |
| <i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titradose)                      | 2                |                            |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>                                | 2                |                            |
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i> | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|--|------------------|-------------------------------|
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i>   | 2                |                               |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)  | 2                |                               |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)              | 2                |                               |
| <b>Central Nervous System Agents</b>   |                  |                               |
| <b>Central Nervous System Agents</b>   |                  |                               |
| <i>atomoxetine oral capsule 10 mg</i>  | 3                | QL (60 per 30 days)           |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>   | 2                | QL (30 per 30 days)           |
| <i>atomoxetine oral capsule 18 mg, 25 mg, 40 mg</i>  | 2                | QL (60 per 30 days)           |
| AUSTEDO ORAL TABLET 12 MG, 9 MG  | 5                | PA; NDS; QL (120 per 30 days) |
| AUSTEDO ORAL TABLET 6 MG   | 5                | PA; NDS; QL (60 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG  | 5                | PA; NDS; QL (90 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG   | 5                | PA; NDS; QL (60 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG   | 5                | PA; NDS; QL (30 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG   | 5                | PA; NDS; QL (210 per 30 days) |
| AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14) | 5                | PA; NDS                       |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML  | 5                | PA; NDS; QL (1 per 28 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---|------------------|------------------------------|
| AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML  | 5                | PA; NDS; QL (1 per 28 days)  |
| BETASERON SUBCUTANEOUS KIT 0.3 MG   | 5                | PA; NDS; QL (15 per 30 days) |
| <i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)  | 2                | PA; QL (60 per 30 days)      |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)     | 2                | QL (30 per 30 days)          |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)    | 2                | QL (60 per 30 days)          |
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall) | 2                | QL (60 per 30 days)          |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg</i> (Tecfidera)                              | 3                | PA; QL (14 per 7 days)       |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)            | 3                | PA                           |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 240 mg</i> (Tecfidera)                              | 5                | PA; NDS; QL (60 per 30 days) |
| <i>fingolimod oral capsule 0.5 mg</i> (Gilenya)   | 5                | PA; NDS; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i> (Glatopa)   | 5                | PA; NDS; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 40 mg/ml</i> (Glatopa)   | 5                | PA; NDS; QL (12 per 28 days) |
| <i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)   | 5                | PA; NDS; QL (30 per 30 days) |
| <i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)   | 5                | PA; NDS; QL (12 per 28 days) |
| <i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER)                      | 2                |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--|------------------|----------------------------------|
| INGREZZA INITIATION<br>PK(TARDIV) ORAL<br>CAPSULE,DOSE PACK 40 MG (7)-<br>80 MG (21) | 5                | PA; NDS                          |
| INGREZZA ORAL CAPSULE 40<br>MG, 60 MG, 80 MG   | 5                | PA; NDS; QL (30 per 30<br>days)  |
| INGREZZA SPRINKLE ORAL<br>CAPSULE, SPRINKLE 40 MG, 60<br>MG, 80 MG                   | 5                | PA; NDS; QL (30 per 30<br>days)  |
| KESIMPTA PEN<br>SUBCUTANEOUS PEN INJECTOR<br>20 MG/0.4 ML                            | 5                | PA; NDS; QL (1.2 per<br>28 days) |
| <i>lithium carbonate oral capsule 150<br/>mg, 300 mg, 600 mg</i>                     | 1                |                                  |
| <i>lithium carbonate oral tablet 300 mg</i>  | 1                |                                  |
| <i>lithium carbonate oral tablet<br/>extended release 300 mg</i> (Lithobid)          | 2                |                                  |
| <i>lithium carbonate oral tablet<br/>extended release 450 mg</i>                     | 2                |                                  |
| <i>lithium citrate oral solution 8 meq/5<br/>ml</i>                                  | 2                |                                  |
| MAVENCLAD (10 TABLET<br>PACK) ORAL TABLET 10 MG (cladribine(multiple<br>sclerosis))  | 5                | PA; NDS                          |
| MAVENCLAD (4 TABLET PACK)<br>ORAL TABLET 10 MG (cladribine(multiple<br>sclerosis))   | 5                | PA; NDS                          |
| MAVENCLAD (5 TABLET PACK)<br>ORAL TABLET 10 MG (cladribine(multiple<br>sclerosis))   | 5                | PA; NDS                          |
| MAVENCLAD (6 TABLET PACK)<br>ORAL TABLET 10 MG (cladribine(multiple<br>sclerosis))   | 5                | PA; NDS                          |
| MAVENCLAD (7 TABLET PACK)<br>ORAL TABLET 10 MG (cladribine(multiple<br>sclerosis))   | 5                | PA; NDS                          |
| MAVENCLAD (8 TABLET PACK)<br>ORAL TABLET 10 MG (cladribine(multiple<br>sclerosis))   | 5                | PA; NDS                          |
| MAVENCLAD (9 TABLET PACK)<br>ORAL TABLET 10 MG (cladribine(multiple<br>sclerosis))   | 5                | PA; NDS                          |
| MAYZENT ORAL TABLET 0.25<br>MG   | 5                | PA; NDS; QL (112 per<br>28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|--|------------------|-------------------------------|
| MAYZENT ORAL TABLET 1 MG, 2 MG   | 5                | PA; NDS; QL (30 per 30 days)  |
| MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)           | 3                | PA                            |
| MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)          | 5                | PA; NDS                       |
| <i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)        | 3                | QL (900 per 30 days)          |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)              | 2                | QL (90 per 30 days)           |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML                                | 5                | PA; NDS; QL (1 per 28 days)   |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML                  | 5                | PA; NDS                       |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML                                     | 5                | PA; NDS; QL (1 per 28 days)   |
| PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML                       | 5                | PA; NDS                       |
| <i>riluzole oral tablet 50 mg</i>  | 3                |                               |
| <i>tetrabenazine oral tablet 12.5 mg</i> (Xenazine)                              | 3                | PA; QL (112 per 28 days)      |
| <i>tetrabenazine oral tablet 25 mg</i> (Xenazine)                                | 5                | PA; NDS; QL (112 per 28 days) |
| VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG                              | 5                | PA; NDS; QL (120 per 30 days) |
| <b>Contraceptives</b>  |                  |                               |
| <b>Contraceptives</b>  |                  |                               |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)       | 2                |                               |
| <i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)    | 2                |                               |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol) | 2                |                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  |                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|---------------------------------------|------------------|----------------------------|
| <i>alyacen 7/7/7 (28) oral tablet<br/>0.5/0.75/1 mg- 35 mcg</i>             |                                       | 2                |                            |
| <i>amethyst (28) oral tablet 90-20 mcg<br/>(28)</i>                         | (levonorgestrel-ethinyl<br>estradiol) | 2                |                            |
| <i>apri oral tablet 0.15-0.03 mg</i>  | (desogestrel-ethinyl<br>estradiol)    | 2                |                            |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i>                                   | (levonorgestrel-ethinyl<br>estradiol) | 2                |                            |
| <i>aurovela 1.5/30 (21) oral tablet 1.5-<br/>30 mg-mcg</i>                  | (norethindrone ac-eth<br>estradiol)   | 2                |                            |
| <i>aurovela 1/20 (21) oral tablet 1-20<br/>mg-mcg</i>                       | (norethindrone ac-eth<br>estradiol)   | 2                |                            |
| <i>aurovela 24 fe oral tablet 1 mg-20<br/>mcg (24)/75 mg (4)</i>            | (norethindrone-<br>e.estradiol-iron)  | 2                |                            |
| <i>aurovela fe 1.5/30 (28) oral tablet 1.5<br/>mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-<br>e.estradiol-iron)  | 2                |                            |
| <i>aurovela fe 1-20 (28) oral tablet 1<br/>mg-20 mcg (21)/75 mg (7)</i>     | (norethindrone-<br>e.estradiol-iron)  | 2                |                            |
| <i>aviane oral tablet 0.1-20 mg-mcg</i>                                     | (levonorgestrel-ethinyl<br>estradiol) | 2                |                            |
| <i>ayuna oral tablet 0.15-0.03 mg</i>                                       | (levonorgestrel-ethinyl<br>estradiol) | 2                |                            |
| <i>azurette (28) oral tablet 0.15-0.02<br/>mgx21 /0.01 mg x 5</i>           | (desog-<br>e.estradiol/e.estradiol)   | 2                |                            |
| <i>blisovi 24 fe oral tablet 1 mg-20 mcg<br/>(24)/75 mg (4)</i>             | (norethindrone-<br>e.estradiol-iron)  | 2                |                            |
| <i>blisovi fe 1.5/30 (28) oral tablet 1.5<br/>mg-30 mcg (21)/75 mg (7)</i>  | (norethindrone-<br>e.estradiol-iron)  | 2                |                            |
| <i>blisovi fe 1/20 (28) oral tablet 1 mg-<br/>20 mcg (21)/75 mg (7)</i>     | (norethindrone-<br>e.estradiol-iron)  | 2                |                            |
| <i>camila oral tablet 0.35 mg</i>   | (norethindrone<br>(contraceptive))    | 2                |                            |
| <i>chateal eq (28) oral tablet 0.15-0.03<br/>mg</i>                         | (levonorgestrel-ethinyl<br>estradiol) | 2                |                            |
| <i>cryselle (28) oral tablet 0.3-30 mg-<br/>mcg</i>                         | (norgestrel-ethinyl<br>estradiol)     | 2                |                            |
| <i>cyred eq oral tablet 0.15-0.03 mg</i>                                    | (desogestrel-ethinyl<br>estradiol)    | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)              | 2                |                            |
| <i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                                   | 2                |                            |
| <i>deblitane oral tablet 0.35 mg</i> (norethindrone (contraceptive))                          | 2                |                            |
| <i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (Azurette (28)) | 2                |                            |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-0.03 mg</i> (Apri)                          | 2                |                            |
| <i>dolishale oral tablet 90-20 mcg (28)</i> (levonorgestrel-ethinyl estrad)                   | 2                |                            |
| <i>elimest oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol)                       | 2                |                            |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i> (etonogestrel-ethinyl estradiol)              | 2                | QL (1 per 28 days)         |
| <i>emzahh oral tablet 0.35 mg</i> (norethindrone (contraceptive))                             | 2                |                            |
| <i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i> (etonogestrel-ethinyl estradiol)           | 4                | QL (1 per 28 days)         |
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (levonorg-eth estrad triphasic)    | 2                |                            |
| <i>enskyce oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)                       | 2                |                            |
| <i>errin oral tablet 0.35 mg</i> (norethindrone (contraceptive))                              | 2                |                            |
| <i>estarylla oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)                   | 2                |                            |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i> (Kelnor 1/35 (28))               | 2                |                            |
| <i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i> (Valtya)                         | 2                |                            |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i> (EluRyng)              | 2                | QL (1 per 28 days)         |
| <i>falmina (28) oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)                 | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   |                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|----------------------------------|------------------|----------------------------|
| <i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>femynor oral tablet 0.25-35 mg-mcg</i>  | (norgestimate-ethinyl estradiol) | 1                |                            |
| <i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                         | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>              | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>                  | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>                                   | (etonogestrel-ethinyl estradiol) | 2                | QL (1 per 28 days)         |
| <i>heather oral tablet 0.35 mg</i>   | (norethindrone (contraceptive))  | 2                |                            |
| <i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>                  | (levonorgestrel-ethinyl estrad)  | 2                | QL (91 per 84 days)        |
| <i>incassia oral tablet 0.35 mg</i>  | (norethindrone (contraceptive))  | 2                |                            |
| <i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>                | (levonorgestrel-ethinyl estrad)  | 2                | QL (91 per 84 days)        |
| <i>isibloom oral tablet 0.15-0.03 mg</i>   | (desogestrel-ethinyl estradiol)  | 2                |                            |
| <i>jencycla oral tablet 0.35 mg</i>  | (norethindrone (contraceptive))  | 1                |                            |
| <i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>                  | (levonorgestrel-ethinyl estrad)  | 4                | QL (91 per 84 days)        |
| <i>juleber oral tablet 0.15-0.03 mg</i>  | (desogestrel-ethinyl estradiol)  | 2                |                            |
| <i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                                 | (norethindrone ac-eth estradiol) | 2                |                            |
| <i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>                                     | (norethindrone ac-eth estradiol) | 2                |                            |
| <i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>               | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>                   | (norethindrone-e.estradiol-iron) | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  |                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|----------------------------------|------------------|----------------------------|
| <i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                               | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>                             | (desog-e.estradiol/e.estradiol)  | 2                |                            |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>   | (ethynodiol diac-eth estradiol)  | 2                |                            |
| <i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i>   | (ethynodiol diac-eth estradiol)  | 2                |                            |
| <i>kurvelo (28) oral tablet 0.15-0.03 mg</i>  | (levonorgestrel-ethinyl estrad)  | 2                |                            |
| <b>KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG</b>          |                                  | 4                |                            |
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                                      | (norethindrone ac-eth estradiol) | 2                |                            |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>  | (norethindrone ac-eth estradiol) | 2                |                            |
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                               | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>                    | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>                        | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>lessina oral tablet 0.1-20 mg-mcg</i>  | (levonorgestrel-ethinyl estrad)  | 2                |                            |
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>                         | (levonorg-eth estrad triphasic)  | 2                |                            |
| <i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>          | (Balcoltra)                      | 4                |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i>                          | (Afirmelle)                      | 2                |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>                           | (Altavera (28))                  | 2                |                            |
| <i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>                         | (Amethyst (28))                  | 2                |                            |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (Iclevia)                        | 2                | QL (91 per 84 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Enpresse)                  | 2                |                            |
| <i>levora-28 oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)                                   | 2                |                            |
| LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG                                       | 3                |                            |
| <i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i> (norgestrel-ethinyl estradiol)                           | 2                |                            |
| <i>luizza oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)                       | 2                |                            |
| <i>lultera (28) oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)                               | 2                |                            |
| <i>lyleq oral tablet 0.35 mg</i> (norethindrone (contraceptive))  | 2                |                            |
| <i>lyza oral tablet 0.35 mg</i> (norethindrone (contraceptive))   | 2                |                            |
| <i>marlissa (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)                               | 2                |                            |
| <i>meleya oral tablet 0.35 mg</i> (norethindrone (contraceptive))   | 2                |                            |
| <i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (norethindrone ac-eth estradiol)                   | 2                |                            |
| <i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i> (norethindrone ac-eth estradiol)                       | 2                |                            |
| <i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (norethindrone-e.estradiol-iron)            | 2                |                            |
| <i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (norethindrone-e.estradiol-iron)     | 2                |                            |
| <i>mili oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)                                      | 2                |                            |
| MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG                                     | 4                |                            |
| <i>mono-lynyah oral tablet 0.25-0.035 mg</i> (norgestimate-ethinyl estradiol)                               | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| NEXPLANON SUBDERMAL IMPLANT 68 MG  | 3                |                            |
| <i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i> (Xulane)                 | 2                | QL (3 per 28 days)         |
| <i>norethindrone (contraceptive) oral tablet 0.35 mg</i> (Jencycla)                                      | 2                |                            |
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Aurovela Fe 1-20 (28))     | 2                |                            |
| <i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Aurovela Fe 1.5/30 (28)) | 2                |                            |
| <i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i> (Tilia Fe)              | 2                |                            |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i> (Tri-Lo-Estarylla)         | 2                |                            |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> (Tri-Estarylla)        | 2                |                            |
| <i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i> (Mono-Linyah)                            | 2                |                            |
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>  | 2                |                            |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)                         | 2                |                            |
| <i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>  | 2                |                            |
| <i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)                           | 2                |                            |
| <i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>  | 2                |                            |
| <i>nymyo oral tablet 0.25-35 mg-mcg</i> (norgestimate-ethinyl estradiol)                                 | 2                |                            |
| <i>orquidea oral tablet 0.35 mg</i> (norethindrone (contraceptive))                                      | 2                |                            |
| <i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (desog-e.estradiol/e.estradiol)             | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   |                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|----------------------------------|------------------|----------------------------|
| <i>portia 28 oral tablet 0.15-0.03 mg</i>                            | (levonorgestrel-ethinyl estrad)  | 2                |                            |
| <i>reclipsen (28) oral tablet 0.15-0.03 mg</i>                       | (desogestrel-ethinyl estradiol)  | 2                |                            |
| <i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>   | (levonorgestrel-ethinyl estrad)  | 2                | QL (91 per 84 days)        |
| <i>sharobel oral tablet 0.35 mg</i>                                  | (norethindrone (contraceptive))  | 2                |                            |
| <i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>         | (desog-e.estradiol/e.estradiol)  | 2                |                            |
| SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG  |                                  | 4                |                            |
| <i>sprintec (28) oral tablet 0.25-0.035 mg</i>                       | (norgestimate-ethinyl estradiol) | 2                |                            |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i>                              | (levonorgestrel-ethinyl estrad)  | 2                |                            |
| <i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>           | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>           | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>     | (norgestimate-ethinyl estradiol) | 2                |                            |
| <i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>      | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>        | (norgestimate-ethinyl estradiol) | 2                |                            |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>      | (norgestimate-ethinyl estradiol) | 2                |                            |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>         | (norgestimate-ethinyl estradiol) | 2                |                            |
| <i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>           | (norgestimate-ethinyl estradiol) | 2                |                            |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>       | (norgestimate-ethinyl estradiol) | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   |                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|----------------------------------|------------------|----------------------------|
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>          | (norgestimate-ethinyl estradiol) | 2                |                            |
| <i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>          | (norgestimate-ethinyl estradiol) | 2                |                            |
| <i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | (norgestimate-ethinyl estradiol) | 2                |                            |
| <i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>       | (levonorg-eth estrad triphasic)  | 2                |                            |
| <i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>        | (norgestimate-ethinyl estradiol) | 2                |                            |
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>       | (norgestimate-ethinyl estradiol) | 2                |                            |
| <i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>                         | (norgestrel-ethinyl estradiol)   | 2                |                            |
| <i>valtya oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i>                   | (ethynodiol diac-eth estradiol)  | 2                |                            |
| <i>vienva oral tablet 0.1-20 mg-mcg</i>                              | (levonorgestrel-ethinyl estrad)  | 2                |                            |
| <i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>         | (desog-e.estradiol/e.estradiol)  | 2                |                            |
| <i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>          | (desog-e.estradiol/e.estradiol)  | 2                |                            |
| <i>vylibra oral tablet 0.25-0.035 mg</i>                             | (norgestimate-ethinyl estradiol) | 2                |                            |
| <i>xarah fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>           | (norethindrone-e.estradiol-iron) | 2                |                            |
| <i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>              | (norelgestromin-ethin.estradiol) | 2                | QL (3 per 28 days)         |
| <i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>              | (norelgestromin-ethin.estradiol) | 2                | QL (3 per 28 days)         |
| <i>zovia 1/35e (28) oral tablet 1-35 mg-mcg</i>                      | (ethynodiol diac-eth estradiol)  | 2                |                            |
| <i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>                       | (ethynodiol diac-eth estradiol)  | 2                |                            |
| <b>Dental And Oral Agents</b>  |                                  |                  |                            |
| <b>Dental And Oral Agents</b>  |                                  |                  |                            |
| <i>cevimeline oral capsule 30 mg</i>                                 | (Evoxac)                         | 4                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Periogard)         | 1                |                            |
| <i>denta 5000 plus dental cream 1.1 %</i> (fluoride (sodium))                       | 1                |                            |
| <i>dentagel dental gel 1.1 %</i> (fluoride (sodium))                                | 1                |                            |
| <i>fluoride (sodium) dental gel 1.1 %</i> (DentaGel)                                | 1                |                            |
| <i>fluoride (sodium) dental solution 0.2 %</i> (PreviDent)                          | 1                |                            |
| <i>periogard mucous membrane mouthwash 0.12 %</i> (chlorhexidine gluconate)         | 1                |                            |
| <i>pilocarpine hcl oral tablet 5 mg</i> (Salagen (pilocarpine))                     | 2                |                            |
| <i>pilocarpine hcl oral tablet 7.5 mg</i> (Salagen (pilocarpine))                   | 4                |                            |
| <i>sf 5000 plus dental cream 1.1 %</i> (fluoride (sodium))                          | 1                |                            |
| <i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Denta 5000 Plus Sensitive) | 1                |                            |
| <i>triamcinolone acetonide dental paste 0.1 %</i> (Kourzeq)                         | 2                |                            |
| <b>Dermatological Agents</b>  |                  |                            |
| <b>Dermatological Agents, Other</b>   |                  |                            |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>                                 | 2                |                            |
| <i>acyclovir topical ointment 5 %</i> (Zovirax)                                     | 4                | QL (30 per 30 days)        |
| <i>ammonium lactate topical cream 12 %</i>  | 2                |                            |
| <i>ammonium lactate topical lotion 12 %</i> (AmLactin)                              | 2                |                            |
| <i>calcipotriene scalp solution 0.005 %</i>   | 2                | QL (120 per 30 days)       |
| <i>calcipotriene topical cream 0.005 %</i>  | 3                | QL (120 per 30 days)       |
| <i>calcipotriene topical ointment 0.005 %</i>                                       | 3                | QL (120 per 30 days)       |
| <i>fluorouracil topical cream 5 %</i> (Efudex)                                      | 2                |                            |
| <i>fluorouracil topical solution 2 %</i>  | 2                |                            |
| <i>fluorouracil topical solution 5 %</i>  | 4                |                            |
| <i>imiquimod topical cream in packet 5 %</i>  | 2                | QL (24 per 30 days)        |
| KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %                                     | 5                | ST; NDS; QL (5 per 5 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>          | 5                | NDS                        |
| PANRETIN TOPICAL GEL 0.1 %   | 5                | NDS; QL (60 per 28 days)   |
| <i>podofilox topical solution 0.5 %</i>                                | 2                |                            |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM                                  | 4                | QL (180 per 30 days)       |
| VALCHLOR TOPICAL GEL 0.016 %   | 5                | PA NSO; NDS                |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin) | 3                |                            |
| <b>Dermatological Antibacterials</b>                                   |                  |                            |
| <i>clindamycin phosphate topical solution 1 %</i>                      | 2                | QL (180 per 30 days)       |
| <i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)          | 2                |                            |
| <i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>                  | 4                |                            |
| <i>erythromycin with ethanol topical solution 2 %</i>                  | 2                |                            |
| <i>gentamicin topical cream 0.1 %</i>                                  | 2                | QL (90 per 30 days)        |
| <i>gentamicin topical ointment 0.1 %</i>                               | 2                | QL (120 per 30 days)       |
| <i>metronidazole topical cream 0.75 %</i> (Rosadan)                    | 2                |                            |
| <i>metronidazole topical gel 0.75 %</i> (Rosadan)                      | 2                |                            |
| <i>metronidazole topical gel 1 %</i> (Metrogel)                        | 4                |                            |
| <i>mupirocin topical ointment 2 %</i> (Centany)                        | 1                | QL (220 per 30 days)       |
| <i>rosadan topical cream 0.75 %</i> (metronidazole)                    | 2                |                            |
| <i>selenium sulfide topical lotion 2.5 %</i>                           | 2                |                            |
| <i>silver sulfadiazine topical cream 1 %</i> (SSD)                     | 2                |                            |
| <i>ssd topical cream 1 %</i> (silver sulfadiazine)                     | 4                |                            |
| <b>Dermatological Anti-Inflammatory Agents</b>                         |                  |                            |
| <i>ala-cort topical cream 1 %</i> (hydrocortisone)                     | 2                |                            |
| <i>betamethasone dipropionate topical cream 0.05 %</i>                 | 2                |                            |
| <i>betamethasone dipropionate topical lotion 0.05 %</i>                | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>betamethasone dipropionate topical ointment 0.05 %</i>                       | 2                |                            |
| <i>betamethasone valerate topical cream 0.1 %</i>                               | 2                |                            |
| <i>betamethasone valerate topical lotion 0.1 %</i>                              | 2                |                            |
| <i>betamethasone valerate topical ointment 0.1 %</i>                            | 2                |                            |
| <i>betamethasone, augmented topical cream 0.05 %</i>                            | 2                |                            |
| <i>betamethasone, augmented topical gel 0.05 %</i>                              | 2                |                            |
| <i>betamethasone, augmented topical lotion 0.05 %</i>                           | 2                |                            |
| <i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented)) | 2                |                            |
| <i>clobetasol scalp solution 0.05 %</i>   | 2                |                            |
| <i>clobetasol topical cream 0.05 %</i>  | 2                |                            |
| <i>clobetasol topical gel 0.05 %</i>  | 4                |                            |
| <i>clobetasol topical lotion 0.05 %</i> (Clobex)                                | 4                |                            |
| <i>clobetasol topical ointment 0.05 %</i>                                       | 2                |                            |
| <i>clobetasol topical shampoo 0.05 %</i> (Clobex)                               | 2                |                            |
| <i>clobetasol-emollient topical cream 0.05 %</i>                                | 2                |                            |
| <i>clobetasol-emollient topical foam 0.05 %</i> (Olux-E)                        | 4                |                            |
| EUCRISA TOPICAL OINTMENT 2 %  | 3                |                            |
| <i>fluocinolone topical cream 0.01 %</i>  | 2                |                            |
| <i>fluocinolone topical cream 0.025 %</i> (Synalar)                             | 2                |                            |
| <i>fluocinolone topical ointment 0.025 %</i> (Synalar)                          | 2                |                            |
| <i>fluocinonide topical cream 0.05 %</i>  | 2                |                            |
| <i>fluocinonide topical gel 0.05 %</i>  | 2                |                            |
| <i>fluocinonide topical ointment 0.05 %</i>                                     | 2                |                            |
| <i>fluocinonide topical solution 0.05 %</i>                                     | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>fluticasone propionate topical cream 0.05 %</i>                                 | 2                |                            |
| <i>halobetasol propionate topical cream 0.05 %</i>                                 | 2                |                            |
| <i>halobetasol propionate topical ointment 0.05 %</i>                              | 2                |                            |
| <i>hydrocortisone 2.5% cream</i>   | 2                |                            |
| <i>hydrocortisone topical cream 1 %</i> (Ala-Cort)                                 | 2                |                            |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC) | 2                |                            |
| <i>hydrocortisone topical lotion 2.5 %</i>   | 2                |                            |
| <i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))                        | 1                |                            |
| <i>hydrocortisone topical ointment 2.5 %</i>                                       | 1                |                            |
| <i>hydrocortisone valerate topical cream 0.2 %</i>                                 | 2                |                            |
| <i>mometasone topical cream 0.1 %</i>  | 2                |                            |
| <i>mometasone topical ointment 0.1 %</i>   | 2                |                            |
| <i>mometasone topical solution 0.1 %</i>   | 2                |                            |
| <i>pimecrolimus topical cream 1 %</i>  | 4                | QL (100 per 30 days)       |
| <i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 2                |                            |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)  | 2                |                            |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 2                |                            |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i>                                   | 3                | QL (100 per 30 days)       |
| <i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>                        | 1                |                            |
| <i>triamcinolone acetonide topical cream 0.5 %</i> (Triderm)                       | 1                |                            |
| <i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>                       | 2                |                            |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>              | 2                |                            |
| <b>Dermatological Retinoids</b>  |                  |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>adapalene topical cream 0.1 %</i> (Differin)  | 4                |                            |
| ALTRENO TOPICAL LOTION 0.05 %  | 4                | PA                         |
| <i>tazarotene topical cream 0.1 %</i> (Tazorac)  | 2                |                            |
| <i>tretinoin topical cream 0.025 %</i> (Avita)   | 2                | PA                         |
| <i>tretinoin topical cream 0.05 %, 0.1 %</i> (Retin-A)   | 2                | PA                         |
| <b>Scabicides And Pediculicides</b>  |                  |                            |
| <i>malathion topical lotion 0.5 %</i> (Ovide)  | 4                |                            |
| <i>permethrin topical cream 5 %</i>  | 2                | QL (60 per 30 days)        |
| <b>Devices</b>   |                  |                            |
| <b>Devices</b>   |                  |                            |
| 1ST TIER UNIFINE PENTP 5MM (pen needle, diabetic)<br>31G 31 GAUGE X 3/16"  | 2                | PA; ST                     |
| 1ST TIER UNIFINE PNTIP 4MM (pen needle, diabetic)<br>32G 32 GAUGE X 5/32"  | 2                | PA; ST                     |
| 1ST TIER UNIFINE PNTIP 6MM (pen needle, diabetic)<br>31G 31 GAUGE X 1/4"   | 2                | PA; ST                     |
| 1ST TIER UNIFINE PNTIP 8MM (pen needle, diabetic)<br>31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"                               | 2                | PA; ST                     |
| 1ST TIER UNIFINE PNTIP (pen needle, diabetic)<br>29GX1/2" 29 GAUGE X 1/2"  | 2                | PA; ST                     |
| 1ST TIER UNIFINE PNTIP (pen needle, diabetic)<br>31GX3/16 31 GAUGE X 3/16"   | 2                | PA; ST                     |
| 1ST TIER UNIFINE PNTIP (pen needle, diabetic)<br>32GX5/32 32 GAUGE X 5/32"   | 2                | PA; ST                     |
| ABOUTTIME PEN NEEDLE (pen needle, diabetic)<br>NEEDLE 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" | 2                | PA; ST                     |
| ADVOCATE INS 0.3 ML (insulin syringe-needle<br>30GX5/16" 0.3 ML 30 GAUGE X u-100)<br>5/16"                                   | 2                | PA; ST                     |
| ADVOCATE INS 0.3 ML (insulin syringe-needle<br>31GX5/16" 0.3 ML 31 GAUGE X u-100)<br>5/16"                                   | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  |                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|-----------------------------------|------------------|----------------------------|
| ADVOCATE INS 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ADVOCATE INS 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ADVOCATE INS 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16         | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ADVOCATE INS SYR 0.3 ML<br>29GX1/2 0.3 ML 29 GAUGE X 1/2"   | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ADVOCATE INS SYR 0.5 ML<br>29GX1/2 0.5 ML 29 GAUGE X 1/2"   | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ADVOCATE INS SYR 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ADVOCATE INS SYR 1 ML<br>30GX5/16 1 ML 30 GAUGE X 5/16      | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ADVOCATE PEN NDL 12.7MM<br>29G 29 GAUGE X 1/2"              | (pen needle, diabetic)            | 2                | PA; ST                     |
| ADVOCATE PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 2                | PA; ST                     |
| ADVOCATE PEN NEEDLE 4MM<br>33G 33 GAUGE X 5/32"             | (pen needle, diabetic)            | 2                | PA; ST                     |
| ADVOCATE PEN NEEDLES 5MM<br>31G 31 GAUGE X 3/16"            | (pen needle, diabetic)            | 2                | PA; ST                     |
| ADVOCATE PEN NEEDLES 8MM<br>31G 31 GAUGE X 5/16"            | (pen needle, diabetic)            | 2                | PA; ST                     |
| ALCOHOL PADS TOPICAL PADS,<br>MEDICATED                     | (alcohol swabs)                   | 1                | PA; ST                     |
| ALCOHOL PREP SWABS<br>TOPICAL PADS, MEDICATED               | (alcohol swabs)                   | 1                | PA; ST                     |
| ALCOHOL WIPES TOPICAL<br>PADS, MEDICATED                    | (alcohol swabs)                   | 1                | PA; ST                     |
| AQINJECT PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"             | (pen needle, diabetic)            | 2                | PA; ST                     |
| AQINJECT PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 2                | PA; ST                     |
| ASSURE ID DUO PRO NDL 31G<br>5MM 31 GAUGE X 3/16"           | (pen needle, diabetic,<br>safety) | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| ASSURE ID DUO-SHIELD<br>30GX3/16" 30 GAUGE X 3/16"  | 2                | PA; ST                     |
| ASSURE ID DUO-SHIELD<br>30GX5/16" 30 GAUGE X 5/16"  | 2                | PA; ST                     |
| ASSURE ID INSULIN SAFETY<br>SYRINGE 1 ML 29 GAUGE X 1/2"  | 2                | PA; ST                     |
| ASSURE ID PEN NEEDLE<br>30GX3/16" 30 GAUGE X 3/16"  | 2                | PA; ST                     |
| ASSURE ID PEN NEEDLE<br>30GX5/16" 30 GAUGE X 5/16"  | 2                | PA; ST                     |
| ASSURE ID PEN NEEDLE (pen needle, diabetic,<br>31GX3/16" 31 GAUGE X 3/16" safety)                               | 2                | PA; ST                     |
| ASSURE ID PRO PEN NDL 30G<br>5MM 30 GAUGE X 3/16"   | 2                | PA; ST                     |
| ASSURE ID SYR 0.5 ML<br>31GX15/64" 0.5 ML 31 GAUGE X<br>15/64"  | 2                | PA; ST                     |
| ASSURE ID SYR 1 ML<br>31GX15/64" 1 ML 31 GAUGE X<br>15/64"  | 2                | PA; ST                     |
| AUTOSHIELD DUO PEN NDL 30G<br>5MM 30 GAUGE X 3/16"  | 2                | PA; ST                     |
| BD AUTOSHIELD DUO NDL<br>5MMX30G 30 GAUGE X 3/16"   | 2                | PA; ST                     |
| BD ECLIPSE 30GX1/2" SYRINGE (insulin syringe-needle<br>1 ML 30 GAUGE X 1/2" u-100)                              | 2                | PA; ST                     |
| BD ECLIPSE NEEDLE 30GX1/2"<br>(OTC) 30 X 1/2 "  | 2                | PA; ST                     |
| BD INS SYR 0.3 ML<br>8MMX31G(1/2) 0.3 ML 31 GAUGE<br>X 5/16"  | 2                | PA; ST                     |
| BD INS SYR UF 0.3 ML (insulin syringe-needle<br>12.7MMX30G 0.3 ML 30 GAUGE u-100)<br>X 1/2"                     | 2                | PA; ST                     |
| BD INS SYR UF 0.5 ML (insulin syringe-needle<br>12.7MMX30G NOT FOR RETAIL u-100)<br>SALE 0.5 ML 30 GAUGE X 1/2" | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   |                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|-----------------------------------|------------------|----------------------------|
| BD INSULIN SYR 1 ML<br>27GX12.7MM 1 ML 27 GAUGE X<br>1/2"          | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| BD INSULIN SYR 1 ML 27GX5/8"<br>MICRO-FINE 1 ML 27 GAUGE X<br>5/8" | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| BD LO-DOSE ULTRA-FINE<br>SYRINGE 0.5 ML 29 GAUGE X<br>1/2"         | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| BD NANO 2 GEN PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                  | (pen needle, diabetic)            | 2                | PA; ST                     |
| BD SAFETGLD INS 0.3 ML 29G<br>13MM 0.3 ML 29 GAUGE X 1/2"          |                                   | 2                | PA; ST                     |
| BD SAFETYGLD INS 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"         |                                   | 2                | PA; ST                     |
| BD SAFETYGLD INS 0.5 ML 30G<br>8MM 0.5 ML 30 GAUGE X 5/16"         |                                   | 2                | PA; ST                     |
| BD SAFETYGLD INS 1 ML 29G<br>13MM 1 ML 29 GAUGE X 1/2"             |                                   | 2                | PA; ST                     |
| BD SAFETYGLID INS 1 ML<br>6MMX31G 1 ML 31 GAUGE X<br>15/64"        |                                   | 2                | PA; ST                     |
| BD SAFETYGLIDE SYRINGE<br>27GX5/8 1 ML 27 GAUGE X 5/8"             | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| BD SAFTYGLD INS 0.3 ML<br>6MMX31G 0.3 ML 31 GAUGE X<br>15/64"      |                                   | 2                | PA; ST                     |
| BD SAFTYGLD INS 0.5 ML 29G<br>13MM 0.5 ML 29 GAUGE X 1/2"          |                                   | 2                | PA; ST                     |
| BD SAFTYGLD INS 0.5 ML<br>6MMX31G 0.5 ML 31 GAUGE X<br>15/64"      |                                   | 2                | PA; ST                     |
| BD SINGLE USE SWAB   | (alcohol swabs)                   | 1                | PA; ST                     |
| BD UF MICRO PEN NEEDLE<br>6MMX32G 32 GAUGE X 1/4"                  | (pen needle, diabetic)            | 2                | PA; ST                     |
| BD UF MINI PEN NEEDLE<br>5MMX31G 31 GAUGE X 3/16"                  | (pen needle, diabetic)            | 2                | PA; ST                     |
| BD UF NANO PEN NEEDLE<br>4MMX32G 32 GAUGE X 5/32"                  | (pen needle, diabetic)            | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| BD UF ORIG PEN NDL<br>12.7MMX29G 29 GAUGE X 1/2"<br>(pen needle, diabetic)                         | 2                | PA; ST                     |
| BD UF SHORT PEN NEEDLE<br>8MMX31G 31 GAUGE X 5/16"<br>(pen needle, diabetic)                       | 2                | PA; ST                     |
| BD VEO INS 0.3 ML 6MMX31G<br>(1/2) 0.3 ML 31 GAUGE X 15/64"  | 2                | PA; ST                     |
| BD VEO INS SYRING 1 ML<br>6MMX31G 1 ML 31 GAUGE X<br>15/64"<br>(insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| BD VEO INS SYRN 0.3 ML<br>6MMX31G 0.3 ML 31 GAUGE X<br>15/64"<br>(insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| BD VEO INS SYRN 0.5 ML<br>6MMX31G 1/2 ML 31 GAUGE X<br>15/64"<br>(insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| BORDERED GAUZE 2"X2" 2 X 2 "<br>(gauze bandage)  | 1                | PA; ST                     |
| CAREFINE PEN NEEDLE 12.7MM<br>29G 29 GAUGE X 1/2"<br>(pen needle, diabetic)                        | 2                | PA; ST                     |
| CAREFINE PEN NEEDLE 4MM<br>32G 32 GAUGE X 5/32"<br>(pen needle, diabetic)                          | 2                | PA; ST                     |
| CAREFINE PEN NEEDLE 5MM<br>32G 32 GAUGE X 3/16"<br>(pen needle, diabetic)                          | 2                | PA; ST                     |
| CAREFINE PEN NEEDLE 6MM<br>31G 31 GAUGE X 1/4"<br>(pen needle, diabetic)                           | 2                | PA; ST                     |
| CAREFINE PEN NEEDLE 8MM<br>30G 30 GAUGE X 5/16"<br>(pen needle, diabetic)                          | 2                | PA; ST                     |
| CAREFINE PEN NEEDLES 6MM<br>32G 32 GAUGE X 1/4"<br>(pen needle, diabetic)                          | 2                | PA; ST                     |
| CAREFINE PEN NEEDLES 8MM<br>31G 31 GAUGE X 5/16"<br>(pen needle, diabetic)                         | 2                | PA; ST                     |
| CARETOUCH ALCOHOL 70%<br>PREP PAD<br>(alcohol swabs)   | 1                | PA; ST                     |
| CARETOUCH PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"<br>(pen needle, diabetic)                         | 2                | PA; ST                     |
| CARETOUCH PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"<br>(pen needle, diabetic)                         | 2                | PA; ST                     |
| CARETOUCH PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"<br>(pen needle, diabetic)                       | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   |                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|-----------------------------------|------------------|----------------------------|
| CARETOUCH PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"                     | (pen needle, diabetic)            | 2                | PA; ST                     |
| CARETOUCH PEN NEEDLE<br>32GX3/16" 32 GAUGE X 3/16"                     | (pen needle, diabetic)            | 2                | PA; ST                     |
| CARETOUCH PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"                     | (pen needle, diabetic)            | 2                | PA; ST                     |
| CARETOUCH SYR 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| CARETOUCH SYR 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| CARETOUCH SYR 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| CARETOUCH SYR 1 ML<br>28GX5/16" 1 ML 28 X 5/16"                        |                                   | 2                | PA; ST                     |
| CARETOUCH SYR 1 ML<br>29GX5/16" 1 ML 29 GAUGE X 5/16                   |                                   | 2                | PA; ST                     |
| CARETOUCH SYR 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16                   | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| CARETOUCH SYR 1 ML<br>31GX5/16" 1 ML 31 GAUGE X 5/16                   | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| CLICKFINE PEN NEEDLE<br>32GX5/32" 32GX4MM, STERILE<br>32 GAUGE X 5/32" | (pen needle, diabetic)            | 2                | PA; ST                     |
| COMFORT EZ 0.3 ML 31G 15/64"<br>0.3 ML 31 GAUGE X 15/64"               | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| COMFORT EZ 0.5 ML 31G 15/64"<br>1/2 ML 31 GAUGE X 15/64"               | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| COMFORT EZ INS 0.3 ML<br>30GX1/2" 0.3 ML 30 GAUGE X<br>1/2"            | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| COMFORT EZ INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16"          | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| COMFORT EZ INS 1 ML 31G<br>15/64" 1 ML 31 GAUGE X 15/64"               | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| COMFORT EZ INS 1 ML (insulin syringe-needle<br>31GX5/16" 1 ML 31 GAUGE X 5/16 u-100)                                | 2                | PA; ST                     |
| COMFORT EZ INSULIN SYR 0.3 (insulin syringe-needle<br>ML 0.3 ML 31 GAUGE X 5/16" u-100)                             | 2                | PA; ST                     |
| COMFORT EZ INSULIN SYR 0.5 (insulin syringe-needle<br>ML 0.5 ML 30 GAUGE X 5/16", 0.5 u-100)<br>ML 31 GAUGE X 5/16" | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLE (pen needle, diabetic)<br>12MM 29G 29 GAUGE X 1/2"  | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>4MM 32G SINGLE USE, MICRO<br>32 GAUGE X 5/32"                      | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>4MM 33G 33 GAUGE X 5/32"   | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>5MM 31G MINI 31 GAUGE X<br>3/16"                                   | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>5MM 32G SINGLE USE,MINI,HRI<br>32 GAUGE X 3/16"                    | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>5MM 33G 33 GAUGE X 3/16"   | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>6MM 31G 31 GAUGE X 1/4"  | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>6MM 32G 32 GAUGE X 1/4"  | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>6MM 33G 33 GAUGE X 1/4"  | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>8MM 31G SHORT 31 GAUGE X<br>5/16"                                  | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES (pen needle, diabetic)<br>8MM 32G 32 GAUGE X 5/16"   | 2                | PA; ST                     |
| COMFORT EZ PEN NEEDLES<br>8MM 33G 33 GAUGE X 5/16"  | 2                | PA; ST                     |
| COMFORT EZ PRO PEN NDL 30G<br>8MM 30 GAUGE X 5/16"  | 2                | PA; ST                     |
| COMFORT EZ PRO PEN NDL 31G (pen needle, diabetic,<br>4MM 31 GAUGE X 5/32" safety)                                   | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| COMFORT EZ PRO PEN NDL 31G (pen needle, diabetic, safety)<br>5MM 31 GAUGE X 3/16"       | 2                | PA; ST                     |
| COMFORT EZ SYR 0.3 ML (insulin syringe-needle u-100)<br>29GX1/2" 0.3 ML 29 GAUGE X 1/2" | 2                | PA; ST                     |
| COMFORT EZ SYR 0.5 ML (insulin syringe-needle u-100)<br>28GX1/2" 1/2 ML 28 GAUGE X 1/2" | 2                | PA; ST                     |
| COMFORT EZ SYR 0.5 ML (insulin syringe-needle u-100)<br>29GX1/2" 0.5 ML 29 GAUGE X 1/2" | 2                | PA; ST                     |
| COMFORT EZ SYR 0.5 ML (insulin syringe-needle u-100)<br>30GX1/2" 0.5 ML 30 GAUGE X 1/2" | 2                | PA; ST                     |
| COMFORT EZ SYR 1 ML 27G (insulin syringe-needle u-100)<br>12.7MM 1 ML 27 GAUGE X 1/2"   | 2                | PA; ST                     |
| COMFORT EZ SYR 1 ML (insulin syringe-needle u-100)<br>28GX1/2" 1 ML 28 GAUGE X 1/2"     | 2                | PA; ST                     |
| COMFORT EZ SYR 1 ML (insulin syringe-needle u-100)<br>29GX1/2" 1 ML 29 GAUGE X 1/2"     | 2                | PA; ST                     |
| COMFORT EZ SYR 1 ML (insulin syringe-needle u-100)<br>30GX1/2" 1 ML 30 GAUGE X 1/2"     | 2                | PA; ST                     |
| COMFORT EZ SYR 1 ML (insulin syringe-needle u-100)<br>30GX5/16" 1 ML 30 GAUGE X 5/16"   | 2                | PA; ST                     |
| COMFORT POINT PEN NDL<br>31GX1/3" 31 GAUGE X 1/3"                                       | 2                | PA; ST                     |
| COMFORT POINT PEN NDL<br>31GX1/6" 31 GAUGE X 1/6"                                       | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic)<br>4MM 31 GAUGE X 5/32"                | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"                | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic)<br>6MM 31 GAUGE X 1/4"                 | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"                | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>5MM 32 GAUGE X 3/16" | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"  | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16" | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic)<br>4MM 33 GAUGE X 5/32" | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic)<br>6MM 33 GAUGE X 1/4"  | 2                | PA; ST                     |
| COMFORT TOUCH PEN NDL (pen needle, diabetic)<br>33GX5MM 33 GAUGE X 3/16" | 2                | PA; ST                     |
| CURAD GAUZE PADS 2" X 2" 2 X (gauze bandage)<br>2 "                      | 1                | PA; ST                     |
| CURITY ALCOHOL PREPS 2 (alcohol swabs)<br>PLY,MEDIUM                     | 1                | PA; ST                     |
| CURITY GAUZE PADS 2 X 2 " (gauze bandage)                                | 1                | PA; ST                     |
| CURITY GAUZE SPONGES (12<br>PLY)-200/BAG 2 X 2 "                         | 1                | PA; ST                     |
| DERMACEA 2"X2" GAUZE 12 (gauze bandage)<br>PLY, USP TYPE VII 2 X 2 "     | 1                | PA; ST                     |
| DERMACEA GAUZE 2"X2"<br>SPONGE 8 PLY 2 X 2 "                             | 1                | PA; ST                     |
| DERMACEA NON-WOVEN 2"X2"<br>SPNGE 2 X 2 "                                | 1                | PA; ST                     |
| DROPLET 0.3 ML 29G<br>12.7MM(1/2) OUTER 0.3 ML 29<br>GAUGE X 1/2"        | 2                | PA; ST                     |
| DROPLET 0.3 ML 30G<br>12.7MM(1/2) OUTER 0.3 ML 30<br>GAUGE X 1/2"        | 2                | PA; ST                     |
| DROPLET 0.5 ML<br>29GX12.5MM(1/2) 0.5 ML 29<br>GAUGE X 1/2"              | 2                | PA; ST                     |
| DROPLET 0.5 ML<br>30GX12.5MM(1/2) 0.5 ML 30<br>GAUGE X 1/2"              | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| DROPLET INS 0.3 ML<br>29GX12.5MM 0.3 ML 29 GAUGE<br>X 1/2" (insulin syringe-needle<br>u-100)       | 2                | PA; ST                     |
| DROPLET INS 0.3 ML 30G<br>8MM(1/2) OUTER 0.3 ML 30<br>GAUGE X 5/16"                                | 2                | PA; ST                     |
| DROPLET INS 0.3 ML<br>30GX12.5MM 0.3 ML 30 GAUGE<br>X 1/2" (insulin syringe-needle<br>u-100)       | 2                | PA; ST                     |
| DROPLET INS 0.3 ML 31G<br>6MM(1/2) OUTER 0.3 ML 31<br>GAUGE X 15/64"                               | 2                | PA; ST                     |
| DROPLET INS 0.3 ML 31G<br>8MM(1/2) OUTER 0.3 ML 31<br>GAUGE X 5/16"                                | 2                | PA; ST                     |
| DROPLET INS 0.5 ML 29G<br>12.7MM OUTER 0.5 ML 29<br>GAUGE X 1/2" (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| DROPLET INS 0.5 ML 30G<br>12.7MM OUTER 0.5 ML 30<br>GAUGE X 1/2" (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>30GX6MM(1/2) 0.5ML 30 GAUGE<br>X 15/64"                                      | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>30GX8MM(1/2) 0.5 ML 30 GAUGE<br>X 5/16"                                      | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>31GX6MM(1/2) 0.5 ML 31 GAUGE<br>X 15/64"                                     | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>31GX8MM(1/2) 0.5 ML 31 GAUGE<br>X 5/16"                                      | 2                | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>30GX6MM 0.3 ML 30 GAUGE X<br>15/64"                                      | 2                | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>30GX8MM 0.3 ML 30 GAUGE X<br>5/16" (insulin syringe-needle<br>u-100)     | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   |                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|-----------------------------------|------------------|----------------------------|
| DROPLET INS SYR 0.3 ML<br>31GX6MM 0.3 ML 31 GAUGE X<br>15/64"      | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>31GX8MM 0.3 ML 31 GAUGE X<br>5/16"       | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| DROPLET INS SYR 0.5 ML 30G<br>8MM OUTER 0.5 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| DROPLET INS SYR 0.5 ML 31G<br>6MM 1/2 ML 31 GAUGE X 15/64"         | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| DROPLET INS SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"          | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| DROPLET INS SYR 1 ML 29G<br>12.7MM OUTER 1 ML 29 GAUGE<br>X 1/2"   | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| DROPLET INS SYR 1 ML 30G<br>12.5MM 1 ML 30 GAUGE X 1/2"            | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| DROPLET INS SYR 1 ML 30G<br>6MM 1 ML 30 GAUGE X 15/64"             |                                   | 2                | PA; ST                     |
| DROPLET INS SYR 1 ML 30G<br>8MM OUTER 1 ML 30 GAUGE X<br>5/16"     | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| DROPLET INS SYR 1 ML 31G<br>6MM OUTER 1 ML 31 GAUGE X<br>15/64"    | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| DROPLET INS SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16"              | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| DROPLET MICRON 34G X 9/64"<br>34 GAUGE X 9/64"                     |                                   | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 29G<br>10MM 29 GAUGE X 3/8"                     |                                   | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"                     | (pen needle, diabetic)            | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 30G<br>8MM 30 GAUGE X 5/16"                     | (pen needle, diabetic)            | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"                     | (pen needle, diabetic)            | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| DROPLET PEN NEEDLE 31G<br>6MM 31 GAUGE X 1/4" (pen needle, diabetic)              | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16" (pen needle, diabetic)             | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32" (pen needle, diabetic)             | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 32G<br>5MM 32 GAUGE X 3/16" (pen needle, diabetic)             | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 32G<br>6MM 32 GAUGE X 1/4" (pen needle, diabetic)              | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 32G<br>8MM 32 GAUGE X 5/16" (pen needle, diabetic)             | 2                | PA; ST                     |
| DROPSAFE ALCOHOL 70% PREP<br>PADS (alcohol swabs)                                 | 1                | PA; ST                     |
| DROPSAFE INS SYR 0.3 ML 31G<br>6MM 0.3 ML 31 GAUGE X 15/64"                       | 2                | PA; ST                     |
| DROPSAFE INS SYR 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"                        | 2                | PA; ST                     |
| DROPSAFE INS SYR 0.5 ML 31G<br>6MM 0.5 ML 31 GAUGE X 15/64"                       | 2                | PA; ST                     |
| DROPSAFE INS SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"                        | 2                | PA; ST                     |
| DROPSAFE INSUL SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 15/64"                         | 2                | PA; ST                     |
| DROPSAFE INSUL SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16"                          | 2                | PA; ST                     |
| DROPSAFE INSULN 1 ML 29G<br>12.5MM 1 ML 29 GAUGE X 1/2"                           | 2                | PA; ST                     |
| DROPSAFE PEN NEEDLE 31G<br>4MM 31 GAUGE X 5/32" (pen needle, diabetic,<br>safety) | 2                | PA; ST                     |
| DROPSAFE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16" (pen needle, diabetic,<br>safety) | 2                | PA; ST                     |
| DROPSAFE PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"                                   | 2                | PA; ST                     |
| DROPSAFE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"                                   | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b>                    | <b>Requirements/Limits</b> |
|---|-------------------------------------|----------------------------|
| DRUG MART ULTRA COMFORT SYR 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16 | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"   | (pen needle, diabetic, safety)<br>2 | PA; ST                     |
| EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"  | 2                                   | PA; ST                     |
| EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"   | 2                                   | PA; ST                     |
| EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"   | 2                                   | PA; ST                     |
| EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16"   | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| EASY COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"   | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"   | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"   | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"   | 2                                   | PA; ST                     |
| EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"   | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16  | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"   | 2                                   | PA; ST                     |
| EASY COMFORT ALCOHOL 70% PAD  | (alcohol swabs)<br>1                | PA; ST                     |
| EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16  | (insulin syringe-needle u-100)<br>2 | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| EASY COMFORT PEN NDL 29G<br>4MM 29 GAUGE X 5/32"  | 2                | PA; ST                     |
| EASY COMFORT PEN NDL 29G<br>5MM 29 GAUGE X 3/16"  | 2                | PA; ST                     |
| EASY COMFORT PEN NDL (pen needle, diabetic)<br>31GX1/4" 31 GAUGE X 1/4"                     | 2                | PA; ST                     |
| EASY COMFORT PEN NDL (pen needle, diabetic)<br>31GX3/16" 31 GAUGE X 3/16"                   | 2                | PA; ST                     |
| EASY COMFORT PEN NDL (pen needle, diabetic)<br>31GX5/16" 31 GAUGE X 5/16"                   | 2                | PA; ST                     |
| EASY COMFORT PEN NDL (pen needle, diabetic)<br>32GX5/32" 32 GAUGE X 5/32"                   | 2                | PA; ST                     |
| EASY COMFORT PEN NDL 33G (pen needle, diabetic)<br>4MM 33 GAUGE X 5/32"                     | 2                | PA; ST                     |
| EASY COMFORT PEN NDL 33G (pen needle, diabetic)<br>5MM 33 GAUGE X 3/16"                     | 2                | PA; ST                     |
| EASY COMFORT PEN NDL 33G (pen needle, diabetic)<br>6MM 33 GAUGE X 1/4"                      | 2                | PA; ST                     |
| EASY COMFORT SYR 0.5 ML 29G (insulin syringe-needle<br>8MM 1/2 ML 29 X5/16 " u-100)         | 2                | PA; ST                     |
| EASY COMFORT SYR 1 ML 29G<br>8MM 1 ML 29 GAUGE X 5/16                                       | 2                | PA; ST                     |
| EASY COMFORT SYR 1 ML (insulin syringe-needle<br>30GX1/2" 1 ML 30 GAUGE X 1/2" u-100)       | 2                | PA; ST                     |
| EASY GLIDE INS 0.3 ML (insulin syringe-needle<br>31GX6MM 0.3 ML 31 GAUGE X u-100)<br>15/64" | 2                | PA; ST                     |
| EASY GLIDE INS 0.5 ML (insulin syringe-needle<br>31GX6MM 1/2 ML 31 GAUGE X u-100)<br>15/64" | 2                | PA; ST                     |
| EASY GLIDE INS 1 ML (insulin syringe-needle<br>31GX6MM 1 ML 31 GAUGE X u-100)<br>15/64"     | 2                | PA; ST                     |
| EASY GLIDE PEN NEEDLE 4MM (pen needle, diabetic)<br>33G 33 GAUGE X 5/32"                    | 2                | PA; ST                     |
| EASY TOUCH 0.3 ML SYR (insulin syringe-needle<br>30GX1/2" 0.3 ML 30 GAUGE X u-100)<br>1/2"  | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| EASY TOUCH 0.5 ML SYR<br>27GX1/2" 1/2 ML 27 GAUGE X<br>1/2" (insulin syringe-needle<br>u-100)                          | 2                | PA; ST                     |
| EASY TOUCH 0.5 ML SYR<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2"  | 2                | PA; ST                     |
| EASY TOUCH 0.5 ML SYR<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2" (insulin syringe-needle<br>u-100)                          | 2                | PA; ST                     |
| EASY TOUCH 0.5 ML SYR<br>30GX5/16 0.5 ML 30 GAUGE X<br>5/16"   | 2                | PA; ST                     |
| EASY TOUCH 1 ML SYR<br>27GX1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle<br>u-100)                                 | 2                | PA; ST                     |
| EASY TOUCH 1 ML SYR<br>29GX1/2" 1 ML 29 GAUGE X 1/2"   | 2                | PA; ST                     |
| EASY TOUCH 1 ML SYR<br>30GX1/2" 1 ML 30 GAUGE X 1/2"   | 2                | PA; ST                     |
| EASY TOUCH ALCOHOL 70% (alcohol swabs)<br>PADS GAMMA-STERILIZED  | 1                | PA; ST                     |
| EASY TOUCH FLIPLK 1 ML<br>27GX0.5 1 ML 27 GAUGE X 1/2"   | 2                | PA; ST                     |
| EASY TOUCH INSULIN 1 ML<br>29GX1/2 1 ML 29 GAUGE X 1/2"  | 2                | PA; ST                     |
| EASY TOUCH INSULIN 1 ML<br>30GX1/2 1 ML 30 GAUGE X 1/2"  | 2                | PA; ST                     |
| EASY TOUCH INSULIN SYR 0.3 (insulin syringe-needle<br>u-100)<br>ML 0.3 ML 30 GAUGE X 5/16", 0.3<br>ML 31 GAUGE X 5/16" | 2                | PA; ST                     |
| EASY TOUCH INSULIN SYR 0.5 (insulin syringe-needle<br>u-100)<br>ML 0.5 ML 30 GAUGE X 5/16", 0.5<br>ML 31 GAUGE X 5/16" | 2                | PA; ST                     |
| EASY TOUCH INSULIN SYR 1 (insulin syringe-needle<br>u-100)<br>ML 1 ML 30 GAUGE X 5/16, 1 ML<br>31 GAUGE X 5/16         | 2                | PA; ST                     |
| EASY TOUCH INSULIN SYR 1 (insulin syringe-needle<br>u-100)<br>ML RETRACTABLE 1 ML 30<br>GAUGE X 1/2"                   | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| EASY TOUCH INSULN 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"                   | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML<br>30GX1/2" 1 ML 30 GAUGE X 1/2"                   | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML<br>30GX5/16 1 ML 30 GAUGE X 5/16"                  | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML<br>30GX5/16 1 ML 30 GAUGE X 5/16"                  | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML<br>31GX5/16 1 ML 31 GAUGE X 5/16"                  | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML<br>31GX5/16 1 ML 31 GAUGE X 5/16"                  | 2                | PA; ST                     |
| EASY TOUCH LUER LOK INSUL (insulin syringe<br>1 ML needleless)            | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic)<br>29GX1/2" 29 GAUGE X 1/2"  | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic)<br>30GX5/16 30 GAUGE X 5/16" | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic)<br>31GX1/4" 31 GAUGE X 1/4"  | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic)<br>31GX3/16 31 GAUGE X 3/16" | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic)<br>31GX5/16 31 GAUGE X 5/16" | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic)<br>32GX1/4" 32 GAUGE X 1/4"  | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic)<br>32GX3/16 32 GAUGE X 3/16" | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE (pen needle, diabetic)<br>32GX5/32 32 GAUGE X 5/32" | 2                | PA; ST                     |
| EASY TOUCH SAF PEN NDL 29G<br>5MM 29 GAUGE X 3/16"                        | 2                | PA; ST                     |
| EASY TOUCH SAF PEN NDL 29G<br>8MM 29 GAUGE X 5/16"                        | 2                | PA; ST                     |
| EASY TOUCH SAF PEN NDL 30G<br>5MM 30 GAUGE X 3/16"                        | 2                | PA; ST                     |
| EASY TOUCH SAF PEN NDL 30G<br>8MM 30 GAUGE X 5/16"                        | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  |                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------------------------|------------------|----------------------------|
| EASY TOUCH SYR 0.5 ML 28G<br>12.7MM 1/2 ML 28 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100)  | 2                | PA; ST                     |
| EASY TOUCH SYR 0.5 ML 29G<br>12.7MM 0.5 ML 29 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100)  | 2                | PA; ST                     |
| EASY TOUCH SYR 1 ML 27G<br>16MM 1 ML 27 GAUGE X 5/8"              | (insulin syringe-needle<br>u-100)  | 2                | PA; ST                     |
| EASY TOUCH SYR 1 ML 28G<br>12.7MM 1 ML 28 GAUGE X 1/2"            | (insulin syringe-needle<br>u-100)  | 2                | PA; ST                     |
| EASY TOUCH SYR 1 ML 29G<br>12.7MM 1 ML 29 GAUGE X 1/2"            | (insulin syringe-needle<br>u-100)  | 2                | PA; ST                     |
| EASY TOUCH UNI-SLIP SYR 1<br>ML                                   | (insulin syringe<br>needleless)    | 2                | PA; ST                     |
| EASYTOUCH SAF PEN NDL 30G<br>6MM 30 GAUGE X 1/4"                  |                                    | 2                | PA; ST                     |
| EMBRACE PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"                    | (pen needle, diabetic)             | 2                | PA; ST                     |
| EMBRACE PEN NEEDLE 30G<br>5MM 30 GAUGE X 3/16"                    | (pen needle, diabetic)             | 2                | PA; ST                     |
| EMBRACE PEN NEEDLE 30G<br>8MM 30 GAUGE X 5/16"                    | (pen needle, diabetic)             | 2                | PA; ST                     |
| EMBRACE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"                    | (pen needle, diabetic)             | 2                | PA; ST                     |
| EMBRACE PEN NEEDLE 31G<br>6MM 31 GAUGE X 1/4"                     | (pen needle, diabetic)             | 2                | PA; ST                     |
| EMBRACE PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"                    | (pen needle, diabetic)             | 2                | PA; ST                     |
| EMBRACE PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"                    | (pen needle, diabetic)             | 2                | PA; ST                     |
| EQL INSULIN 0.5 ML SYRINGE<br>1/2 ML 29                           | (Ultilet Insulin Syringe)          | 2                | PA; ST                     |
| EQL INSULIN 0.5 ML SYRINGE<br>SHORT NEEDLE 1/2 ML 30<br>GAUGE     | (Ultra Comfort Insulin<br>Syringe) | 2                | PA; ST                     |
| EQL INSULIN 1 ML SYRINGE<br>SHORT NEEDLE 1 ML 30 GAUGE<br>X 7/16" | (Ultra Comfort Insulin<br>Syringe) | 2                | PA; ST                     |
| EXEL U100 0.3 ML 29GX1/2" 0.3<br>ML 29 GAUGE X 1/2"               | (insulin syringe-needle<br>u-100)  | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| FP INSULIN 1 ML SYRINGE 1 ML<br>28 GAUGE  | 2                | PA; ST                     |
| FREESTYLE PREC 0.5 ML (insulin syringe-needle<br>30GX5/16 0.5 ML 30 GAUGE X u-100)<br>5/16" | 2                | PA; ST                     |
| FREESTYLE PREC 0.5 ML (insulin syringe-needle<br>31GX5/16 0.5 ML 31 GAUGE X u-100)<br>5/16" | 2                | PA; ST                     |
| FREESTYLE PREC 1 ML (insulin syringe-needle<br>30GX5/16" 1 ML 30 GAUGE X 5/16 u-100)        | 2                | PA; ST                     |
| FREESTYLE PREC 1 ML (insulin syringe-needle<br>31GX5/16" 1 ML 31 GAUGE X 5/16 u-100)        | 2                | PA; ST                     |
| GAUZE PAD TOPICAL (gauze bandage)<br>BANDAGE 2 X 2 "  | 1                | PA; ST                     |
| GAUZE PADS 2"X2" STRL 2 X 2 " (Bordered Gauze)  | 1                | PA; ST                     |
| GNP ALCOHOL SWAB STERILE, (Alcohol Pads)<br>TWO PLY   | 1                | PA; ST                     |
| GNP CLICKFINE 31G X 1/4" NDL (pen needle, diabetic)<br>6MM, UNIVERSAL 31 GAUGE X<br>1/4"    | 2                | PA; ST                     |
| GNP CLICKFINE 31G X 5/16" NDL (pen needle, diabetic)<br>8MM, UNIVERSAL 31 GAUGE X<br>5/16"  | 2                | PA; ST                     |
| GNP PEN NEEDLE 31G 5MM 31 (1st Tier Unifine<br>GAUGE X 3/16" Pentips)                       | 2                | PA; ST                     |
| GNP PEN NEEDLE 32G 4MM 32 (1st Tier Unifine<br>GAUGE X 5/32" Pentips)                       | 2                | PA; ST                     |
| GNP PEN NEEDLE 32G 6MM 32 (CareFine Pen Needle)<br>GAUGE X 1/4"                             | 2                | PA; ST                     |
| GNP SIMPLI PEN NEEDLE 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                    | 2                | PA; ST                     |
| GNP ULT C 0.3 ML 29GX1/2" (1/2) 2<br>1/2 UNIT 0.3 ML 29 GAUGE X 1/2"                        | 2                | PA; ST                     |
| GNP ULT CMFRT 0.5 ML (insulin syringe-needle<br>29GX1/2" 1/2 ML 29 u-100)                   | 2                | PA; ST                     |
| GNP ULTRA COMFORT 0.5 ML (insulin syringe-needle<br>SYR 1/2 ML 30 GAUGE u-100)              | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b>                    | <b>Requirements/Limits</b> |
|---|-------------------------------------|----------------------------|
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 29 GAUGE            | 2                                   | PA; ST                     |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 30 GAUGE X 7/16"    | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30                 | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| GS PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"                | (1st Tier Unifine Pentips)<br>2     | PA; ST                     |
| HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"     | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"     | (insulin syringe-needle u-100)<br>2 | PA; ST                     |
| HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"          | (pen needle, diabetic)<br>2         | PA; ST                     |
| HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"          | (pen needle, diabetic)<br>2         | PA; ST                     |
| HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"          | (pen needle, diabetic)<br>2         | PA; ST                     |
| HEALTHY ACCENTS PENTIP 4MM 32G 32 GAUGE X 5/32"         | (pen needle, diabetic)<br>2         | PA; ST                     |
| HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"         | (pen needle, diabetic)<br>2         | PA; ST                     |
| HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"          | (pen needle, diabetic)<br>2         | PA; ST                     |
| HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"         | (pen needle, diabetic)<br>2         | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| HEALTHY ACCENTS PENTP<br>12MM 29G 29 GAUGE X 1/2"   | 2                | PA; ST                     |
| HEB INCONTROL ALCOHOL 70% (alcohol swabs)<br>PADS   | 1                | PA; ST                     |
| INCONTROL PEN NEEDLE 12MM (pen needle, diabetic)<br>29G 29 GAUGE X 1/2"                       | 2                | PA; ST                     |
| INCONTROL PEN NEEDLE 4MM (pen needle, diabetic)<br>32G 32 GAUGE X 5/32"                       | 2                | PA; ST                     |
| INCONTROL PEN NEEDLE 5MM (pen needle, diabetic)<br>31G 31 GAUGE X 3/16"                       | 2                | PA; ST                     |
| INCONTROL PEN NEEDLE 6MM (pen needle, diabetic)<br>31G 31 GAUGE X 1/4"                        | 2                | PA; ST                     |
| INCONTROL PEN NEEDLE 8MM (pen needle, diabetic)<br>31G 31 GAUGE X 5/16"                       | 2                | PA; ST                     |
| INPEN (FOR HUMALOG) BLUE<br>SUBCUTANEOUS INSULIN PEN  | 3                |                            |
| INPEN (NOVOLOG OR FIASP)<br>BLUE SUBCUTANEOUS INSULIN<br>PEN                                  | 3                |                            |
| INSULIN SYR 0.3 ML (UltiCare Insuln Syr(half<br>31GX1/4(1/2) 0.3 ML 31 GAUGE X unit))<br>1/4" | 2                | PA; ST                     |
| INSULIN SYR 0.5 ML 28G (Comfort EZ Insulin<br>12.7MM (OTC) 1/2 ML 28 GAUGE Syringe)<br>X 1/2" | 2                | PA; ST                     |
| INSULIN SYRIN 0.5 ML 30GX1/2" (Comfort EZ Insulin<br>(RX) 0.5 ML 30 GAUGE X 1/2" Syringe)     | 2                | PA; ST                     |
| INSULIN SYRING 0.5 ML 27G 1/2" (Easy Touch Insulin<br>INNER 1/2 ML 27 GAUGE X 1/2" Syringe)   | 2                | PA; ST                     |
| INSULIN SYRINGE 0.3 ML 0.3 ML (insulin syringe-needle<br>29 GAUGE u-100)                      | 2                | PA; ST                     |
| INSULIN SYRINGE 0.3 ML (Sure Comfort Insulin<br>31GX1/4 0.3 ML 31 GAUGE X 1/4" Syringe)       | 2                | PA; ST                     |
| INSULIN SYRINGE 0.5 ML 1/2 ML (insulin syringe-needle<br>29 u-100)                            | 2                | PA; ST                     |
| INSULIN SYRINGE 0.5 ML (Sure Comfort Insulin<br>31GX1/4 1/2 ML 31 GAUGE X 1/4" Syringe)       | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b>               | <b>Requirements/Limits</b> |        |
|---|--------------------------------|----------------------------|--------|
| INSULIN SYRINGE 1 ML 1 ML 29 GAUGE                                    | 2                              | PA; ST                     |        |
| INSULIN SYRINGE 1 ML 27G 1/2" INNER 1 ML 27 GAUGE X 1/2"              | (Comfort EZ Insulin Syringe)   | 2                          | PA; ST |
| INSULIN SYRINGE 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8"                    | (BD SafetyGlide Syringe)       | 2                          | PA; ST |
| INSULIN SYRINGE 1 ML 28G 12.7MM (OTC) 1 ML 28 GAUGE X 1/2"            | (Comfort EZ Insulin Syringe)   | 2                          | PA; ST |
| INSULIN SYRINGE 1 ML 30GX1/2" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 1/2" | (BD Eclipse Luer-Lok)          | 2                          | PA; ST |
| INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"                    | (Sure Comfort Insulin Syringe) | 2                          | PA; ST |
| INSULIN SYRINGE NEEDLELESS SYRINGE 1 ML                               | (Easy Touch Luer Lock Insulin) | 2                          | PA; ST |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE                  | (Ultilet Insulin Syringe)      | 2                          | PA; ST |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2"             | (Comfort EZ Insulin Syringe)   | 2                          | PA; ST |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE                  | (Monoject Syringe)             | 2                          | PA; ST |
| INSULIN U-500 SYRINGE-NEEDLE SYRINGE 1/2 ML 31 GAUGE X 15/64"         |                                | 2                          | PA; ST |
| INSUMED SYRINGE 0.3 ML 31 GAUGE X 5/16"                               | (insulin syringe-needle u-100) | 2                          | PA; ST |
| INSUPEN 30G ULTRAFIN NEEDLE 30 GAUGE X 5/16"                          | (pen needle, diabetic)         | 2                          | PA; ST |
| INSUPEN 31G ULTRAFIN NEEDLE 31 GAUGE X 1/4"                           | (pen needle, diabetic)         | 2                          | PA; ST |
| INSUPEN 32G 8MM PEN NEEDLE 32 GAUGE X 5/16"                           | (pen needle, diabetic)         | 2                          | PA; ST |
| INSUPEN PEN NEEDLE 29GX12MM 29 GAUGE X 1/2"                           | (pen needle, diabetic)         | 2                          | PA; ST |
| INSUPEN PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"                           | (pen needle, diabetic)         | 2                          | PA; ST |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| INSUPEN PEN NEEDLE (pen needle, diabetic)<br>31GX3/16" 31 GAUGE X 3/16"   | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 32G 6MM (pen needle, diabetic)<br>(RX) 32 GAUGE X 1/4"                                       | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE (pen needle, diabetic)<br>32GX4MM 32 GAUGE X 5/32"   | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE (pen needle, diabetic)<br>33GX4MM 33 GAUGE X 5/32"   | 2                | PA; ST                     |
| IV ANTISEPTIC WIPES (alcohol swabs)   | 1                | PA; ST                     |
| KENDALL ALCOHOL 70% PREP (alcohol swabs)<br>PAD   | 1                | PA; ST                     |
| LISCO SPONGES 100/BAG 2 X 2 "   | 1                | PA; ST                     |
| LITE TOUCH 31GX1/4" PEN (pen needle, diabetic)<br>NEEDLE 31 GAUGE X 1/4"  | 2                | PA; ST                     |
| LITE TOUCH INSULIN 0.5 ML (insulin syringe-needle<br>SYR 1/2 ML 28 GAUGE, 1/2 ML 29 u-100)<br>, 1/2 ML 30 GAUGE | 2                | PA; ST                     |
| LITE TOUCH INSULIN 1 ML SYR (insulin syringe-needle<br>1 ML 28 GAUGE, 1 ML 30 GAUGE u-100)<br>X 7/16"           | 2                | PA; ST                     |
| LITE TOUCH INSULIN 1 ML SYR<br>1 ML 29 GAUGE  | 2                | PA; ST                     |
| LITE TOUCH INSULIN SYR 1 ML (insulin syringe-needle<br>1 ML 31 GAUGE X 5/16 u-100)                              | 2                | PA; ST                     |
| LITE TOUCH PEN NEEDLE 29G (pen needle, diabetic)<br>29 GAUGE X 1/2"   | 2                | PA; ST                     |
| LITE TOUCH PEN NEEDLE 31G (pen needle, diabetic)<br>31 GAUGE X 3/16", 31 GAUGE X<br>5/16"                       | 2                | PA; ST                     |
| LITETOUCH INS 0.3 ML 29GX1/2" (insulin syringe-needle<br>0.3 ML 29 GAUGE X 1/2" u-100)                          | 2                | PA; ST                     |
| LITETOUCH INS 0.3 ML (insulin syringe-needle<br>30GX5/16" 0.3 ML 30 GAUGE X u-100)<br>5/16"                     | 2                | PA; ST                     |
| LITETOUCH INS 0.3 ML (insulin syringe-needle<br>31GX5/16" 0.3 ML 31 GAUGE X u-100)<br>5/16"                     | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  |                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|-----------------------------------|------------------|----------------------------|
| LITETOUCH INS 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"                    | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| LITETOUCH SYR 0.5 ML<br>28GX1/2" 1/2 ML 28 GAUGE X<br>1/2"                      | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| LITETOUCH SYR 0.5 ML<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2"                      | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| LITETOUCH SYR 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"                    | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| LITETOUCH SYRIN 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| LITETOUCH SYRIN 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| LITETOUCH SYRIN 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| MAGELLAN INSUL SYRINGE 0.3<br>ML 0.3 ML 30 X 5/16"                              |                                   | 2                | PA; ST                     |
| MAGELLAN INSUL SYRINGE 0.5<br>ML 0.5 ML 30 GAUGE X 5/16"                        |                                   | 2                | PA; ST                     |
| MAGELLAN INSULIN SYR 0.3<br>ML 0.3 ML 29 GAUGE X 1/2"                           |                                   | 2                | PA; ST                     |
| MAGELLAN INSULIN SYR 0.5<br>ML 0.5 ML 29 GAUGE X 1/2"                           |                                   | 2                | PA; ST                     |
| MAGELLAN INSULIN SYRINGE<br>1 ML 1 ML 29 GAUGE X 1/2", 1<br>ML 30 GAUGE X 5/16" |                                   | 2                | PA; ST                     |
| MAXICOMFORT II PEN NDL<br>31GX6MM 31 GAUGE X 1/4"                               | (pen needle, diabetic)            | 2                | PA; ST                     |
| MAXICOMFORT INS 0.5 ML<br>27GX1/2" 1/2 ML 27 GAUGE X<br>1/2"                    | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| MAXI-COMFORT INS 0.5 ML 28G<br>1/2 ML 28 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| MAXICOMFORT INS 1 ML<br>27GX1/2" 1 ML 27 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)                | 2                | PA; ST                     |
| MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"  | 2                | PA; ST                     |
| MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"  | 2                | PA; ST                     |
| MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)                                | 2                | PA; ST                     |
| MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)                               | 2                | PA; ST                     |
| MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32" (pen needle, diabetic)                               | 2                | PA; ST                     |
| MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16" (pen needle, diabetic, safety)              | 2                | PA; ST                     |
| MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" (CareFine Pen Needle)                                    | 2                | PA; ST                     |
| MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" (Comfort EZ Pen Needles)                                 | 2                | PA; ST                     |
| MINI PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (Advocate Pen Needle)                                    | 2                | PA; ST                     |
| MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16" (Comfort EZ Pen Needles)                                 | 2                | PA; ST                     |
| MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4" (Comfort EZ Pen Needles)                                  | 2                | PA; ST                     |
| MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16" (pen needle, diabetic)                    | 2                | PA; ST                     |
| MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE (insulin syringe-needle u-100)                      | 2                | PA; ST                     |
| MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)                    | 2                | PA; ST                     |
| MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)             | 2                | PA; ST                     |
| MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)               | 2                | PA; ST                     |
| MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b>                     | <b>Requirements/Limits</b> |
|---|--------------------------------------|----------------------------|
| MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100)<br>2  | PA; ST                     |
| MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"                           | (insulin syringe-needle u-100)<br>2  | PA; ST                     |
| MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"       | (insulin syringe-needle u-100)<br>2  | PA; ST                     |
| MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)                               | (insulin syringes (disposable))<br>2 | PA; ST                     |
| MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"                   | (insulin syringe-needle u-100)<br>2  | PA; ST                     |
| MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle u-100)<br>2  | PA; ST                     |
| MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"                   | (insulin syringe-needle u-100)<br>2  | PA; ST                     |
| MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle u-100)<br>2  | PA; ST                     |
| MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16                    | (insulin syringe-needle u-100)<br>2  | PA; ST                     |
| MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"                           | (insulin syringe-needle u-100)<br>2  | PA; ST                     |
| MONOJECT INSULIN SYR U-100 1 ML 29 GAUGE X 1/2"                             | 2                                    | PA; ST                     |
| MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"                             | (insulin syringe-needle u-100)<br>2  | PA; ST                     |
| MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"                             | (insulin syringe-needle u-100)<br>2  | PA; ST                     |
| MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16                                  | (insulin syringe-needle u-100)<br>2  | PA; ST                     |
| MS INSULIN SYR 1 ML 31GX5/16" (OTC) 1 ML 31 GAUGE X 5/16                    | (Advocate Syringes)<br>2             | PA; ST                     |
| MS INSULIN SYRINGE 0.3 ML 0.3 ML 30   | (Ultra Comfort Insulin Syringe)<br>2 | PA; ST                     |
| NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                              | (pen needle, diabetic)<br>2          | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| NANO PEN NEEDLE 32G 4MM 32 (pen needle, diabetic)<br>GAUGE X 5/32"                | 2                | PA; ST                     |
| NOVOFINE 30 NEEDLE  | 2                | PA; ST                     |
| NOVOFINE 32G NEEDLES 32 (pen needle, diabetic)<br>GAUGE X 1/4"                    | 2                | PA; ST                     |
| NOVOFINE PLUS PEN NDL<br>32GX1/6" 32 GAUGE X 1/6"                                 | 2                | PA; ST                     |
| NOVOTWIST NEEDLE 32 GAUGE<br>X 1/5"   | 2                | PA; ST                     |
| OMNIPOD 5 (G6/LIBRE 2 PLUS)<br>SUBCUTANEOUS CARTRIDGE                             | 3                | QL (10 per 30 days)        |
| OMNIPOD 5 G6-G7 INTRO<br>KT(GEN5) SUBCUTANEOUS<br>CARTRIDGE                       | 3                | QL (1 per 365 days)        |
| OMNIPOD 5 G6-G7 PODS (GEN 5)<br>SUBCUTANEOUS CARTRIDGE                            | 3                | QL (10 per 30 days)        |
| OMNIPOD 5<br>INTRO(G6/LIBRE2PLUS)<br>SUBCUTANEOUS CARTRIDGE                       | 3                | QL (1 per 365 days)        |
| OMNIPOD CLASSIC PDM<br>KIT(GEN 3)   | 3                | QL (1 per 365 days)        |
| OMNIPOD CLASSIC PODS (GEN<br>3) SUBCUTANEOUS CARTRIDGE                            | 3                | QL (10 per 30 days)        |
| OMNIPOD DASH INTRO KIT<br>(GEN 4) SUBCUTANEOUS<br>CARTRIDGE                       | 3                | QL (1 per 365 days)        |
| OMNIPOD DASH PDM KIT (GEN<br>4)   | 3                | QL (1 per 365 days)        |
| OMNIPOD DASH PODS (GEN 4)<br>SUBCUTANEOUS CARTRIDGE                               | 3                | QL (10 per 30 days)        |
| PC UNIFINE PENTIPS 8MM (pen needle, diabetic)<br>NEEDLE SHORT 31 GAUGE X<br>5/16" | 2                | PA; ST                     |
| PEN NEEDLE 30G 5MM OUTER (Embrace Pen Needle)<br>30 GAUGE X 3/16"                 | 2                | PA; ST                     |
| PEN NEEDLE 30G 8MM INNER 30 (CareFine Pen Needle)<br>GAUGE X 5/16"                | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| PEN NEEDLE 30G X 5/16" 30 GAUGE X 5/16" (pen needle, diabetic)                       | 2                | PA; ST                     |
| PEN NEEDLE 31G X 1/4" HRI 31 GAUGE X 1/4" (1st Tier Unifine Pentips)                 | 2                | PA; ST                     |
| PEN NEEDLE 6MM 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)                        | 2                | PA; ST                     |
| PEN NEEDLE, DIABETIC NEEDLE 29 GAUGE X 1/2" (1st Tier Unifine Pentips Plus)          | 2                | PA; ST                     |
| PEN NEEDLES 12MM 29G 29GX12MM,STRL 29 GAUGE X 1/2" (pen needle, diabetic)            | 2                | PA; ST                     |
| PEN NEEDLES 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)                          | 2                | PA; ST                     |
| PEN NEEDLES 5MM 31G 31GX5MM,STRL,MINI (OTC) 31 GAUGE X 3/16" (pen needle, diabetic)  | 2                | PA; ST                     |
| PEN NEEDLES 8MM 31G 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16" (pen needle, diabetic) | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 29G 1/2" 29 GAUGE X 1/2" (pen needle, diabetic)                   | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 31G 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)                   | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 31GX3/16" MINI, 5MM 31 GAUGE X 3/16" (pen needle, diabetic)       | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 31GX5/16" SHORT, 8MM 31 GAUGE X 5/16" (pen needle, diabetic)      | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 32G 1/4" 32 GAUGE X 1/4" (pen needle, diabetic)                   | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 32GX5/32" 4MM 32 GAUGE X 5/32" (pen needle, diabetic)             | 2                | PA; ST                     |
| PIP PEN NEEDLE 31G X 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                     | 2                | PA; ST                     |
| PIP PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                     | 2                | PA; ST                     |
| PREFPLS INS SYR 1 ML 30GX5/16" (OTC) 1 ML 30 GAUGE X 5/16 (Advocate Syringes)        | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| PREVENT PEN NEEDLE 31GX1/4"<br>31 GAUGE X 1/4"   | 2                | PA; ST                     |
| PREVENT PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"   | 2                | PA; ST                     |
| PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle<br>0.5 ML 30 GAUGE X 1/2" u-100)         | 2                | PA; ST                     |
| PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle<br>0.5 ML 30 GAUGE X 5/16" u-100)       | 2                | PA; ST                     |
| PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle<br>0.5 ML 31 GAUGE X 5/16" u-100)       | 2                | PA; ST                     |
| PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle<br>ML 30 GAUGE X 1/2" u-100)             | 2                | PA; ST                     |
| PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle<br>ML 30 GAUGE X 5/16 u-100)            | 2                | PA; ST                     |
| PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle<br>ML 31 GAUGE X 5/16 u-100)            | 2                | PA; ST                     |
| PRO COMFORT ALCOHOL 70% (alcohol swabs)<br>PADS  | 1                | PA; ST                     |
| PRO COMFORT PEN NDL 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16"                       | 2                | PA; ST                     |
| PRO COMFORT PEN NDL 32G X (pen needle, diabetic)<br>1/4" 32 GAUGE X 1/4"                     | 2                | PA; ST                     |
| PRO COMFORT PEN NDL 4MM (pen needle, diabetic)<br>32G 32 GAUGE X 5/32"                       | 2                | PA; ST                     |
| PRO COMFORT PEN NDL 5MM (pen needle, diabetic)<br>32G 32 GAUGE X 3/16"                       | 2                | PA; ST                     |
| PRODIGY INS SYR 1 ML (insulin syringe-needle<br>28GX1/2" 1 ML 28 GAUGE X 1/2" u-100)         | 2                | PA; ST                     |
| PRODIGY SYRNG 0.5 ML (insulin syringe-needle<br>31GX5/16" 0.5 ML 31 GAUGE X u-100)<br>5/16"  | 2                | PA; ST                     |
| PRODIGY SYRNGE 0.3 ML (insulin syringe-needle<br>31GX5/16" 0.3 ML 31 GAUGE X u-100)<br>5/16" | 2                | PA; ST                     |
| PURE CMFT SFTY PEN NDL 31G (pen needle, diabetic,<br>5MM 31 GAUGE X 3/16" safety)            | 2                | PA; ST                     |
| PURE CMFT SFTY PEN NDL 31G<br>6MM 31 GAUGE X 1/4"  | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| PURE CMFT SFTY PEN NDL 32G<br>4MM 32 GAUGE X 5/32"  | 2                | PA; ST                     |
| PURE COMFORT ALCOHOL 70% (alcohol swabs)<br>PADS  | 1                | PA; ST                     |
| PURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                   | 2                | PA; ST                     |
| PURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>5MM 32 GAUGE X 3/16"                   | 2                | PA; ST                     |
| PURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"                    | 2                | PA; ST                     |
| PURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16"                   | 2                | PA; ST                     |
| RAYA SURE PEN NEEDLE 29G<br>12MM 29 GAUGE X 15/32"  | 2                | PA; ST                     |
| RAYA SURE PEN NEEDLE 31G (Comfort Touch Pen<br>4MM 31 GAUGE X 5/32" Needle)               | 2                | PA; ST                     |
| RAYA SURE PEN NEEDLE 31G<br>5MM 31 GAUGE X 13/64"   | 2                | PA; ST                     |
| RAYA SURE PEN NEEDLE 31G<br>6MM 31 GAUGE X 15/64"   | 2                | PA; ST                     |
| RELION INS SYR 0.3 ML (Comfort EZ Insulin<br>31GX6MM 0.3 ML 31 GAUGE X Syringe)<br>15/64" | 2                | PA; ST                     |
| RELION INS SYR 0.5 ML (Comfort EZ Insulin<br>31GX6MM 1/2 ML 31 GAUGE X Syringe)<br>15/64" | 2                | PA; ST                     |
| RELION INS SYR 1 ML (Comfort EZ Insulin<br>31GX15/64" 1 ML 31 GAUGE X Syringe)<br>15/64"  | 2                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100<br>0.3 ML 30GX5/16",10X10 0.3 ML<br>30 GAUGE X 5/16"           | 2                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100<br>0.5 ML 29GX1/2",10X10 0.5 ML 29<br>GAUGE X 1/2"             | 2                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100<br>0.5 ML 30GX5/16",10X10 0.5 ML<br>30 GAUGE X 5/16"           | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"         | 2                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"         | 2                | PA; ST                     |
| SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort EZ PRO Safety Pen Ndl)  | 2                | PA; ST                     |
| SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16" (pen needle, diabetic, safety) | 2                | PA; ST                     |
| SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"                       | 2                | PA; ST                     |
| SECURES SAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"                       | 2                | PA; ST                     |
| SECURES SAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"               | 2                | PA; ST                     |
| SECURES SAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"                 | 2                | PA; ST                     |
| SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"                              | 2                | PA; ST                     |
| SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"                              | 2                | PA; ST                     |
| SM ULT CFT 0.3 ML 31GX5/16(1/2) 0.3 ML 31 GAUGE X 5/16"                     | 2                | PA; ST                     |
| STERILE PADS 2" X 2" 2 X 2 " (gauze bandage)                                | 1                | PA; ST                     |
| SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"                              | 2                | PA; ST                     |
| SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"                             | 2                | PA; ST                     |
| NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)               | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   |                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|--------------------------------|------------------|----------------------------|
| SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"           | (insulin syringe-needle u-100) | 2                | PA; ST                     |
| SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2                | PA; ST                     |
| SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"                                   | (insulin syringe-needle u-100) | 2                | PA; ST                     |
| SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"   | (insulin syringe-needle u-100) | 2                | PA; ST                     |
| SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"   | (pen needle, diabetic)         | 2                | PA; ST                     |
| SURE COMFORT ALCOHOL PREP PADS   | (alcohol swabs)                | 1                | PA; ST                     |
| SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"   | (insulin syringe-needle u-100) | 2                | PA; ST                     |
| SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"   | (insulin syringe-needle u-100) | 2                | PA; ST                     |
| SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"  | (insulin syringe-needle u-100) | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"   | (pen needle, diabetic)         | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"  | (pen needle, diabetic)         | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"  | (pen needle, diabetic)         | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"  | (pen needle, diabetic)         | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"   | (pen needle, diabetic)         | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2" (pen needle, diabetic)   | 2                | PA; ST                     |
| SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16" (pen needle, diabetic)   | 2                | PA; ST                     |
| SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16" (pen needle, diabetic)   | 2                | PA; ST                     |
| SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                         | 2                | PA; ST                     |
| SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)  | 2                | PA; ST                     |
| SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                              | 2                | PA; ST                     |
| SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)   | 2                | PA; ST                     |
| SURE-PREP ALCOHOL PREP PADS (alcohol swabs)   | 1                | PA; ST                     |
| TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"   | 2                | PA; ST                     |
| TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"   | 2                | PA; ST                     |
| TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"  | 2                | PA; ST                     |
| TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"   | 2                | PA; ST                     |
| TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"   | 2                | PA; ST                     |
| TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"   | 2                | PA; ST                     |
| TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"  | 2                | PA; ST                     |
| TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"   | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   |                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|-----------------------------------|------------------|----------------------------|
| TECHLITE INS SYR 1 ML<br>29GX12MM 1 ML 29 GAUGE X<br>1/2"  | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| TECHLITE INS SYR 1 ML<br>30GX12MM 1 ML 30 GAUGE X<br>1/2"  | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| TECHLITE INS SYR 1 ML<br>31GX6MM 1 ML 31 GAUGE X<br>15/64"   | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| TECHLITE INS SYR 1 ML<br>31GX8MM 1 ML 31 GAUGE X<br>5/16   | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE<br>29GX1/2" 29 GAUGE X 1/2"  | (pen needle, diabetic)            | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE<br>29GX3/8" 29 GAUGE X 3/8"  |                                   | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"  | (pen needle, diabetic)            | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"  | (pen needle, diabetic)            | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"  | (pen needle, diabetic)            | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE<br>32GX1/4" 32 GAUGE X 1/4"  | (pen needle, diabetic)            | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE<br>32GX5/16" 32 GAUGE X 5/16"  | (pen needle, diabetic)            | 2                | PA; ST                     |
| TECHLITE PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"  | (pen needle, diabetic)            | 2                | PA; ST                     |
| TECHLITE PLUS PEN NDL 32G<br>4MM 32 GAUGE X 5/32"  | (pen needle, diabetic)            | 2                | PA; ST                     |
| TERUMO INS SYRINGE U100-1<br>ML 1 ML 27 GAUGE X 1/2", 1 ML<br>28 GAUGE X 1/2", 1 ML 29<br>GAUGE X 1/2" | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| TERUMO INS SYRINGE U100-1<br>ML 1 ML 30 GAUGE X 3/8"   | (Thinpro Insulin<br>Syringe)      | 2                | PA; ST                     |
| TERUMO INS SYRINGE U100-1/2<br>ML 1/2 ML 30 X 3/8"   | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   |                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|--------------------------------|------------------|----------------------------|
| TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"  | (insulin syringe-needle u-100) | 2                | PA; ST                     |
| TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"  | (insulin syringe-needle u-100) | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"   | (insulin syringe-needle u-100) | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"   |                                | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"   | (insulin syringe-needle u-100) | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"   |                                | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"   | (insulin syringe-needle u-100) | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"   |                                | 2                | PA; ST                     |
| TOPCARE CLICKFINE 31G X 1/4" 31 GAUGE X 1/4"   | (pen needle, diabetic)         | 2                | PA; ST                     |
| TOPCARE CLICKFINE 31G X 5/16" 31 GAUGE X 5/16"   | (pen needle, diabetic)         | 2                | PA; ST                     |
| TOPCARE ULTRA COMFORT SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | (insulin syringe-needle u-100) | 2                | PA; ST                     |
| TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"  | (insulin syringe-needle u-100) | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"                                | 2                | PA; ST                     |
| TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)         | 2                | PA; ST                     |
| TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"   | 2                | PA; ST                     |
| TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"  | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"                                    | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"                                  | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"                                  | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)   | 2                | PA; ST                     |
| TRUE COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)       | 2                | PA; ST                     |
| TRUE COMFORT ALCOHOL 70% PADS (alcohol swabs)  | 1                | PA; ST                     |
| TRUE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                   | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 31GX5MM 31 GAUGE X 3/16" (pen needle, diabetic)                   | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 31GX6MM 31 GAUGE X 1/4" (pen needle, diabetic)                    | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16" (pen needle, diabetic)                   | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)                    | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)                   | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)                   | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| TRUE COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16" (pen needle, diabetic)                  | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4" (pen needle, diabetic)                   | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)    | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)   | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)   | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"                                 | 2                | PA; ST                     |
| TRUE COMFORT PRO ALCOHOL PADS (alcohol swabs)   | 1                | PA; ST                     |
| TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"                                  | 2                | PA; ST                     |
| TRUE COMFRT PRO 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| TRUE COMFRT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"                                 | 2                | PA; ST                     |
| TRUE COMFRT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"                                 | 2                | PA; ST                     |
| TRUE COMFRT SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"                                 | 2                | PA; ST                     |
| TRUEPLUS PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)                   | 2                | PA; ST                     |
| TRUEPLUS PEN NEEDLE 31G X 1/4" 31 GAUGE X 1/4" (pen needle, diabetic)                 | 2                | PA; ST                     |
| TRUEPLUS PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)                 | 2                | PA; ST                     |
| TRUEPLUS PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)                 | 2                | PA; ST                     |
| TRUEPLUS PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)                 | 2                | PA; ST                     |
| TRUEPLUS SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)    | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  |                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|-------------------------------------|------------------|----------------------------|
| TRUEPLUS SYR 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16"         | (insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| TRUEPLUS SYR 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16"         | (insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| TRUEPLUS SYR 0.5 ML 28GX1/2"<br>1/2 ML 28 GAUGE X 1/2"              | (insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| TRUEPLUS SYR 0.5 ML 29GX1/2"<br>0.5 ML 29 GAUGE X 1/2"              | (insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| TRUEPLUS SYR 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"         | (insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| TRUEPLUS SYR 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"         | (insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| TRUEPLUS SYR 1 ML 28GX1/2" 1<br>ML 28 GAUGE X 1/2"                  | (insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| TRUEPLUS SYR 1 ML 29GX1/2" 1<br>ML 29 GAUGE X 1/2"                  | (insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| TRUEPLUS SYR 1 ML 30GX5/16"<br>1 ML 30 GAUGE X 5/16                 | (insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| TRUEPLUS SYR 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16                 | (insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| ULTICAR INS 0.3 ML<br>31GX1/4(1/2) 0.3 ML 31 GAUGE X<br>1/4"        | (insulin syr/ndl u100<br>half mark) | 2                | PA; ST                     |
| ULTICARE INS 1 ML 31GX1/4" 1<br>ML 31 GAUGE X 1/4"                  | (insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| ULTICARE INS SYR 0.3 ML 30G<br>8MM 0.3 ML 30 GAUGE X 5/16"          | (Advocate Syringes)                 | 2                | PA; ST                     |
| ULTICARE INS SYR 0.3 ML 31G<br>6MM 0.3 ML 31 GAUGE X 1/4"           | (insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| ULTICARE INS SYR 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"          | (Advocate Syringes)                 | 2                | PA; ST                     |
| ULTICARE INS SYR 0.5 ML 30G<br>8MM (OTC) 0.5 ML 30 GAUGE X<br>5/16" | (Advocate Syringes)                 | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| ULTICARE INS SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)          | 2                | PA; ST                     |
| ULTICARE INS SYR 0.5 ML 31G 8MM (OTC) 0.5 ML 31 GAUGE X 5/16" (Advocate Syringes)              | 2                | PA; ST                     |
| ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)             | 2                | PA; ST                     |
| ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)                          | 2                | PA; ST                     |
| ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)                             | 2                | PA; ST                     |
| ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)                            | 2                | PA; ST                     |
| ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)                           | 2                | PA; ST                     |
| ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)            | 2                | PA; ST                     |
| ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)                            | 2                | PA; ST                     |
| ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"   | 2                | PA; ST                     |
| ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"   | 2                | PA; ST                     |
| ULTICARE SAFETY 0.5 ML 29GX1/2 (RX) 0.5 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)        | 2                | PA; ST                     |
| ULTICARE SYR 0.3 ML 29G 12.7MM 0.3 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)             | 2                | PA; ST                     |
| ULTICARE SYR 0.3 ML 30GX1/2" 0.3 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)             | 2                | PA; ST                     |
| ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| ULTICARE SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)             | 2                | PA; ST                     |
| ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100) | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| ULTICARE SYR 1 ML 31GX5/16" (insulin syringe-needle<br>1 ML 31 GAUGE X 5/16 u-100)  | 2                | PA; ST                     |
| ULTIGUARD SAFE 1 ML 30G<br>12.7MM 1 ML 30 X 1/2"  | 2                | PA; ST                     |
| ULTIGUARD SAFE0.3 ML 30G<br>12.7MM 0.3 ML 30 X 1/2"   | 2                | PA; ST                     |
| ULTIGUARD SAFE0.5 ML 30G<br>12.7MM 1/2 ML 30 X 1/2"   | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 1 ML<br>31G 8MM 1 ML 31 X 5/16"  | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 29G<br>12.7MM 29 GAUGE X 1/2"  | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 31G<br>5MM 31 GAUGE X 3/16"  | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 31G<br>6MM 31 GAUGE X 1/4"   | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 31G<br>8MM 31 GAUGE X 5/16"  | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 32G<br>4MM 32 GAUGE X 5/32"  | 2                | PA; ST                     |
| ULTIGUARD SAFEPACK 32G<br>6MM 32 GAUGE X 1/4"   | 2                | PA; ST                     |
| ULTIGUARD SAFEPK 0.3 ML 31G<br>8MM 0.3 ML 31 X 5/16"  | 2                | PA; ST                     |
| ULTIGUARD SAFEPK 0.5 ML 31G<br>8MM 1/2 ML 31 X 5/16"  | 2                | PA; ST                     |
| ULTILET ALCOHOL STERL (alcohol swabs)<br>SWAB   | 1                | PA; ST                     |
| ULTILET INSULIN SYRINGE 0.3 (insulin syringe-needle<br>ML 0.3 ML 29 GAUGE X 1/2", 0.3 u-100)<br>ML 30 GAUGE X 5/16", 0.3 ML 31<br>GAUGE X 5/16" | 2                | PA; ST                     |
| ULTILET INSULIN SYRINGE 0.5 (insulin syringe-needle<br>ML 0.5 ML 29 GAUGE X 1/2", 0.5 u-100)<br>ML 30 GAUGE X 5/16", 0.5 ML 31<br>GAUGE X 5/16" | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100) | 2                | PA; ST                     |
| ULTILET PEN NEEDLE 29 GAUGE  | 2                | PA; ST                     |
| ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)   | 2                | PA; ST                     |
| ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)  | 2                | PA; ST                     |
| ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)                          | 2                | PA; ST                     |
| ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)  | 2                | PA; ST                     |
| ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE (insulin syringe-needle u-100)  | 2                | PA; ST                     |
| ULTRA COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)   | 2                | PA; ST                     |
| ULTRA COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)   | 2                | PA; ST                     |
| ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"   | 2                | PA; ST                     |
| ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"  | 2                | PA; ST                     |
| ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"  | 2                | PA; ST                     |
| ULTRA FLO PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)   | 2                | PA; ST                     |
| ULTRA FLO PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)   | 2                | PA; ST                     |
| ULTRA FLO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)   | 2                | PA; ST                     |
| ULTRA FLO PEN NEEDLE 33G 4MM 33 GAUGE X 5/32" (pen needle, diabetic)   | 2                | PA; ST                     |
| ULTRA FLO PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)  | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   |                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|-----------------------------------|------------------|----------------------------|
| ULTRA FLO SYR 0.3 ML<br>29GX1/2" 0.3 ML 29 GAUGE X<br>1/2"   | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRA FLO SYR 0.3 ML 30G<br>5/16" 0.3 ML 30 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRA FLO SYR 0.3 ML 31G<br>5/16" 0.3 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRA FLO SYR 0.5 ML 29G 1/2"<br>0.5 ML 29 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRA THIN PEN NDL 32G X<br>4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 2                | PA; ST                     |
| ULTRACARE INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRACARE INS 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRACARE INS 0.5 ML<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2"   | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRACARE INS 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRACARE INS 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRACARE INS 1 ML 30G X<br>5/16" 1 ML 30 GAUGE X 5/16"      | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRACARE INS 1 ML 30GX1/2"<br>1 ML 30 GAUGE X 1/2"          | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRACARE INS 1 ML 31G X<br>5/16" 1 ML 31 GAUGE X 5/16"      | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRACARE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"             | (pen needle, diabetic)            | 2                | PA; ST                     |
| ULTRACARE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"           | (pen needle, diabetic)            | 2                | PA; ST                     |
| ULTRACARE PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"           | (pen needle, diabetic)            | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   |                                   | Drug Tier | Requirements/Limits |
|---|-----------------------------------|-----------|---------------------|
| ULTRACARE PEN NEEDLE<br>32GX1/4" 32 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>32GX3/16" 32 GAUGE X 3/16"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>33GX5/32" 33 GAUGE X 5/32"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE 0.3 ML 30G 12.7MM<br>0.3 ML 30 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE 0.3 ML 31G 6MM<br>(1/2) 0.3 ML 31 GAUGE X 15/64" |                                   | 2         | PA; ST              |
| ULTRA-FINE 0.3 ML 31G 8MM<br>(1/2) 0.3 ML 31 GAUGE X 5/16"  |                                   | 2         | PA; ST              |
| ULTRA-FINE 0.5 ML 30G 12.7MM<br>0.5 ML 30 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE INS SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 15/64"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE INS SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE PEN NDL 29G<br>12.7MM 29 GAUGE X 1/2"            | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE PEN NEEDLE 32G<br>6MM 32 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE SYR 0.5 ML 31G<br>6MM 1/2 ML 31 GAUGE X 15/64"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE SYR 1 ML 30G<br>12.7MM 1 ML 30 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II 1 ML 31GX5/16" 1<br>ML 31 GAUGE X 5/16"       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.3 ML 30G<br>0.3 ML 30 GAUGE X 5/16"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   |                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|-----------------------------------|------------------|----------------------------|
| ULTRA-THIN II INS 0.3 ML 31G<br>0.3 ML 31 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRA-THIN II INS 0.5 ML 29G<br>0.5 ML 29 GAUGE X 1/2"             | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRA-THIN II INS 0.5 ML 30G<br>0.5 ML 30 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRA-THIN II INS 0.5 ML 31G<br>0.5 ML 31 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRA-THIN II INS SYR 1 ML<br>29G 1 ML 29 GAUGE X 1/2"             | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRA-THIN II INS SYR 1 ML<br>30G 1 ML 30 GAUGE X 5/16"            | (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| ULTRA-THIN II PEN NDL<br>29GX1/2" 29 GAUGE X 1/2"                  | (pen needle, diabetic)            | 2                | PA; ST                     |
| ULTRA-THIN II PEN NDL<br>31GX5/16 31 GAUGE X 5/16"                 | (pen needle, diabetic)            | 2                | PA; ST                     |
| UNIFINE OTC PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"                 | (pen needle, diabetic)            | 2                | PA; ST                     |
| UNIFINE OTC PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"                 | (pen needle, diabetic)            | 2                | PA; ST                     |
| UNIFINE PEN NEEDLE 32G 4MM<br>32 GAUGE X 5/32"                     | (pen needle, diabetic)            | 2                | PA; ST                     |
| UNIFINE PENTIPS 12MM 29G<br>29GX12MM, STRL 29 GAUGE X<br>1/2"      | (pen needle, diabetic)            | 2                | PA; ST                     |
| UNIFINE PENTIPS 31GX3/16"<br>31GX5MM,STRL,MINI 31 GAUGE<br>X 3/16" | (pen needle, diabetic)            | 2                | PA; ST                     |
| UNIFINE PENTIPS 32G 4MM 32<br>GAUGE X 5/32"                        | (pen needle, diabetic)            | 2                | PA; ST                     |
| UNIFINE PENTIPS 32GX1/4" 32<br>GAUGE X 1/4"                        | (pen needle, diabetic)            | 2                | PA; ST                     |
| UNIFINE PENTIPS 33GX5/32" 33<br>GAUGE X 5/32"                      | (pen needle, diabetic)            | 2                | PA; ST                     |
| UNIFINE PENTIPS 6MM 31G 31<br>GAUGE X 1/4"                         | (pen needle, diabetic)            | 2                | PA; ST                     |
| UNIFINE PENTIPS MAX<br>30GX3/16" 30 GAUGE X 3/16"                  | (pen needle, diabetic)            | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| UNIFINE PENTIPS NEEDLES 29G<br>29 GAUGE   | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>29GX1/2" 12MM 29 GAUGE X 1/2"                | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>30GX3/16" 30 GAUGE X 3/16"                   | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>31GX1/4" ULTRA SHORT, 6MM<br>31 GAUGE X 1/4" | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>31GX3/16" MINI 31 GAUGE X<br>3/16"           | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>31GX5/16" SHORT 31 GAUGE X<br>5/16"          | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>32GX5/32" 32 GAUGE X 5/32"                   | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>33GX5/32" 33 GAUGE X 5/32"                   | 2                | PA; ST                     |
| UNIFINE PROTECT 30G 5MM 30<br>GAUGE X 3/16"   | 2                | PA; ST                     |
| UNIFINE PROTECT 30G 8MM 30<br>GAUGE X 5/16"   | 2                | PA; ST                     |
| UNIFINE PROTECT 32G 4MM 32<br>GAUGE X 5/32"   | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 30G<br>5MM 30 GAUGE X 3/16"   | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 30G<br>8MM 30 GAUGE X 5/16"   | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 31G (pen needle, diabetic,<br>5MM 31 GAUGE X 3/16" safety)              | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 31G<br>6MM 31 GAUGE X 1/4"  | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 31G<br>8MM 31 GAUGE X 5/16"   | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 32G<br>4MM 32 GAUGE X 5/32"   | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                      | 2                | PA; ST                     |
| UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)                       | 2                | PA; ST                     |
| UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                      | 2                | PA; ST                     |
| UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                      | 2                | PA; ST                     |
| VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"                                       | 2                | PA; ST                     |
| VANISHPOINT U-100 29X1/2 SYR 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)           | 2                | PA; ST                     |
| VERIFINE INS SYR 1 ML 29G 1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)         | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)                        | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                        | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 31G X 6MM 31 GAUGE X 1/4" (pen needle, diabetic)                       | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                      | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)                         | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 32G X 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                      | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 32G X 5MM 32 GAUGE X 3/16" (pen needle, diabetic)                      | 2                | PA; ST                     |
| VERIFINE PLUS PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)                      | 2                | PA; ST                     |
| VERIFINE PLUS PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                      | 2                | PA; ST                     |
| VERIFINE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)                      | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name  | Drug Tier                         | Requirements/Limits             |
|--|-----------------------------------|---------------------------------|
| VERIFINE PLUS PEN NDL 32G<br>4MM-SHARPS CONTAINER 32<br>GAUGE X 5/32"  | 2                                 | PA; ST                          |
| VERIFINE SYRING 0.5 ML 29G<br>1/2" 0.5 ML 29 GAUGE X 1/2"  | (insulin syringe-needle<br>u-100) | 2                               |
| VERIFINE SYRING 1 ML 31G<br>5/16" 1 ML 31 GAUGE X 5/16   | (insulin syringe-needle<br>u-100) | 2                               |
| VERIFINE SYRNG 0.3 ML 31G<br>5/16" 0.3 ML 31 GAUGE X 5/16"   | (insulin syringe-needle<br>u-100) | 2                               |
| VERIFINE SYRNG 0.5 ML 31G<br>5/16" 0.5 ML 31 GAUGE X 5/16"   | (insulin syringe-needle<br>u-100) | 2                               |
| VERSALON ALL PURPOSE<br>SPONGE 25'S,N-STERILE,3PLY 2<br>X 2 "  | 1                                 | PA; ST                          |
| V-GO 20 DEVICE   | 3                                 | QL (30 per 30 days)             |
| V-GO 30 DEVICE   | 3                                 | QL (30 per 30 days)             |
| V-GO 40 DEVICE   | 3                                 | QL (30 per 30 days)             |
| WEBCOL ALCOHOL PREPS<br>20'S,LARGE   | (alcohol swabs)                   | 1                               |
| <b>Enzyme Cofactors/Chaperones</b>   |                                   |                                 |
| <b>Enzyme Cofactors/Chaperones</b>   |                                   |                                 |
| MIPLYFFA ORAL CAPSULE 124<br>MG, 47 MG, 62 MG, 93 MG   | 5                                 | PA; NDS; QL (90 per 30<br>days) |
| <b>Enzyme<br/>Replacement/Modifiers</b>  |                                   |                                 |
| <b>Enzyme Replacement/Modifiers</b>  |                                   |                                 |
| CREON ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 12,000-38,000 -<br>60,000 UNIT, 24,000-76,000 -<br>120,000 UNIT, 3,000-9,500- 15,000<br>UNIT, 36,000-114,000- 180,000<br>UNIT, 6,000-19,000 -30,000 UNIT | 3                                 |                                 |
| <i>javygtor oral tablet,soluble 100 mg</i>   | (sapropterin)                     | 5                               |
| <i>nitisinone oral capsule 10 mg, 2 mg,<br/>20 mg, 5 mg</i>  | (Orfadin)                         | 5                               |
| ORFADIN ORAL SUSPENSION 4<br>MG/ML   | 5                                 | PA; NDS                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| PULMOZYME INHALATION SOLUTION 1 MG/ML  | 5                | PA BvD; NDS                |
| REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)   | 5                | PA; NDS                    |
| <i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)  | 5                | PA; NDS                    |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML   | 5                | PA; LA; NDS                |
| ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000 - 84,000 UNIT, 25,000-79,000 - 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000 - 168,000 UNIT, 5,000-17,000 - 24,000 UNIT, 60,000-189,600 - 252,600 UNIT | 3                |                            |
| <b>Eye, Ear, Nose, Throat Agents</b>   |                  |                            |
| <b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>  |                  |                            |
| <i>atropine ophthalmic (eye) drops 1 %</i>   | 2                |                            |
| <i>azelastine nasal spray, non-aerosol 137 mcg (0.1 %)</i>   | 2                | QL (60 per 30 days)        |
| <i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)  | 2                | QL (30 per 25 days)        |
| <i>azelastine ophthalmic (eye) drops 0.05 %</i>  | 2                |                            |
| <i>cromolyn ophthalmic (eye) drops 4 %</i>   | 2                |                            |
| <i>epinastine ophthalmic (eye) drops 0.05 %</i>  | 4                |                            |
| <i>ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %)</i>  | 2                | QL (30 per 28 days)        |
| <i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i>  | 2                | QL (15 per 10 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| MIEBO (PF) OPHTHALMIC (EYE)<br>DROPS 100 %  | 3                | QL (12 per 28 days)        |
| <i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)                                  | 2                |                            |
| <i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Advanced Eye Relief (olopatad))                                | 2                |                            |
| <b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>  |                  |                            |
| <i>acetic acid otic (ear) solution 2 %</i>  | 2                |                            |
| <i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>   | 2                |                            |
| <i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin)                          | 2                |                            |
| <i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>   | 2                |                            |
| <i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>  | 3                | QL (7.5 per 7 days)        |
| <i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>   | 2                | QL (3.5 per 4 days)        |
| <i>gentak ophthalmic (eye) ointment 0.3 % (3 mg/gram)</i>   | 2                |                            |
| <i>gentamicin ophthalmic (eye) drops 0.3 %</i>  | 2                |                            |
| <i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>  | 2                |                            |
| <i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)  | 2                |                            |
| NATACYN OPHTHALMIC (EYE)<br>DROPS,SUSPENSION 5 %  | 4                |                            |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)       | 2                |                            |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)      | 2                |                            |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol) | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b>                     | <b>Requirements/Limits</b> |
|---|--------------------------------------|----------------------------|
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> | 2                                    |                            |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>  | 2                                    |                            |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>       | 2                                    |                            |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>               | 2                                    |                            |
| <i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>                 | (neomycin-bacitracin-poly-hc)<br>2   |                            |
| <i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>                  | (neomycin-bacitracin-polymyxin)<br>2 |                            |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i>   | (Ocuflox)<br>2                       |                            |
| <i>ofloxacin otic (ear) drops 0.3 %</i>   | 2                                    |                            |
| <i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>                               | (bacitracin-polymyxin b)<br>2        |                            |
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>            | 1                                    |                            |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>                                     | 2                                    |                            |
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>                                  | 2                                    |                            |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>               | 2                                    |                            |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i>  | 1                                    |                            |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>                 | 2                                    |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name  | Drug Tier | Requirements/Limits          |
|--|-----------|------------------------------|
| <i>trifluridine ophthalmic (eye) drops 1 %</i>   | 4         |                              |
| XDEMVIY OPHTHALMIC (EYE)<br>DROPS 0.25 %   | 5         | PA; NDS; QL (10 per 42 days) |
| ZIRGAN OPHTHALMIC (EYE)<br>GEL 0.15 %  | 4         |                              |
| ZYLET OPHTHALMIC (EYE) (tobramycin-lotepred)<br>DROPS,SUSPENSION 0.3-0.5 %                     | 3         |                              |
| <b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>   |           |                              |
| <i>bromfenac ophthalmic (eye) drops 0.07 %</i> (Prolensa)                                      | 3         |                              |
| <i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> (Restasis)                             | 3         | QL (60 per 30 days)          |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>                             | 2         |                              |
| <i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>  | 2         |                              |
| <i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol)                                   | 4         |                              |
| EYSUVIS OPHTHALMIC (EYE)<br>DROPS,SUSPENSION 0.25 %  | 3         | QL (8.3 per 14 days)         |
| <i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i>                                    | 4         | QL (50 per 25 days)          |
| <i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (DermOtic Oil)                       | 2         |                              |
| <i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML Liquifilm)                 | 2         |                              |
| <i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i>                                       | 2         |                              |
| <i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (24 Hour Allergy Relief) | 1         | QL (16 per 30 days)          |
| ILEVRO OPHTHALMIC (EYE)<br>DROPS,SUSPENSION 0.3 %  | 3         |                              |
| INVELTYS OPHTHALMIC (EYE)<br>DROPS,SUSPENSION 1 %  | 3         | QL (5.6 per 14 days)         |
| <i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)   | 2         | QL (10 per 25 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits     |
|---|-----------|-------------------------|
| LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %   | 3         | QL (3.5 per 14 days)    |
| LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %  | 3         | QL (5 per 16 days)      |
| <i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)                               | 4         | QL (10 per 14 days)     |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)                          | 3         | ST                      |
| <i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i>                                  | 4         | QL (15 per 19 days)     |
| <i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Allergy Nasal (mometasone))               | 4         | QL (34 per 30 days)     |
| <i>prednisolone acetate ophthalmic (eye) drops,suspension 1 %</i> (Pred Forte)                        | 4         |                         |
| XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %   | 3         | QL (60 per 30 days)     |
| <b>Gastrointestinal Agents</b>  |           |                         |
| <b>Antiulcer Agents And Acid Suppressants</b>   |           |                         |
| <i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>                                   | 4         |                         |
| <i>cimetidine hcl oral solution 300 mg/5 ml</i>   | 2         |                         |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i> (Acid Reducer (esomeprazole)) | 2         | QL (30 per 30 days)     |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i> (Nexium)                      | 2         | QL (60 per 30 days)     |
| <i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)        | 4         | ST; QL (30 per 30 days) |
| <i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)               | 4         | ST; QL (60 per 30 days) |
| <i>famotidine oral tablet 20 mg</i> (Acid Controller)   | 1         |                         |
| <i>famotidine oral tablet 40 mg</i> (Pepcid)  | 1         |                         |
| <i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i> (Acid Reducer (lansoprazole))           | 2         | QL (30 per 30 days)     |
| <i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i> (Prevacid)                              | 2         | QL (60 per 30 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)                  | 2                |                            |
| <i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i> | 1                |                            |
| <i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg</i> (Protonix)  | 1                | QL (30 per 30 days)        |
| <i>pantoprazole oral tablet, delayed release (dr/ec) 40 mg</i> (Protonix)  | 1                | QL (60 per 30 days)        |
| <i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)    | 2                | QL (30 per 30 days)        |
| <i>sucralfate oral tablet 1 gram</i> (Carafate)                            | 2                |                            |
| VOQUEZNA ORAL TABLET 10 MG, 20 MG  | 4                | PA                         |
| <b>Gastrointestinal Agents, Other</b>                                      |                  |                            |
| <i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)           | 5                | PA; NDS                    |
| <i>constulose oral solution 10 gram/15 ml</i> (lactulose)                  | 2                |                            |
| <i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)                  | 3                |                            |
| <i>dicyclomine oral capsule 10 mg</i>                                      | 2                |                            |
| <i>dicyclomine oral solution 10 mg/5 ml</i>                                | 2                |                            |
| <i>dicyclomine oral tablet 20 mg</i>                                       | 2                |                            |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)           | 2                | PA-HRM; AGE (Max 64 Years) |
| <i>enulose oral solution 10 gram/15 ml</i> (lactulose)                     | 2                |                            |
| <i>generlac oral solution 10 gram/15 ml</i> (lactulose)                    | 2                |                            |
| <i>glycopyrrolate oral tablet 1 mg</i> (Robinul)                           | 2                |                            |
| <i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)                     | 2                |                            |
| <i>kionex (with sorbitol) oral suspension 15-20 gram/60 ml</i>             | 2                |                            |
| <i>lactulose oral solution 10 gram/15 ml</i> (Constulose)                  | 2                |                            |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG                              | 3                | QL (30 per 30 days)        |
| LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM                              | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits          |
|---|-----------|------------------------------|
| <i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))                   | 2         |                              |
| <i>lubiprostone oral capsule 24 mcg</i> (Amitiza)                                   | 2         | QL (60 per 30 days)          |
| <i>lubiprostone oral capsule 8 mcg</i> (Amitiza)                                    | 2         | QL (120 per 30 days)         |
| <i>metoclopramide hcl oral solution 5 mg/5 ml</i>                                   | 2         |                              |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)                          | 1         |                              |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG   | 3         | QL (30 per 30 days)          |
| <i>sodium polystyrene sulfonate oral powder 15 gram</i>                             | 2         |                              |
| <i>sodium polystyrene sulfonate oral suspension 15 gram/60 ml</i>                   | 2         |                              |
| <i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>                         | 2         |                              |
| TRULANCE ORAL TABLET 3 MG   | 3         | QL (30 per 30 days)          |
| <i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)                               | 5         | NDS                          |
| <i>ursodiol oral capsule 300 mg</i>   | 2         |                              |
| <i>ursodiol oral tablet 250 mg</i>  | 2         |                              |
| <i>ursodiol oral tablet 500 mg</i> (URSO Forte)                                     | 2         |                              |
| VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM               | 3         |                              |
| XERMELO ORAL TABLET 250 MG  | 5         | PA; NDS; QL (84 per 28 days) |
| <b>Laxatives</b>  |           |                              |
| <i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (peg 3350-electrolytes) | 2         |                              |
| <i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (peg 3350-electrolytes) | 2         |                              |
| <i>gavilyte-n oral recon soln 420 gram</i> (peg-electrolyte soln)                   | 2         |                              |
| <i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (GaviLyte-G) | 2         |                              |
| <i>peg-electrolyte soln oral recon soln 420 gram</i> (GaviLyte-N)                   | 2         |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep Bowel Prep Kit) | 2                |                            |
| <i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i>          | 2                |                            |
| <b>Phosphate Binders</b>  |                  |                            |
| <i>calcium acetate(phosphat bind) oral capsule 667 mg</i>                                       | 2                |                            |
| <i>calcium acetate(phosphat bind) oral tablet 667 mg</i>  | 2                |                            |
| <i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)                   | 3                |                            |
| <i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)   | 2                |                            |
| <i>sevelamer hcl oral tablet 400 mg, 800 mg</i>   | 3                |                            |
| <b>Genitourinary Agents</b>   |                  |                            |
| <b>Antispasmodics, Urinary</b>  |                  |                            |
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>                               | 2                |                            |
| <i>fesoterodine oral tablet extended release 24 hr 4 mg</i> (Toviaz)                            | 4                |                            |
| <i>fesoterodine oral tablet extended release 24 hr 8 mg</i> (Toviaz)                            | 2                |                            |
| <i>flavoxate oral tablet 100 mg</i>   | 2                |                            |
| <b>MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG</b> (mirabegron)                   | 2                |                            |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i>   | 2                |                            |
| <i>oxybutynin chloride oral tablet 5 mg</i>   | 2                |                            |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>                 | 2                |                            |
| <i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)   | 2                |                            |
| <i>tolterodine oral capsule,extended release 24hr 2 mg, 4 mg</i>                                | 2                |                            |
| <i>tolterodine oral tablet 1 mg, 2 mg</i>   | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits           |
|---|-----------|-------------------------------|
| <i>tropium oral tablet 20 mg</i>  | 2         |                               |
| <b>Genitourinary Agents, Miscellaneous</b>  |           |                               |
| <i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)                       | 2         | QL (30 per 30 days)           |
| <i>dutasteride oral capsule 0.5 mg</i> (Avodart)  | 2         |                               |
| <i>finasteride oral tablet 5 mg</i> (Proscar)   | 1         |                               |
| <i>tamsulosin oral capsule 0.4 mg</i>   | 1         |                               |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                                       | 1         |                               |
| <b>Heavy Metal Antagonists</b>  |           |                               |
| <b>Heavy Metal Antagonists</b>  |           |                               |
| <i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i> (Jadenu Sprinkle)          | 5         | PA; NDS                       |
| <i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i> (Jadenu)                               | 2         | PA                            |
| <i>penicillamine oral tablet 250 mg</i> (Depen Titratabs)                                   | 5         | PA; NDS                       |
| <i>trientine oral capsule 250 mg</i> (Syprine)  | 5         | PA; NDS; QL (240 per 30 days) |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying</b>                                     |           |                               |
| <b>Androgens</b>  |           |                               |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>   | 3         |                               |
| <i>oxandrolone oral tablet 10 mg, 2.5 mg</i>  | 3         | PA                            |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)    | 2         | PA                            |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>                            | 2         | PA                            |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i>                                   | 2         | PA; QL (5 per 28 days)        |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo) | 4         | PA; QL (300 per 30 days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits        |
|---|-----------|----------------------------|
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (AndroGel)   | 4         | PA; QL (150 per 30 days)   |
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram)</i>   | 4         | PA; QL (300 per 30 days)   |
| <i>testosterone transdermal gel in packet 1 % (50 mg/5 gram)</i> (Vogelxo)  | 4         | PA; QL (300 per 30 days)   |
| <b>Estrogens And Antiestrogens</b>  |           |                            |
| <i>abigale lo oral tablet 0.5-0.1 mg</i> (estradiol-norethindrone acet)   | 1         |                            |
| <i>abigale oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)  | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>conjugated estrogens oral tablet 0.3 mg, 0.45 mg, 0.625 mg, 0.9 mg, 1.25 mg</i> (Premarin)   | 2         |                            |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>   | 1         |                            |
| <i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)              | 2         | QL (8 per 28 days)         |
| <i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara) | 2         | QL (4 per 28 days)         |
| <i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)   | 2         |                            |
| <i>estradiol vaginal tablet 10 mcg</i> (YuvaFem)  | 4         | QL (18 per 28 days)        |
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Abigale Lo)   | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i> (Abigale)  | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)   | 2         | PA-HRM; AGE (Max 64 Years) |
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM  | 3         |                            |
| PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)  | 3         | PA-HRM; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits        |
|---|-----------|----------------------------|
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG                                 | 3         | PA-HRM; AGE (Max 64 Years) |
| <i>raltaxifene oral tablet 60 mg</i> (Evista)   | 2         |                            |
| <i>yuvafem vaginal tablet 10 mcg</i> (estradiol)  | 4         | QL (18 per 28 days)        |
| <b>Glucocorticoids/Mineralocorticoids</b>   |           |                            |
| <i>dexamethasone oral solution 0.5 mg/5 ml</i>  | 2         |                            |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>                      | 2         |                            |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>                            | 1         |                            |
| <i>fludrocortisone oral tablet 0.1 mg</i>   | 2         |                            |
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)   | 2         |                            |
| <i>methylprednisolone acetate injection suspension 40 mg/ml</i> (Depo-Medrol)                         | 2         |                            |
| <i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)                                      | 2         |                            |
| <i>methylprednisolone oral tablet 32 mg</i>   | 2         |                            |
| <i>methylprednisolone oral tablets, dose pack 4 mg</i> (Medrol (Pak))                                 | 1         |                            |
| <i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>  | 2         | PA BvD                     |
| <i>prednisolone oral solution 15 mg/5 ml</i>  | 2         | PA BvD                     |
| <i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | 2         | PA BvD                     |
| <i>prednisone oral solution 5 mg/5 ml</i>   | 2         | PA BvD                     |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>                                 | 1         | PA BvD                     |
| <i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>                | 2         |                            |
| <i>triamcinolone acetate injection suspension 40 mg/ml</i> (Kenalog)                                  | 2         |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name  | Drug Tier | Requirements/Limits               |
|--|-----------|-----------------------------------|
| <b>Pituitary</b>   |           |                                   |
| CORTROPHIN GEL INJECTION<br>GEL 80 UNIT/ML   | 5         | PA; NDS; QL (35 per 28 days)      |
| <i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>  | 3         |                                   |
| <i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i>   | 3         |                                   |
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)   | 2         |                                   |
| INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML  | 5         | PA; NDS                           |
| <i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)  | 5         | PA NSO; NDS; QL (0.5 per 28 days) |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG  | 5         | PA NSO; NDS                       |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG   | 5         | PA NSO; NDS                       |
| LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG   | 5         | PA; NDS                           |
| LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG   | 5         | PA; NDS                           |
| NORDITROPIN FLEXP<br>SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) | 5         | PA; NDS                           |
| <i>octreotide acetate injection solution 1,000 mcg/ml</i>  | 5         | NDS                               |
| <i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> (Sandostatin)   | 4         |                                   |
| <i>octreotide acetate injection solution 200 mcg/ml</i>  | 4         |                                   |
| ORGOVYX ORAL TABLET 120 MG   | 5         | PA NSO; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---|------------------|-----------------------------------|
| ORILISSA ORAL TABLET 150 MG   | 5                | PA; NDS; QL (28 per 28 days)      |
| ORILISSA ORAL TABLET 200 MG   | 5                | PA; NDS; QL (56 per 28 days)      |
| SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG                                   | 5                | PA; NDS                           |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) | 5                | PA; NDS; QL (60 per 30 days)      |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 60 MG/0.2 ML (lanreotide)                     | 5                | PA NSO; NDS; QL (0.2 per 28 days) |
| SOMATULINE DEPOT SUBCUTANEOUS SYRINGE 90 MG/0.3 ML (lanreotide)                     | 5                | PA NSO; NDS; QL (0.3 per 28 days) |
| SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG                  | 5                | PA; NDS                           |
| <b>Progestins</b>   |                  |                                   |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML                           | 3                | QL (0.65 per 84 days)             |
| <i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)                           | 2                |                                   |
| <i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)        | 2                |                                   |
| <i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)           | 2                |                                   |
| <i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)                | 1                |                                   |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>   | 3                | PA-HRM; AGE (Max 64 Years)        |
| <i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)                           | 2                |                                   |
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)             | 2                |                                   |
| <b>Thyroid And Antithyroid Agents</b>   |                  |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits             |
|---|-----------|---------------------------------|
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Euthyrox) | 1         |                                 |
| <i>levothyroxine oral tablet 300 mcg</i> (Levo-T)   | 1         |                                 |
| <i>liomny oral tablet 25 mcg, 5 mcg, 50 mcg</i> (liothyronine)  | 2         |                                 |
| <i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Liomny)  | 2         |                                 |
| <i>methimazole oral tablet 10 mg, 5 mg</i>  | 1         |                                 |
| <i>propylthiouracil oral tablet 50 mg</i>   | 2         |                                 |
| REZDIFFRA ORAL TABLET 100 MG, 60 MG, 80 MG  | 5         | PA; NDS                         |
| <b>Immunological Agents</b>   |           |                                 |
| <b>Immunological Agents</b>   |           |                                 |
| ARCALYST SUBCUTANEOUS RECON SOLN 220 MG   | 5         | PA; NDS                         |
| ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 0.5 MG, 1 MG (tacrolimus)  | 4         | PA BvD                          |
| ASTAGRAF XL ORAL CAPSULE,EXTENDED RELEASE 24HR 5 MG (tacrolimus)  | 5         | PA BvD; NDS                     |
| <i>azathioprine oral tablet 50 mg</i> (Imuran)  | 2         | PA BvD                          |
| <i>azathioprine sodium injection recon soln 100 mg</i>  | 2         | PA BvD                          |
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML   | 5         | PA; NDS; QL (8 per 28 days)     |
| BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML   | 5         | PA; NDS; QL (8 per 28 days)     |
| BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML   | 5         | PA NSO; NDS; QL (2 per 28 days) |
| CIMZIA 200 MG/ML SYRINGE KIT  | 5         | PA; NDS                         |
| CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)  | 5         | PA; NDS                         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| CIMZIA STARTER KIT<br>SUBCUTANEOUS SYRINGE KIT<br>400 MG/2 ML (200 MG/ML X 2)                                      | 5                | PA; NDS                    |
| CIMZIA SUBCUTANEOUS<br>SYRINGE KIT 400 MG/2 ML (200<br>MG/ML X 2)  | 5                | PA; NDS                    |
| COSENTYX (2 SYRINGES)<br>SUBCUTANEOUS SYRINGE 150<br>MG/ML   | 5                | PA; NDS                    |
| COSENTYX PEN (2 PENS)<br>SUBCUTANEOUS PEN INJECTOR<br>150 MG/ML  | 5                | PA; NDS                    |
| COSENTYX SUBCUTANEOUS<br>SYRINGE 75 MG/0.5 ML  | 5                | PA; NDS                    |
| COSENTYX UNOREADY PEN<br>SUBCUTANEOUS PEN INJECTOR<br>300 MG/2 ML  | 5                | PA; NDS                    |
| <i>cyclosporine intravenous solution</i> (Sandimmune)<br><i>250 mg/5 ml</i>  | 2                | PA BvD                     |
| <i>cyclosporine modified oral capsule</i> (Gengraf)<br><i>100 mg, 25 mg</i>  | 2                | PA BvD                     |
| <i>cyclosporine modified oral capsule</i><br><i>50 mg</i>  | 2                | PA BvD                     |
| <i>cyclosporine modified oral solution</i> (Gengraf)<br><i>100 mg/ml</i>   | 3                | PA BvD                     |
| <i>cyclosporine oral capsule 100 mg, 25</i> (Sandimmune)<br><i>mg</i>  | 3                | PA BvD                     |
| CYLTEZO(CF) PEN CROHN'S-UC- (adalimumab-adbm)<br>HS SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.4 ML, 40<br>MG/0.8 ML | 5                | PA; NDS                    |
| CYLTEZO(CF) PEN PSORIASIS- (adalimumab-adbm)<br>UV SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.4 ML, 40<br>MG/0.8 ML  | 5                | PA; NDS                    |
| CYLTEZO(CF) PEN (adalimumab-adbm)<br>SUBCUTANEOUS PEN INJECTOR<br>KIT 40 MG/0.4 ML, 40 MG/0.8 ML                   | 5                | PA; NDS                    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name  | Drug Tier | Requirements/Limits                       |
|--|-----------|---|
| CYLTEZO(CF) SUBCUTANEOUS (adalimumab-adbm)<br>SYRINGE KIT 10 MG/0.2 ML, 20<br>MG/0.4 ML, 40 MG/0.4 ML, 40<br>MG/0.8 ML | 5         | PA; NDS                                   |
| DUPIXENT PEN<br>SUBCUTANEOUS PEN INJECTOR<br>200 MG/1.14 ML, 300 MG/2 ML   | 5         | PA; NDS                                   |
| DUPIXENT SYRINGE<br>SUBCUTANEOUS SYRINGE 100<br>MG/0.67 ML, 200 MG/1.14 ML, 300<br>MG/2 ML                             | 5         | PA; NDS                                   |
| ENBREL MINI SUBCUTANEOUS<br>CARTRIDGE 50 MG/ML (1 ML)  | 5         | PA; NDS                                   |
| ENBREL SUBCUTANEOUS<br>RECON SOLN 25 MG (1 ML)   | 5         | PA; NDS                                   |
| ENBREL SUBCUTANEOUS<br>SOLUTION 25 MG/0.5 ML   | 5         | PA; NDS                                   |
| ENBREL SUBCUTANEOUS<br>SYRINGE 25 MG/0.5 ML (0.5), 50<br>MG/ML (1 ML)  | 5         | PA; NDS                                   |
| ENBREL SURECLICK<br>SUBCUTANEOUS PEN INJECTOR<br>50 MG/ML (1 ML)   | 5         | PA; NDS                                   |
| <i>everolimus (immunosuppressive) oral (Zortress)</i><br><i>tablet 0.25 mg</i>   | 3         | PA BvD                                    |
| <i>everolimus (immunosuppressive) oral (Zortress)</i><br><i>tablet 0.5 mg, 0.75 mg, 1 mg</i>                           | 5         | PA BvD; NDS                               |
| GAMUNEX-C INJECTION<br>SOLUTION 1 GRAM/10 ML (10 %)  | 5         | PA BvD; NDS                               |
| <i>engraf oral capsule 100 mg, 25 mg (cyclosporine modified)</i>   | 2         | PA BvD                                    |
| <i>engraf oral solution 100 mg/ml (cyclosporine modified)</i>  | 3         | PA BvD                                    |
| HUMIRA PEN CROHNS-UC-HS<br>START SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.8 ML   | 5         | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA PEN PSOR-UEVITS-<br>ADOL HS SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.8 ML                                       | 5         | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA PEN SUBCUTANEOUS<br>PEN INJECTOR KIT 40 MG/0.8 ML   | 5         | PA; NDS; Only NDCs<br>starting with 00074 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>             |
|---|------------------|--|
| HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML  | 5                | PA; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML | 5                | PA; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN CROHNS-UC-HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML                          | 5                | PA; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML                          | 5                | PA; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN PSOR-UV-ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML          | 5                | PA; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML                         | 5                | PA; NDS; Only NDCs starting with 00074 |
| HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML                    | 5                | PA; NDS; Only NDCs starting with 00074 |
| <i>infliximab intravenous recon soln 100 mg</i> (Remicade)                                      | 5                | PA; NDS                                |
| KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML   | 5                | PA; NDS                                |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)   | 2                |  |
| <i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)         | 2                | PA BvD                                 |
| <i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)                                     | 2                | PA BvD                                 |
| <i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)            | 5                | PA BvD; NDS                            |
| <i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)                                      | 2                | PA BvD                                 |
| <i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)      | 4                | PA BvD                                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML   | 5                | PA NSO; NDS                |
| NULOJIX INTRAVENOUS RECON SOLN 250 MG  | 5                | PA BvD; NDS                |
| ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG   | 5                | PA; NDS                    |
| ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML   | 5                | PA; NDS                    |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML   | 5                | PA; NDS                    |
| OTEZLA ORAL TABLET 20 MG, 30 MG  | 5                | PA; NDS                    |
| OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)-20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19)  | 5                | PA; NDS                    |
| OTEZLA XR INITIATION ORAL TABLET AND TABLET ER DOSE PACK 10-20-30-75 MG  | 5                | PA; NDS                    |
| OTEZLA XR ORAL TABLET EXTENDED RELEASE 24 HR 75 MG   | 5                | PA; NDS                    |
| PROGRAF INTRAVENOUS SOLUTION 5 MG/ML (tacrolimus)  | 4                | PA BvD                     |
| PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG   | 4                | PA BvD                     |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML | 4                | ST                         |
| REZUROCK ORAL TABLET 200 MG  | 5                | PA NSO; NDS                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|---|------------------|-------------------------------|
| RINVOQ LQ ORAL SOLUTION 1 MG/ML   | 5                | PA; NDS; QL (360 per 30 days) |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG                               | 5                | PA; NDS                       |
| SELARSDI INTRAVENOUS SOLUTION 130 MG/26 ML  | 5                | PA; NDS                       |
| SELARSDI SUBCUTANEOUS SOLUTION 45 MG/0.5 ML   | 3                | PA                            |
| SELARSDI SUBCUTANEOUS SYRINGE 45 MG/0.5 ML (ustekinumab-aekn)                               | 3                | PA                            |
| SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML (ustekinumab-aekn)                                   | 5                | PA; NDS                       |
| <i>sirolimus oral solution 1 mg/ml</i>  | 3                | PA BvD                        |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>   | 3                | PA BvD                        |
| SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML   | 5                | PA; NDS                       |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML   | 5                | PA; NDS                       |
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML  | 5                | PA; NDS                       |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML) | 5                | PA; NDS                       |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)                                 | 3                | PA BvD                        |
| TAVNEOS ORAL CAPSULE 10 MG  | 5                | PA; NDS; QL (180 per 30 days) |
| TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)  | 5                | PA; NDS                       |
| TREMFYA ONE-PRESS SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML                                      | 5                | PA; NDS                       |
| TREMFYA PEN INDUCTION PK(2PEN) SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML                        | 5                | PA; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| TREMFYA PEN<br>SUBCUTANEOUS PEN INJECTOR<br>200 MG/2 ML   | 5                | PA; NDS                    |
| TREMFYA SUBCUTANEOUS<br>SYRINGE 100 MG/ML, 200 MG/2<br>ML   | 5                | PA; NDS                    |
| TYENNE AUTOINJECTOR<br>SUBCUTANEOUS PEN INJECTOR<br>162 MG/0.9 ML   | 5                | PA; NDS                    |
| TYENNE INTRAVENOUS<br>SOLUTION 200 MG/10 ML (20<br>MG/ML), 400 MG/20 ML (20<br>MG/ML), 80 MG/4 ML (20 MG/ML)    | 5                | PA; NDS                    |
| TYENNE SUBCUTANEOUS<br>SYRINGE 162 MG/0.9 ML  | 5                | PA; NDS                    |
| <i>ustekinumab-aauz subcutaneous</i> (Otulfi)<br><i>syringe 45 mg/0.5 ml, 90 mg/ml</i>                          | 3                | PA                         |
| XELJANZ ORAL SOLUTION 1<br>MG/ML  | 5                | PA; NDS                    |
| XELJANZ ORAL TABLET 10 MG,<br>5 MG  | 5                | PA; NDS                    |
| XELJANZ XR ORAL TABLET<br>EXTENDED RELEASE 24 HR 11<br>MG, 22 MG  | 5                | PA; NDS                    |
| YESINTEK INTRAVENOUS<br>SOLUTION 130 MG/26 ML   | 5                | PA; NDS                    |
| YESINTEK SUBCUTANEOUS<br>SOLUTION 45 MG/0.5 ML  | 3                | PA                         |
| YESINTEK SUBCUTANEOUS<br>SYRINGE 45 MG/0.5 ML   | 3                | PA                         |
| YESINTEK SUBCUTANEOUS<br>SYRINGE 90 MG/ML   | 5                | PA; NDS                    |
| YUFLYMA(CF) AI CROHN'S-UC- (adalimumab-aaty)<br>HS SUBCUTANEOUS AUTO-<br>INJECTOR, KIT 80 MG/0.8 ML             | 5                | PA; NDS                    |
| YUFLYMA(CF) AUTOINJECTOR (adalimumab-aaty)<br>SUBCUTANEOUS AUTO-<br>INJECTOR, KIT 40 MG/0.4 ML, 80<br>MG/0.8 ML | 5                | PA; NDS                    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| YUFLYMA(CF) SUBCUTANEOUS (adalimumab-aaty) SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML       | 5         | PA; NDS             |
| <b>Vaccines</b>   |           |                     |
| ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML                                    | 3         | \$0 copay           |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML                                      | 3         |                     |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 3         | \$0 copay           |
| ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML    | 3         | \$0 copay           |
| AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML                  | 3         | \$0 copay           |
| BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG                 | 3         | \$0 copay           |
| BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML                                    | 3         | \$0 copay           |
| BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML                          | 3         | \$0 copay           |
| BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5-8-5 LF-MCG-LF/0.5ML                             | 3         | \$0 copay           |
| DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG-LF/0.5ML         | 3         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| DENGVAXIA (PF)<br>SUBCUTANEOUS SUSPENSION<br>FOR RECONSTITUTION<br>10EXP4.5-6 CCID50/0.5 ML | 3                | QL (3 per 365 days)        |
| ENGERIX-B (PF)<br>INTRAMUSCULAR SUSPENSION<br>20 MCG/ML                                     | 3                | PA BvD; \$0 copay          |
| ENGERIX-B (PF)<br>INTRAMUSCULAR SYRINGE 20<br>MCG/ML  | 3                | PA BvD; \$0 copay          |
| ENGERIX-B PEDIATRIC (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG/0.5 ML                          | 3                | PA BvD; \$0 copay          |
| GARDASIL 9 (PF)<br>INTRAMUSCULAR SUSPENSION<br>0.5 ML                                       | 3                | \$0 copay                  |
| GARDASIL 9 (PF)<br>INTRAMUSCULAR SYRINGE 0.5<br>ML  | 3                | \$0 copay                  |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 1,440 ELISA UNIT/ML                                    | 3                | \$0 copay                  |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 720 ELISA UNIT/0.5 ML                                  | 3                |                            |
| HEPLISAV-B (PF)<br>INTRAMUSCULAR SYRINGE 20<br>MCG/0.5 ML                                   | 3                | PA BvD; \$0 copay          |
| HIBERIX (PF) INTRAMUSCULAR<br>RECON SOLN 10 MCG/0.5 ML                                      | 3                |                            |
| IMOVAX RABIES VACCINE (PF)<br>INTRAMUSCULAR RECON SOLN<br>2.5 UNIT                          | 3                | PA BvD; \$0 copay          |
| INFANRIX (DTAP) (PF)<br>INTRAMUSCULAR SYRINGE 25-<br>58-10 LF-MCG-LF/0.5ML                  | 3                |                            |
| IPOL INJECTION SUSPENSION<br>40-8-32 UNIT/0.5 ML  | 3                | \$0 copay                  |
| IXIARO (PF) INTRAMUSCULAR<br>SYRINGE 6 MCG/0.5 ML   | 3                | \$0 copay                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| JYNNEOS (PF) SUBCUTANEOUS<br>SUSPENSION 0.5X TO 3.95X<br>10EXP8 UNIT/0.5                            | 3                | \$0 copay                  |
| KINRIX (PF) INTRAMUSCULAR<br>SYRINGE 25 LF-58 MCG-10 LF/0.5<br>ML                                   | 3                |                            |
| MENACTRA (PF)<br>INTRAMUSCULAR SOLUTION 4<br>MCG/0.5 ML   | 3                | \$0 copay                  |
| MENQUADFI (PF)<br>INTRAMUSCULAR SOLUTION 10<br>MCG/0.5 ML   | 3                | \$0 copay                  |
| MENVEO A-C-Y-W-135-DIP (PF)<br>INTRAMUSCULAR KIT 10-5<br>MCG/0.5 ML                                 | 3                | \$0 copay                  |
| M-M-R II (PF) SUBCUTANEOUS<br>RECON SOLN 1,000-12,500<br>TCID50/0.5 ML                              | 3                | \$0 copay                  |
| MRESVIA (PF)<br>INTRAMUSCULAR SYRINGE 50<br>MCG/0.5 ML  | 3                | \$0 copay                  |
| PEDIARIX (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG-25LF-25 MCG-10LF/0.5 ML                            | 3                |                            |
| PEDVAX HIB (PF)<br>INTRAMUSCULAR SOLUTION<br>7.5 MCG/0.5 ML   | 3                |                            |
| PENBRAYA (PF)<br>INTRAMUSCULAR KIT 5-120<br>MCG/0.5 ML  | 3                | \$0 copay                  |
| PENBRAYA MENACWY<br>COMPONENT(PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 5<br>MCG/0.5 ML | 3                | \$0 copay                  |
| PENBRAYA MENB COMPONENT<br>(PF) INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                             | 3                | \$0 copay                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| PENMENVY MEN A-B-C-W-Y<br>(PF) INTRAMUSCULAR KIT 0.5<br>ML                                      | 3                | \$0 copay                  |
| PENMENVY MENACWY<br>COMPONENT(PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 10-5<br>MCG | 3                | \$0 copay                  |
| PENMENVY MENB<br>COMPONENT (PF)<br>INTRAMUSCULAR SYRINGE 50-<br>50-50-25 MCG/0.5 ML             | 3                | \$0 copay                  |
| PENTACEL (PF)<br>INTRAMUSCULAR KIT 15LF-<br>20MCG-5LF- 62 DU/0.5 ML                             | 3                |                            |
| PRIORIX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10EXP3.4-4.2-<br>3.3CCID50/0.5ML  | 3                | \$0 copay                  |
| PROQUAD (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10EXP3-4.3-3-<br>3.99 TCID50/0.5  | 3                |                            |
| QUADRACEL (PF)<br>INTRAMUSCULAR SUSPENSION<br>15 LF-48 MCG- 5 LF UNIT/0.5ML                     | 3                |                            |
| QUADRACEL (PF)<br>INTRAMUSCULAR SYRINGE 15<br>LF-48 MCG- 5 LF UNIT/0.5ML                        | 3                |                            |
| RABAVERT (PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 2.5 UNIT                        | 3                | PA BvD; \$0 copay          |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SUSPENSION<br>10 MCG/ML, 40 MCG/ML, 5<br>MCG/0.5 ML         | 3                | PA BvD; \$0 copay          |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG/ML, 5 MCG/0.5 ML                          | 3                | PA BvD; \$0 copay          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b>                  | <b>Requirements/Limits</b>        |           |
|--|-----------------------------------|-----------------------------------|-----------|
| ROTARIX ORAL SUSPENSION<br>10EXP6 CCID50 /1.5 ML                                 | 3                                 |                                   |           |
| ROTARIX ORAL SUSPENSION<br>FOR RECONSTITUTION 10EXP6<br>CCID50/ML                | 3                                 |                                   |           |
| ROTATEQ VACCINE ORAL<br>SOLUTION 2 ML  | 3                                 |                                   |           |
| SHINGRIX (PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 50<br>MCG/0.5 ML | 3                                 | \$0 copay; QL (2 per 365<br>days) |           |
| SHINGRIX (PF)<br>INTRAMUSCULAR SYRINGE 50<br>MCG/0.5 ML                          | 3                                 | \$0 copay; QL (2 per 365<br>days) |           |
| TDVAX INTRAMUSCULAR<br>SUSPENSION 2-2 LF UNIT/0.5 ML                             | 3                                 | \$0 copay                         |           |
| TENIVAC (PF)<br>INTRAMUSCULAR SUSPENSION<br>5 LF UNIT- 2 LF UNIT/0.5ML           | 3                                 | \$0 copay                         |           |
| TENIVAC (PF)<br>INTRAMUSCULAR SYRINGE 5-2<br>LF UNIT/0.5 ML                      | 3                                 | \$0 copay                         |           |
| TICOVAC INTRAMUSCULAR<br>SYRINGE 1.2 MCG/0.25 ML                                 | 3                                 |                                   |           |
| TICOVAC INTRAMUSCULAR<br>SYRINGE 2.4 MCG/0.5 ML                                  | 3                                 | \$0 copay                         |           |
| TRUMENBA INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                                 | 3                                 | \$0 copay                         |           |
| TWINRIX (PF)<br>INTRAMUSCULAR SYRINGE 720<br>ELISA UNIT- 20 MCG/ML               | 3                                 | \$0 copay                         |           |
| TYPHIM VI INTRAMUSCULAR<br>SOLUTION 25 MCG/0.5 ML                                | 3                                 | \$0 copay                         |           |
| TYPHIM VI INTRAMUSCULAR<br>SYRINGE 25 MCG/0.5 ML                                 | (typhoid vi polysacch<br>vaccine) | 3                                 | \$0 copay |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 25 UNIT/0.5 ML                            | 3                                 |                                   |           |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 50 UNIT/ML                                | 3                                 | \$0 copay                         |           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML   | 3         |                     |
| VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML   | 3         | \$0 copay           |
| VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML   | 3         | \$0 copay           |
| VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT                                       | 3         | \$0 copay           |
| VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML  | 3         | \$0 copay           |
| VIVOTIF ORAL CAPSULE,DELAYED RELEASE(DR/EC) 2 BILLION UNIT  | 3         | \$0 copay           |
| YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML, 10 EXP4.74 UNIT/0.5 ML(2.5 ML IN 1 VIAL) | 3         | \$0 copay           |

## Inflammatory Bowel Disease Agents

### Inflammatory Bowel Disease Agents

|   |   |     |
|---|---|-----|
| <i>alosectron oral tablet 0.5 mg</i> (Lotronex)                   | 3 |     |
| <i>alosectron oral tablet 1 mg</i> (Lotronex)                     | 5 | NDS |
| <i>balsalazide oral capsule 750 mg</i> (Colazal)                  | 2 |     |
| <i>budesonide oral capsule, delayed, extend. release 3 mg</i>     | 4 |     |
| <i>budesonide rectal foam 2 mg/actuation</i> (Uceris)             | 3 |     |
| <i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)       | 3 |     |
| <i>mesalamine oral capsule, extended release 500 mg</i> (Pentasa) | 3 |     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name  | Drug Tier | Requirements/Limits         |
|--|-----------|-----------------------------|
| <i>mesalamine oral capsule,extended release 24hr 0.375 gram</i> (Apriso)             | 4         |                             |
| <i>mesalamine oral tablet,delayed release (dr/ec) 1.2 gram</i> (Lialda)              | 4         | QL (120 per 30 days)        |
| <i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)                                 | 2         |                             |
| <i>sulfasalazine oral tablet,delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs) | 4         |                             |
| <b>Metabolic Bone Disease Agents</b>   |           |                             |
| <b>Metabolic Bone Disease Agents</b>   |           |                             |
| <i>alendronate oral solution 70 mg/75 ml</i>   | 4         | QL (300 per 28 days)        |
| <i>alendronate oral tablet 10 mg</i>   | 1         | QL (30 per 30 days)         |
| <i>alendronate oral tablet 35 mg</i>   | 1         | QL (4 per 28 days)          |
| <i>alendronate oral tablet 70 mg</i> (Fosamax)                                       | 1         | QL (4 per 28 days)          |
| <i>calcitonin (salmon) nasal spray,non-aerosol 200 unit/actuation</i>                | 2         |                             |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>                                     | 2         |                             |
| <i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)                                | 3         | QL (60 per 30 days)         |
| <i>cinacalcet oral tablet 90 mg</i> (Sensipar)                                       | 2         | QL (120 per 30 days)        |
| <i>ibandronate oral tablet 150 mg</i>  | 2         | QL (1 per 28 days)          |
| NATPARA SUBCUTANEOUS CARTRIDGE 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE   | 5         | PA; NDS; QL (2 per 28 days) |
| OSENVELT SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)                              | 5         | PA; NDS                     |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)                              | 4         |                             |
| <i>paricalcitol oral capsule 4 mcg</i>   | 4         |                             |
| RAYALDEE ORAL CAPSULE,EXTENDED RELEASE 24 HR 30 MCG                                  | 5         | NDS; QL (60 per 30 days)    |
| STOBOCLO SUBCUTANEOUS SYRINGE 60 MG/ML   | 3         | QL (1 per 180 days)         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits            |
|---|-----------|--------------------------------|
| <i>teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)</i> (Bonsity) | 5         | PA; NDS; QL (2.24 per 28 days) |
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)                         | 5         | PA; NDS; QL (1.56 per 30 days) |
| <b>Miscellaneous Therapeutic Agents</b>   |           |                                |
| <b>Miscellaneous Therapeutic Agents</b>   |           |                                |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML                                      | 5         | PA; NDS                        |
| BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION                                     | 3         |                                |
| <i>betaine oral powder 1 gram/scoop</i> (Cystadane)                                 | 5         | PA; NDS                        |
| <i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>                       | 1         |                                |
| <i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)                               | 5         | NDS                            |
| <i>glucagon emergency kit (human) injection recon soln 1 mg</i>                     | 3         |                                |
| <i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)                | 5         | PA; NDS; QL (180 per 30 days)  |
| GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO-INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML          | 3         |                                |
| GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML            | 3         |                                |
| GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML   | 3         |                                |
| <i>hydroxyzine pamoate oral capsule 100 mg</i>                                      | 2         |                                |
| <i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>                                | 1         |                                |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>                     | 2         |                                |
| <i>mesna oral tablet 400 mg</i> (Mesnex)  | 5         | NDS                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|--|------------------|-----------------------------------|
| <i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)              | 3                | QL (30 per 30 days)               |
| <i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)             | 2                |                                   |
| THALOMID ORAL CAPSULE 100 MG   | 5                | PA NSO; NDS; QL (120 per 30 days) |
| THALOMID ORAL CAPSULE 150 MG, 200 MG                                   | 5                | PA NSO; NDS; QL (56 per 28 days)  |
| THALOMID ORAL CAPSULE 50 MG  | 5                | PA NSO; NDS; QL (224 per 28 days) |
| TYBOST ORAL TABLET 150 MG  | 3                | QL (30 per 30 days)               |
| VEOZAH ORAL TABLET 45 MG   | 4                | PA; QL (30 per 30 days)           |
| VOWST ORAL CAPSULE 1 X 10EXP6 TO 3 X 10EXP7 CELL                       | 5                | PA; NDS; QL (12 per 30 days)      |
| <b>Ophthalmic Agents</b>   |                  |                                   |
| <b>Antiglaucoma Agents</b>   |                  |                                   |
| <i>acetazolamide oral capsule, extended release 500 mg</i>             | 2                |                                   |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i>                        | 2                |                                   |
| <i>acetazolamide sodium injection recon soln 500 mg</i>                | 2                |                                   |
| <i>betaxolol ophthalmic (eye) drops 0.5 %</i>                          | 4                |                                   |
| <i>brimonidine ophthalmic (eye) drops 0.1 %</i> (Alphagan P)           | 4                |                                   |
| <i>brimonidine ophthalmic (eye) drops 0.15 %</i> (Alphagan P)          | 2                |                                   |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i>                        | 2                |                                   |
| <i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan) | 4                |                                   |
| <i>brinzolamide ophthalmic (eye) drops,suspension 1 %</i> (Azopt)      | 3                |                                   |
| <i>carteolol ophthalmic (eye) drops 1 %</i>                            | 2                |                                   |
| <i>dorzolamide ophthalmic (eye) drops 2 %</i>                          | 2                |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b>                 | <b>Requirements/Limits</b> |
|---|----------------------------------|----------------------------|
| <i>dorzolamide-timolol ophthalmic (eye) (Cosopt) drops 22.3-6.8 mg/ml</i> | 2                                |                            |
| <i>latanoprost ophthalmic (eye) drops 0.005 % (Xalatan)</i>               | 1                                | QL (2.5 per 25 days)       |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i>                           | 2                                |                            |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 %                                     | 3                                | QL (2.5 per 25 days)       |
| <i>methazolamide oral tablet 25 mg, 50 mg</i>                             | 4                                |                            |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>               | 2                                |                            |
| RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %                                   | 3                                | QL (2.5 per 25 days)       |
| ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %                             | 3                                | QL (2.5 per 25 days)       |
| SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %                       | 3                                |                            |
| <i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>               | 1                                |                            |
| <i>timolol ophthalmic (eye) drops 0.5 % (Betimol)</i>                     | 1                                |                            |
| <i>travoprost ophthalmic (eye) drops 0.004 % (Travatan Z)</i>             | 4                                | QL (2.5 per 25 days)       |
| VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %                                    | 4                                | QL (5 per 30 days)         |
| <b>Replacement Preparations</b>   |                                  |                            |
| <b>Replacement Preparations</b>   |                                  |                            |
| <i>d5 % (d-glucose)-0.9 % sodchlr intravenous parenteral solution</i>     | (d5 % and 0.9 % sodium chloride) | 2                          |
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i>     | (D5 % (d-glucose)-0.9 % sodchlr) | 2                          |
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>        |                                  | 2                          |
| <i>klor-con m10 oral tablet,er particles/crystals 10 meq</i>              | (potassium chloride)             | 2                          |
| <i>klor-con m15 oral tablet,er particles/crystals 15 meq</i>              | (potassium chloride)             | 2                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)     | 2                |                            |
| <i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>                          | 4                |                            |
| <i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>                           | 2                |                            |
| <i>potassium chloride intravenous solution 2 meq/ml</i>                               | 2                |                            |
| <i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>                | 2                |                            |
| <i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>                      | 4                |                            |
| <i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 10)           | 2                |                            |
| <i>potassium chloride oral tablet extended release 15 meq</i>                         | 3                |                            |
| <i>potassium chloride oral tablet extended release 20 meq</i>                         | 2                |                            |
| <i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)             | 2                |                            |
| <i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Klor-Con M10)     | 2                |                            |
| <i>potassium chloride oral tablet,er particles/crystals 15 meq</i> (Klor-Con M15)     | 2                |                            |
| <i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Klor-Con M20)     | 2                |                            |
| <i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K 10) | 2                |                            |
| <i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K 15)            | 2                |                            |
| <i>potassium citrate oral tablet extended release 5 meq (540 mg)</i>                  | 2                |                            |
| <i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i>                  | 2                |                            |
| <i>sodium chloride 0.9 % intravenous parenteral solution</i>                          | 2                |                            |
| <i>sodium chloride 0.9% solution mini-bag, single use</i>                             | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name  | Drug Tier | Requirements/Limits          |
|--|-----------|------------------------------|
| <b>Respiratory Tract Agents</b>  |           |                              |
| <b>Anti-Inflammatories, Inhaled Corticosteroids</b>  |           |                              |
| ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol) | 3         | QL (12 per 30 days)          |
| AIRSUPRA 90-80 MCG INHALER 90-80 MCG/ACTUATION   | 3         | QL (32.1 per 30 days)        |
| ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION (fluticasone furoate)                | 3         | QL (30 per 30 days)          |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol)                              | 3         | QL (60 per 30 days)          |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE   | 3         | QL (60 per 30 days)          |
| <i>breyina inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (budesonide-formoterol)                          | 4         | QL (30.9 per 30 days)        |
| <i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)                                  | 3         | PA BvD; QL (120 per 30 days) |
| <i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (Breyna)                           | 4         | QL (30.6 per 30 days)        |
| <i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i>   | 4         | QL (12 per 30 days)          |
| <i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i>   | 4         | QL (24 per 30 days)          |
| <i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i>  | 4         | QL (21.2 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Wixela Inhub) | 2                | QL (60 per 30 days)        |
| <i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (fluticasone propion-salmeterol) | 2                | QL (60 per 30 days)        |
| <b>Antileukotrienes</b>   |                  |                            |
| <i>montelukast oral tablet 10 mg</i> (Singulair)  | 1                |                            |
| <i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)   | 2                |                            |
| <i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)  | 4                |                            |
| <b>Bronchodilators</b>  |                  |                            |
| AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION   | 3                | QL (32.1 per 30 days)      |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Ventolin HFA)   | 2                | QL (17 per 30 days)        |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i>  | 2                | QL (13.4 per 30 days)      |
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>  | 2                | QL (36 per 30 days)        |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i>       | 2                | PA BvD                     |
| ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION (umeclidinium-vilanterol)  | 3                | QL (60 per 30 days)        |
| ATROVENT HFA INHALATION HFA AEROSOL INHALER 17 MCG/ACTUATION  | 4                | QL (25.8 per 28 days)      |
| BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-9-4.8 MCG/ACTUATION   | 3                | QL (10.7 per 30 days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b>      |
|--|------------------|---------------------------------|
| COMBIVENT RESPIMAT<br>INHALATION MIST 20-100<br>MCG/ACTUATION  | 3                | QL (8 per 30 days)              |
| <i>ipratropium bromide inhalation<br/>solution 0.02 %</i>  | 2                | PA BvD                          |
| <i>ipratropium-albuterol inhalation<br/>solution for nebulization 0.5 mg-3<br/>mg(2.5 mg base)/3 ml</i>      | 2                | PA BvD; QL (540 per 30<br>days) |
| SEREVENT DISKUS<br>INHALATION BLISTER WITH<br>DEVICE 50 MCG/DOSE   | 3                | QL (60 per 30 days)             |
| SPIRIVA RESPIMAT<br>INHALATION MIST 1.25<br>MCG/ACTUATION, 2.5<br>MCG/ACTUATION                              | 3                | QL (4 per 30 days)              |
| STIOLTO RESPIMAT<br>INHALATION MIST 2.5-2.5<br>MCG/ACTUATION   | 3                | QL (4 per 30 days)              |
| STRIVERDI RESPIMAT<br>INHALATION MIST 2.5<br>MCG/ACTUATION   | 3                | QL (4 per 28 days)              |
| <i>theophylline oral solution 80 mg/15<br/>ml</i>  | 3                |                                 |
| <i>theophylline oral tablet extended<br/>release 12 hr 100 mg, 200 mg, 300<br/>mg, 450 mg</i>                | 4                |                                 |
| <i>theophylline oral tablet extended<br/>release 24 hr 400 mg, 600 mg</i>                                    | 2                |                                 |
| <i>tiotropium bromide inhalation</i> (Spiriva with<br><i>capsule, w/inhalation device 18 mcg</i> HandiHaler) | 3                | QL (30 per 30 days)             |
| TRELEGY ELLIPTA<br>INHALATION BLISTER WITH<br>DEVICE 100-62.5-25 MCG, 200-<br>62.5-25 MCG                    | 3                | QL (60 per 30 days)             |
| <b>Respiratory Tract Agents, Other</b>   |                  |                                 |
| <i>acetylcysteine solution 100 mg/ml (10<br/>%), 200 mg/ml (20 %)</i>  | 2                | PA BvD                          |
| ALYFTREK ORAL TABLET 10-<br>50-125 MG  | 5                | PA; NDS; QL (60 per 30<br>days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---|------------------|-----------------------------------|
| ALYFTREK ORAL TABLET 4-20-50 MG                                       | 5                | PA; NDS; QL (90 per 30 days)      |
| BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG              | 5                | NDS; QL (560 per 28 days)         |
| <i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i>       | 2                | PA BvD                            |
| FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML                       | 5                | PA; NDS; QL (1 per 28 days)       |
| FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML                   | 5                | PA; NDS; QL (1 per 28 days)       |
| KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG | 5                | PA; NDS; QL (56 per 28 days)      |
| KALYDECO ORAL TABLET 150 MG   | 5                | PA; NDS; QL (56 per 28 days)      |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML                           | 5                | PA; LA; NDS; QL (3 per 28 days)   |
| NUCALA SUBCUTANEOUS RECON SOLN 100 MG                                 | 5                | PA; LA; NDS; QL (3 per 28 days)   |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML                                 | 5                | PA; LA; NDS; QL (3 per 28 days)   |
| NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML                              | 5                | PA; LA; NDS; QL (0.4 per 28 days) |
| OFEV ORAL CAPSULE 100 MG, 150 MG                                      | 5                | PA; NDS; QL (60 per 30 days)      |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG                            | 5                | PA; NDS; QL (112 per 28 days)     |
| <i>pirfenidone oral capsule 267 mg</i>                                | 5                | PA; NDS; QL (270 per 30 days)     |
| <i>pirfenidone oral tablet 267 mg</i> (Esbriet)                       | 5                | PA; NDS; QL (270 per 30 days)     |
| <i>pirfenidone oral tablet 534 mg</i>                                 | 5                | PA; NDS; QL (90 per 30 days)      |
| <i>pirfenidone oral tablet 801 mg</i> (Esbriet)                       | 5                | PA; NDS; QL (90 per 30 days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits          |
|---|-----------|------------------------------|
| PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+-)/20 ML  | 5         | PA BvD; NDS                  |
| <i>roflumilast oral tablet 250 mcg</i> (Daliresp)   | 3         | QL (28 per 28 days)          |
| <i>roflumilast oral tablet 500 mcg</i> (Daliresp)   | 3         | QL (30 per 30 days)          |
| TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N) | 5         | PA; NDS; QL (56 per 28 days) |
| TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)            | 5         | PA; NDS; QL (84 per 28 days) |
| WINREVAIR SUBCUTANEOUS KIT 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2)                        | 5         | PA; NDS; QL (1 per 21 days)  |
| XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML                                | 5         | PA; NDS                      |
| XOLAIR SUBCUTANEOUS RECON SOLN 150 MG   | 5         | PA; NDS                      |
| XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML                                      | 5         | PA; NDS                      |

### Skeletal Muscle Relaxants

#### Skeletal Muscle Relaxants

|   |   |  |
|---|---|--|
| <i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i>  | 2 |  |
| <i>cyclobenzaprine oral tablet 10 mg, 5 mg</i>  | 1 |  |
| <i>dantrolene oral capsule 100 mg, 50 mg</i>    | 4 |  |
| <i>dantrolene oral capsule 25 mg</i> (Dantrium) | 4 |  |
| <i>methocarbamol oral tablet 500 mg, 750 mg</i> | 2 |  |
| <i>tizanidine oral tablet 2 mg</i>              | 2 |  |
| <i>tizanidine oral tablet 4 mg</i> (Zanaflex)   | 2 |  |

### Sleep Disorder Agents

#### Sleep Disorder Agents

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|---|------------------|-----------------------------------|
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)                    | 2                | PA; QL (30 per 30 days)           |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG  | 3                | QL (30 per 30 days)               |
| <i>doxepin oral tablet 3 mg, 6 mg</i> (Silenor)   | 2                | QL (30 per 30 days)               |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)                                 | 2                | QL (30 per 30 days)               |
| <i>modafinil oral tablet 100 mg</i> (Provigil)  | 2                | PA; QL (30 per 30 days)           |
| <i>modafinil oral tablet 200 mg</i> (Provigil)  | 2                | PA; QL (60 per 30 days)           |
| <i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)                                     | 5                | PA; LA; NDS; QL (540 per 30 days) |
| <i>zaleplon oral capsule 10 mg, 5 mg</i>  | 2                | QL (30 per 30 days)               |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)  | 1                | QL (30 per 30 days)               |
| <b>Vasodilating Agents</b>  |                  |                                   |
| <b>Vasodilating Agents</b>  |                  |                                   |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG                                    | 5                | PA; NDS; QL (90 per 30 days)      |
| <i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))                            | 2                | PA; QL (60 per 30 days)           |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)                                    | 5                | PA; LA; NDS; QL (60 per 30 days)  |
| OPSUMIT ORAL TABLET 10 MG   | 5                | PA; NDS; QL (30 per 30 days)      |
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)                         | 2                | PA; QL (360 per 30 days)          |
| <i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra)                               | 1                | EX; CB (6 EA per 30 days)         |
| <i>tadalafil oral tablet 2.5 mg</i>   | 2                | PA; QL (30 per 30 days)           |
| <i>tadalafil oral tablet 5 mg</i> (Cialis)  | 2                | PA; QL (30 per 30 days)           |
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG | 5                | PA; NDS; QL (60 per 30 days)      |
| UPTRAVI ORAL TABLET 200 MCG   | 5                | PA; NDS; QL (240 per 30 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| Drug Name   | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| UPTRAVI ORAL TABLETS,DOSE<br>PACK 200 MCG (140)- 800 MCG<br>(60)  | 5         | PA; NDS             |
| <b>Vitamins And Minerals</b>  |           |                     |
| <b>Vitamins And Minerals</b>  |           |                     |
| <i>bal-care dha combo pack 27-1-430<br/>mg</i>  | 1         |                     |
| <i>bal-care dha essential pack 27 mg<br/>iron-1 mg -374 mg</i>  | 1         |                     |
| <i>c-nate dha softgel 28 mg iron-1 mg -<br/>200 mg</i>  | 1         |                     |
| <i>completenate tablet chew 29 mg iron-<br/>1 mg</i>  | 1         |                     |
| <i>folivane-ob capsule 85-1 mg</i>  | 1         |                     |
| <i>kosher prenatal plus iron tab 30 mg<br/>iron- 1 mg</i>   | 1         |                     |
| <i>marnatal-f capsule 60 mg iron-1 mg</i>   | 1         |                     |
| <i>m-natal plus tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-<br>folic acid)                                  | 1         |                     |
| <i>mynatal advance oral tablet 90-1-50<br/>mg</i>   | 1         |                     |
| <i>mynatal capsule 65 mg iron- 1 mg</i>   | 1         |                     |
| <i>mynatal oral tablet 90-1-50 mg</i>   | 1         |                     |
| <i>mynatal plus captab 65 mg iron- 1<br/>mg</i>   | 1         |                     |
| <i>mynatal-z captab 65 mg iron- 1 mg</i>  | 1         |                     |
| <i>mynate 90 plus oral tablet extended<br/>release 90 mg iron-1 mg</i>  | 1         |                     |
| <i>newgen tablet 32-1,000 mg-mcg</i>  | 1         |                     |
| <i>niva-plus tablet 27 mg iron- 1 mg</i>  | 1         |                     |
| <i>obstetrix dha combo pack 29 mg<br/>iron- 1,700 mcg dfe</i>   | 1         |                     |
| <i>obstetrix dha oral combo pack,tablet<br/>and cap,dr 29 mg iron-1 mg -50 mg</i>                                 | 1         |                     |
| <i>pnv 29-1 oral tablet 29 mg iron- 1 mg</i>  | 1         |                     |
| <i>pnv prenatal plus multivit tab gluten-<br/>free (rx) 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-<br>folic acid) | 1         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---|------------------|----------------------------|
| <i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>  | 1                |                            |
| <i>pnv-omega softgel 28-1-300 mg</i>  | 1                |                            |
| <i>pr natal 400 combo pack 29-1-400 mg</i>  | 1                |                            |
| <i>pr natal 400 ec combo pack 29-1-400 mg</i>   | 1                |                            |
| <i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>  | 1                |                            |
| <i>pr natal 430 ec combo pack 29-1-430 mg</i>   | 1                |                            |
| <i>prenal true combo pack 30 mg iron-1.4 mg-300 mg</i>  | 1                |                            |
| <i>prenaissance oral capsule 29-1.25-55-325 mg</i>  | 1                |                            |
| <i>prenaissance plus oral capsule 28-1-50-250 mg</i>  | 1                |                            |
| <i>prenatabs fa tablet 29-1 mg</i>  | 1                |                            |
| <i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>                               | 1                |                            |
| <i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>   | 1                |                            |
| <i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> (pnv,calcium 72-iron,carb-folic)             | 1                |                            |
| <i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid) | 1                |                            |
| <i>prenatal-u capsule 106.5-1 mg</i>  | 1                |                            |
| <i>preplus oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)                        | 1                |                            |
| <i>pretab oral tablet 29-1 mg</i>   | 1                |                            |
| <i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i>   | 1                |                            |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i>   | 1                |                            |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i>   | 1                |                            |
| <i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>   | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

| <b>Drug Name</b>   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--|------------------|----------------------------|
| <i>taron-c dha capsule 35-1-200 mg</i>   | 1                |                            |
| <i>taron-prex prenatal-dha oral capsule<br/>30 mg iron-1.2 mg-55 mg-265 mg</i> | 1                |                            |
| <i>virt-c dha oral capsule 35-1-200 mg</i>                                     | 1                |                            |
| <i>virt-nate dha softgel 28 mg iron-1 mg<br/>-200 mg</i>                       | 1                |                            |
| <i>virt-pn dha softgel (rx) 27 mg iron-1<br/>mg -300 mg</i>                    | 1                |                            |
| <i>virt-pn plus oral capsule 28-1-300<br/>mg</i>                               | 1                |                            |
| <i>vitafol gummies 3.33 mg iron- 0.33<br/>mg</i>                               | 1                |                            |
| <i>vitafol nano oral tablet 18 mg iron- 1<br/>mg</i>                           | 1                |                            |
| <i>vitafol-ob+dha combo pack 65-1-250<br/>mg</i>                               | 1                |                            |
| <i>vp-ch-pnv oral capsule 30 mg iron-1<br/>mg -50 mg-260 mg</i>                | 1                |                            |
| <i>vp-pnv-dha oral capsule 28 mg iron-<br/>1 mg-200 mg</i>                     | 1                |                            |
| <i>zatean-pn dha capsule 27 mg iron-1<br/>mg -300 mg</i>                       | 1                |                            |
| <i>zatean-pn plus softgel 28-1-300 mg</i>                                      | 1                |                            |
| <i>zingiber tablet 1.2 mg-40 mg- 124.1<br/>mg-100 mg</i>                       | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

04/01/2026

## INDEX

|  |          |     |
|--|----------|-----|
| <b>1</b>                               |          |     |
| 1ST TIER UNIFINE PENTIPS               |          |     |
| .....                                  | 101      |     |
| 1ST TIER UNIFINE PENTIPS PLUS          | .....    | 101 |
| <b>A</b>                               |          |     |
| <i>abacavir</i> .....                  | 64       |     |
| <i>abacavir-lamivudine</i> .....       | 64       |     |
| ABELCET.....                           | 50       |     |
| <i>abigale</i> .....                   | 156      |     |
| <i>abigale lo</i> .....                | 156      |     |
| ABILIFY ASIMTUFII.....                 | 57       |     |
| ABILIFY MAINTENA.....                  | 58       |     |
| <i>abiraterone</i> .....               | 16       |     |
| <i>abiraterone, submicronized</i> .... | 16       |     |
| <i>abirtega</i> .....                  | 16       |     |
| ABOUTTIME PEN NEEDLE                   | .....    | 101 |
| ABRYSVO (PF).....                      | 167      |     |
| <i>acamprosate</i> .....               | 7        |     |
| <i>acarbose</i> .....                  | 44       |     |
| <i>acebutolol</i> .....                | 77       |     |
| <i>acetaminophen-codeine</i> .....     | 3        |     |
| <i>acetazolamide</i> .....             | 175      |     |
| <i>acetazolamide sodium</i> .....      | 175      |     |
| <i>acetic acid</i> .....               | 148      |     |
| <i>acetylcysteine</i> .....            | 180      |     |
| <i>acitretin</i> .....                 | 97       |     |
| ACTHIB (PF).....                       | 167      |     |
| ACTIMMUNE.....                         | 174      |     |
| <i>acyclovir</i> .....                 | 70, 97   |     |
| <i>acyclovir sodium</i> .....          | 70       |     |
| ADACEL(TDAP                            |          |     |
| ADOLESN/ADULT)(PF)                     | 167      |     |
| <i>adapalene</i> .....                 | 101      |     |
| <i>adefovir</i> .....                  | 70       |     |
| ADEMPAS.....                           | 183      |     |
| <i>adrucil</i> .....                   | 16       |     |
| ADVAIR HFA.....                        | 178      |     |
| ADVOCATE PEN NEEDLE                    | .....    | 102 |
| ADVOCATE SYRINGES..                    | 101,     |     |
|  | 102      |     |
| <i>afirmelle</i> .....                 | 88       |     |
| AIMOVIG AUTOINJECTOR                   | .....    | 52  |
| AIRSUPRA.....                          | 178, 179 |     |
| AKEEGA.....                            | 16       |     |
| <i>ala-cort</i> .....                  | 98       |     |
| <i>albendazole</i> .....               | 55       |     |
| <i>albuterol sulfate</i> .....         | 179      |     |
| ALCOHOL PADS.....                      | 102      |     |
| ALCOHOL PREP PADS ....                 | 122      |     |
| ALCOHOL PREP SWABS.                    | 102      |     |
| ALCOHOL SWABS.....                     | 118      |     |
| ALCOHOL WIPES.....                     | 102      |     |
| ALECENSA.....                          | 16       |     |
| <i>alendronate</i> .....               | 173      |     |
| <i>alfuzosin</i> .....                 | 155      |     |
| <i>aliskiren</i> .....                 | 84       |     |
| <i>allopurinol</i> .....               | 52       |     |
| <i>alose tron</i> .....                | 172      |     |
| <i>alprazolam</i> .....                | 8        |     |
| <i>altavera (28)</i> .....             | 88       |     |
| ALTRENO.....                           | 101      |     |
| ALUNBRIG.....                          | 16       |     |
| ALVAIZ.....                            | 72       |     |
| <i>alyacen 1/35 (28)</i> .....         | 88       |     |
| <i>alyacen 7/7/7 (28)</i> .....        | 89       |     |
| ALYFTREK.....                          | 180, 181 |     |
| <i>alyq</i> .....                      | 183      |     |
| <i>amantadine hcl</i> .....            | 56       |     |
| <i>amethyst (28)</i> .....             | 89       |     |
| <i>amikacin</i> .....                  | 9        |     |
| <i>amiloride</i> .....                 | 81       |     |
| <i>amiloride-hydrochlorothiazide</i>   | .....    | 81  |
| <i>amiodarone</i> .....                | 77       |     |
| <i>amitriptyline</i> .....             | 41       |     |
| <i>amlodipine</i> .....                | 80       |     |
| <i>amlodipine-atorvastatin</i> .....   | 82       |     |
| <i>amlodipine-benazepril</i> .....     | 80       |     |
| <i>amlodipine-olmesartan</i> .....     | 81       |     |
| <i>amlodipine-valsartan</i> .....      | 81       |     |
| <i>amlodipine-valsartan-hcthiiazid</i> | .....    | 81  |
| <i>ammonium lactate</i> .....          | 97       |     |
| <i>amoxapine</i> .....                 | 41       |     |
| <i>amoxicil-clarithromy-lansopraz</i>  | .....    | 151 |
| <i>amoxicillin</i> .....               | 13       |     |
| <i>amoxicillin-pot clavulanate</i> ... | 13       |     |
| <i>amphotericin b</i> .....            | 50       |     |
| <i>amphotericin b liposome</i> .....   | 50       |     |
| <i>ampicillin</i> .....                | 13       |     |
| <i>ampicillin sodium</i> .....         | 13       |     |
| <i>ampicillin-sulbactam</i> .....      | 13       |     |
| <i>anagrelide</i> .....                | 73       |     |
| <i>anastrozole</i> .....               | 16       |     |
| ANKTIVA.....                           | 16       |     |
| ANORO ELLIPTA.....                     | 179      |     |
| <i>aprepitant</i> .....                | 54       |     |
| <i>apri</i> .....                      | 89       |     |
| APTIVUS.....                           | 64       |     |
| AQINJECT PEN NEEDLE .                  | 102      |     |
| ARCALYST.....                          | 160      |     |
| AREXVY (PF).....                       | 167      |     |
| ARIKAYCE.....                          | 9        |     |
| <i>aripiprazole</i> .....              | 58       |     |
| ARISTADA.....                          | 58       |     |
| ARISTADA INITIO.....                   | 58       |     |

|                                      |        |                                     |        |                                       |     |
|--------------------------------------|--------|-------------------------------------|--------|---------------------------------------|-----|
| <i>armodafinil</i> .....             | 183    | <i>ayuna</i> .....                  | 89     | BD ULTRA-FINE ORIG PEN                |     |
| ARNUITY ELLIPTA.....                 | 178    | AYVAKIT .....                       | 17     | NEEDLE .....                          | 105 |
| <i>asenapine maleate</i> .....       | 58     | <i>azacitidine</i> .....            | 17     | BD ULTRA-FINE SHORT                   |     |
| <i>aspirin-dipyridamole</i> .....    | 73     | <i>azathioprine</i> .....           | 160    | PEN NEEDLE .....                      | 105 |
| ASSURE ID DUO PRO SFTY               |        | <i>azathioprine sodium</i> .....    | 160    | BD VEO INSULIN SYR                    |     |
| PEN NDL .....                        | 102    | <i>azelastine</i> .....             | 147    | (HALF UNIT).....                      | 105 |
| ASSURE ID DUO-SHIELD                 | 103    | <i>azithromycin</i> .....           | 11, 12 | BD VEO INSULIN SYRINGE                |     |
| ASSURE ID INSULIN                    |        | <i>aztreonam</i> .....              | 12     | UF .....                              | 105 |
| SAFETY.....                          | 103    | <i>azurette (28)</i> .....          | 89     | BELSOMRA.....                         | 183 |
| ASSURE ID PEN NEEDLE                 | 103    | <b>B</b>                            |        | <i>benazepril</i> .....               | 76  |
| ASSURE ID PRO PEN                    |        | <i>bacitracin</i> .....             | 148    | <i>benazepril-hydrochlorothiazide</i> |     |
| NEEDLE .....                         | 103    | <i>bacitracin-polymyxin b</i> ..... | 148    | .....                                 | 76  |
| ASTAGRAF XL .....                    | 160    | <i>baclofen</i> .....               | 182    | <i>bendamustine</i> .....             | 17  |
| <i>atazanavir</i> .....              | 64     | <i>bal-care dha</i> .....           | 184    | BENDAMUSTINE .....                    | 17  |
| <i>atenolol</i> .....                | 77     | <i>bal-care dha essential</i> ..... | 184    | BENDEKA .....                         | 17  |
| <i>atenolol-chlorthalidone</i> ....  | 77, 78 | <i>balsalazide</i> .....            | 172    | BENLYSTA.....                         | 160 |
| <i>atomoxetine</i> .....             | 85     | BALVERSA .....                      | 17     | <i>benztropine</i> .....              | 56  |
| <i>atorvastatin</i> .....            | 82     | BAQSIMI .....                       | 174    | BESREMI .....                         | 160 |
| <i>atovaquone</i> .....              | 55     | BCG VACCINE, LIVE (PF)              | 167    | <i>betaine</i> .....                  | 174 |
| <i>atovaquone-proguanil</i> .....    | 55     | BD ALCOHOL SWABS.....               | 104    | <i>betamethasone dipropionate</i> .   | 98, |
| <i>atropine</i> .....                | 147    | BD AUTOSHIELD DUO PEN               |        | 99                                    |     |
| ATROVENT HFA .....                   | 179    | NEEDLE.....                         | 103    | <i>betamethasone valerate</i> .....   | 99  |
| ATTRUBY .....                        | 79     | BD ECLIPSE LUER-LOK..               | 103    | <i>betamethasone, augmented</i> ....  | 99  |
| <i>aubra eq</i> .....                | 89     | BD INSULIN SYRINGE ....             | 104    | BETASERON .....                       | 86  |
| AUGTYRO .....                        | 16     | BD INSULIN SYRINGE                  |        | <i>betaxolol</i> .....                | 175 |
| <i>aurovela 1.5/30 (21)</i> .....    | 89     | (HALF UNIT).....                    | 103    | <i>bethanechol chloride</i> .....     | 154 |
| <i>aurovela 1/20 (21)</i> .....      | 89     | BD INSULIN SYRINGE                  |        | <i>bexarotene</i> .....               | 17  |
| <i>aurovela 24 fe</i> .....          | 89     | ULTRA-FINE.....                     | 103    | BEXSERO .....                         | 167 |
| <i>aurovela fe 1.5/30 (28)</i> ..... | 89     | BD LO-DOSE ULTRA-FINE               |        | <i>bicalutamide</i> .....             | 17  |
| <i>aurovela fe 1-20 (28)</i> .....   | 89     | .....                               | 104    | BICILLIN L-A.....                     | 13  |
| AUSTEDO .....                        | 85     | BD NANO 2ND GEN PEN                 |        | BIKTARVY .....                        | 64  |
| AUSTEDO XR.....                      | 85     | NEEDLE.....                         | 104    | <i>bisoprolol fumarate</i> .....      | 78  |
| AUSTEDO XR TITRATION                 |        | BD SAFETYGLIDE INSULIN              |        | <i>bisoprolol-hydrochlorothiazide</i> |     |
| KT(WK1-4).....                       | 85     | SYRINGE.....                        | 104    | .....                                 | 78  |
| AUTOSHIELD DUO PEN                   |        | BD SAFETYGLIDE SYRINGE              |        | BIZENGRI.....                         | 17  |
| NEEDLE .....                         | 103    | .....                               | 104    | <i>bleomycin</i> .....                | 17  |
| AUVELITY.....                        | 41     | BD ULTRA-FINE MICRO                 |        | <i>blisovi 24 fe</i> .....            | 89  |
| <i>aviane</i> .....                  | 89     | PEN NEEDLE .....                    | 104    | <i>blisovi fe 1.5/30 (28)</i> .....   | 89  |
| AVMAPKI .....                        | 16     | BD ULTRA-FINE MINI PEN              |        | <i>blisovi fe 1/20 (28)</i> .....     | 89  |
| AVMAPKI-FAKZYNJA .....               | 16     | NEEDLE.....                         | 104    | BOOSTRIX TDAP.....                    | 167 |
| AVONEX.....                          | 85, 86 | BD ULTRA-FINE NANO PEN              |        | BORDERED GAUZE .....                  | 105 |
| AXTLE.....                           | 17     | NEEDLE.....                         | 104    | <i>bortezomib</i> .....               | 17  |



|  |   |   |
|--|---|---|
| <i>clorazepate dipotassium</i> .....8      | CURITY ALCOHOL SWABS                      | <i>demeclocycline</i> ..... 15            |
| <i>clotrimazole</i> .....50                | ..... 109                                 | DENGVAXIA (PF) ..... 168                  |
| <i>clotrimazole-betamethasone</i> ...50    | CURITY GAUZE..... 109                     | <i>denta 5000 plus</i> ..... 97           |
| <i>clozapine</i> .....59                   | <i>cyclobenzaprine</i> ..... 182          | <i>dentagel</i> .....97                   |
| <i>c-nate dha</i> .....184                 | <i>cyclophosphamide</i> ..... 18, 19      | DEPO-SUBQ PROVERA 104                     |
| COARTEM .....55                            | <i>cyclosporine</i> ..... 150, 161        | ..... 159                                 |
| COBENFY .....59                            | <i>cyclosporine modified</i> ..... 161    | DERMACEA ..... 109                        |
| COBENFY STARTER PACK                       | CYLTEZO(CF) ..... 162                     | DERMACEA NON-WOVEN                        |
| .....59                                    | CYLTEZO(CF) PEN..... 161                  | ..... 109                                 |
| <i>colchicine</i> .....52                  | CYLTEZO(CF) PEN                           | <i>dermacinrx lidocan</i> ..... 6         |
| <i>colesevelam</i> .....83                 | CROHN'S-UC-HS ..... 161                   | DESCOVY..... 65                           |
| <i>colestipol</i> .....83                  | CYLTEZO(CF) PEN                           | <i>desipramine</i> ..... 41               |
| <i>colistin (colistimethate na)</i> .....9 | PSORIASIS-UV ..... 161                    | <i>desmopressin</i> ..... 158             |
| COMBIVENT RESPIMAT .180                    | <i>cyred eq</i> ..... 89                  | <i>desog-e.estradiol/e.estradiol</i> ..90 |
| COMETRIQ..... 18                           | <b>D</b>                                  | <i>desogestrel-ethinyl estradiol</i> ..90 |
| COMFORT EZ INSULIN                         | <i>d5 % (d-glucose)-0.9 % sodchl</i>      | <i>desvenlafaxine succinate</i> ..... 41  |
| SYRINGE.....106, 107, 108                  | ..... 176                                 | <i>dexamethasone</i> ..... 157            |
| COMFORT EZ PEN NEEDLES                     | <i>d5 % and 0.9 % sodium chloride</i>     | <i>dexamethasone sodium</i>               |
| ..... 107                                  | ..... 176                                 | <i>phosphate</i> ..... 150, 157           |
| COMFORT EZ PRO SAFETY                      | <i>d5 %-0.45 % sodium chloride</i>        | <i>dextroamphetamine-</i>                 |
| PEN NDL .....107, 108                      | ..... 176                                 | <i>amphetamine</i> ..... 86               |
| COMFORT TOUCH PEN                          | <i>dabigatran etexilate</i> ..... 71      | <i>dextrose 5 % in water (d5w)</i> .. 74  |
| NEEDLE .....108, 109                       | <i>dalfampridine</i> ..... 86             | DIACOMIT..... 35                          |
| <i>completenate</i> .....184               | <i>danazol</i> ..... 155                  | <i>diazepam</i> ..... 8, 35               |
| <i>compro</i> .....54                      | <i>dantrolene</i> ..... 182               | <i>diazepam intensol</i> ..... 8          |
| <i>conjugated estrogens</i> ..... 156      | DANYELZA ..... 19                         | <i>diazoxide</i> ..... 174                |
| <i>constulose</i> ..... 152                | DANZITEN ..... 19                         | <i>diclofenac epolamine</i> ..... 5       |
| COPIKTRA ..... 18                          | <i>dapagliflozin propanediol</i> ..... 44 | <i>diclofenac potassium</i> ..... 5       |
| CORLANOR .....80                           | <i>dapsone</i> ..... 53                   | <i>diclofenac sodium</i> ..... 5, 150     |
| CORTROPHIN GEL.....158                     | DAPTACEL (DTAP                            | <i>diclofenac-misoprostol</i> ..... 5     |
| COSENTYX.....161                           | PEDIATRIC) (PF)..... 167                  | <i>dicloxacillin</i> ..... 13             |
| COSENTYX (2 SYRINGES)                      | <i>daptomycin</i> ..... 9                 | <i>dicyclomine</i> ..... 152              |
| .....161                                   | <i>darunavir</i> ..... 65                 | <i>didanosine</i> ..... 65                |
| COSENTYX PEN (2 PENS)161                   | <i>dasatinib</i> ..... 19                 | <i>difluprednate</i> ..... 150            |
| COSENTYX UNOREADY                          | <i>dasetta 1/35 (28)</i> ..... 90         | <i>digoxin</i> ..... 80                   |
| PEN ..... 161                              | <i>dasetta 7/7/7 (28)</i> ..... 90        | <i>dihydroergotamine</i> ..... 52         |
| COTELLIC..... 18                           | DATROWAY ..... 19                         | DILANTIN ..... 35                         |
| CREON .....146                             | DAURISMO ..... 19                         | <i>diltiazem hcl</i> ..... 79             |
| CRESEMBA ..... 50                          | <i>deblitane</i> ..... 90                 | <i>dilt-xr</i> ..... 79                   |
| <i>cromolyn</i> .....147, 152, 181         | <i>decitabine</i> ..... 19                | <i>dimethyl fumarate</i> ..... 86         |
| <i>cryselle (28)</i> .....89               | <i>deferasirox</i> ..... 155              | <i>diphenoxylate-atropine</i> ..... 152   |
| CURAD GAUZE PAD ..... 109                  | DELSTRIGO ..... 65                        | <i>dipyridamole</i> ..... 73              |

|  |          |                                       |               |   |        |
|--|----------|---------------------------------------|---------------|---|--------|
| <i>disulfiram</i> .....                | 7        | EASY COMFORT SAFETY                   |               | ELIQUIS DVT-PE TREAT 30D                |        |
| <i>divalproex</i> .....                | 35, 36   | PEN NEEDLE .....                      | 113           | START .....                             | 71     |
| <i>dofetilide</i> .....                | 77       | EASY GLIDE INSULIN                    |               | ELIQUIS SPRINKLE.....                   | 71     |
| <i>dolishale</i> .....                 | 90       | SYRINGE .....                         | 114           | ELREXFIO .....                          | 20     |
| <i>donepezil</i> .....                 | 40       | EASY GLIDE PEN NEEDLE                 |               | <i>eltrombopag olamine</i> .....        | 72, 73 |
| <i>dorzolamide</i> .....               | 175      | .....                                 | 114           | <i>eluryng</i> .....                    | 90     |
| <i>dorzolamide-timolol</i> .....       | 176      | EASY TOUCH.....                       | 116           | EMBRACE PEN NEEDLE .                    | 117    |
| DOVATO .....                           | 65       | EASY TOUCH ALCOHOL                    |               | EMCYT.....                              | 20     |
| <i>doxazosin</i> .....                 | 74       | PREP PADS .....                       | 115           | EMGALITY PEN.....                       | 53     |
| <i>doxepin</i> .....                   | 41, 183  | EASY TOUCH FLIPLOCK                   |               | EMGALITY SYRINGE .....                  | 53     |
| <i>doxorubicin, peg-liposomal</i> .... | 19       | INSULIN .....                         | 116           | EMRELIS .....                           | 20     |
| <i>doxy-100</i> .....                  | 15       | EASY TOUCH FLIPLOCK                   |               | EMSAM.....                              | 42     |
| <i>doxycycline hyclate</i> .....       | 15       | SYRINGE.....                          | 115           | <i>emtricitabine</i> .....              | 65     |
| <i>doxycycline monohydrate</i> .....   | 15       | EASY TOUCH INSULIN                    |               | <i>emtricitabine-tenofovir (tdf)</i> .. | 65,    |
| DRIZALMA SPRINKLE.41, 42               |          | SAFETY SYR .....                      | 115           | 66                                      |        |
| <i>dronabinol</i> .....                | 54       | EASY TOUCH INSULIN                    |               | <i>emtricitabine-tenofovir df</i> ..    | 66     |
| DROPLET INSULIN                        |          | SYRINGE.....                          | 114, 115, 117 | EMTRIVA .....                           | 66     |
| SYR(HALF UNIT) ..                      | 109, 110 | EASY TOUCH LUER LOCK                  |               | <i>emzahn</i> .....                     | 90     |
| DROPLET INSULIN                        |          | INSULIN .....                         | 116           | <i>enalapril maleate</i> .....          | 76     |
| SYRINGE.....                           | 110, 111 | EASY TOUCH PEN NEEDLE                 |               | <i>enalapril-hydrochlorothiazide</i>    | 76     |
| DROPLET MICRON PEN                     |          | .....                                 | 116           | ENBREL .....                            | 162    |
| NEEDLE .....                           | 111      | EASY TOUCH SAFETY PEN                 |               | ENBREL MINI.....                        | 162    |
| DROPLET PEN NEEDLE..                   | 111,     | NEEDLE.....                           | 116, 117      | ENBREL SURECLICK.....                   | 162    |
| 112                                    |          | EASY TOUCH                            |               | <i>endocet</i> .....                    | 3      |
| DROPSAFE ALCOHOL PREP                  |          | SHEATHLOCK INSULIN                    |               | ENGERIX-B (PF).....                     | 168    |
| PADS.....                              | 112      | .....                                 | 115, 116      | ENGERIX-B PEDIATRIC (PF)                |        |
| DROPSAFE INSULIN                       |          | EASY TOUCH UNI-SLIP ..                | 117           | .....                                   | 168    |
| SYRINGE.....                           | 112      | <i>econazole nitrate</i> .....        | 50            | <i>enilloring</i> .....                 | 90     |
| DROPSAFE PEN NEEDLE                    | 112      | EDURANT .....                         | 65            | <i>enoxaparin</i> .....                 | 71     |
| <i>droxidopa</i> .....                 | 74, 75   | EDURANT PED.....                      | 65            | <i>enpresse</i> .....                   | 90     |
| <i>duloxetine</i> .....                | 42       | <i>efavirenz</i> .....                | 65            | ENSACOVE .....                          | 20     |
| DUPIXENT PEN .....                     | 162      | <i>efavirenz-emtricitabin-tenofov</i> | 65            | <i>enskyce</i> .....                    | 90     |
| DUPIXENT SYRINGE.....                  | 162      | <i>efavirenz-lamivu-tenofov disop</i> |               | <i>entacapone</i> .....                 | 57     |
| <i>dutasteride</i> .....               | 155      | .....                                 | 65            | <i>entecavir</i> .....                  | 70     |
| <b>E</b>                               |          | ELAHERE .....                         | 19            | ENTRESTO .....                          | 75     |
| EASY COMFORT ALCOHOL                   |          | ELEPSIA XR.....                       | 36            | ENTRESTO SPRINKLE .....                 | 75     |
| PAD.....                               | 113      | ELIGARD.....                          | 19            | <i>enulose</i> .....                    | 152    |
| EASY COMFORT INSULIN                   |          | ELIGARD (3 MONTH) .....               | 19            | EPCLUSA.....                            | 70     |
| SYRINGE.....                           | 113, 114 | ELIGARD (4 MONTH) .....               | 19            | EPIDIOLEX.....                          | 36     |
| EASY COMFORT PEN                       |          | ELIGARD (6 MONTH) .....               | 19            | <i>epinastine</i> .....                 | 147    |
| NEEDLES .....                          | 114      | <i>elinest</i> .....                  | 90            | <i>epinephrine</i> .....                | 80     |
|  |          | ELIQUIS.....                          | 71            | <i>epitol</i> .....                     | 36     |

|  |         |  |     |   |        |
|--|---------|--|-----|---|--------|
| EPIVIR HBV.....                          | 66      | <i>ezetimibe-simvastatin</i> .....     | 83  | <i>floxuridine</i> .....                | 21     |
| EPKINLY.....                             | 20      | <b>F</b>                               |     | <i>fluconazole</i> .....                | 50     |
| <i>eplerenone</i> .....                  | 84      | FAKZYNJA.....                          | 21  | <i>fluconazole in nacl (iso-osm)</i> .. | 50     |
| ERBITUX.....                             | 20      | <i>falmina (28)</i> .....              | 90  | <i>flucytosine</i> .....                | 50     |
| <i>ergoloid</i> .....                    | 40      | <i>famciclovir</i> .....               | 71  | <i>fludrocortisone</i> .....            | 157    |
| ERIVEDGE.....                            | 20      | <i>famotidine</i> .....                | 151 | <i>flunisolide</i> .....                | 150    |
| ERLEADA.....                             | 20      | FANAPT.....                            | 59  | <i>fluocinolone</i> .....               | 99     |
| <i>erlotinib</i> .....                   | 20      | FANAPT TITRATION PACK                  |     | <i>fluocinolone acetonide oil</i> ....  | 150    |
| <i>errin</i> .....                       | 90      | A.....                                 | 59  | <i>fluocinonide</i> .....               | 99     |
| <i>ertapenem</i> .....                   | 12      | FANAPT TITRATION PACK                  |     | <i>fluoride (sodium)</i> .....          | 97     |
| <i>erythromycin</i> .....                | 12, 148 | B.....                                 | 59  | <i>fluorometholone</i> .....            | 150    |
| <i>erythromycin ethylsuccinate</i> ..    | 12      | FANAPT TITRATION PACK                  |     | <i>fluorouracil</i> .....               | 21, 97 |
| <i>erythromycin with ethanol</i> .....   | 98      | C.....                                 | 59  | <i>fluoxetine</i> .....                 | 42     |
| ERZOFRI.....                             | 59      | FARXIGA.....                           | 44  | <i>fluphenazine decanoate</i> .....     | 60     |
| <i>escitalopram oxalate</i> .....        | 42      | FASENRA.....                           | 181 | <i>fluphenazine hcl</i> .....           | 60     |
| <i>eslicarbazepine</i> .....             | 36      | FASENRA PEN.....                       | 181 | <i>flurbiprofen</i> .....               | 6      |
| <i>esomeprazole magnesium</i> .....      | 151     | <i>febuxostat</i> .....                | 52  | <i>flurbiprofen sodium</i> .....        | 150    |
| <i>estarylla</i> .....                   | 90      | <i>feirza</i> .....                    | 91  | <i>flutamide</i> .....                  | 21     |
| <i>estradiol</i> .....                   | 156     | <i>felbamate</i> .....                 | 36  | <i>fluticasone propionate</i> 100, 150, | 178    |
| <i>estradiol-norethindrone acet</i>      | 156     | <i>felodipine</i> .....                | 81  | <i>fluticasone propion-salmeterol</i>   |        |
| <i>eszopiclone</i> .....                 | 183     | <i>femynor</i> .....                   | 91  | .....                                   | 179    |
| <i>ethambutol</i> .....                  | 54      | <i>fenofibrate</i> .....               | 83  | <i>fluvastatin</i> .....                | 83     |
| <i>ethosuximide</i> .....                | 36      | <i>fenofibrate micronized</i> .....    | 83  | <i>fluvoxamine</i> .....                | 42     |
| <i>ethynodiol diac-eth estradiol</i> ..  | 90      | <i>fenofibrate nanocrystallized</i> .. | 83  | <i>folivane-ob</i> .....                | 184    |
| <i>etodolac</i> .....                    | 5       | <i>fentanyl</i> .....                  | 4   | <i>fondaparinux</i> .....               | 71, 72 |
| <i>etonogestrel-ethinyl estradiol</i> .. | 90      | <i>fentanyl citrate</i> .....          | 3   | <i>fosamprenavir</i> .....              | 66     |
| ETOPOPHOS.....                           | 20      | <i>fesoterodine</i> .....              | 154 | <i>fosfomycin tromethamine</i> .....    | 9      |
| <i>etoposide</i> .....                   | 20      | FETZIMA.....                           | 42  | <i>fosinopril</i> .....                 | 76     |
| <i>etravirine</i> .....                  | 66      | FIASP FLEXTOUCH U-100                  |     | <i>fosinopril-hydrochlorothiazide</i>   |        |
| EUCRISA.....                             | 99      | INSULIN.....                           | 46  | .....                                   | 76     |
| EULEXIN.....                             | 20      | FIASP PENFILL U-100                    |     | <i>fosphenytoin</i> .....               | 36     |
| <i>everolimus (antineoplastic)</i> ..    | 20,     | INSULIN.....                           | 46  | FOTIVDA.....                            | 21     |
| 21                                       |         | FIASP PUMPCART.....                    | 47  | FREESTYLE PRECISION..                   | 118    |
| <i>everolimus</i>                        |         | FIASP U-100 INSULIN.....               | 47  | FRUZAQLA.....                           | 21     |
| ( <i>immunosuppressive</i> ).....        | 162     | <i>fidaxomicin</i> .....               | 12  | <i>fulvestrant</i> .....                | 21     |
| EVOTAZ.....                              | 66      | <i>finasteride</i> .....               | 155 | <i>furosemide</i> .....                 | 81     |
| EXEL INSULIN.....                        | 117     | <i>fingolimod</i> .....                | 86  | FUZEON.....                             | 66     |
| <i>exemestane</i> .....                  | 21      | FINTEPLA.....                          | 36  | FYARRO.....                             | 21     |
| EXTENCILLINE.....                        | 14      | FIRMAGON KIT W DILUENT                 |     | <b>G</b>                                |        |
| EXXUA.....                               | 42      | SYRINGE.....                           | 21  | <i>gabapentin</i> .....                 | 36     |
| EYSUVIS.....                             | 150     | <i>flavoxate</i> .....                 | 154 | <i>galantamine</i> .....                | 40     |
| <i>ezetimibe</i> .....                   | 83      | <i>flecainide</i> .....                | 77  |   |        |

|  |            |
|--|------------|
| <i>gallifrey</i> .....                         | 159        |
| GAMUNEX-C .....                                | 162        |
| GARDASIL 9 (PF).....                           | 168        |
| GAUZE BANDAGE.....                             | 118        |
| GAUZE PAD .....                                | 118        |
| <i>gavilyte-c</i> .....                        | 153        |
| <i>gavilyte-g</i> .....                        | 153        |
| <i>gavilyte-n</i> .....                        | 153        |
| GAVRETO.....                                   | 21         |
| <i>gefitinib</i> .....                         | 21         |
| <i>gemfibrozil</i> .....                       | 83         |
| <i>generlac</i> .....                          | 152        |
| <i>gengraf</i> .....                           | 162        |
| <i>gentak</i> .....                            | 148        |
| <i>gentamicin</i> .....                        | 9, 98, 148 |
| <i>gentamicin sulfate (ped) (pf)</i> ....      | 9          |
| <i>gentamicin sulfate (pf)</i> .....           | 9          |
| GENVOYA .....                                  | 66         |
| GILOTRIF.....                                  | 22         |
| <i>glatiramer</i> .....                        | 86         |
| <i>glatopa</i> .....                           | 86         |
| <i>glimepiride</i> .....                       | 49         |
| <i>glipizide</i> .....                         | 49         |
| <i>glipizide-metformin</i> .....               | 49         |
| <i>glucagon emergency kit</i><br>(human) ..... | 174        |
| <i>glutamine (sickle cell)</i> .....           | 174        |
| <i>glyburide</i> .....                         | 49         |
| <i>glyburide micronized</i> .....              | 49         |
| <i>glyburide-metformin</i> .....               | 49         |
| <i>glycopyrrolate</i> .....                    | 152        |
| <i>glydo</i> .....                             | 6          |
| GLYXAMBI .....                                 | 44         |
| GOMEKLI .....                                  | 22         |
| <i>griseofulvin microsize</i> .....            | 50         |
| <i>griseofulvin ultramicrosize</i> .....       | 51         |
| <i>guanfacine</i> .....                        | 75, 86     |
| GVOKE.....                                     | 174        |
| GVOKE HYPOPEN 2-PACK<br>.....                  | 174        |
| GVOKE PFS 1-PACK<br>SYRINGE.....               | 174        |

|  |          |
|--|----------|
| <b>H</b>                                 |          |
| HAEGARDA.....                            | 73       |
| <i>hailey 24 fe</i> .....                | 91       |
| <i>hailey fe 1.5/30 (28)</i> .....       | 91       |
| <i>hailey fe 1/20 (28)</i> .....         | 91       |
| <i>halobetasol propionate</i> .....      | 100      |
| <i>haloette</i> .....                    | 91       |
| <i>haloperidol</i> .....                 | 60       |
| <i>haloperidol decanoate</i> .....       | 60       |
| <i>haloperidol lactate</i> .....         | 60       |
| HARVONI.....                             | 70       |
| HAVRIX (PF).....                         | 168      |
| HEALTHWISE INSULIN<br>SYRINGE .....      | 119      |
| HEALTHWISE PEN NEEDLE<br>.....           | 119      |
| HEALTHY ACCENTS<br>UNIFINE PENTIP... ..  | 119, 120 |
| <i>heather</i> .....                     | 91       |
| <i>heparin (porcine)</i> .....           | 72       |
| HEPLISAV-B (PF).....                     | 168      |
| HERCEPTIN HYLECTA.....                   | 22       |
| HERNEXEOS .....                          | 22       |
| HIBERIX (PF).....                        | 168      |
| HUMIRA .....                             | 163      |
| HUMIRA PEN .....                         | 162      |
| HUMIRA PEN CROHNS-UC-<br>HS START .....  | 162      |
| HUMIRA PEN PSOR-<br>UVEITS-ADOL HS ..... | 162      |
| HUMIRA(CF) .....                         | 163      |
| HUMIRA(CF) PEDI CROHNS<br>STARTER .....  | 163      |
| HUMIRA(CF) PEN.....                      | 163      |
| HUMIRA(CF) PEN CROHNS-<br>UC-HS .....    | 163      |
| HUMIRA(CF) PEN<br>PEDIATRIC UC.....      | 163      |
| HUMIRA(CF) PEN PSOR-UV-<br>ADOL HS ..... | 163      |
| HUMULIN R U-500 (CONC)<br>INSULIN .....  | 47       |

|  |               |
|--|---------------|
| HUMULIN R U-500 (CONC)<br>KWIKPEN .....  | 47            |
| <i>hydralazine</i> .....                 | 80            |
| <i>hydrochlorothiazide</i> .....         | 81, 82        |
| <i>hydrocodone-acetaminophen</i> ... ..  | 4             |
| <i>hydrocortisone</i> .....              | 100, 157, 172 |
| <i>hydrocortisone valerate</i> .....     | 100           |
| <i>hydrocortisone-acetic acid</i> ... .. | 148           |
| <i>hydromorphone</i> .....               | 4             |
| <i>hydroxychloroquine</i> .....          | 55            |
| <i>hydroxyurea</i> .....                 | 22            |
| <i>hydroxyzine hcl</i> .....             | 52            |
| <i>hydroxyzine pamoate</i> .....         | 174           |
| HYRNUO .....                             | 22            |
| <b>I</b>                                 |               |
| <i>ibandronate</i> .....                 | 173           |
| IBRANCE.....                             | 22            |
| IBTROZI.....                             | 22            |
| <i>ibu</i> .....                         | 6             |
| <i>ibuprofen</i> .....                   | 6             |
| <i>icatibant</i> .....                   | 80            |
| <i>iclevia</i> .....                     | 91            |
| ICLUSIG.....                             | 22            |
| <i>icosapent ethyl</i> .....             | 83            |
| IDHIFA.....                              | 22            |
| <i>ifosfamide</i> .....                  | 22            |
| ILEVRO.....                              | 150           |
| <i>imatinib</i> .....                    | 22            |
| IMBRUVICA.....                           | 22, 23        |
| IMDELLTRA .....                          | 23            |
| <i>imipenem-cilastatin</i> .....         | 12            |
| <i>imipramine hcl</i> .....              | 42            |
| <i>imiquimod</i> .....                   | 97            |
| IMJUDO .....                             | 23            |
| IMKELDI.....                             | 23            |
| IMOVAX RABIES VACCINE<br>(PF) .....      | 168           |
| IMPAVIDO.....                            | 55            |
| <i>incassia</i> .....                    | 91            |
| INCONTROL ALCOHOL<br>PADS .....          | 120           |

|                                       |                                       |  |
|---------------------------------------|---------------------------------------|--|
| INCONTROL PEN NEEDLE                  | INVEGA TRINZA .....                   | JYLAMVO .....                          |
| ..... 120                             | 61                                    | 23                                     |
| INCRELEX .....                        | INVELTYS.....                         | JYNARQUE .....                         |
| 158                                   | 150                                   | 82                                     |
| <i>indapamide</i> .....               | IPOLE .....                           | JYNNEOS (PF).....                      |
| 82                                    | 168                                   | 169                                    |
| <i>indomethacin</i> .....             | <i>ipratropium bromide</i> ....       | <b>K</b>                               |
| 6                                     | 147, 180                              | KALETRA.....                           |
| INFANRIX (DTAP) (PF).....             | <i>ipratropium-albuterol</i> .....    | 66                                     |
| 168                                   | 180                                   | KALYDECO.....                          |
| <i>infliximab</i> .....               | <i>irbesartan</i> .....               | 181                                    |
| 163                                   | 75                                    | <i>kariva (28)</i> .....               |
| INGREZZA.....                         | <i>irbesartan-hydrochlorothiazide</i> | 92                                     |
| 87                                    | .....                                 | <i>kelnor 1/35 (28)</i> .....          |
| INGREZZA INITIATION                   | 75                                    | 92                                     |
| PK(TARDIV).....                       | ISENTRESS .....                       | <i>kelnor 1/50 (28)</i> .....          |
| 87                                    | 66                                    | 92                                     |
| INGREZZA SPRINKLE.....                | ISENTRESS HD.....                     | KERENDIA .....                         |
| 87                                    | 66                                    | 84                                     |
| INLEXZO.....                          | <i>isibloom</i> .....                 | KESIMPTA PEN .....                     |
| 23                                    | 91                                    | 87                                     |
| INLURIYO.....                         | <i>isoniazid</i> .....                | <i>ketoconazole</i> .....              |
| 23                                    | 54                                    | 51                                     |
| INLYTA.....                           | <i>isosorbide dinitrate</i> .....     | <i>ketorolac</i> .....                 |
| 23                                    | 84                                    | 6, 150                                 |
| INPEN (FOR HUMALOG)                   | <i>isosorbide mononitrate</i> .....   | KEYTRUDA.....                          |
| BLUE .....                            | 84                                    | 24                                     |
| 120                                   | ITOVEBI .....                         | KEYTRUDA QLEX.....                     |
| INPEN (NOVOLOG OR                     | 23                                    | 24                                     |
| FIASP) BLUE .....                     | <i>itraconazole</i> .....             | KIMMTRAK .....                         |
| 120                                   | 51                                    | 24                                     |
| INQOVI.....                           | IV PREP WIPES .....                   | KINERET .....                          |
| 23                                    | 122                                   | 163                                    |
| INREBIC .....                         | <i>ivabradine</i> .....               | KINRIX (PF) .....                      |
| 23                                    | 80                                    | 169                                    |
| <i>insulin asp prt-insulin aspart</i> | <i>ivermectin</i> .....               | <i>kionex (with sorbitol)</i> .....    |
| 47                                    | 56                                    | 152                                    |
| <i>insulin aspart u-100</i> .....     | IWILFIN.....                          | KISQALI.....                           |
| 47                                    | 23                                    | 24                                     |
| <i>insulin glargine-yfgn</i> .....    | IXIARO (PF).....                      | KISQALI FEMARA CO-PACK                 |
| 47                                    | 168                                   | .....                                  |
| <i>insulin lispro</i> .....           | <b>J</b>                              | 24                                     |
| 47                                    | JAKAFI .....                          | KLISYRI (250 MG).....                  |
| INSULIN SYR/NDL U100                  | 23                                    | 97                                     |
| HALF MARK .....                       | <i>jantoven</i> .....                 | <i>klor-con m10</i> .....              |
| 120                                   | 72                                    | 176                                    |
| INSULIN SYRINGE                       | JANUMET.....                          | <i>klor-con m15</i> .....              |
| MICROFINE.....                        | 44                                    | 176                                    |
| 104                                   | JANUMET XR .....                      | <i>klor-con m20</i> .....              |
| INSULIN SYRINGE                       | 44                                    | 177                                    |
| NEEDLELESS.....                       | JANUVIA.....                          | KLOXXADO .....                         |
| 121                                   | 44                                    | 7                                      |
| INSULIN SYRINGE-NEEDLE                | JARDIANCE.....                        | KOMZIFTI .....                         |
| U-100.....                            | 44                                    | 24                                     |
| 117, 118, 120, 121,                   | <i>javygtor</i> .....                 | KOSELUGO .....                         |
| 125, 127, 129, 133, 137, 138          | 146                                   | 24                                     |
| INSULIN U-500 SYRINGE-                | JAYPIRCA .....                        | <i>kosher prenatal plus iron</i> ..... |
| NEEDLE .....                          | 23                                    | 184                                    |
| 121                                   | JEMPERLI.....                         | KRAZATI.....                           |
| INSUMED.....                          | 23                                    | 24                                     |
| 121                                   | <i>jencycla</i> .....                 | <i>kurvelo (28)</i> .....              |
| INSUPEN PEN NEEDLE... 121,            | 91                                    | 92                                     |
| 122                                   | JENTADUETO .....                      | KYLEENA.....                           |
| INTELENCE.....                        | 44                                    | 92                                     |
| 66                                    | JENTADUETO XR.....                    | KYNMOBI .....                          |
| <i>introvale</i> .....                | 44, 45                                | 57                                     |
| 91                                    | <i>jolessa</i> .....                  | <b>L</b>                               |
| INVEGA HAFYERA.....                   | 91                                    | <i>labetalol</i> .....                 |
| 60                                    | <i>juleber</i> .....                  | 78                                     |
| INVEGA SUSTENNA.....                  | 91                                    | <i>lacosamide</i> .....                |
| 60, 61                                | JULUCA.....                           | 36                                     |
|                                       | 66                                    | <i>lactulose</i> .....                 |
|                                       | <i>junel 1.5/30 (21)</i> .....        | 152                                    |
|                                       | 91                                    | <i>lamivudine</i> .....                |
|                                       | <i>junel 1/20 (21)</i> .....          | 66                                     |
|                                       | 91                                    | <i>lamivudine-zidovudine</i> .....     |
|                                       | <i>junel fe 1.5/30 (28)</i> .....     | 67                                     |
|                                       | 91                                    | <i>lamotrigine</i> .....               |
|                                       | <i>junel fe 1/20 (28)</i> .....       | 37                                     |
|                                       | 91                                    | <i>lanreotide</i> .....                |
|                                       | <i>junel fe 24</i> .....              | 158                                    |
|                                       | 92                                    |  |

|                                       |        |                                       |          |                                |     |
|---------------------------------------|--------|---------------------------------------|----------|--------------------------------|-----|
| <i>lansoprazole</i> .....             | 151    | <i>linezolid in dextrose 5%</i> ..... | 10       | LUPRON DEPOT (6 MONTH)         | 26  |
| LANTUS SOLOSTAR U-100                 |        | LINZESS .....                         | 152      | .....                          | 26  |
| INSULIN .....                         | 48     | <i>liomny</i> .....                   | 160      | LUPRON DEPOT-PED .....         | 158 |
| LANTUS U-100 INSULIN ...              | 48     | <i>liothyronine</i> .....             | 160      | LUPRON DEPOT-PED (3            |     |
| <i>lapatinib</i> .....                | 24     | LISCO .....                           | 122      | MONTH) .....                   | 158 |
| <i>larin 1.5/30 (21)</i> .....        | 92     | <i>lisinopril</i> .....               | 76       | <i>lurasidone</i> .....        | 61  |
| <i>larin 1/20 (21)</i> .....          | 92     | <i>lisinopril-hydrochlorothiazide</i> | 76       | <i>lutera (28)</i> .....       | 93  |
| <i>larin 24 fe</i> .....              | 92     | LITE TOUCH INSULIN PEN                |          | LUTRATE DEPOT (3               |     |
| <i>larin fe 1.5/30 (28)</i> .....     | 92     | NEEDLES .....                         | 122      | MONTH) .....                   | 26  |
| <i>larin fe 1/20 (28)</i> .....       | 92     | LITE TOUCH INSULIN                    |          | LYBALVI .....                  | 61  |
| <i>latanoprost</i> .....              | 176    | SYRINGE .....                         | 122, 123 | <i>lyleq</i> .....             | 93  |
| LAZCLUZE .....                        | 24, 25 | <i>lithium carbonate</i> .....        | 87       | LYNOZYFIC .....                | 26  |
| <i>leflunomide</i> .....              | 163    | <i>lithium citrate</i> .....          | 87       | LYNPARZA .....                 | 26  |
| <i>lenalidomide</i> .....             | 25     | LIVTENCITY .....                      | 69       | LYSODREN .....                 | 26  |
| LENTOCILIN S .....                    | 14     | LOKELMA .....                         | 152      | LYTGOBI .....                  | 26  |
| LENVIMA .....                         | 25     | <i>lomustine</i> .....                | 25       | <i>lyza</i> .....              | 93  |
| <i>lessina</i> .....                  | 92     | LONSURF .....                         | 25       | <b>M</b>                       |     |
| <i>letrozole</i> .....                | 25     | <i>loperamide</i> .....               | 153      | MAGELLAN INSULIN               |     |
| <i>leucovorin calcium</i> .....       | 174    | <i>lopinavir-ritonavir</i> .....      | 67       | SAFETY SYRNG .....             | 123 |
| LEUKERAN .....                        | 25     | LOQTORZI .....                        | 25       | MAGELLAN SYRINGE .....         | 123 |
| <i>leuprolide</i> .....               | 25     | <i>lorazepam</i> .....                | 8        | <i>magnesium sulfate</i> ..... | 177 |
| <i>leuprolide acetate (3 month)</i>   | 25     | <i>lorazepam intensol</i> .....       | 8        | <i>malathion</i> .....         | 101 |
| <i>levetiracetam</i> .....            | 37     | LORBRENA .....                        | 25       | <i>maraviroc</i> .....         | 67  |
| <i>levobunolol</i> .....              | 176    | <i>losartan</i> .....                 | 75       | MARGENZA .....                 | 26  |
| <i>levocetirizine</i> .....           | 52     | <i>losartan-hydrochlorothiazide</i>   | 75       | <i>marlissa (28)</i> .....     | 93  |
| <i>levofloxacin</i> .....             | 14     | LOTEMAX .....                         | 151      | <i>marnatal-f</i> .....        | 184 |
| <i>levofloxacin in d5w</i> .....      | 14     | LOTEMAX SM .....                      | 151      | MARPLAN .....                  | 42  |
| <i>levonest (28)</i> .....            | 92     | <i>loteprednol etabonate</i> .....    | 151      | MATULANE .....                 | 26  |
| <i>levonorgest-eth.estradiol-iron</i> | 92     | <i>lovastatin</i> .....               | 83       | MAVENCLAD (10 TABLET           |     |
| <i>levonorgestrel-ethinyl estrad.</i> | 92     | <i>low-ogestrel (28)</i> .....        | 93       | PACK) .....                    | 87  |
| <i>levonorg-eth estrad triphasic</i>  | 93     | <i>loxapine succinate</i> .....       | 61       | MAVENCLAD (4 TABLET            |     |
| <i>levora-28</i> .....                | 93     | <i>lubiprostone</i> .....             | 153      | PACK) .....                    | 87  |
| <i>levothyroxine</i> .....            | 160    | <i>luizza</i> .....                   | 93       | MAVENCLAD (5 TABLET            |     |
| LEXIVA .....                          | 67     | LUMAKRAS .....                        | 25       | PACK) .....                    | 87  |
| LIBERVANT .....                       | 37     | LUMIGAN .....                         | 176      | MAVENCLAD (6 TABLET            |     |
| <i>lidocaine</i> .....                | 6      | LUNSUMIO .....                        | 26       | PACK) .....                    | 87  |
| <i>lidocaine hcl</i> .....            | 6      | LUNSUMIO VELO .....                   | 26       | MAVENCLAD (7 TABLET            |     |
| <i>lidocaine viscous</i> .....        | 6      | LUPRON DEPOT .....                    | 26, 158  | PACK) .....                    | 87  |
| <i>lidocaine-prilocaine</i> .....     | 6      | LUPRON DEPOT (3 MONTH)                |          | MAVENCLAD (8 TABLET            |     |
| <i>lidocan iii</i> .....              | 6      | .....                                 | 26, 158  | PACK) .....                    | 87  |
| LILETTA .....                         | 93     | LUPRON DEPOT (4 MONTH)                |          | MAVENCLAD (9 TABLET            |     |
| <i>linezolid</i> .....                | 10     | .....                                 | 26       | PACK) .....                    | 87  |

|                                       |   |            |                                       |          |
|---------------------------------------|---|------------|---------------------------------------|----------|
| MAXICOMFORT II PEN                    | <i>methylphenidate hcl</i> .....        | 88         | <i>mometasone</i> .....               | 100, 151 |
| NEEDLE .....                          | <i>methylprednisolone</i> .....         | 157        | MONOJECT INSULIN                      |          |
| MAXICOMFORT INSULIN                   | <i>methylprednisolone acetate</i> .     | 157        | SAFETY SYRINGE.....                   | 125      |
| SYRINGE.....                          | <i>metoclopramide hcl</i> .....         | 153        | MONOJECT INSULIN                      |          |
| MAXI-COMFORT INSULIN                  | <i>metolazone</i> .....                 | 82         | SYRINGE .....                         | 124, 125 |
| SYRINGE.....                          | <i>metoprolol succinate</i> .....       | 78         | MONOJECT SYRINGE.....                 | 124      |
| MAXI-COMFORT INSULIN                  | <i>metoprolol ta-hydrochlorothiaz</i>   |            | MONOJECT ULTRA                        |          |
| SYRINGE.....                          | .....                                   | 78         | COMFORT INSULIN .....                 | 140      |
| MAXICOMFORT SAFETY                    | <i>metoprolol tartrate</i> .....        | 78         | <i>mono-lynyah</i> .....              | 93       |
| PEN NEEDLE.....                       | <i>metronidazole</i> .....              | 10, 52, 98 | <i>montelukast</i> .....              | 179      |
| MAYZENT .....                         | <i>metronidazole in nacl (iso-os)</i>   | 10         | <i>morphine</i> .....                 | 4        |
| MAYZENT STARTER(FOR                   | <i>metyrosine</i> .....                 | 80         | MORPHINE.....                         | 4        |
| 1MG MAINT).....                       | <i>micafungin</i> .....                 | 51         | <i>morphine concentrate</i> .....     | 4        |
| MAYZENT STARTER(FOR                   | <i>miconazole-3</i> .....               | 51         | MOUNJARO .....                        | 45       |
| 2MG MAINT).....                       | MICRODOT INSULIN PEN                    |            | MOVANTIK.....                         | 153      |
| <i>meclizine</i> .....                | NEEDLE.....                             | 124        | <i>moxifloxacin</i> .....             | 15, 148  |
| <i>medroxyprogesterone</i> .....      | MICRODOT READYGARD                      |            | <i>moxifloxacin-sod.ace,sul-water</i> |          |
| <i>mefloquine</i> .....               | PEN NEEDLE .....                        | 124        | .....                                 | 14       |
| <i>megestrol</i> .....                | <i>microgestin 1.5/30 (21)</i> .....    | 93         | <i>moxifloxacin-sod.chloride(iso)</i> |          |
| MEKINIST.....                         | <i>microgestin 1/20 (21)</i> .....      | 93         | .....                                 | 15       |
| MEKTOVI .....                         | <i>microgestin 24 fe</i> .....          | 93         | MRESVIA (PF) .....                    | 169      |
| <i>melela</i> .....                   | <i>microgestin fe 1.5/30 (28)</i> ..... | 93         | MULTAQ .....                          | 77       |
| <i>meloxicam</i> .....                | <i>microgestin fe 1/20 (28)</i> .....   | 93         | <i>mupirocin</i> .....                | 98       |
| <i>memantine</i> .....                | <i>midodrine</i> .....                  | 75         | <i>mycophenolate mofetil</i> .....    | 163      |
| MENACTRA (PF) .....                   | MIEBO (PF) .....                        | 148        | <i>mycophenolate mofetil (hcl)</i> .  | 163      |
| MENQUADFI (PF).....                   | <i>mifepristone</i> .....               | 45         | <i>mycophenolate sodium</i> .....     | 163      |
| MENVEO A-C-Y-W-135-DIP                | <i>mili</i> .....                       | 93         | <i>mynatal</i> .....                  | 184      |
| (PF).....                             | <i>mimvey</i> .....                     | 156        | <i>mynatal advance</i> .....          | 184      |
| <i>mercaptopurine</i> .....           | MINI ULTRA-THIN II .....                | 124        | <i>mynatal plus</i> .....             | 184      |
| <i>meropenem</i> .....                | <i>minocycline</i> .....                | 15         | <i>mynatal-z</i> .....                | 184      |
| <i>mesalamine</i> .....               | <i>minoxidil</i> .....                  | 85         | <i>mynate 90 plus</i> .....           | 184      |
| <i>mesna</i> .....                    | MIPLYFFA .....                          | 146        | MYRBETRIQ.....                        | 154      |
| <i>metformin</i> .....                | MIRENA .....                            | 93         | <b>N</b>                              |          |
| <i>methadone</i> .....                | <i>mirtazapine</i> .....                | 42         | <i>nabumetone</i> .....               | 6        |
| <i>methazolamide</i> .....            | <i>misoprostol</i> .....                | 152        | <i>nafcillin</i> .....                | 14       |
| <i>methenamine hippurate</i> .....    | <i>mitoxantrone</i> .....               | 27         | <i>naloxone</i> .....                 | 7        |
| <i>methimazole</i> .....              | M-M-R II (PF).....                      | 169        | <i>naltrexone</i> .....               | 7        |
| <i>methocarbamol</i> .....            | <i>m-natal plus</i> .....               | 184        | NANO 2ND GEN PEN                      |          |
| <i>methotrexate sodium</i> .....      | <i>modafinil</i> .....                  | 183        | NEEDLE .....                          | 125      |
| <i>methotrexate sodium (pf)</i> ..... | MODEYSO .....                           | 27         | NANO PEN NEEDLE.....                  | 126      |
| <i>methoxsalen</i> .....              | <i>moexipril</i> .....                  | 76         | <i>naproxen</i> .....                 | 6        |
| <i>methsuximide</i> .....             | <i>molindone</i> .....                  | 61         | <i>naratriptan</i> .....              | 53       |

|  |          |                                       |     |  |        |
|--|----------|---------------------------------------|-----|--|--------|
| NATACYN .....                          | 148      | <i>norethindrone-e.estradiol-iron</i> | 94  | <i>nystatin-triamcinolone</i> .....    | 51     |
| <i>nateglinide</i> .....               | 45       | .....                                 | 94  | <i>nystop</i> .....                    | 51     |
| NATPARA .....                          | 173      | <i>norgestimate-ethinyl estradiol</i> | 94  | NYVEPRIA .....                         | 73     |
| NAYZILAM.....                          | 37       | <i>nortrel 1/35 (21)</i> .....        | 94  | <b>O</b>                               |        |
| <i>nebivolol</i> .....                 | 78       | <i>nortrel 1/35 (28)</i> .....        | 94  | <i>obstetrix dha</i> .....             | 184    |
| <i>nefazodone</i> .....                | 43       | <i>nortrel 7/7/7 (28)</i> .....       | 94  | <i>obstetrix dha prenatal duo</i> ...  | 184    |
| <i>neomycin</i> .....                  | 9        | <i>nortriptyline</i> .....            | 43  | <i>octreotide acetate</i> .....        | 158    |
| <i>neomycin-bacitracin-poly-hc</i>     | 148      | NORVIR.....                           | 67  | ODEFSEY.....                           | 67     |
| <i>neomycin-bacitracin-polymyxin</i>   | 148      | NOVOFINE 30.....                      | 126 | ODOMZO .....                           | 27     |
| .....                                  | 148      | NOVOFINE 32.....                      | 126 | OFEV .....                             | 181    |
| <i>neomycin-polymyxin b-</i>           |          | NOVOFINE PLUS .....                   | 126 | <i>ofloxacin</i> .....                 | 149    |
| <i>dexameth</i> .....                  | 148, 149 | NOVOLIN 70/30 U-100                   |     | OGIVRI.....                            | 27     |
| <i>neomycin-polymyxin-gramicidin</i>   |          | INSULIN .....                         | 48  | OGSIVEO .....                          | 27     |
| .....                                  | 149      | NOVOLIN 70-30 FLEXPEN U-              |     | OJEMDA .....                           | 28     |
| <i>neomycin-polymyxin-hc</i> .....     | 149      | 100 .....                             | 48  | OJJAARA .....                          | 28     |
| <i>neo-polycin</i> .....               | 149      | NOVOLIN N FLEXPEN.....                | 48  | <i>olanzapine</i> .....                | 61, 62 |
| <i>neo-polycin hc</i> .....            | 149      | NOVOLIN N NPH U-100                   |     | <i>olmesartan</i> .....                | 75     |
| NERLYNX.....                           | 27       | INSULIN .....                         | 48  | <i>olmesartan-amlodipin-hcthiazid</i>  |        |
| <i>nevirapine</i> .....                | 67       | NOVOLIN R FLEXPEN.....                | 48  | .....                                  | 75     |
| <i>newgen</i> .....                    | 184      | NOVOLIN R REGULAR U100                |     | <i>olmesartan-hydrochlorothiazide</i>  |        |
| NEXLETOL .....                         | 83       | INSULIN .....                         | 48  | .....                                  | 75     |
| NEXLIZET.....                          | 83       | NOVOLOG FLEXPEN U-100                 |     | <i>olopatadine</i> .....               | 148    |
| NEXPLANON .....                        | 94       | INSULIN .....                         | 48  | <i>omega-3 acid ethyl esters</i> ..... | 84     |
| <i>niacin</i> .....                    | 83       | NOVOLOG MIX 70-30 U-100               |     | <i>omeprazole</i> .....                | 152    |
| NICOTROL NS.....                       | 7        | INSULN.....                           | 48  | OMNIPOD 5 (G6/LIBRE 2                  |        |
| <i>nifedipine</i> .....                | 81       | NOVOLOG MIX 70-                       |     | PLUS) .....                            | 126    |
| NIKTIMVO.....                          | 164      | 30FLEXPEN U-100 .....                 | 48  | OMNIPOD 5 G6-G7 INTRO                  |        |
| <i>nilutamide</i> .....                | 27       | NOVOLOG PENFILL U-100                 |     | KT(GEN5) .....                         | 126    |
| NINLARO.....                           | 27       | INSULIN .....                         | 48  | OMNIPOD 5 G6-G7 PODS                   |        |
| <i>nitazoxanide</i> .....              | 56       | NOVOLOG U-100 INSULIN                 |     | (GEN 5).....                           | 126    |
| <i>nitisinone</i> .....                | 146      | ASPART .....                          | 49  | OMNIPOD 5                              |        |
| <i>nitrofurantoin macrocrystal</i> ... | 10       | NOVOTWIST .....                       | 126 | INTRO(G6/LIBRE2PLUS)                   |        |
| <i>nitrofurantoin monohyd/m-cryst</i>  | 10       | NUBEQA.....                           | 27  | .....                                  | 126    |
| .....                                  | 10       | NUCALA.....                           | 181 | OMNIPOD CLASSIC PDM                    |        |
| <i>nitroglycerin</i> .....             | 85, 175  | NULOJIX .....                         | 164 | KIT(GEN 3).....                        | 126    |
| <i>niva-plus</i> .....                 | 184      | NUPLAZID .....                        | 61  | OMNIPOD CLASSIC PODS                   |        |
| NIVESTYM .....                         | 73       | NURTEC ODT .....                      | 53  | (GEN 3).....                           | 126    |
| NORDITROPIN FLEXPEN 158                |          | <i>nyamyc</i> .....                   | 51  | OMNIPOD DASH INTRO KIT                 |        |
| <i>norelgestromin-ethin.estradiol</i>  |          | <i>nylia 1/35 (28)</i> .....          | 94  | (GEN 4).....                           | 126    |
| .....                                  | 94       | <i>nylia 7/7/7 (28)</i> .....         | 94  | OMNIPOD DASH PDM KIT                   |        |
| <i>norethindrone (contraceptive)</i>   | 94       | <i>nymyo</i> .....                    | 94  | (GEN 4).....                           | 126    |
| <i>norethindrone acetate</i> .....     | 159      | <i>nystatin</i> .....                 | 51  |  |        |

|                                       |      |  |                              |                                       |         |
|---------------------------------------|------|--|------------------------------|---------------------------------------|---------|
| OMNIPOD DASH PODS (GEN 4).....        | 126  | <i>pazopanib</i> .....                 | 28                           | <i>phenytek</i> .....                 | 38      |
| ONAPGO .....                          | 57   | PEDIARIX (PF) .....                    | 169                          | <i>phenytoin</i> .....                | 38      |
| <i>ondansetron</i> .....              | 54   | PEDVAX HIB (PF).....                   | 169                          | <i>phenytoin sodium</i> .....         | 38      |
| <i>ondansetron hcl</i> .....          | 54   | <i>peg 3350-electrolytes</i> .....     | 153                          | <i>phenytoin sodium extended</i> .... | 38      |
| ONUREG .....                          | 28   | PEGASYS .....                          | 70                           | PIFELTRO.....                         | 67      |
| OPDIVO.....                           | 28   | <i>peg-electrolyte soln</i> .....      | 153                          | <i>pilocarpine hcl</i> .....          | 97, 176 |
| OPDIVO QVANTIG.....                   | 28   | PEMAZYRE.....                          | 28                           | <i>pimecrolimus</i> .....             | 100     |
| OPDUALAG.....                         | 28   | <i>pemetrexed disodium</i> .....       | 28                           | <i>pimozide</i> .....                 | 62      |
| OPIPZA.....                           | 62   | PEMRYDI RTU .....                      | 29                           | <i>pimtree (28)</i> .....             | 94      |
| OPSUMIT .....                         | 183  | PEN NEEDLE .....                       | 127                          | <i>pioglitazone</i> .....             | 45      |
| ORENCIA .....                         | 164  | PEN NEEDLE, DIABETIC 108,              | 118, 119, 124, 126, 127, 129 | <i>pioglitazone-metformin</i> .....   | 45      |
| ORENCIA (WITH MALTOSE)                | 164  | PEN NEEDLE, DIABETIC,                  | SAFETY .....                 | PIP PEN NEEDLE.....                   | 127     |
| ORENCIA CLICKJECT .....               | 164  |  | 130                          | <i>piperacillin-tazobactam</i> .....  | 14      |
| ORFADIN .....                         | 146  | PENBRAYA (PF).....                     | 169                          | PIQRAY.....                           | 29      |
| ORGOVYX.....                          | 158  | PENBRAYA MENACWY                       | COMPONENT(PF) .....          | <i>pirfenidone</i> .....              | 181     |
| ORILISSA.....                         | 159  |  | 169                          | <i>pitavastatin calcium</i> .....     | 84      |
| ORKAMBI.....                          | 181  | PENBRAYA MENB                          | COMPONENT (PF) .....         | PLEGRIDY .....                        | 88      |
| <i>orquidea</i> .....                 | 94   |  | 169                          | <i>pnv 29-1</i> .....                 | 184     |
| ORSERDU .....                         | 28   | <i>penicillamine</i> .....             | 155                          | <i>pnv-dha + docusate</i> .....       | 185     |
| <i>oseltamivir</i> .....              | 69   | <i>penicillin g potassium</i> .....    | 14                           | <i>pnv-omega</i> .....                | 185     |
| OSENVELT .....                        | 173  | <i>penicillin g procaine</i> .....     | 14                           | <i>podofilox</i> .....                | 98      |
| OTEZLA .....                          | 164  | <i>penicillin v potassium</i> .....    | 14                           | <i>polycin</i> .....                  | 149     |
| OTEZLA STARTER.....                   | 164  | PENMENVY MEN A-B-C-W-                  | Y (PF) .....                 | <i>polymyxin b sulf-trimethoprim</i>  | 149     |
| OTEZLA XR.....                        | 164  |  | 170                          | <i>pomalidomide</i> .....             | 29      |
| OTEZLA XR INITIATION.....             | 164  | PENMENVY MENACWY                       | COMPONENT(PF) .....          | POMALYST.....                         | 29      |
| <i>oxandrolone</i> .....              | 155  |  | 170                          | <i>portia 28</i> .....                | 95      |
| <i>oxcarbazepine</i> .....            | 37   | PENMENVY MENB                          | COMPONENT (PF) .....         | <i>posaconazole</i> .....             | 51      |
| <i>oxybutynin chloride</i> .....      | 154  |  | 170                          | <i>potassium chloride</i> .....       | 177     |
| <i>oxycodone</i> .....                | 4    | PENTACEL (PF).....                     | 170                          | <i>potassium citrate</i> .....        | 177     |
| <i>oxycodone-acetaminophen</i> ...    | 4, 5 | <i>pentamidine</i> .....               | 56                           | <i>pr natal 400</i> .....             | 185     |
| OZEMPIC .....                         | 45   | PENTIPS PEN NEEDLE ...                 | 127                          | <i>pr natal 400 ec</i> .....          | 185     |
| <b>P</b>                              |      | <i>pentoxifylline</i> .....            | 74                           | <i>pr natal 430</i> .....             | 185     |
| <i>pacerone</i> .....                 | 77   | <i>perampanel</i> .....                | 37                           | <i>pr natal 430 ec</i> .....          | 185     |
| <i>paclitaxel protein-bound</i> ..... | 28   | <i>perindopril erbumine</i> .....      | 77                           | <i>pramipexole</i> .....              | 57      |
| <i>paliperidone</i> .....             | 62   | <i>periogard</i> .....                 | 97                           | <i>prasugrel hcl</i> .....            | 74      |
| PANRETIN .....                        | 98   | <i>permethrin</i> .....                | 101                          | <i>pravastatin</i> .....              | 84      |
| <i>pantoprazole</i> .....             | 152  | <i>perphenazine</i> .....              | 62                           | <i>praziquantel</i> .....             | 56      |
| <i>paricalcitol</i> .....             | 173  | <i>perphenazine-amitriptyline</i> .... | 43                           | <i>prazosin</i> .....                 | 75      |
| <i>paroxetine hcl</i> .....           | 43   | PERSERIS .....                         | 62                           | <i>prednisolone</i> .....             | 157     |
| PAXLOVID .....                        | 69   | <i>phenelzine</i> .....                | 43                           | <i>prednisolone acetate</i> .....     | 151     |
|                                       |      | <i>phenobarbital</i> .....             | 37, 38                       |                                       |         |

|  |                                      |                                       |
|--|--------------------------------------|---------------------------------------|
| <i>prednisolone sodium phosphate</i>   | <i>procto-med hc</i> .....           | RASUVO (PF) .....                     |
| ..... 157                              | 100                                  | 164                                   |
| <i>prednisone</i> .....                | <i>proctosol hc</i> .....            | RAYALDEE .....                        |
| 157                                    | 100                                  | 173                                   |
| <i>pregabalin</i> .....                | <i>proctozone-hc</i> .....           | <i>reclipsen (28)</i> .....           |
| 38                                     | 100                                  | 95                                    |
| PREMARIN .....                         | PRODIGY INSULIN                      | RECOMBIVAX HB (PF) ....               |
| 156                                    | SYRINGE .....                        | 170                                   |
| PREMPHASE .....                        | 128                                  | RELENZA DISKHALER.....                |
| 156                                    | <i>progesterone micronized</i> ..... | 70                                    |
| PREMPRO .....                          | 159                                  | <i>repaglinide</i> .....              |
| 157                                    | PROGRAF .....                        | 45                                    |
| <i>prenal true</i> .....               | 164                                  | REPATHA PUSHTRONEX..                  |
| 185                                    | PROLASTIN-C .....                    | 84                                    |
| <i>prenaissance</i> .....              | 182                                  | REPATHA SURECLICK.....                |
| 185                                    | <i>promethazine</i> .....            | 84                                    |
| <i>prenaissance plus</i> .....         | 55                                   | REPATHA SYRINGE.....                  |
| 185                                    | <i>promethegan</i> .....             | 84                                    |
| <i>prenatabs fa</i> .....              | 55                                   | RETACRIT .....                        |
| 185                                    | <i>propafenone</i> .....             | 73                                    |
| <i>prenatal 19</i> .....               | 77                                   | RETEVMO .....                         |
| 185                                    | <i>propranolol</i> .....             | 29                                    |
| <i>prenatal 19 (with docusate)</i> ..  | 78                                   | RETROVIR.....                         |
| 185                                    | <i>propylthiouracil</i> .....        | 67                                    |
| <i>prenatal plus</i> .....             | 160                                  | REVCOVI.....                          |
| 185                                    | PROQUAD (PF).....                    | 147                                   |
| <i>prenatal plus (calcium carb)</i>    | 170                                  | REVUFORJ .....                        |
| 184                                    | <i>protriptyline</i> .....           | 29                                    |
| <i>prenatal vitamin plus low iron</i>  | 43                                   | REXULTI .....                         |
| .....                                  | PULMOZYME.....                       | 62                                    |
| 185                                    | PURE COMFORT ALCOHOL                 | REYATAZ.....                          |
| <i>prenatal-u</i> .....                | PADS .....                           | 67                                    |
| 185                                    | 129                                  | REZDIFFRA.....                        |
| <i>preplus</i> .....                   | PURE COMFORT PEN                     | 160                                   |
| 185                                    | NEEDLE.....                          | 29                                    |
| <i>pretab</i> .....                    | 129                                  | REZUROCK.....                         |
| 185                                    | PURE COMFORT SAFETY                  | 164                                   |
| <i>prevalite</i> .....                 | PEN NEEDLE .....                     | 176                                   |
| 84                                     | 128, 129                             | <i>ribavirin</i> .....                |
| PREVENT DROPSAFE PEN                   | <i>pyrazinamide</i> .....            | 71                                    |
| NEEDLE .....                           | 54                                   | <i>rifabutin</i> .....                |
| 128                                    | <i>pyridostigmine bromide</i> .....  | 54                                    |
| PREVYMIS.....                          | 175                                  | <i>rifampin</i> .....                 |
| 70                                     | <i>pyrimethamine</i> .....           | 54                                    |
| PREZCOBIX.....                         | 56                                   | <i>rilpivirine</i> .....              |
| 67                                     | <b>Q</b>                             | 68                                    |
| PREZISTA .....                         | QINLOCK .....                        | <i>rilpivirine hcl</i> .....          |
| 67                                     | 29                                   | 68                                    |
| PRIFTIN.....                           | QUADRACEL (PF) .....                 | <i>riluzole</i> .....                 |
| 54                                     | 170                                  | 88                                    |
| PRIMAQUINE.....                        | <i>quetiapine</i> .....              | RINVOQ.....                           |
| 56                                     | 62                                   | 165                                   |
| <i>primidone</i> .....                 | <i>quinapril</i> .....               | RINVOQ LQ.....                        |
| 38                                     | 77                                   | 165                                   |
| PRIORIX (PF).....                      | <i>quinapril-hydrochlorothiazide</i> | <i>risperidone</i> .....              |
| 170                                    | 77                                   | 62, 63                                |
| PRO COMFORT ALCOHOL                    | <i>quinidine sulfate</i> .....       | <i>risperidone microspheres</i> ..... |
| PADS.....                              | 77                                   | 62                                    |
| 128                                    | <i>quinine sulfate</i> .....         | <i>ritonavir</i> .....                |
| PRO COMFORT INSULIN                    | 56                                   | 68                                    |
| SYRINGE.....                           | QULIPTA .....                        | RITUXAN HYCELA .....                  |
| 128                                    | 53                                   | 29                                    |
| PRO COMFORT PEN                        | <b>R</b>                             | <i>rivaroxaban</i> .....              |
| NEEDLE .....                           | RABAVERT (PF).....                   | 72                                    |
| 128                                    | 170                                  | <i>rivastigmine</i> .....             |
| <i>probenecid</i> .....                | <i>rabeprazole</i> .....             | 41                                    |
| 52                                     | 152                                  | <i>rivastigmine tartrate</i> .....    |
| <i>probenecid-colchicine</i> .....     | RALDESY.....                         | 41                                    |
| 52                                     | 43                                   | <i>rizatriptan</i> .....              |
| <i>prochlorperazine</i> .....          | <i>raloxifene</i> .....              | 53                                    |
| 55                                     | 157                                  | <i>r-natal ob</i> .....               |
| <i>prochlorperazine edisylate</i> .... | <i>ramipril</i> .....                | 185                                   |
| 54,                                    | 77                                   | ROCKLATAN.....                        |
| 62                                     | <i>ranolazine</i> .....              | 176                                   |
| <i>prochlorperazine maleate</i> .....  | 80                                   | <i>roflumilast</i> .....              |
| 55                                     | 57                                   | 182                                   |
|  | <i>rasagiline</i> .....              | ROMVIMZA .....                        |
|  | 57                                   | 29                                    |
|  |                                      | <i>ropinirole</i> .....               |
|  |                                      | 57                                    |
|  |                                      | <i>rosadan</i> .....                  |
|  |                                      | 98                                    |

|                                     |          |   |     |                                      |     |
|-------------------------------------|----------|---|-----|--------------------------------------|-----|
| <i>rosuvastatin</i> .....           | 84       | <i>sharobel</i> .....                     | 95  | <i>ssd</i> .....                     | 98  |
| ROTARIX .....                       | 171      | SHINGRIX (PF) .....                       | 171 | <i>stavudine</i> .....               | 68  |
| ROTATEQ VACCINE .....               | 171      | SIGNIFOR .....                            | 159 | STERILE PADS .....                   | 130 |
| ROZLYTREK .....                     | 29, 30   | <i>sildenafil</i> .....                   | 183 | STIOLTO RESPIMAT .....               | 180 |
| RUBRACA .....                       | 30       | <i>sildenafil (pulm.hypertension)</i>     |     | STIVARGA .....                       | 30  |
| <i>rufinamide</i> .....             | 38       | .....                                     | 183 | STOBOCLO .....                       | 173 |
| RUKOBIA .....                       | 68       | <i>silver sulfadiazine</i> .....          | 98  | STRENSIQ .....                       | 147 |
| RYBELSUS .....                      | 45       | SIMBRINZA .....                           | 176 | <i>streptomycin</i> .....            | 9   |
| RYBREVANT .....                     | 30       | <i>simliya (28)</i> .....                 | 95  | STRIBILD .....                       | 68  |
| RYBREVANT FASPRO .....              | 30       | SIMPLI PEN NEEDLE .....                   | 118 | STRIVERDI RESPIMAT ...               | 180 |
| RYDAPT .....                        | 30       | <i>simvastatin</i> .....                  | 84  | <i>subvenite</i> .....               | 38  |
| RYKINDO .....                       | 63       | <i>sirolimus</i> .....                    | 165 | SUBVENITE .....                      | 38  |
| RYTELO .....                        | 30       | SIRTURO .....                             | 54  | <i>sucralfate</i> .....              | 152 |
| <b>S</b>                            |          | SKY SAFETY PEN NEEDLE                     |     | <i>sulfacetamide sodium</i> .....    | 149 |
| <i>sacubitril-valsartan</i> .....   | 75       | .....                                     | 130 | <i>sulfacetamide-prednisolone</i> .  | 149 |
| SAFESNAP INSULIN                    |          | SKYLA .....                               | 95  | <i>sulfadiazine</i> .....            | 15  |
| SYRINGE .....                       | 129, 130 | SKYRIZI .....                             | 165 | <i>sulfamethoxazole-trimethoprim</i> |     |
| SAFETY PEN NEEDLE .....             | 130      | <i>sodium chloride 0.45 %</i> .....       | 177 | .....                                | 15  |
| SANTYL .....                        | 98       | <i>sodium chloride 0.9 %</i> .....        | 177 | <i>sulfasalazine</i> .....           | 173 |
| <i>sapropterin</i> .....            | 147      | <i>sodium fluoride-pot nitrate</i> ....   | 97  | <i>sulindac</i> .....                | 6   |
| SCEMBLIX .....                      | 30       | <i>sodium oxybate</i> .....               | 183 | <i>sumatriptan</i> .....             | 53  |
| <i>scopolamine base</i> .....       | 55       | <i>sodium polystyrene sulfonate</i> ..... | 153 | <i>sumatriptan succinate</i> .....   | 53  |
| SECUADO .....                       | 63       | <i>sodium,potassium,mag sulfates</i>      |     | <i>sunitinib malate</i> .....        | 30  |
| SECURESAFE INSULIN                  |          | .....                                     | 154 | SUNLENCA .....                       | 68  |
| SYRINGE .....                       | 130      | <i>solifenacin</i> .....                  | 154 | SURE COMFORT ALCOHOL                 |     |
| SECURESAFE PEN NEEDLE               |          | SOLIQUA 100/33 .....                      | 49  | PREP PADS .....                      | 131 |
| .....                               | 130      | SOLTAMOX .....                            | 30  | SURE COMFORT INS. SYR.               |     |
| SELARSDI .....                      | 165      | SOMATULINE DEPOT .....                    | 159 | U-100 .....                          | 130 |
| <i>select-ob</i> .....              | 185      | SOMAVERT .....                            | 159 | SURE COMFORT INSULIN                 |     |
| <i>select-ob (folic acid)</i> ..... | 185      | <i>sorafenib</i> .....                    | 30  | SYRINGE .....                        | 131 |
| <i>selegiline hcl</i> .....         | 57       | <i>sorine</i> .....                       | 78  | SURE COMFORT PEN                     |     |
| <i>selenium sulfide</i> .....       | 98       | <i>sotalol</i> .....                      | 78  | NEEDLE .....                         | 131 |
| SELZENTRY .....                     | 68       | <i>sotalol af</i> .....                   | 78  | SURE COMFORT SAFETY                  |     |
| <i>se-natal 19 chewable</i> .....   | 185      | SPIRIVA RESPIMAT .....                    | 180 | PEN NEEDLE .....                     | 130 |
| SEREVENT DISKUS .....               | 180      | <i>spironolactone</i> .....               | 82  | SURE-FINE PEN NEEDLES                |     |
| SEROSTIM .....                      | 159      | <i>spironolacton-hydrochlorothiaz</i>     |     | .....                                | 132 |
| <i>sertraline</i> .....             | 43       | .....                                     | 82  | SURE-JECT INSULIN                    |     |
| <i>setlakin</i> .....               | 95       | SPRAVATO .....                            | 43  | SYRINGE .....                        | 132 |
| <i>sevelamer carbonate</i> .....    | 154      | <i>sprintec (28)</i> .....                | 95  | SURE-PREP ALCOHOL PREP               |     |
| <i>sevelamer hcl</i> .....          | 154      | SPRITAM .....                             | 38  | PADS .....                           | 132 |
| SEZABY .....                        | 38       | <i>sps (with sorbitol)</i> .....          | 153 | SYMPAZAN .....                       | 39  |
| <i>sf 5000 plus</i> .....           | 97       | <i>sronyx</i> .....                       | 95  | SYMITUZA .....                       | 68  |



|                                |               |                            |                    |                               |           |
|--------------------------------|---------------|----------------------------|--------------------|-------------------------------|-----------|
| TRIKAFTA .....                 | 182           | TUKYSA .....               | 32                 | ULTRACARE INSULIN             |           |
| <i>tri-legest fe</i> .....     | 95            | TURALIO.....               | 32                 | SYRINGE .....                 | 141       |
| <i>tri-linyah</i> .....        | 95            | <i>turqoz (28)</i> .....   | 96                 | ULTRACARE PEN NEEDLE          |           |
| <i>tri-lo-estarylla</i> .....  | 95            | TWINRIX (PF).....          | 171                | .....                         | 141, 142  |
| <i>tri-lo-marzia</i> .....     | 95            | TYBOST.....                | 175                | ULTRA-FINE INS SYR (HALF      |           |
| <i>tri-lo-mili</i> .....       | 95            | TYENNE .....               | 166                | UNIT).....                    | 142       |
| <i>tri-lo-sprintec</i> .....   | 95            | TYENNE AUTOINJECTOR        |                    | ULTRA-FINE INSULIN            |           |
| <i>trimethoprim</i> .....      | 10            | .....                      | 166                | SYRINGE .....                 | 142       |
| <i>tri-mili</i> .....          | 96            | TYMLOS.....                | 174                | ULTRA-FINE PEN NEEDLE         |           |
| <i>trimipramine</i> .....      | 43            | TYPHIM VI.....             | 171                | .....                         | 142       |
| TRINTELLIX.....                | 43            | U                          |                    | ULTRA-THIN II (SHORT) INS     |           |
| <i>tri-nymyo</i> .....         | 96            | UBRELVY .....              | 53                 | SYR.....                      | 142, 143  |
| <i>tri-sprintec (28)</i> ..... | 96            | UDENYCA ONBODY.....        | 73                 | ULTRA-THIN II (SHORT)         |           |
| TRIUMEQ.....                   | 68            | ULTICARE .....             | 138, 139           | PEN NDL.....                  | 143       |
| TRIUMEQ PD.....                | 69            | ULTICARE INSULIN           |                    | ULTRA-THIN II INS PEN         |           |
| <i>trivora (28)</i> .....      | 96            | SYRINGE.....               | 137, 138           | NEEDLES.....                  | 143       |
| <i>tri-vylibra</i> .....       | 96            | ULTICARE INSULN            |                    | ULTRA-THIN II INSULIN         |           |
| <i>tri-vylibra lo</i> .....    | 96            | SYR(HALF UNIT).....        | 137                | SYRINGE .....                 | 143       |
| TRIZIVIR.....                  | 69            | ULTICARE PEN NEEDLE        | 138                | UNIFINE OTC PEN NEEDLE        |           |
| TROGARZO .....                 | 69            | ULTICARE SAFETY PEN        |                    | .....                         | 143       |
| <i>trosipium</i> .....         | 155           | NEEDLE.....                | 138                | UNIFINE PEN NEEDLE ....       | 143       |
| TRUE COMFORT ALCOHOL           |               | ULTIGUARD SAFEPACK-        |                    | UNIFINE PENTIPS....           | 126, 143, |
| PADS.....                      | 135           | INSULIN SYR .....          | 139                | 144                           |           |
| TRUE COMFORT INSULIN           |               | ULTIGUARD SAFEPACK-        |                    | UNIFINE PENTIPS               |           |
| SYRINGE.....                   | 135           | PEN NEEDLE .....           | 139                | MAXFLOW .....                 | 143       |
| TRUE COMFORT PEN               |               | ULTILET ALCOHOL SWAB       |                    | UNIFINE PENTIPS PLUS..        | 144       |
| NEEDLE .....                   | 135, 136      | .....                      | 139                | UNIFINE PENTIPS PLUS          |           |
| TRUE COMFORT PRO               |               | ULTILET INSULIN SYRINGE    |                    | MAXFLOW .....                 | 144       |
| ALCOHOL PADS.....              | 136           | .....                      | 120, 121, 139, 140 | UNIFINE PROTECT.....          | 144       |
| TRUE COMFORT PRO INS           |               | ULTILET PEN NEEDLE....     | 140                | UNIFINE SAFECONTROL           |           |
| SYRINGE.....                   | 134, 135, 136 | ULTRA CMFT INS SYR         |                    | PEN NEEDLE .....              | 144       |
| TRUE COMFORT SAFE              |               | (HALF UNIT).....           | 118, 130           | UNIFINE ULTRA PEN             |           |
| INSULIN SYRG .....             | 135, 136      | ULTRA COMFORT INSULIN      |                    | NEEDLE.....                   | 145       |
| TRUE COMFORT SAFETY            |               | SYRINGE 113, 118, 119, 140 |                    | UPTRAVI .....                 | 183, 184  |
| PEN NEEDLE.....                | 135           | ULTRA FLO INSUL            |                    | <i>ursodiol</i> .....         | 153       |
| TRUEPLUS INSULIN.              | 136, 137      | SYR(HALF UNIT).....        | 140                | <i>ustekinumab-aauz</i> ..... | 166       |
| TRUEPLUS PEN NEEDLE.           | 136           | ULTRA FLO INSULIN          |                    | UZEDY .....                   | 63, 64    |
| TRULANCE.....                  | 153           | SYRINGE .....              | 141                | V                             |           |
| TRULICITY.....                 | 46            | ULTRA FLO PEN NEEDLE       |                    | <i>valacyclovir</i> .....     | 71        |
| TRUMENBA .....                 | 171           | .....                      | 140                | VALCHLOR.....                 | 98        |
| TRUQAP .....                   | 32            | ULTRA THIN PEN NEEDLE      |                    | <i>valganciclovir</i> .....   | 71        |
| TRUXIMA .....                  | 32            | .....                      | 141                | <i>valproate sodium</i> ..... | 39        |

|                                       |          |                              |     |                             |        |
|---------------------------------------|----------|------------------------------|-----|-----------------------------|--------|
| <i>valproic acid</i> .....            | 39       | <i>vilazodone</i> .....      | 44  | <i>xarah fe</i> .....       | 96     |
| <i>valproic acid (as sodium salt)</i> | 39       | VIMKUNYA.....                | 172 | XARELTO.....                | 72     |
| <i>valsartan</i> .....                | 76       | <i>vinorelbine</i> .....     | 32  | XARELTO DVT-PE TREAT        |        |
| <i>valsartan-hydrochlorothiazide</i>  |          | <i>viorele (28)</i> .....    | 96  | 30D START.....              | 72     |
| .....                                 | 76       | VIRACEPT.....                | 69  | XATMEP.....                 | 33     |
| VALTOCO.....                          | 39       | VIREAD.....                  | 69  | XCOPRI.....                 | 39, 40 |
| <i>valtya</i> .....                   | 96       | <i>virt-c dha</i> .....      | 186 | XCOPRI MAINTENANCE          |        |
| <i>vancomycin</i> .....               | 10       | <i>virt-nate dha</i> .....   | 186 | PACK.....                   | 39     |
| VANFLYTA.....                         | 32       | <i>virt-pn dha</i> .....     | 186 | XCOPRI TITRATION PACK       |        |
| VANISHPOINT INSULIN                   |          | <i>virt-pn plus</i> .....    | 186 | .....                       | 40     |
| SYRINGE.....                          | 145      | <i>vitafol gummies</i> ..... | 186 | XDEMVI.....                 | 150    |
| VANISHPOINT SYRINGE.....              | 145      | <i>vitafol nano</i> .....    | 186 | XELJANZ.....                | 166    |
| VAQTA (PF).....                       | 171, 172 | <i>vitafol-ob+dha</i> .....  | 186 | XELJANZ XR.....             | 166    |
| <i>varenicline tartrate</i> .....     | 7        | VITRAKVI.....                | 32  | XERMELO.....                | 153    |
| VARIVAX (PF).....                     | 172      | VIVIMUSTA.....               | 33  | XIFAXAN.....                | 10     |
| VAXCHORA VACCINE ....                 | 172      | VIVOTIF.....                 | 172 | XIGDUO XR.....              | 46     |
| VELTASSA.....                         | 153      | VIZIMPRO.....                | 33  | XIIDRA.....                 | 151    |
| VEMLIDY.....                          | 69       | VOCABRIA.....                | 69  | XOLAIR.....                 | 182    |
| VENCLEXTA.....                        | 32       | <i>volnea (28)</i> .....     | 96  | XOSPATA.....                | 33     |
| VENCLEXTA STARTING                    |          | VONJO.....                   | 33  | XPOVIO.....                 | 33     |
| PACK.....                             | 32       | VOQUEZNA.....                | 152 | XTANDI.....                 | 34     |
| <i>venlafaxine</i> .....              | 43, 44   | VORANIGO.....                | 33  | <i>xulane</i> .....         | 96     |
| VEOZAH.....                           | 175      | <i>voriconazole</i> .....    | 51  | XULTOPHY 100/3.6.....       | 49     |
| <i>verapamil</i> .....                | 79       | VOSEVI.....                  | 70  | <b>Y</b>                    |        |
| VERIFINE INSULIN                      |          | VOWST.....                   | 175 | YERVOY.....                 | 34     |
| SYRINGE.....                          | 145, 146 | <i>vp-ch-pnv</i> .....       | 186 | YESINTEK.....               | 166    |
| VERIFINE PEN NEEDLE...                | 145      | <i>vp-pnv-dha</i> .....      | 186 | YF-VAX (PF).....            | 172    |
| VERIFINE PLUS PEN                     |          | VRAYLAR.....                 | 64  | YONSA.....                  | 34     |
| NEEDLE.....                           | 145      | VUMERITY.....                | 88  | YUFLYMA(CF).....            | 167    |
| VERIFINE PLUS PEN                     |          | VYALEV.....                  | 57  | YUFLYMA(CF) AI CROHN'S-     |        |
| NEEDLE-SHARP.....                     | 146      | <i>vylibra</i> .....         | 96  | UC-HS.....                  | 166    |
| VERQUVO.....                          | 80       | VYLOY.....                   | 33  | YUFLYMA(CF)                 |        |
| VERSACLOZ.....                        | 64       | VYNDAMAX.....                | 80  | AUTOINJECTOR.....           | 166    |
| VERSALON.....                         | 146      | VYZULTA.....                 | 176 | <i>yuvafem</i> .....        | 157    |
| VERZENIO.....                         | 32       | <b>W</b>                     |     | <b>Z</b>                    |        |
| V-GO 20.....                          | 146      | <i>warfarin</i> .....        | 72  | <i>zafemy</i> .....         | 96     |
| V-GO 30.....                          | 146      | WEBCOL.....                  | 146 | <i>zafirlukast</i> .....    | 179    |
| V-GO 40.....                          | 146      | WELIREG.....                 | 33  | <i>zaleplon</i> .....       | 183    |
| <i>vienna</i> .....                   | 96       | WINREVAIR.....               | 182 | <i>zatean-pn dha</i> .....  | 186    |
| <i>vigabatrin</i> .....               | 39       | <i>wixela inhub</i> .....    | 179 | <i>zatean-pn plus</i> ..... | 186    |
| <i>vigadrone</i> .....                | 39       | <b>X</b>                     |     | ZEJULA.....                 | 34     |
| <i>vigpoder</i> .....                 | 39       | XALKORI.....                 | 33  | ZELBORAF.....               | 34     |

|                                   |     |                               |     |                        |     |
|-----------------------------------|-----|-------------------------------|-----|------------------------|-----|
| <i>zenatane</i> .....             | 98  | ZOLADEX .....                 | 34  | ZURZUVAE .....         | 44  |
| ZENPEP .....                      | 147 | ZOLINZA .....                 | 34  | ZYDELIG .....          | 34  |
| <i>zidovudine</i> .....           | 69  | <i>zolpidem</i> .....         | 183 | ZYKADIA .....          | 34  |
| ZIIHERA .....                     | 34  | ZONISADE .....                | 40  | ZYLET .....            | 150 |
| <i>zingiber</i> .....             | 186 | <i>zonisamide</i> .....       | 40  | ZYNLONTA.....          | 34  |
| <i>ziprasidone hcl</i> .....      | 64  | <i>zovia 1/35e (28)</i> ..... | 96  | ZYNYZ.....             | 34  |
| <i>ziprasidone mesylate</i> ..... | 64  | <i>zovia 1-35 (28)</i> .....  | 96  | ZYPREXA RELPREVV ..... | 64  |
| ZIRABEV.....                      | 34  | ZTALMY.....                   | 40  |                        |     |
| ZIRGAN.....                       | 150 | ZTLIDO.....                   | 7   |                        |     |

# VILLAGE CARE MAX

Звоните нам по бесплатному телефону:  
1-855-296-8800 Для пользователей ТТУ 711  
Без выходных, с 08:00 до 20:00  
[www.villagecaremax.org](http://www.villagecaremax.org)

Этот формуляр был обновлен 03/26/2026. Для получения самой последней информации и ответов на любые вопросы обращайтесь в Отдел обслуживания плана VillageCareMAX Medicare Select Advantage по телефону: 1-855-296-8800 (для пользователей ТТУ - звоните 711). Часы работы: с 08:00 до 20:00, без выходных. Или заходите на наш веб-сайт: [www.villagecaremax.org](http://www.villagecaremax.org).