

# VILLAGECAREMAX 優越健保 愛 心 村

**MEDICARE TOTAL ADVANTAGE PLAN 計劃  
(HMO D-SNP)**

**MEDICARE HEALTH ADVANTAGE PLAN 計劃  
(HMO D-SNP)**



## 2026 年處方集 (承保藥物清單)

請閱讀：本文件包含關於此計劃

此處方集更新於 07/27/2026。欲獲更多最新資訊或有其他問題，請聯絡 VillageCareMAX 會員服務部，電話為 1-855-296-8800，TTY 使用者請撥打 711，服務時間為上午 8:00 至晚上 8:00，全週無休，或是造訪 [www.villagecaremax.org](http://www.villagecaremax.org)。

經批准的處方集檔案提交 ID: 00026370

VillageCareMAX Medicare Total Advantage Plan (HMO D-SNP)  
VillageCareMAX Medicare Health Advantage Plan (HMO D-SNP)

**2026 年處方集**  
**(承保藥物清單或「藥物清單」)**

請閱讀：本文件包含關於此計劃  
所承保藥物的資訊

經批准的處方集檔案提交 ID：00026370

此處方集更新於 **07/27/2026**。欲獲更多最新資訊或有其他問題，請聯絡 VillageCareMAX 會員服務部，電話為 1-855-296-8800，TTY 使用者請撥打 711，服務時間為上午 8:00 至晚上 8:00，全週無休，或是造訪 [www.villagecaremax.org](http://www.villagecaremax.org)。

**現有會員附註：**該處方集自去年起已發生變化。請審查此文件，以確保其仍然包含您所服用的藥物。

在此藥物清單（處方集）中，「我們」或「我們的」是指 Village Senior Services Corporation。「計劃」或「我們的計劃」是指 VillageCareMAX。

本文件包含我們的計劃藥物清單（處方集），更新日期為 **07/27/2026**。如欲獲取更新的藥物清單（處方集），請聯絡我們。我們的聯絡資訊連同上次更新藥物清單（處方集）的日期會出現在前後封面頁。

您通常必須到網路內藥房來獲取您的處方藥福利。福利、處方集、藥房網路和/或共付額/共保額可能在 2026 年 1 月 1 日發生變化，並且在一年中隨時變化。您將在必要時收到通知。

## 什麼是 VillageCareMAX 處方集？

在本文件中，我們使用「藥物清單」和「處方集」這兩個詞語的意思相同。處方集是 VillageCareMAX 在與醫療健保提供商協商後選定的承保藥物清單，代表著被視為優質治療計劃中必需的處方治療。只要藥物具有醫療必要性，VillageCareMAX 通常會承擔處方集中所列的藥物，處方藥可以在 VillageCareMAX 的網路內藥房領藥，並且需要遵守其他計劃規則。如欲獲取關於如何領取處方藥的更多資訊，請細閱您的承保證明。

## 處方集能否更改？

大多數的藥物承保變化會在 1 月 1 日發生，但「我們」可在一年間增加或刪除處方集上的藥物，將其移到不同費用分擔等級，或增加新的限制。在做出這些更改時，我們必須遵守 Medicare 規則。處方集的更新每月都會張貼在我們的網站上：[www.villagecaremax.org](http://www.villagecaremax.org)。

**今年將影響您的變化：**在以下情況中，您將會受到該年承保變化的影響

- **立即取代某些新版本的品牌藥和原創生物製品。**如果我們將以某種新版藥物取代某種藥物，且該新版藥物出現在相同或更低的費用分擔等級上，且有著相同或更少的限制，我們可能會立即將該藥物從處方集中刪除。當我們在處方集中加入新版藥物時，我們可決定將該品牌藥或原創生物製品保留在我們的處方集中，但立即將其移至其他費用分擔等級或新增新的限制。

只有在我們加入品牌藥的新仿製藥，或加入原創生物製品的某些新生物仿製藥時，我們才能立即進行這些更改（例如，加入可替換式生物仿製藥，該仿製藥可由藥房取代原創生物製品而無需開立新處方）。

如果您正在使用該品牌藥或原創生物製品，我們可能不會在進行更改之前提前告訴您，但是稍後我們將為您提供有關我們已進行支特定更改的資訊。

如果我們做出此類更改，您或您的處方醫生可以向我們請求例外處理，並繼續為您承保品牌藥。我們提供給您的通知還將包括有關如何請求例外處理的資訊，並且您還可以在下方標題為「如何向 VillageCareMAX 處方集請求例外處理？」的部分中找到資訊。

其中有些藥物類型對您而言可能是新藥物。如需詳細資訊，請參閱下面標題為「什麼是原創生物製品以及它們與生物仿製藥的關係？」

- **藥物退出市場。**如果食品藥品監督管理局認為處方集上的某種藥物不安全，或是藥物製造商將藥物退出市場，我們會立即將此藥物從處方集刪除，並向服用此藥物的會員發佈通知。
- **其他變化。**我們可能會做出影響正在服用藥物會員的其他更改。舉例來說，我們可能會新增一種學名藥（非市場新藥）來替代處方集上目前出現的品牌藥、對品牌藥新增限制，或是將其移到不同的費用分攤等級，或是兩者皆有。或者我們可能會基於新的臨床指南來做出更改。如果我們從我們的處方集中刪除藥物，或對藥物添加事先授權、數量限制和/或分

步治療限制，我們必須在變更生效前至少 30 天或在會員提出要求時通知受影響的會員。  
補充藥物，屆時會員將收到 60 天的藥物供應。

- 如果我們做出其他更改，您或您的處方醫生可以向我們請求例外處理，並繼續為您承保品牌藥。我們提供給您的通知還將包括有關如何請求例外處理的資訊，並且您還可以在下方標題為「如何向 VillageCareMAX 處方集請求例外處理？」的部分中找到資訊。

**如果您正在使用該藥物，則不會影響您的變化。**通常來說，如果您正在服用年初時獲得承保的 2026 年處方集中的藥物，我們不會在 2026 承保年度終止或減少您的承保，除非是上述的情況。這表示，這些藥將繼續保留在相同的費用分擔等級，且無新增的限制，並在該承保年剩餘的時間內提供給會員使用。您今年不會收到關於對您沒有影響的變更的直接通知。但是，在明年 1 月 1 日，此類變更會對您有影響，因此請務必核查新福利年度的「藥物清單」，瞭解是否有任何藥物變更。

隨附處方集的更新日期為 **07/27/2026**。如欲獲取 VillageCareMAX 所承保藥物的最新資訊，請聯絡我們。我們的聯絡資訊顯示於前後封面頁。

如果計劃在年中做出非維護性處方集變更，我們將透過郵件來通知您。郵件中將包括非維護性處方集變更的具體資訊，並且我們會在變更生效至少 30 天前將郵件傳送給您。您可以在我們的網站 [www.villagecaremax.org](http://www.villagecaremax.org) 上查看最新變化和處方集，或是致電會員服務部瞭解更多資訊。

## 我如何使用處方集？

在處方集內找到您的藥物有兩種方法：

### 醫療狀況

處方集從第 3 頁開始。處方集中的藥物依據其用來治療的醫療狀況類型來分組。舉例來說，用來治療心臟病的藥物列於「心血管藥物」類別下。如果您知道藥物用來治療何種病症，請在下方於第 3 頁開始的清單中按照類別名稱查找。然後，在該類別中查找您的藥物。

### 按字母排序

如果您不確定在哪個類別下查找，則應在第 I-1 頁開始的索引中查找藥物。索引提供了本文件所包含的所有藥物的按字母排序清單。品牌藥和學名藥都列於索引中。在索引中查找您的藥物。您會在藥物旁看到頁碼，並在該頁找到承保資訊。翻到索引中所列的頁碼，並在清單第一列找到您的藥物名稱。

## 什麼是學名藥？

VillageCareMAX 同時承保品牌藥和學名藥。學名藥經 FDA 批准，擁有與品牌藥相同的有效成分。通常來說，學名藥的成本要低於品牌藥。

什麼是原創生物製品，它們與生物仿製藥有何關係？

在處方集上，當我們提到藥物時，可能是指藥物或生物製品。生物製品是比一般藥物更複雜的藥物。由於生物製品比一般藥物複雜，因此它們不是有一般的形式，而是有替代品，稱為生物仿製藥。一般而言，生物仿製藥的效果與原創生物製品相同，而且價格可能較低。有些原創生物製品有生物仿製藥替代品。有些生物仿製藥是可互換的生物仿製藥，根據各州的法律，可以在藥房取代原創生物製品，而不需要新的處方，就像學名藥可以取代品牌藥一樣。

- 有關藥物種類的討論，請參閱承保證明第 5 章第 3.1 節「藥物清單」說明承保哪些 D 部分藥物」。

## 我的承保是否有任何限制？

部分承保藥物可能在承保方面有額外要求或限制。這些要求和限制可能包括：

- **事先授權：**VillageCareMAX 要求您或您的醫師針對某些藥物獲取事先授權。這意味著您將需要獲取 VillageCareMAX 的許可才能領取您的處方藥。如果您沒有獲得許可，VillageCareMAX 可能不會承保藥物。
- **數量限制：**對於某些藥物來說，VillageCareMAX Medicare 會限制計劃承保的藥物數量。舉例來說，本計劃為每個西藥處方提供 60 粒膠囊。這可能是在標準的一個月或三個月藥量之外的供給。
- **階段治療：**在某些情況下，VillageCareMAX 要求您首先嘗試一些藥物來治療您的病症，然後才會為此病症承保另一種藥物。舉例來說，如果藥物 A 和藥物 B 都可治療您的病症，本計劃不會在您首先嘗試藥物 A 之前為您承保藥物 B。如果藥物 A 對您不起作用，本計劃將承保藥物 B。

您可以查看從第 3 頁開始的處方集，從而瞭解您的藥物是否有任何額外要求或限制。您還可以造訪我們的網站 [www.villagecaremax.org](http://www.villagecaremax.org)，獲取關於應用到具體承保藥物之限制的更多資訊。我們已公佈線上文件解釋我們的事先授權和階段治療限制。您還可以要求我們為您傳送副本。我們的聯絡資訊連同上次更新處方集的日期會出現在前後封面頁。

您可以要求 VillageCareMAX 對這些限制進行例外處理，或是索要一份可治療您的病症的其他類似藥物的清單。請在下方查看第 iv 頁的「我如何請求 VillageCareMAX 處方集的例外處理」部分，以獲取關於如何請求例外的資訊。

## 什麼是非處方 (OTC) 藥物？

OTC 藥物是 Medicare 處方藥計劃通常不承保的非處方藥。VillageCareMAX 支付某些 OTC 藥物的費用。

該計劃承保 OTC 福利所規定的可用於治療各種疾病的一些 OTC 藥物，包括但不限於：

- 成人阿司匹林和止痛藥

- 成人咳嗽、感冒和流感液劑或片劑
- 過敏和竇類藥物
- 止瀉藥物
- 抗真菌藥物
- 防排氣藥物
- 止癢藥物
- 糖尿病補充劑
- 助消化
- 消化健康益生元和益生菌
- 心臟健康
- 助眠
- 維他命和礦物質
- 體重控制（片劑、膠囊等）

VillageCareMAX 將免費為您提供這些 OTC 藥物。VillageCareMAX 的這些 OTC 藥物費用不會計入您的 D 部分藥物總費用（即 OTC 藥物費用不計入承保缺口）。

## 如果我的藥物不在處方集上，該怎麼辦？

如果您的藥物未包含在處方集（承保藥物清單）內，您應首先聯絡會員服務部並詢問您的藥物是否獲得承保。

如果您瞭解到 VillageCareMAX 不承保您的藥物，您有兩個選項：

- 您可以向會員服務部索取 VillageCareMAX 承保的類似藥物的清單。您在收到此清單後，請將其展示給您的醫生，並請其開具 VillageCareMAX 所承保的類似藥物。
- 您可以要求 VillageCareMAX 進行例外處理並承保您的藥物。參閱下方，瞭解關於如何請求例外處理的資訊。

## 如何向 VillageCareMAX 處方集請求例外處理？

您可以要求 VillageCareMAX 對我們的承保規則做例外處理。您可以要求我們進行若干類型的例外處理。

- 即使一種藥物不在我們的處方集上，您也可以要求我們承保。如果獲得批准，該藥物將以預先確定的費用分攤等級獲得承保，並且您將無法要求我們以更低的費用分攤等級來提供此藥物。
- 您可以要求我們以較低的成本分攤水平承保處方藥，除非該藥物屬於專科級別。
- 您可以要求我們放棄對您的藥物的承保限制。舉例來說，本計劃針對某些藥物限制承保的藥物數量。如果您的藥物有數量限制，您可以要求我們放棄限制並承保更大的數量。

通常來說，VillageCareMAX 僅會在本計劃處方集上不含替代藥物，或是其他醫療服務限制無法成為治療您的病症的有效手段，並且/或是可能導致您產生不良的醫學副作用時，才會批准您的請求。

您可以聯絡我們，以索取處方集的初始承保決策或醫療服務限制例外處理。**當您請求處方集或醫療服務限制例外處理時，應該提供支援您的請求之處方醫生或醫師的聲明。**通常來說，我們必須在收到您的處方醫生的支援聲明後的 72 小時內做出決策。如果您或您的醫生認為，等待長達 72 小時獲取決定會嚴重危及您的健康，則您可以申請加急（快速）規則豁免。如果您的加急申請被批准，那麼我們必須在得到您的醫生或其他處方醫生的支援聲明後的 24 小時內做出決定。

## 我在與醫生討論更改我的藥物或請求例外處理前可以做什麼？

本計劃的新老會員可能正在服用不在處方集之列的藥物。或者，您可能正在服用處方集上的藥物，但您獲取藥物的能力受限。舉例來說，您可能需要我們的事先授權才能領取處方藥。您應該與您的醫生商談，以決定您是否應轉到我們所承保的適當藥物或是請求處方集例外處理，以便我們承保您所服用的藥物。在您與醫生討論以決定適合您的做法時，我們可以在您成為本計劃會員的首 90 天於某些情況下承保您的藥物。

針對不在處方集上的每一種藥物，或是如果您獲得藥物的能力受限，我們將承保臨時的 30 天藥量。如果您的處方單開出的天數較少，我們將允許補充藥物，以提供最多 30 天的藥量。在首 30 天供應後，我們將不會為您支付藥物費用，即使您加入本計劃還未滿 90 天。

如果您是長期照護機構的居住者，並且需要不在處方集上的藥物，或是您獲得藥物的能力受限，但是您加入本計劃已超過 90 天，我們將在您進行處方集例外處理請求時為您承保 31 天的緊急藥物供應。

VillageCareMAX 設有過渡政策，可確保為新老會員提供持續的藥物承保。有些時候您可能會經歷照護等級變化，例如入住長期照護機構或醫院（或是從這些機構出院）。在這些情況下，我們將為您提供非處方集內藥物的一次性緊急供應。非處方集內藥物包括本計劃處方集以外的藥物，以及在處方集上但依據本計劃的醫療服務管理規則需要獲得事先授權或階段治療的藥物。

## 如需更多資訊

欲獲關於您的 VillageCareMAX 處方藥承保的更多詳細資訊，請細閱您的承保證明和其他計劃材料。

如果您對 VillageCareMAX 有疑問，請聯絡我們。我們的聯絡資訊連同上次更新處方集的日期會出現在前後封面頁。

如果您有關於 Medicare 處方藥承保的一般問題，請撥 1-800-MEDICARE (1-800-633-4227) 聯絡 Medicare，全天候提供服務，全週無休。TTY 使用者應致電 1-877-486-2048。或者，請造訪 <http://www.medicare.gov>。

## VillageCareMAX 處方集

下列處方集提供關於 VillageCareMAX 所承保藥物的承保資訊。如果您在清單中查找藥物方面有任何問題，請前往從第 I-1 頁開始的索引。

表中第一列載有藥物名稱。品牌藥名稱以大寫字母書寫（例如，BENICAR（奧美沙坦酯）），而學名藥以小寫字母斜體書寫（例如，*losartan*（氯沙坦））。

「要求/限制」列的資訊會告知您本計劃是否針對您的藥物承保有任何特殊要求。

下表列出了從第 3 頁開始的下方藥物清單中的「要求/限制」列內出現的縮寫定義。

| 縮寫/標誌           | 描述                           | 說明                                                                                                                                        |
|-----------------|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>醫療服務管理限制</b> |                              |                                                                                                                                           |
| PA              | 事先授權<br>限制                   | 您（或您的醫師）需要獲得 VillageCareMAX 的事先授權，然後才能根據處方領取此藥物。若無事先批准，VillageCareMAX 可能不會承保此藥物。                                                          |
| PA BvD          | B 部分對比 D 部分裁定的<br>事先授權<br>限制 | 本藥物可能有資格獲得 Medicare B 部分或 D 部分的付款。您（或您的醫師）需要獲得 VillageCareMAX 的事先授權，以確定本藥物受 Medicare D 部分承保，之後您才能領取您的處方藥。若無事先批准，VillageCareMAX 可能不會承保此藥物。 |
| PA-HRM          | 高風險藥物的事先授權<br>限制             | 本藥物被 CMS 視為可能有害，並且是 65 歲及以上的 Medicare 受益人的高風險藥物。年齡在 65 歲及以上的會員需要獲得 VillageCareMAX 的事先授權才能領取處方藥。若無事先批准，VillageCareMAX 可能不會承保此藥物。           |

| 縮寫/標誌    | 描述                 | 說明                                                                                                    |
|----------|--------------------|-------------------------------------------------------------------------------------------------------|
| PA NSO   | 僅限初次使用者的<br>事先授權限制 | 如果您是新會員，或者您之前並未服用過此藥物，那麼您（或您的醫師）需要獲得 VillageCareMAX 的事先授權才能根據處方領取此藥物。若無事先批准，VillageCareMAX 可能不會承保此藥物。 |
| QL       | 數量限制               | VillageCareMAX 限制每個處方或特定時間範圍內所承保的藥物數量。                                                                |
| ST       | 階段治療限制             | 在 VillageCareMAX 為本藥物提供承保前，您必須首先嘗試用另一種藥物來治療您的病症。本藥物僅在其他藥物對您不起作用時才能獲得承保。                               |
| 其他特殊承保要求 |                    |                                                                                                       |
| LA       | 限制獲取藥物             | 該處方僅在某些藥房可獲得。欲獲更多資訊，請諮詢您的服務提供者和藥房名錄，或是撥打 1-888-807-6806 聯絡藥房會員服務部，全天候提供服務，全週無休。TTY 使用者應撥 711。         |
| NM       | 非郵購藥物              | 您能夠以更少的費用分攤透過郵購來獲得超過 1 個月供應量的大部分藥物。 <u>無法</u> 透過郵購福利獲得的藥物在您的處方集「要求/限制」列中標註有「NM」。                      |

**English:** ATTENTION: If you speak English, free language assistance services are available to you. Appropriate auxiliary aids and services to provide information in accessible formats are also available free of charge. Call 1-855-296-8800 (TTY: 711) or speak to your provider.

**Spanish:** ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. También están disponibles' de forma gratuita' ayuda y servicios auxiliares adecuados para proporcionar información en formatos accesibles. Llame al 1-855-296-8800 (TTY:711) o hable con su proveedor.

**Simplified Chinese:** 中文

注意：如果您说[中文]，我们将免费为您提供语言协助服务。我们还免费提供适当的辅助工具和服务，以无障碍格式提供信息。致电 1-855-296-8800（文本电话：711）或咨询您的服务提供商。

**Traditional Chinese:** 台語

注意：如果您說[台語]，我們可以為您提供免費語言協助服務。也可以免費提供適當的輔助工具與服務，以無障礙格式提供資訊。請致電 1-855-296-8800（TTY：711）或與您的提供者討論。

**Tagalog:** PAALALA: Kung nagsasalita ka ng Tagalog, magagamit mo ang mga libreng serbisyong tulong sa wika. Magagamit din nang libre ang mga naaangkop na auxiliary na tulong at serbisyo pero magbigay ng impormasyon sa mga naa-access na format. Tumawag sa 1-855-296-8800 (TTY:711) o makipag-usap sa iyong provider.

**French:** ATTENTION : Si vous parlez français, des services d'assistance linguistique gratuits sont à votre disposition. Des aides et services auxiliaires appropriés pour fournir des informations dans des formats accessibles sont également disponibles gratuitement. Appelez le 1-855-296-8800 (TTY :711) ou adressez-vous à votre prestataire.

**Vietnamese:** LƯU Ý: Nếu quý vị nói tiếng Việt, chúng tôi cung cấp miễn phí các dịch vụ hỗ trợ ngôn ngữ. Các hỗ trợ dịch vụ phù hợp để cung cấp thông tin theo các định dạng dễ tiếp cận cũng được cung cấp miễn phí. Vui lòng gọi theo số 1-855-296-8800 (Người khuyết tật: 711) hoặc trao đổi với người cung cấp dịch vụ của quý vị.

**German:** ACHTUNG: Wenn Sie Deutsch sprechen, stehen Ihnen kostenlose

Sprachassistentenzdienste zur Verfügung.  
Entsprechende Hilfsmittel und Dienste zur  
Bereitstellung von Informationen zugänglichen  
Formaten stehen ebenfalls kostenlos zur  
Verfügung. Rufen Sie 1-855-296-8800 (TTY:711)  
an oder sprechen Sie mit Ihrem Provider.

**Korean:** 주의: 한국어를 사용하시는 경우 무료 언어 지원 서비스를 이용하실 수 있습니다. 이용 가능한 형식으로 정보를 제공하는 적절한 보조 기구 및 서비스도 무료로 제공됩니다. 1-855-296-8800 (TTY: 711)번으로 전화하거나 서비스 제공업체에 문의하십시오.

**Russian:** ВНИМАНИЕ! Если вы говорите на русском языке, вы можете бесплатно воспользоваться услугами языковой поддержки. Также бесплатно предоставляются соответствующие вспомогательные средства и услуги, обеспечивающие доступ к информации в удобном формате. Позвоните по телефону 1-855-296-8800 (TTY: 711) или обратитесь к своему поставщику стоматологических услуг.

(Arabic)تنبيه: إذا كنت تتحدث اللغة العربية، فستتوفر لك خدمات المساعدة اللغوية المجانية. كما تتوفر وسائل مساعدة وخدمات مناسبة لتوفير المعلومات بتنسيقات يمكن الوصول إليها مجانًا. اتصل على الرقم 1-855-296-8800 (711) أو تحدث إلى مقدم الخدمة".

**Hindi:** ध्यान दें: यदि आप हिंदी बोलते हैं, तो आपके लिए निःशुल्क भाषा सहायता सेवाएं उपलब्ध होती हैं। सुलभ प्रारूपों में जानकारी प्रदान करने के लिए उपयुक्त सहायक साधन और सेवाएँ भी निःशुल्क उपलब्ध हैं। 1-855-296-8800 (TTY: 711) पर कॉल करें या अपने प्रदाता से बात करें।”

**Italian:** ATTENZIONE: se parli Italiano, sono disponibili servizi di assistenza linguistica gratuiti. Sono inoltre disponibili gratuitamente ausili e servizi ausiliari adeguati per fornire informazioni in formati accessibili. Chiama l'1-855-296-8800 (tty: 711) o parla con il tuo fornitore.

**Portuguese:** ATENÇÃO: Se você fala português, serviços gratuitos de assistência linguística estão disponíveis para você. Auxílios e serviços auxiliares apropriados para fornecer informações em formatos acessíveis também estão disponíveis gratuitamente. Ligue para 1-855-296-8800 (TTY: 711) ou fale com seu provedor.

**French Creole:** ATANSYON: Si w pale Kreyòl Ayisyen, gen sèvis èd ki disponib pou ou gratis nan lang ou pale a. Èd ak sèvis anplis apwopriye pou bay enfòmasyon nan fòm aksèsib yo

disponib gratis tou. Rele nan 1-855-296-8800  
(TTY: 711) oswa pale avèk founisè w la.

**Polish:** UWAGA: Osoby mówiące po polsku mogą skorzystać z bezpłatnej pomocy językowej. Dodatkowe pomoce i usługi zapewniające informacje w dostępnych formatach są również dostępne bezpłatnie. Prosimy zadzwonić pod numer 1-855-296-8800 (TTY:711) lub porozmawiać ze swoim świadczeniodawcą.

**Japanese:** 注：日本語を話される場合、無料の言語支援サービスをご利用いただけます。アクセシブル（誰もが利用できるよう配慮された）な形式で情報を提供するための適切な補助支援やサービスも無料でご利用いただけます。1-855-296-8800（TTY：711）までお電話ください。または、ご利用の事業者にご相談ください。

## Table of Contents

|                                                              |            |
|--------------------------------------------------------------|------------|
| <b>Analgesics .....</b>                                      | <b>3</b>   |
| <b>Anesthetics .....</b>                                     | <b>8</b>   |
| <b>Anti-Addiction/Substance Abuse Treatment Agents .....</b> | <b>8</b>   |
| <b>Antianxiety Agents .....</b>                              | <b>9</b>   |
| <b>Antibacterials.....</b>                                   | <b>11</b>  |
| <b>Anticancer Agents .....</b>                               | <b>19</b>  |
| <b>Anticonvulsants .....</b>                                 | <b>39</b>  |
| <b>Antidementia Agents.....</b>                              | <b>44</b>  |
| <b>Antidepressants .....</b>                                 | <b>45</b>  |
| <b>Antidiabetic Agents .....</b>                             | <b>49</b>  |
| <b>Antifungals.....</b>                                      | <b>54</b>  |
| <b>Antigout Agents.....</b>                                  | <b>57</b>  |
| <b>Antihistamines .....</b>                                  | <b>57</b>  |
| <b>Anti-Infectives (Skin And Mucous Membrane) .....</b>      | <b>58</b>  |
| <b>Antimigraine Agents .....</b>                             | <b>58</b>  |
| <b>Antimycobacterials.....</b>                               | <b>59</b>  |
| <b>Antinausea Agents.....</b>                                | <b>60</b>  |
| <b>Antiparasite Agents.....</b>                              | <b>61</b>  |
| <b>Antiparkinsonian Agents.....</b>                          | <b>62</b>  |
| <b>Antipsychotic Agents.....</b>                             | <b>64</b>  |
| <b>Antivirals (Systemic) .....</b>                           | <b>71</b>  |
| <b>Blood Products/Modifiers/Volume Expanders.....</b>        | <b>78</b>  |
| <b>Caloric Agents .....</b>                                  | <b>81</b>  |
| <b>Cardiovascular Agents.....</b>                            | <b>83</b>  |
| <b>Central Nervous System Agents.....</b>                    | <b>94</b>  |
| <b>Contraceptives .....</b>                                  | <b>99</b>  |
| <b>Dental And Oral Agents .....</b>                          | <b>109</b> |

|                                                               |     |
|---------------------------------------------------------------|-----|
| <b>Dermatological Agents</b> .....                            | 109 |
| <b>Devices</b> .....                                          | 114 |
| <b>Enzyme Cofactors/Chaperones</b> .....                      | 160 |
| <b>Enzyme Replacement/Modifiers</b> .....                     | 160 |
| <b>Eye, Ear, Nose, Throat Agents</b> .....                    | 161 |
| <b>Gastrointestinal Agents</b> .....                          | 166 |
| <b>Genitourinary Agents</b> .....                             | 169 |
| <b>Heavy Metal Antagonists</b> .....                          | 171 |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying</b> ..... | 171 |
| <b>Immunological Agents</b> .....                             | 177 |
| <b>Inflammatory Bowel Disease Agents</b> .....                | 190 |
| <b>Metabolic Bone Disease Agents</b> .....                    | 191 |
| <b>Miscellaneous Therapeutic Agents</b> .....                 | 192 |
| <b>Ophthalmic Agents</b> .....                                | 194 |
| <b>Replacement Preparations</b> .....                         | 195 |
| <b>Respiratory Tract Agents</b> .....                         | 197 |
| <b>Skeletal Muscle Relaxants</b> .....                        | 202 |
| <b>Sleep Disorder Agents</b> .....                            | 202 |
| <b>Vasodilating Agents</b> .....                              | 203 |
| <b>Vitamins And Minerals</b> .....                            | 204 |

| Drug Name                                                                                                               | Drug Tier | Requirements/Limits                              |
|-------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------|
| <b>Analgesics</b>                                                                                                       |           |                                                  |
| <b>Analgesics, Miscellaneous</b>                                                                                        |           |                                                  |
| <i>acetaminophen-codeine 300-30 mg/12.5 ml cup inner 300 mg-30 mg /12.5 ml</i>                                          | 1         | QL (4500 per 30 days)                            |
| <i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>                                                               | 1         | QL (4500 per 30 days)                            |
| <i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>                                                           | 2         | QL (360 per 30 days)                             |
| <i>acetaminophen-codeine oral tablet 300-60 mg</i>                                                                      | 2         | QL (180 per 30 days)                             |
| <i>ascomp with codeine oral capsule 30-50-325-40 mg</i> (codeine-bitalbital-asa-caff)                                   | 2         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i> (Butrans) | 3         | QL (4 per 28 days)                               |
| <i>bitalbital-acetaminop-caf-cod oral capsule 50-300-40-30 mg</i>                                                       | 4         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>bitalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>                                                       | 2         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>bitalbital-acetaminophen-caff oral capsule 50-300-40 mg</i> (Fioricet)                                               | 4         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>bitalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>                                                          | 4         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>bitalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>                                                           | 2         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>bitalbital-aspirin-caffeine oral capsule 50-325-40 mg</i>                                                            | 2         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>butorphanol nasal spray, non-aerosol 10 mg/ml</i>                                                                    | 2         | QL (5 per 28 days)                               |
| <i>codeine sulfate oral tablet 15 mg, 60 mg</i>                                                                         | 4         | QL (180 per 30 days)                             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>                       |
|----------------------------------------------------------------------------------------------------|------------------|--------------------------------------------------|
| <i>codeine sulfate oral tablet 30 mg</i>                                                           | 2                | QL (180 per 30 days)                             |
| <i>codeine-butalbital-asa-caff oral capsule 30-50-325-40 mg</i> (Ascomp with Codeine)              | 2                | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>endocet oral tablet 10-325 mg</i> (oxycodone-acetaminophen)                                     | 2                | QL (180 per 30 days)                             |
| <i>endocet oral tablet 2.5-325 mg, 5-325 mg</i> (oxycodone-acetaminophen)                          | 2                | QL (360 per 30 days)                             |
| <i>endocet oral tablet 7.5-325 mg</i> (oxycodone-acetaminophen)                                    | 2                | QL (240 per 30 days)                             |
| <i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i> | 5                | PA; NDS; QL (120 per 30 days)                    |
| <i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>                                         | 2                | PA; QL (120 per 30 days)                         |
| <i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>   | 2                | QL (10 per 30 days)                              |
| <i>fioricet oral capsule 50-300-40 mg</i> (butalbital-acetaminophen-caff)                          | 4                | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>hydrocodone-acetaminophen oral solution 10-300 mg/15 ml, 10-325 mg/15 ml, 7.5-325 mg/15 ml</i>  | 2                | QL (2700 per 30 days)                            |
| <i>hydrocodone-acetaminophen oral tablet 10-300 mg, 7.5-300 mg</i>                                 | 4                | QL (180 per 30 days)                             |
| <i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>                                 | 2                | QL (180 per 30 days)                             |
| <i>hydrocodone-acetaminophen oral tablet 5-300 mg</i>                                              | 4                | QL (240 per 30 days)                             |
| <i>hydrocodone-acetaminophen oral tablet 5-325 mg</i>                                              | 2                | QL (240 per 30 days)                             |
| <i>hydrocodone-ibuprofen oral tablet 10-200 mg</i>                                                 | 4                | QL (150 per 30 days)                             |
| <i>hydrocodone-ibuprofen oral tablet 5-200 mg, 7.5-200 mg</i>                                      | 2                | QL (150 per 30 days)                             |
| <i>hydromorphone (pf) injection solution 10 (mg/ml) (5 ml), 10 mg/ml</i>                           | 2                |                                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------|------------------|----------------------------|
| <i>hydromorphone oral liquid 1 mg/ml</i> (Dilaudid)                       | 2                | QL (1200 per 30 days)      |
| <i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)              | 2                | QL (180 per 30 days)       |
| <i>methadone oral solution 10 mg/5 ml</i>                                 | 2                | QL (600 per 30 days)       |
| <i>methadone oral solution 5 mg/5 ml</i>                                  | 2                | QL (1200 per 30 days)      |
| <i>methadone oral tablet 10 mg</i>                                        | 2                | QL (120 per 30 days)       |
| <i>methadone oral tablet 5 mg</i>                                         | 2                | QL (180 per 30 days)       |
| <i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i>          | 2                | PA; QL (180 per 30 days)   |
| <i>morphine oral solution 10 mg/5 ml (2 mg/ml)</i>                        | 2                | QL (700 per 30 days)       |
| <i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i>                        | 2                | QL (300 per 30 days)       |
| MORPHINE ORAL TABLET 15 MG                                                | 4                | QL (180 per 30 days)       |
| MORPHINE ORAL TABLET 30 MG                                                | 4                | QL (120 per 30 days)       |
| <i>morphine oral tablet extended release 100 mg</i>                       | 2                | QL (60 per 30 days)        |
| <i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)     | 2                | QL (90 per 30 days)        |
| <i>morphine oral tablet extended release 200 mg</i>                       | 4                | QL (60 per 30 days)        |
| <i>morphine oral tablet extended release 60 mg</i> (MS Contin)            | 2                | QL (60 per 30 days)        |
| <i>oxycodone oral capsule 5 mg</i>                                        | 2                | QL (180 per 30 days)       |
| <i>oxycodone oral concentrate 20 mg/ml</i>                                | 4                | PA; QL (120 per 30 days)   |
| <i>oxycodone oral solution 5 mg/5 ml</i>                                  | 2                | QL (1300 per 30 days)      |
| <i>oxycodone oral tablet 10 mg, 5 mg</i>                                  | 2                | QL (180 per 30 days)       |
| <i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)                    | 2                | QL (120 per 30 days)       |
| <i>oxycodone oral tablet 20 mg</i>                                        | 2                | QL (120 per 30 days)       |
| <i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Endocet)            | 2                | QL (180 per 30 days)       |
| <i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Endocet) | 2                | QL (360 per 30 days)       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                             | Drug Tier | Requirements/Limits                              |
|-------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------|
| <i>oxycodone-acetaminophen oral tablet</i> (Endocet)<br>7.5-325 mg                                    | 2         | QL (240 per 30 days)                             |
| <i>oxymorphone oral tablet 10 mg</i>                                                                  | 3         | QL (120 per 30 days)                             |
| <i>oxymorphone oral tablet 5 mg</i>                                                                   | 3         | QL (180 per 30 days)                             |
| <i>oxymorphone oral tablet extended release 12 hr 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg</i> | 3         | QL (60 per 30 days)                              |
| <i>tencon oral tablet 50-325 mg</i> (butalbital-acetaminophen)                                        | 2         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <i>tramadol oral tablet 50 mg</i>                                                                     | 1         | QL (240 per 30 days)                             |
| <i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>                                                 | 2         | QL (300 per 30 days)                             |
| <i>zebutal oral capsule 50-325-40 mg</i> (butalbital-acetaminophen-caff)                              | 4         | PA-HRM; QL (180 per 30 days); AGE (Max 64 Years) |
| <b>Nonsteroidal Anti-Inflammatory Agents</b>                                                          |           |                                                  |
| <i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)                                | 2         | QL (60 per 30 days)                              |
| <i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)                                 | 4         | PA; QL (60 per 30 days)                          |
| <i>diclofenac potassium oral tablet 50 mg</i>                                                         | 2         | QL (120 per 30 days)                             |
| <i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i>                                    | 2         |                                                  |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i>                                   | 2         |                                                  |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i>                                   | 2         | QL (120 per 30 days)                             |
| <i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i>                                   | 2         | QL (60 per 30 days)                              |
| <i>diclofenac sodium topical drops 1.5 %</i>                                                          | 3         | QL (300 per 30 days)                             |
| <i>diclofenac sodium topical gel 3 %</i>                                                              | 3         |                                                  |
| <i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i>             | 5         | PA; NDS; QL (224 per 28 days)                    |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b>                      |
|------------------------------------------------------------------------------------------------|------------------|-------------------------------------------------|
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 50-200 mg-mcg</i> (Arthrotec 50) | 2                |                                                 |
| <i>diclofenac-misoprostol oral tablet,ir,delayed rel,biphasic 75-200 mg-mcg</i> (Arthrotec 75) | 2                |                                                 |
| <i>diflunisal oral tablet 500 mg</i>                                                           | 2                |                                                 |
| <i>etodolac oral capsule 200 mg, 300 mg</i>                                                    | 2                |                                                 |
| <i>etodolac oral tablet 400 mg</i> (Lodine)                                                    | 2                |                                                 |
| <i>etodolac oral tablet 500 mg</i>                                                             | 2                |                                                 |
| <i>fenoprofen oral tablet 600 mg</i> (Nalfon)                                                  | 4                |                                                 |
| <i>flurbiprofen oral tablet 100 mg</i> (Lurbiro)                                               | 2                |                                                 |
| <i>ibu oral tablet 400 mg</i> (ibuprofen)                                                      | 1                | QL (240 per 30 days)                            |
| <i>ibu oral tablet 600 mg, 800 mg</i> (ibuprofen)                                              | 1                |                                                 |
| <i>ibuprofen oral suspension 100 mg/5 ml</i> (Children's Advil)                                | 2                |                                                 |
| <i>ibuprofen oral tablet 400 mg</i> (IBU)                                                      | 1                | QL (240 per 30 days)                            |
| <i>ibuprofen oral tablet 600 mg, 800 mg</i> (IBU)                                              | 1                |                                                 |
| <i>ibuprofen-famotidine oral tablet 800-26.6 mg</i>                                            | 4                | PA; QL (90 per 30 days)                         |
| <i>indomethacin oral capsule 25 mg, 50 mg</i>                                                  | 2                | PA-HRM; AGE (Max 64 Years)                      |
| <i>indomethacin oral capsule, extended release 75 mg</i>                                       | 2                |                                                 |
| <i>ketoprofen oral capsule,ext rel. pellets 24 hr 200 mg</i>                                   | 4                |                                                 |
| <i>ketorolac oral tablet 10 mg</i>                                                             | 2                | PA-HRM; QL (20 per 30 days); AGE (Max 64 Years) |
| <i>mefenamic acid oral capsule 250 mg</i>                                                      | 4                |                                                 |
| <i>meloxicam oral tablet 15 mg, 7.5 mg</i>                                                     | 1                |                                                 |
| <i>nabumetone oral tablet 500 mg, 750 mg</i>                                                   | 2                |                                                 |
| <i>naproxen oral tablet 250 mg, 375 mg</i>                                                     | 1                |                                                 |
| <i>naproxen oral tablet 500 mg</i> (Naprosyn)                                                  | 1                |                                                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                   | Drug Tier | Requirements/Limits      |
|-----------------------------------------------------------------------------|-----------|--------------------------|
| <i>naproxen oral tablet, delayed release (dr/ec) 375 mg</i> (EC-Naprosyn)   | 2         |                          |
| <i>naproxen oral tablet, delayed release (dr/ec) 500 mg</i> (EC-Naprosyn)   | 4         |                          |
| <i>piroxicam oral capsule 10 mg</i>                                         | 2         |                          |
| <i>piroxicam oral capsule 20 mg</i> (Feldene)                               | 2         |                          |
| <i>sulindac oral tablet 150 mg, 200 mg</i>                                  | 2         |                          |
| <b>Anesthetics</b>                                                          |           |                          |
| <b>Local Anesthetics</b>                                                    |           |                          |
| <i>dermacinrx lidocan 5% patch outer</i> (lidocaine)                        | 3         | PA; QL (90 per 30 days)  |
| <i>glydo mucous membrane jelly in applicator 2 %</i> (lidocaine hcl)        | 2         | QL (30 per 30 days)      |
| <i>lidocaine hcl mucous membrane jelly in applicator 2 %</i> (Glydo)        | 2         | QL (30 per 30 days)      |
| <i>lidocaine hcl mucous membrane solution 2 %</i>                           | 2         |                          |
| <i>lidocaine hcl mucous membrane solution 4 % (40 mg/ml)</i>                | 2         | PA                       |
| <i>lidocaine topical adhesive patch, medicated 5 %</i> (DermacinRx Lidocan) | 3         | PA; QL (90 per 30 days)  |
| <i>lidocaine topical ointment 5 %</i>                                       | 2         | PA; QL (240 per 30 days) |
| <i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>                         | 2         | PA; QL (30 per 30 days)  |
| <i>lidocan iii topical adhesive patch, medicated 5 %</i> (lidocaine)        | 3         | PA; QL (90 per 30 days)  |
| <i>tridacaine iii topical adhesive patch, medicated 5 %</i> (lidocaine)     | 3         | PA; QL (90 per 30 days)  |
| ZTLIDO TOPICAL ADHESIVE PATCH, MEDICATED 1.8 %                              | 3         | PA; QL (90 per 30 days)  |
| <b>Anti-Addiction/Substance Abuse Treatment Agents</b>                      |           |                          |
| <b>Anti-Addiction/Substance Abuse Treatment Agents</b>                      |           |                          |
| <i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i>              | 3         |                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                               | Drug Tier | Requirements/Limits   |
|---------------------------------------------------------------------------------------------------------|-----------|-----------------------|
| <i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i>                                                   | 2         |                       |
| <i>buprenorphine-naloxone sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)              | 4         |                       |
| <i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i>                                        | 2         |                       |
| <i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i>                          | 2         |                       |
| <i>disulfiram oral tablet 250 mg, 500 mg</i>                                                            | 2         |                       |
| KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION                                                        | 3         | QL (4 per 30 days)    |
| <i>naloxone injection solution 0.4 mg/ml</i>                                                            | 2         |                       |
| <i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i>                     | 2         |                       |
| <i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)                                        | 2         | QL (4 per 30 days)    |
| <i>naltrexone oral tablet 50 mg</i>                                                                     | 2         |                       |
| NICOTROL INHALATION CARTRIDGE 10 MG                                                                     | 4         |                       |
| NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML                                                           | 4         | QL (240 per 180 days) |
| <i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> (Chantix)                                          | 3         | QL (336 per 365 days) |
| <i>varenicline tartrate oral tablet 1 mg (56 pack)</i>                                                  | 3         | QL (336 per 365 days) |
| <i>varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix Starting Month Box) | 3         |                       |
| <b>Antianxiety Agents</b>                                                                               |           |                       |
| <b>Benzodiazepines</b>                                                                                  |           |                       |
| <i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)                                             | 1         | QL (120 per 30 days)  |
| <i>alprazolam oral tablet 2 mg</i> (Xanax)                                                              | 1         | QL (150 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                     | Drug Tier | Requirements/Limits   |
|-------------------------------------------------------------------------------|-----------|-----------------------|
| <i>alprazolam oral tablet extended release 24 hr 0.5 mg, 1 mg, 2 mg</i>       | 2         | QL (120 per 30 days)  |
| <i>alprazolam oral tablet extended release 24 hr 3 mg</i>                     | 2         | QL (90 per 30 days)   |
| <i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i>                   | 2         | QL (120 per 30 days)  |
| <i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)                         | 1         | QL (90 per 30 days)   |
| <i>clonazepam oral tablet 2 mg</i> (Klonopin)                                 | 1         | QL (300 per 30 days)  |
| <i>clonazepam oral tablet, disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> | 2         | QL (90 per 30 days)   |
| <i>clonazepam oral tablet, disintegrating 2 mg</i>                            | 2         | QL (300 per 30 days)  |
| <i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i>             | 4         | QL (180 per 30 days)  |
| <i>diazepam injection solution 5 mg/ml</i>                                    | 2         | QL (10 per 28 days)   |
| <i>diazepam injection syringe 5 mg/ml</i>                                     | 3         |                       |
| <i>diazepam intensol oral concentrate 5 mg/ml</i> (diazepam)                  | 2         | QL (1200 per 30 days) |
| <i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i>                             | 2         | QL (1200 per 30 days) |
| <i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)                        | 1         | QL (120 per 30 days)  |
| <i>estazolam oral tablet 1 mg</i>                                             | 2         | QL (60 per 30 days)   |
| <i>estazolam oral tablet 2 mg</i>                                             | 2         | QL (30 per 30 days)   |
| <i>flurazepam oral capsule 15 mg</i>                                          | 2         | QL (60 per 30 days)   |
| <i>flurazepam oral capsule 30 mg</i>                                          | 2         | QL (30 per 30 days)   |
| <i>lorazepam 2 mg/ml oral concent</i> (Lorazepam Intensol)                    | 2         | QL (150 per 30 days)  |
| <i>lorazepam 4 mg/ml vial inner</i> (Ativan)                                  | 1         | QL (2 per 30 days)    |
| <i>lorazepam injection solution 2 mg/ml</i> (Ativan)                          | 1         | QL (2 per 30 days)    |
| <i>lorazepam injection solution 4 mg/ml</i> (Ativan)                          | 4         | QL (2 per 30 days)    |
| <i>lorazepam injection syringe 2 mg/ml</i>                                    | 1         | QL (2 per 30 days)    |
| <i>lorazepam intensol oral concentrate 2 mg/ml</i> (lorazepam)                | 2         | QL (150 per 30 days)  |
| <i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)                            | 1         | QL (90 per 30 days)   |
| <i>lorazepam oral tablet 2 mg</i> (Ativan)                                    | 1         | QL (150 per 30 days)  |
| <i>oxazepam oral capsule 10 mg, 15 mg, 30 mg</i>                              | 2         | QL (120 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                 | Drug Tier | Requirements/Limits             |
|-------------------------------------------------------------------------------------------|-----------|---------------------------------|
| <i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)                                     | 1         | QL (30 per 30 days)             |
| <i>temazepam oral capsule 22.5 mg</i> (Restoril)                                          | 2         | QL (30 per 30 days)             |
| <i>temazepam oral capsule 7.5 mg</i> (Restoril)                                           | 2         | QL (120 per 30 days)            |
| <i>triazolam oral tablet 0.125 mg</i>                                                     | 2         | QL (120 per 30 days)            |
| <i>triazolam oral tablet 0.25 mg</i>                                                      | 2         | QL (60 per 30 days)             |
| <b>Antibacterials</b>                                                                     |           |                                 |
| <b>Aminoglycosides</b>                                                                    |           |                                 |
| <i>amikacin injection solution 500 mg/2 ml</i>                                            | 2         |                                 |
| ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML                             | 5         | PA; NDS; QL (235.2 per 28 days) |
| <i>gentamicin injection solution 40 mg/ml</i>                                             | 2         |                                 |
| <i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i>                        | 2         |                                 |
| <i>neomycin oral tablet 500 mg</i>                                                        | 2         |                                 |
| <i>streptomycin intramuscular recon soln 1 gram</i>                                       | 5         | NDS                             |
| TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG                               | 5         | NDS; QL (224 per 28 days)       |
| <i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi) | 5         | PA BvD; NDS                     |
| <i>tobramycin inhalation solution for nebulization 300 mg/4 ml</i> (Bethkis)              | 5         | PA BvD; NDS                     |
| <i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i>                           | 3         |                                 |
| <b>Antibacterials, Miscellaneous</b>                                                      |           |                                 |
| <i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)                   | 2         |                                 |
| <i>clindamycin pediatric oral recon soln 75 mg/5 ml</i> (clindamycin palmitate hcl)       | 2         |                                 |
| <i>clindamycin phosphate injection solution 150 (mg/ml) (4 ml), 150 (mg/ml) (6 ml)</i>    | 2         |                                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                         | Drug Tier | Requirements/Limits          |
|-------------------------------------------------------------------------------------------------------------------|-----------|------------------------------|
| <i>clindamycin phosphate injection</i> (Cleocin)<br><i>solution 150 mg/ml</i>                                     | 2         |                              |
| <i>colistin (colistimethate na) injection</i> (Coly-Mycin M<br><i>recon soln 150 mg</i> Parenteral)               | 5         | NDS                          |
| <i>daptomycin intravenous recon soln</i><br><i>350 mg, 500 mg</i>                                                 | 5         | NDS                          |
| <i>fosfomycin tromethamine oral packet</i><br><i>3 gram</i>                                                       | 2         |                              |
| <i>linezolid in dextrose 5% intravenous</i> (Zyvox)<br><i>piggyback 600 mg/300 ml</i>                             | 3         |                              |
| <i>linezolid oral suspension for</i> (Zyvox)<br><i>reconstitution 100 mg/5 ml</i>                                 | 5         | NDS                          |
| <i>linezolid oral tablet 600 mg</i>                                                                               | 3         |                              |
| <i>methenamine hippurate oral tablet 1</i><br><i>gram</i>                                                         | 2         |                              |
| <i>metronidazole in nacl (iso-os)</i> (Metro I.V.)<br><i>intravenous piggyback 500 mg/100</i><br><i>ml</i>        | 2         |                              |
| <i>metronidazole oral tablet 250 mg,</i><br><i>500 mg</i>                                                         | 1         |                              |
| <i>nitrofurantoin macrocrystal oral</i><br><i>capsule 100 mg, 50 mg</i>                                           | 2         | QL (120 per 30 days)         |
| <i>nitrofurantoin monohyd/m-cryst oral</i> (Macrobid)<br><i>capsule 100 mg</i>                                    | 2         | QL (60 per 30 days)          |
| <i>polymyxin b sulfate injection recon</i><br><i>soln 500,000 unit</i>                                            | 2         |                              |
| <i>trimethoprim oral tablet 100 mg</i>                                                                            | 2         |                              |
| <i>vancomycin intravenous recon soln</i><br><i>1,000 mg, 1.25 gram, 10 gram, 5</i><br><i>gram, 500 mg, 750 mg</i> | 3         |                              |
| <i>vancomycin oral capsule 125 mg</i> (Vancocin)                                                                  | 3         | QL (56 per 14 days)          |
| <i>vancomycin oral capsule 250 mg</i> (Vancocin)                                                                  | 3         | QL (112 per 14 days)         |
| <i>vancomycin oral recon soln 25 mg/ml</i> (Firvanq)                                                              | 3         |                              |
| XIFAXAN ORAL TABLET 200 MG                                                                                        | 3         | PA; QL (9 per 30 days)       |
| XIFAXAN ORAL TABLET 550 MG                                                                                        | 5         | PA; NDS; QL (90 per 30 days) |
| <b>Cephalosporins</b>                                                                                             |           |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------|------------------|----------------------------|
| <i>cefactor oral capsule 250 mg, 500 mg</i>                                   | 2                |                            |
| <i>cefactor oral tablet extended release 12 hr 500 mg</i>                     | 3                |                            |
| <i>cefadroxil oral capsule 500 mg</i>                                         | 2                |                            |
| <i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> | 2                |                            |
| <i>cefadroxil oral tablet 1 gram</i>                                          | 4                |                            |
| <i>cefazolin injection recon soln 1 gram, 500 mg</i>                          | 2                |                            |
| <i>cefazolin intravenous recon soln 10 gram</i>                               | 2                |                            |
| <i>cefdinir oral capsule 300 mg</i>                                           | 2                |                            |
| <i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>   | 2                |                            |
| <i>cefepime injection recon soln 1 gram, 2 gram</i>                           | 3                |                            |
| <i>cefixime oral capsule 400 mg</i>                                           | 4                |                            |
| <i>cefixime oral suspension for reconstitution 100 mg/5 ml, 200 mg/5 ml</i>   | 4                |                            |
| <i>cefixime oral tablet 400 mg</i>                                            | 4                |                            |
| <i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i>               | 3                |                            |
| <i>cefpodoxime oral suspension for reconstitution 100 mg/5 ml, 50 mg/5 ml</i> | 4                |                            |
| <i>cefpodoxime oral tablet 100 mg, 200 mg</i>                                 | 4                |                            |
| <i>cefprozil oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>  | 2                |                            |
| <i>cefprozil oral tablet 250 mg, 500 mg</i>                                   | 2                |                            |
| <i>ceftaroline fosamil intravenous recon soln 400 mg, 600 mg</i> (Teflaro)    | 5                | NDS                        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------|------------------|----------------------------|
| <i>ceftazidime injection recon soln 1 gram, 2 gram, 6 gram</i> (Tazicef)          | 3                |                            |
| <i>ceftriaxone injection recon soln 1 gram, 10 gram, 2 gram, 250 mg, 500 mg</i>   | 2                |                            |
| <i>cefuroxime axetil oral tablet 250 mg, 500 mg</i>                               | 2                |                            |
| <i>cefuroxime sodium injection recon soln 750 mg</i>                              | 2                |                            |
| <i>cefuroxime sodium intravenous recon soln 1.5 gram, 7.5 gram</i>                | 2                |                            |
| <i>cephalexin oral capsule 250 mg, 500 mg</i>                                     | 1                |                            |
| <i>cephalexin oral capsule 750 mg</i>                                             | 4                |                            |
| <i>cephalexin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i>     | 2                |                            |
| <i>cephalexin oral tablet 250 mg, 500 mg</i>                                      | 2                |                            |
| <i>tazicef injection recon soln 1 gram, 2 gram, 6 gram</i> (ceftazidime)          | 3                |                            |
| <b>Macrolides</b>                                                                 |                  |                            |
| <i>azithromycin intravenous recon soln 500 mg</i>                                 | 2                |                            |
| <i>azithromycin oral suspension for reconstitution 100 mg/5 ml</i>                | 2                |                            |
| <i>azithromycin oral suspension for reconstitution 200 mg/5 ml</i> (Zithromax)    | 2                |                            |
| <i>azithromycin oral tablet 250 mg (6 pack), 500 mg (3 pack), 600 mg</i>          | 1                |                            |
| <i>azithromycin oral tablet 250 mg, 500 mg</i> (Zithromax)                        | 1                |                            |
| <i>clarithromycin oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> | 3                |                            |
| <i>clarithromycin oral tablet 250 mg, 500 mg</i>                                  | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                | Drug Tier | Requirements/Limits       |
|----------------------------------------------------------------------------------------------------------|-----------|---------------------------|
| <i>clarithromycin oral tablet extended release 24 hr 500 mg</i>                                          | 4         |                           |
| DIFICID ORAL SUSPENSION FOR RECONSTITUTION 40 MG/ML                                                      | 5         | NDS; QL (136 per 10 days) |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (E.E.S. Granules)      | 4         |                           |
| <i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (EryPed 400)           | 4         |                           |
| <i>erythromycin oral tablet 250 mg, 500 mg</i>                                                           | 4         |                           |
| <i>fidaxomicin oral tablet 200 mg</i> (Difcid)                                                           | 5         | NDS; QL (20 per 10 days)  |
| <b>Miscellaneous B-Lactam Antibiotics</b>                                                                |           |                           |
| <i>aztreonam injection recon soln 1 gram, 2 gram</i>                                                     | 3         |                           |
| CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML                                                    | 5         | PA; LA; NDS               |
| <i>ertapenem injection recon soln 1 gram</i>                                                             | 3         |                           |
| <i>imipenem-cilastatin intravenous recon soln 250 mg</i>                                                 | 3         |                           |
| <i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin IV)                                   | 3         |                           |
| <i>meropenem intravenous recon soln 1 gram, 500 mg</i>                                                   | 2         |                           |
| <i>meropenem intravenous recon soln 2 gram</i>                                                           | 4         |                           |
| <b>Penicillins</b>                                                                                       |           |                           |
| <i>amoxicillin oral capsule 250 mg, 500 mg</i>                                                           | 1         |                           |
| <i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i> | 1         |                           |
| <i>amoxicillin oral tablet 500 mg, 875 mg</i>                                                            | 1         |                           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                 | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i>                                                   | 2         |                     |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i>    | 2         |                     |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)        | 2         |                     |
| <i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin ES-600) | 2         |                     |
| <i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i>                                     | 2         |                     |
| <i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)                                     | 2         |                     |
| <i>amoxicillin-pot clavulanate oral tablet extended release 12 hr 1,000-62.5 mg</i>                       | 4         |                     |
| <i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i>                           | 4         |                     |
| <i>ampicillin oral capsule 500 mg</i>                                                                     | 2         |                     |
| <i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i>                                     | 2         |                     |
| <i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)                       | 3         |                     |
| BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML              | 4         |                     |
| <i>dicloxacillin oral capsule 250 mg, 500 mg</i>                                                          | 2         |                     |
| EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT               | 4         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------|-----------|---------------------|
| LENTOCILIN S<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 1.2<br>MILLION UNIT                       | 4         |                     |
| <i>nafcillin injection recon soln 1 gram,<br/>10 gram, 2 gram</i>                                        | 3         |                     |
| <i>penicillin g potassium injection recon (Pfizerpen-G)<br/>soln 20 million unit</i>                     | 3         |                     |
| <i>penicillin v potassium oral recon soln<br/>125 mg/5 ml, 250 mg/5 ml</i>                               | 2         |                     |
| <i>penicillin v potassium oral tablet 250<br/>mg, 500 mg</i>                                             | 1         |                     |
| <i>piperacillin-tazobactam intravenous<br/>recon soln 2.25 gram, 3.375 gram,<br/>4.5 gram, 40.5 gram</i> | 3         |                     |
| <b>Quinolones</b>                                                                                        |           |                     |
| <i>ciprofloxacin hcl oral tablet 250 mg, (Cipro)<br/>500 mg</i>                                          | 1         |                     |
| <i>ciprofloxacin hcl oral tablet 750 mg</i>                                                              | 1         |                     |
| <i>ciprofloxacin in 5 % dextrose<br/>intravenous piggyback 200 mg/100<br/>ml, 400 mg/200 ml</i>          | 2         |                     |
| <i>levofloxacin in d5w intravenous<br/>piggyback 250 mg/50 ml, 500 mg/100<br/>ml, 750 mg/150 ml</i>      | 2         |                     |
| <i>levofloxacin oral solution 250 mg/10<br/>ml</i>                                                       | 4         |                     |
| <i>levofloxacin oral tablet 250 mg, 500<br/>mg, 750 mg</i>                                               | 1         |                     |
| <i>moxifloxacin 400 mg/250 ml bag suv,<br/>p/f, inner</i>                                                | 3         |                     |
| <i>moxifloxacin oral tablet 400 mg</i>                                                                   | 2         |                     |
| <i>moxifloxacin-sod.chloride(iso)<br/>intravenous piggyback 400 mg/250<br/>ml</i>                        | 3         |                     |
| <b>Sulfonamides</b>                                                                                      |           |                     |
| <i>sulfadiazine oral tablet 500 mg</i>                                                                   | 3         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                    | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfatrim)              | 2         |                     |
| <i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)                         | 1         |                     |
| <i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim DS)                     | 1         |                     |
| <b>Tetracyclines</b>                                                                         |           |                     |
| <i>demeclocycline oral tablet 150 mg, 300 mg</i>                                             | 4         |                     |
| <i>doxy-100 intravenous recon soln 100 mg</i> (doxycycline hyclate)                          | 3         |                     |
| <i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxy-100)                          | 3         |                     |
| <i>doxycycline hyclate oral capsule 100 mg</i>                                               | 2         |                     |
| <i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)                                     | 2         |                     |
| <i>doxycycline hyclate oral tablet 100 mg, 20 mg</i>                                         | 2         |                     |
| <i>doxycycline hyclate oral tablet, delayed release (dr/ec) 100 mg, 150 mg, 50 mg, 75 mg</i> | 4         |                     |
| <i>doxycycline hyclate oral tablet, delayed release (dr/ec) 200 mg</i> (Doryx)               | 4         |                     |
| <i>doxycycline monohydrate oral capsule 100 mg</i> (Mondoxylene NL)                          | 2         |                     |
| <i>doxycycline monohydrate oral capsule 50 mg</i>                                            | 2         |                     |
| <i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i>                 | 2         |                     |
| <i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)                                  | 2         |                     |
| <i>doxycycline monohydrate oral tablet 150 mg, 50 mg, 75 mg</i>                              | 2         |                     |
| <i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i>                                         | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                         | Drug Tier | Requirements/Limits               |
|-------------------------------------------------------------------|-----------|-----------------------------------|
| <i>minocycline oral tablet 100 mg, 50 mg, 75 mg</i>               | 4         |                                   |
| <i>tetracycline oral capsule 250 mg, 500 mg</i>                   | 4         |                                   |
| <i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)         | 3         |                                   |
| <b>Anticancer Agents</b>                                          |           |                                   |
| <b>Anticancer Agents</b>                                          |           |                                   |
| <i>abiraterone oral tablet 250 mg</i> (Abirtega)                  | 5         | PA NSO; NDS; QL (120 per 30 days) |
| <i>abiraterone oral tablet 500 mg</i> (Zytiga)                    | 5         | PA NSO; NDS; QL (120 per 30 days) |
| <i>abiraterone, submicronized oral tablet 125 mg</i> (Yonsa)      | 5         | PA NSO; NDS; QL (120 per 30 days) |
| <i>abirtega oral tablet 250 mg</i> (abiraterone)                  | 2         | PA NSO; QL (120 per 30 days)      |
| <i>adrucil intravenous solution 2.5 gram/50 ml</i> (fluorouracil) | 2         | PA BvD                            |
| AKEEGA ORAL TABLET 100-500 MG, 50-500 MG                          | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| ALECENSA ORAL CAPSULE 150 MG                                      | 5         | PA NSO; NDS; QL (240 per 30 days) |
| ALUNBRIG ORAL TABLET 180 MG, 90 MG                                | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| ALUNBRIG ORAL TABLET 30 MG                                        | 5         | PA NSO; NDS; QL (120 per 30 days) |
| ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)             | 5         | PA NSO; NDS                       |
| <i>anastrozole oral tablet 1 mg</i> (Arimidex)                    | 1         |                                   |
| ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML                      | 5         | PA NSO; NDS; QL (1.6 per 28 days) |
| AUGTYRO ORAL CAPSULE 160 MG                                       | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| AUGTYRO ORAL CAPSULE 40 MG                                        | 5         | PA NSO; NDS; QL (240 per 30 days) |
| AVMAPKI ORAL CAPSULE 0.8 MG                                       | 5         | PA NSO; NDS; QL (24 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                          | Drug Tier | Requirements/Limits               |
|--------------------------------------------------------------------|-----------|-----------------------------------|
| AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG                        | 5         | PA NSO; NDS; QL (66 per 28 days)  |
| AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG                        | 5         | NDS                               |
| AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG           | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| <i>azacitidine injection recon soln 100 mg</i> (Vidaza)            | 5         | NDS                               |
| BALVERSA ORAL TABLET 3 MG                                          | 5         | PA NSO; NDS; QL (84 per 28 days)  |
| BALVERSA ORAL TABLET 4 MG                                          | 5         | PA NSO; NDS; QL (56 per 28 days)  |
| BALVERSA ORAL TABLET 5 MG                                          | 5         | PA NSO; NDS; QL (28 per 28 days)  |
| <i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda) | 5         | PA NSO; NDS                       |
| BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)               | 5         | PA NSO; NDS                       |
| BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)               | 5         | PA NSO; NDS                       |
| <i>bexarotene oral capsule 75 mg</i> (Targretin)                   | 5         | PA NSO; NDS                       |
| <i>bexarotene topical gel 1 %</i> (Targretin)                      | 5         | PA NSO; NDS                       |
| <i>bicalutamide oral tablet 50 mg</i> (Casodex)                    | 2         |                                   |
| BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)           | 5         | PA NSO; NDS; QL (75 per 28 days)  |
| <i>bleomycin injection recon soln 15 unit, 30 unit</i>             | 2         |                                   |
| <i>bortezomib injection recon soln 1 mg, 2.5 mg</i>                | 4         | PA NSO                            |
| <i>bortezomib injection recon soln 3.5 mg</i> (Velcade)            | 5         | PA NSO; NDS                       |
| BORUZU INJECTION SOLUTION 2.5 MG/ML                                | 4         | PA NSO                            |
| BOSULIF ORAL CAPSULE 100 MG                                        | 5         | PA NSO; NDS; QL (180 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                         | Drug Tier | Requirements/Limits               |
|-----------------------------------------------------------------------------------|-----------|-----------------------------------|
| BOSULIF ORAL CAPSULE 50 MG                                                        | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| BOSULIF ORAL TABLET 100 MG (bosutinib)                                            | 5         | PA NSO; NDS; QL (180 per 30 days) |
| BOSULIF ORAL TABLET 400 MG, (bosutinib)<br>500 MG                                 | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| <i>bosutinib oral tablet 100 mg</i> (Bosulif)                                     | 5         | PA NSO; NDS; QL (180 per 30 days) |
| <i>bosutinib oral tablet 400 mg, 500 mg</i> (Bosulif)                             | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| BRAFTOVI ORAL CAPSULE 75 MG                                                       | 5         | PA NSO; NDS; QL (180 per 30 days) |
| BRUKINSA ORAL CAPSULE 80 MG                                                       | 5         | PA NSO; NDS; QL (120 per 30 days) |
| BRUKINSA ORAL TABLET 160 MG                                                       | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| CABOMETYX ORAL TABLET 20 MG, 60 MG                                                | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| CABOMETYX ORAL TABLET 40 MG                                                       | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG                                  | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| CAMCEVI (6 MONTH)<br>SUBCUTANEOUS SYRINGE 42 MG                                   | 4         | PA NSO                            |
| CAPRELSA ORAL TABLET 100 MG (vandetanib)                                          | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| CAPRELSA ORAL TABLET 300 MG (vandetanib)                                          | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| <i>carboplatin intravenous solution 10 mg/ml</i> (Kyxata)                         | 2         |                                   |
| <i>cladribine intravenous solution 10 mg/10 ml</i>                                | 2         | PA BvD                            |
| COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1),<br>60 MG/DAY (20 MG X 3/DAY) | 5         | PA NSO; NDS                       |
| COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)                               | 5         | PA NSO; NDS; QL (112 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|----------------------------------------------------------------------------|------------------|--------------------------------------|
| COPIKTRA ORAL CAPSULE 15 MG, 25 MG                                         | 5                | PA NSO; NDS; QL (56 per 28 days)     |
| COTELLIC ORAL TABLET 20 MG                                                 | 5                | PA NSO; LA; NDS; QL (63 per 28 days) |
| <i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i>      | 5                | PA BvD; NDS                          |
| <i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i>          | 5                | PA BvD; NDS                          |
| <i>cyclophosphamide intravenous solution 500 mg/ml</i> (Frindovyx)         | 5                | PA BvD; NDS                          |
| <i>cyclophosphamide oral capsule 25 mg, 50 mg</i>                          | 3                | PA BvD; ST                           |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i>                           | 3                | PA BvD; ST                           |
| DANYELZA INTRAVENOUS SOLUTION 4 MG/ML                                      | 5                | PA NSO; NDS; QL (120 per 28 days)    |
| DANZITEN ORAL TABLET 71 MG, 95 MG                                          | 5                | PA NSO; NDS; QL (112 per 28 days)    |
| DARZALEX FASPRO SUBCUTANEOUS SOLUTION 1,800 MG-30,000 UNIT/15 ML           | 5                | PA NSO; NDS                          |
| DARZALEX INTRAVENOUS SOLUTION 20 MG/ML                                     | 5                | PA NSO; LA; NDS                      |
| <i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Sprycel) | 5                | PA NSO; NDS; QL (30 per 30 days)     |
| <i>dasatinib oral tablet 20 mg</i> (Sprycel)                               | 5                | PA NSO; NDS; QL (90 per 30 days)     |
| DATROWAY INTRAVENOUS RECON SOLN 100 MG                                     | 5                | PA NSO; NDS                          |
| DAURISMO ORAL TABLET 100 MG                                                | 5                | PA NSO; NDS; QL (30 per 30 days)     |
| DAURISMO ORAL TABLET 25 MG                                                 | 5                | PA NSO; NDS; QL (60 per 30 days)     |
| <i>decitabine intravenous recon soln 50 mg</i>                             | 5                | NDS                                  |
| <i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Caelyx)  | 5                | PA BvD; NDS                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|----------------------------------------------------------|------------------|-----------------------------------|
| ELAHERE INTRAVENOUS SOLUTION 5 MG/ML                     | 5                | PA NSO; NDS                       |
| ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG           | 4                | PA NSO                            |
| ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG             | 4                | PA NSO                            |
| ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG             | 4                | PA NSO                            |
| ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)            | 4                | PA NSO                            |
| ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML      | 5                | PA NSO; NDS                       |
| ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML                  | 5                | PA NSO; NDS; QL (9.5 per 28 days) |
| EMCYT ORAL CAPSULE 140 MG                                | 5                | NDS                               |
| EMRELIS INTRAVENOUS RECON SOLN 100 MG, 20 MG             | 5                | PA NSO; NDS                       |
| ENSACOVE ORAL CAPSULE 100 MG                             | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| ENSACOVE ORAL CAPSULE 25 MG                              | 5                | PA NSO; NDS; QL (270 per 30 days) |
| EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML  | 5                | PA NSO; NDS                       |
| ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML | 5                | PA NSO; NDS                       |
| ERIVEDGE ORAL CAPSULE 150 MG                             | 5                | PA NSO; NDS; QL (28 per 28 days)  |
| ERLEADA ORAL TABLET 240 MG                               | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| ERLEADA ORAL TABLET 60 MG                                | 5                | PA NSO; NDS; QL (120 per 30 days) |
| <i>erlotinib oral tablet 100 mg, 25 mg</i>               | 5                | PA NSO; NDS; QL (60 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                         | Drug Tier | Requirements/Limits               |
|---------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>erlotinib oral tablet 150 mg</i>                                                               | 5         | PA NSO; NDS; QL (90 per 30 days)  |
| ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG                                                           | 4         |                                   |
| <i>etoposide intravenous solution 20 mg/ml</i> (Avopef)                                           | 2         |                                   |
| EULEXIN ORAL CAPSULE 125 MG (flutamide)                                                           | 5         | NDS                               |
| <i>everolimus (antineoplastic) oral tablet 10 mg</i> (Yulithira)                                  | 5         | PA NSO; NDS; QL (56 per 28 days)  |
| <i>everolimus (antineoplastic) oral tablet 2.5 mg</i> (Yulithira)                                 | 5         | PA NSO; NDS; QL (28 per 28 days)  |
| <i>everolimus (antineoplastic) oral tablet 5 mg</i> (Yulithira)                                   | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| <i>everolimus (antineoplastic) oral tablet 7.5 mg</i> (Yulithira)                                 | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| <i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz) | 5         | PA NSO; NDS; QL (112 per 28 days) |
| <i>exemestane oral tablet 25 mg</i> (Aromasin)                                                    | 2         |                                   |
| FAKZYNJA ORAL TABLET 200 MG                                                                       | 5         | PA NSO; NDS; QL (42 per 28 days)  |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG                                     | 5         | PA BvD; NDS                       |
| FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG                                      | 3         | PA BvD                            |
| <i>floxuridine injection recon soln 0.5 gram</i>                                                  | 2         | PA BvD                            |
| <i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i>                | 2         | PA BvD                            |
| FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG                                                             | 5         | PA NSO; NDS; QL (21 per 28 days)  |
| FRUZAQLA ORAL CAPSULE 1 MG                                                                        | 5         | PA NSO; NDS; QL (84 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                              | Drug Tier | Requirements/Limits               |
|--------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| FRUZAQLA ORAL CAPSULE 5 MG                                                                             | 5         | PA NSO; NDS; QL (21 per 28 days)  |
| <i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Cligavyx)                                        | 5         | NDS                               |
| FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG                                                | 5         | PA NSO; NDS                       |
| GAVRETO ORAL CAPSULE 100 MG                                                                            | 5         | PA NSO; NDS; QL (120 per 30 days) |
| <i>gefitinib oral tablet 250 mg</i> (Iressa)                                                           | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| <i>gemcitabine intravenous recon soln 1 gram, 2 gram, 200 mg</i>                                       | 3         | PA BvD                            |
| <i>gemcitabine intravenous solution 1 gram/26.3 ml (38 mg/ml), 2 gram/52.6 ml (38 mg/ml)</i> (Avgemsi) | 3         | PA BvD                            |
| <i>gemcitabine intravenous solution 200 mg/5.26 ml (38 mg/ml)</i>                                      | 3         | PA BvD                            |
| GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG                                                               | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| GOMEKLI ORAL CAPSULE 1 MG                                                                              | 5         | PA NSO; NDS; QL (224 per 28 days) |
| GOMEKLI ORAL CAPSULE 2 MG                                                                              | 5         | PA NSO; NDS; QL (112 per 28 days) |
| GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG                                                                | 5         | PA NSO; NDS; QL (224 per 28 days) |
| HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML                                        | 5         | PA NSO; NDS; QL (5 per 21 days)   |
| HERNEXEOS ORAL TABLET 60 MG                                                                            | 5         | PA NSO; NDS; QL (90 per 30 days)  |
| <i>hydroxyurea oral capsule 500 mg</i> (Hydrea)                                                        | 2         |                                   |
| HYRNUO ORAL TABLET 10 MG                                                                               | 5         | PA NSO; NDS; QL (120 per 30 days) |
| IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG                                                             | 5         | PA NSO; NDS; QL (21 per 28 days)  |
| IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG                                                              | 5         | PA NSO; NDS; QL (21 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                         | Drug Tier | Requirements/Limits               |
|-------------------------------------------------------------------|-----------|-----------------------------------|
| IBTROZI ORAL CAPSULE 200 MG                                       | 5         | PA NSO; NDS; QL (90 per 30 days)  |
| ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG                    | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| IDHIFA ORAL TABLET 100 MG, 50 MG                                  | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| <i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)            | 2         |                                   |
| <i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i> | 2         |                                   |
| <i>imatinib oral tablet 100 mg</i> (Gleevec)                      | 2         | PA NSO; QL (180 per 30 days)      |
| <i>imatinib oral tablet 400 mg</i> (Gleevec)                      | 2         | PA NSO; QL (60 per 30 days)       |
| IMBRUVICA ORAL CAPSULE 140 MG                                     | 5         | PA NSO; NDS; QL (120 per 30 days) |
| IMBRUVICA ORAL CAPSULE 70 MG                                      | 5         | PA NSO; NDS; QL (28 per 28 days)  |
| IMBRUVICA ORAL SUSPENSION 70 MG/ML                                | 5         | PA NSO; NDS; QL (216 per 30 days) |
| IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG                      | 5         | PA NSO; NDS; QL (28 per 28 days)  |
| IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG                      | 5         | PA NSO; NDS                       |
| IMJUDO INTRAVENOUS SOLUTION 20 MG/ML                              | 5         | PA NSO; NDS                       |
| IMKELDI ORAL SOLUTION 80 MG/ML                                    | 5         | PA NSO; NDS; QL (280 per 28 days) |
| INLEXZO INTRAVESICAL IMPLANT 225 MG                               | 5         | PA BvD; NDS                       |
| INLURIYO ORAL TABLET 200 MG                                       | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| INLYTA ORAL TABLET 1 MG                                           | 5         | PA NSO; NDS; QL (180 per 30 days) |
| INLYTA ORAL TABLET 5 MG                                           | 5         | PA NSO; NDS; QL (120 per 30 days) |
| INQOVI ORAL TABLET 35-100 MG                                      | 5         | PA NSO; NDS; QL (5 per 28 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| INREBIC ORAL CAPSULE 100 MG                                                              | 5                | PA NSO; NDS; QL (120 per 30 days) |
| <i>irinotecan intravenous solution 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml</i> (Camptosar) | 2                |                                   |
| <i>irinotecan intravenous solution 500 mg/25 ml</i>                                      | 2                |                                   |
| ITOVEBI ORAL TABLET 3 MG                                                                 | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| ITOVEBI ORAL TABLET 9 MG                                                                 | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| IWILFIN ORAL TABLET 192 MG                                                               | 5                | PA NSO; NDS; QL (240 per 30 days) |
| JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG                                      | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| JAKAFI XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG, 33 MG, 44 MG, 55 MG           | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| JAYPIRCA ORAL TABLET 100 MG                                                              | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| JAYPIRCA ORAL TABLET 50 MG                                                               | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML                                                   | 5                | PA NSO; NDS                       |
| JYLAMVO ORAL SOLUTION 2 MG/ML                                                            | 4                | PA BvD; ST                        |
| KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML                                                   | 5                | PA NSO; NDS                       |
| KEYTRUDA QLEX SUBCUTANEOUS SOLUTION 395 MG-4,800 UNIT/2.4 ML, 790 MG-9,600 UNIT/4.8 ML   | 5                | PA NSO; NDS                       |
| KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML                                             | 5                | PA NSO; NDS; QL (2 per 28 days)   |
| KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG                         | 5                | PA NSO; NDS; QL (49 per 28 days)  |
| KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG                         | 5                | PA NSO; NDS; QL (70 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                                                                                                                            | Drug Tier | Requirements/Limits                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------|
| KISQALI FEMARA CO-PACK<br>ORAL TABLET 600 MG/DAY(200<br>MG X 3)-2.5 MG                                                                                                                                                               | 5         | PA NSO; NDS; QL (91<br>per 28 days)  |
| KISQALI ORAL TABLET 200<br>MG/DAY (200 MG X 1)                                                                                                                                                                                       | 5         | PA NSO; NDS; QL (21<br>per 28 days)  |
| KISQALI ORAL TABLET 400<br>MG/DAY (200 MG X 2)                                                                                                                                                                                       | 5         | PA NSO; NDS; QL (42<br>per 28 days)  |
| KISQALI ORAL TABLET 600<br>MG/DAY (200 MG X 3)                                                                                                                                                                                       | 5         | PA NSO; NDS; QL (63<br>per 28 days)  |
| KOMZIFTI ORAL CAPSULE 200<br>MG                                                                                                                                                                                                      | 5         | PA NSO; NDS; QL (30<br>per 30 days)  |
| KOSELUGO ORAL CAPSULE 10<br>MG                                                                                                                                                                                                       | 5         | PA NSO; NDS; QL (300<br>per 30 days) |
| KOSELUGO ORAL CAPSULE 25<br>MG                                                                                                                                                                                                       | 5         | PA NSO; NDS; QL (120<br>per 30 days) |
| KOSELUGO ORAL CAPSULE,<br>SPRINKLE 5 MG                                                                                                                                                                                              | 5         | PA NSO; NDS; QL (600<br>per 30 days) |
| KOSELUGO ORAL CAPSULE,<br>SPRINKLE 7.5 MG                                                                                                                                                                                            | 5         | PA NSO; NDS; QL (390<br>per 30 days) |
| KRAZATI ORAL TABLET 200 MG                                                                                                                                                                                                           | 5         | PA NSO; NDS; QL (180<br>per 30 days) |
| <i>lapatinib oral tablet 250 mg</i> (Tykerb)                                                                                                                                                                                         | 5         | PA NSO; NDS                          |
| LAZCLUZE ORAL TABLET 240<br>MG                                                                                                                                                                                                       | 5         | PA NSO; NDS; QL (30<br>per 30 days)  |
| LAZCLUZE ORAL TABLET 80<br>MG                                                                                                                                                                                                        | 5         | PA NSO; NDS; QL (60<br>per 30 days)  |
| <i>lenalidomide oral capsule 10 mg, 15<br/>mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)                                                                                                                                             | 5         | PA NSO; NDS; QL (28<br>per 28 days)  |
| LENVIMA ORAL CAPSULE 10<br>MG/DAY (10 MG X 1), 12<br>MG/DAY (4 MG X 3), 14<br>MG/DAY(10 MG X 1-4 MG X 1),<br>18 MG/DAY (10 MG X 1-4 MG<br>X2), 20 MG/DAY (10 MG X 2), 24<br>MG/DAY(10 MG X 2-4 MG X 1), 4<br>MG, 8 MG/DAY (4 MG X 2) | 5         | PA NSO; NDS                          |
| <i>letrozole oral tablet 2.5 mg</i> (Femara)                                                                                                                                                                                         | 2         |                                      |
| LEUKERAN ORAL TABLET 2 MG                                                                                                                                                                                                            | 5         | NDS                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction  
pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|-------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| <i>leuprolide acetate (3 month) intramuscular suspension for reconstitution 22.5 mg</i> (Lutrate Depot (3 month)) | 4                | PA NSO                            |
| <i>leuprolide subcutaneous kit 1 mg/0.2 ml</i>                                                                    | 3                | PA NSO                            |
| <i>lomustine oral capsule 10 mg</i> (Gleostine)                                                                   | 3                |                                   |
| <i>lomustine oral capsule 100 mg, 40 mg</i> (Gleostine)                                                           | 5                | NDS                               |
| LONSURF ORAL TABLET 15-6.14 MG                                                                                    | 5                | PA NSO; NDS; QL (100 per 28 days) |
| LONSURF ORAL TABLET 20-8.19 MG                                                                                    | 5                | PA NSO; NDS; QL (80 per 28 days)  |
| LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)                                                              | 5                | PA NSO; NDS                       |
| LORBRENA ORAL TABLET 100 MG                                                                                       | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| LORBRENA ORAL TABLET 25 MG                                                                                        | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| LUMAKRAS ORAL TABLET 120 MG                                                                                       | 5                | PA NSO; NDS; QL (240 per 30 days) |
| LUMAKRAS ORAL TABLET 240 MG                                                                                       | 5                | PA NSO; NDS; QL (120 per 30 days) |
| LUMAKRAS ORAL TABLET 320 MG                                                                                       | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML                                                                             | 5                | PA NSO; NDS                       |
| LUNSUMIO VELO SUBCUTANEOUS SOLUTION 45 MG/ML, 5 MG/0.5 ML                                                         | 5                | PA NSO; NDS                       |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG                                                          | 5                | PA NSO; NDS                       |
| LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG                                                            | 5                | PA NSO; NDS                       |
| LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG                                                            | 5                | PA NSO; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                     | Drug Tier                              | Requirements/Limits                   |
|-----------------------------------------------------------------------------------------------|----------------------------------------|---------------------------------------|
| LUPRON DEPOT<br>INTRAMUSCULAR SYRINGE KIT<br>7.5 MG                                           | 5                                      | PA NSO; NDS                           |
| LUTRATE DEPOT (3 MONTH)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 22.5 MG             | (leuprolide acetate (3<br>month))<br>4 | PA NSO                                |
| LYNOZYFIC INTRAVENOUS<br>SOLUTION 2 MG/ML                                                     | 5                                      | PA NSO; NDS; QL (15<br>per 8 days)    |
| LYNOZYFIC INTRAVENOUS<br>SOLUTION 20 MG/ML                                                    | 5                                      | PA NSO; NDS; QL (40<br>per 28 days)   |
| LYNPARZA ORAL TABLET 100<br>MG, 150 MG                                                        | 5                                      | PA NSO; NDS; QL (120<br>per 30 days)  |
| LYSODREN ORAL TABLET 500<br>MG                                                                | 5                                      | NDS                                   |
| LYTGOBI ORAL TABLET 12<br>MG/DAY (4 MG X 3), 16 MG/DAY<br>(4 MG X 4), 20 MG/DAY (4 MG X<br>5) | 5                                      | PA NSO; NDS; QL (140<br>per 28 days)  |
| MARGENZA INTRAVENOUS<br>SOLUTION 25 MG/ML                                                     | 5                                      | PA NSO; NDS                           |
| MATULANE ORAL CAPSULE 50<br>MG                                                                | 5                                      | NDS                                   |
| <i>megestrol oral tablet 20 mg, 40 mg</i>                                                     | 2                                      | PA NSO-HRM; AGE<br>(Max 64 Years)     |
| MEKINIST ORAL RECON SOLN<br>0.05 MG/ML                                                        | 5                                      | PA NSO; NDS; QL<br>(1260 per 30 days) |
| MEKINIST ORAL TABLET 0.5<br>MG                                                                | 5                                      | PA NSO; NDS; QL (90<br>per 30 days)   |
| MEKINIST ORAL TABLET 2 MG                                                                     | 5                                      | PA NSO; NDS; QL (30<br>per 30 days)   |
| MEKTOVI ORAL TABLET 15 MG                                                                     | 5                                      | PA NSO; NDS; QL (180<br>per 30 days)  |
| <i>mercaptopurine oral suspension 20<br/>mg/ml</i>                                            | (Purixan)<br>5                         | NDS                                   |
| <i>mercaptopurine oral tablet 50 mg</i>                                                       | 2                                      |                                       |
| <i>methotrexate sodium (pf) injection<br/>recon soln 1 gram</i>                               | 2                                      |                                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                       | Drug Tier | Requirements/Limits               |
|-------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>methotrexate sodium (pf) injection solution 25 mg/ml</i>                                     | 2         |                                   |
| <i>methotrexate sodium injection solution 25 mg/ml</i>                                          | 2         |                                   |
| <i>methotrexate sodium oral tablet 2.5 mg</i>                                                   | 2         | PA BvD; ST                        |
| <i>mitoxantrone intravenous concentrate 2 mg/ml</i>                                             | 2         |                                   |
| MODEYSO ORAL CAPSULE 125 MG                                                                     | 5         | PA NSO; NDS; QL (20 per 28 days)  |
| NERLYNX ORAL TABLET 40 MG                                                                       | 5         | PA NSO; NDS; QL (180 per 30 days) |
| <i>nilotinib hcl oral capsule 150 mg, 200 mg</i> (Tasigna)                                      | 5         | PA NSO; NDS; QL (112 per 28 days) |
| <i>nilotinib hcl oral capsule 50 mg</i> (Tasigna)                                               | 5         | PA NSO; NDS; QL (120 per 30 days) |
| <i>nilutamide oral tablet 150 mg</i>                                                            | 5         | NDS                               |
| NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG                                                         | 5         | PA NSO; NDS; QL (3 per 28 days)   |
| NUBEQA ORAL TABLET 300 MG                                                                       | 5         | PA NSO; NDS; QL (120 per 30 days) |
| ODOMZO ORAL CAPSULE 200 MG                                                                      | 5         | PA NSO; LA; NDS                   |
| OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG                                                    | 5         | PA NSO; NDS                       |
| OGSIVEO ORAL TABLET 100 MG, 150 MG                                                              | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| OGSIVEO ORAL TABLET 50 MG                                                                       | 5         | PA NSO; NDS; QL (180 per 30 days) |
| OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML                                              | 5         | PA NSO; NDS; QL (96 per 28 days)  |
| OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6) | 5         | PA NSO; NDS; QL (24 per 28 days)  |
| OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG                                                      | 5         | PA NSO; NDS; QL (30 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                   | Drug Tier | Requirements/Limits               |
|---------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| ONUREG ORAL TABLET 200 MG, 300 MG                                                           | 5         | PA NSO; NDS; QL (14 per 28 days)  |
| OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML            | 5         | PA NSO; NDS                       |
| OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 300 MG-5,000 UNIT/2.5 ML, 600 MG-10,000 UNIT/5 ML      | 5         | PA NSO; NDS                       |
| OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML                                               | 5         | PA NSO; NDS                       |
| ORSERDU ORAL TABLET 345 MG                                                                  | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| ORSERDU ORAL TABLET 86 MG                                                                   | 5         | PA NSO; NDS; QL (90 per 30 days)  |
| <i>oxaliplatin intravenous recon soln 100 mg, 50 mg</i>                                     | 2         |                                   |
| <i>oxaliplatin intravenous solution 100 mg/20 ml, 200 mg/40 ml, 50 mg/10 ml (5 mg/ml)</i>   | 2         |                                   |
| <i>paclitaxel intravenous concentrate 6 mg/ml</i>                                           | 2         | PA BvD                            |
| <i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane) | 5         | PA BvD; NDS                       |
| <i>pazopanib oral tablet 200 mg</i> (Votrient)                                              | 5         | PA NSO; NDS; QL (120 per 30 days) |
| <i>pazopanib oral tablet 400 mg</i>                                                         | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG                                                  | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| <i>pemetrexed disodium intravenous recon soln 1,000 mg, 100 mg, 500 mg, 750 mg</i>          | 5         | NDS                               |
| <i>pemetrexed disodium intravenous solution 25 mg/ml</i>                                    | 5         | NDS                               |
| PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML                                                   | 5         | NDS                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|-----------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)                                                    | 5                | PA NSO; NDS; QL (28 per 28 days)  |
| PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)                   | 5                | PA NSO; NDS; QL (56 per 28 days)  |
| <i>pomalidomide oral capsule 1 mg, 2 mg, 3 mg, 4 mg</i> (Pomalyst)                            | 5                | PA NSO; NDS; QL (21 per 28 days)  |
| POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG (pomalidomide)                                   | 5                | PA NSO; NDS; QL (21 per 28 days)  |
| QINLOCK ORAL TABLET 50 MG                                                                     | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| RETEVMO ORAL CAPSULE 40 MG                                                                    | 5                | PA NSO; NDS; QL (180 per 30 days) |
| RETEVMO ORAL CAPSULE 80 MG                                                                    | 5                | PA NSO; NDS; QL (120 per 30 days) |
| RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG                                                     | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| RETEVMO ORAL TABLET 40 MG                                                                     | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| REVUFORJ ORAL TABLET 110 MG                                                                   | 5                | PA NSO; NDS; QL (120 per 30 days) |
| REVUFORJ ORAL TABLET 160 MG                                                                   | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| REVUFORJ ORAL TABLET 25 MG                                                                    | 5                | PA NSO; NDS; QL (240 per 30 days) |
| REZLIDHIA ORAL CAPSULE 150 MG                                                                 | 5                | PA NSO; NDS; QL (60 per 30 days)  |
| RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML) | 5                | PA NSO; NDS                       |
| ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG                                                     | 5                | PA NSO; NDS; QL (8 per 28 days)   |
| ROZLYTREK ORAL CAPSULE 100 MG                                                                 | 5                | PA NSO; NDS; QL (180 per 30 days) |
| ROZLYTREK ORAL CAPSULE 200 MG                                                                 | 5                | PA NSO; NDS; QL (90 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                                                             | Drug Tier | Requirements/Limits               |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| ROZLYTREK ORAL PELLETS IN PACKET 50 MG                                                                                                                                | 5         | PA NSO; NDS; QL (360 per 30 days) |
| RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG                                                                                                                            | 5         | PA NSO; NDS; QL (120 per 30 days) |
| RYBREVA NT FASPRO<br>SUBCUTANEOUS SOLUTION<br>1,600 MG-20,000 UNIT/10 ML,<br>2,240 MG-28,000 UNIT/14 ML,<br>2,400 MG-30,000 UNIT/15 ML,<br>3,520 MG-44,000 UNIT/22 ML | 5         | PA NSO; NDS                       |
| RYBREVA NT INTRAVENOUS<br>SOLUTION 50 MG/ML                                                                                                                           | 5         | PA NSO; NDS                       |
| RYDAPT ORAL CAPSULE 25 MG                                                                                                                                             | 5         | PA NSO; NDS; QL (224 per 28 days) |
| RYTELO INTRAVENOUS RECON<br>SOLN 188 MG, 47 MG                                                                                                                        | 5         | PA NSO; NDS                       |
| SCEMBLIX ORAL TABLET 100 MG                                                                                                                                           | 5         | PA NSO; NDS; QL (120 per 30 days) |
| SCEMBLIX ORAL TABLET 20 MG                                                                                                                                            | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| SCEMBLIX ORAL TABLET 40 MG                                                                                                                                            | 5         | PA NSO; NDS; QL (300 per 30 days) |
| SOLTAMOX ORAL SOLUTION 20 MG/10 ML                                                                                                                                    | 5         | NDS                               |
| <i>sorafenib oral tablet 200 mg</i> (Nexavar)                                                                                                                         | 5         | PA NSO; NDS; QL (120 per 30 days) |
| STIVARGA ORAL TABLET 40 MG                                                                                                                                            | 5         | PA NSO; NDS; QL (84 per 28 days)  |
| <i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)                                                                                          | 5         | PA NSO; NDS; QL (28 per 28 days)  |
| SYNRIBO SUBCUTANEOUS<br>RECON SOLN 3.5 MG                                                                                                                             | 5         | PA NSO; NDS                       |
| TABLOID ORAL TABLET 40 MG (thioguanine)                                                                                                                               | 5         | NDS                               |
| TABRECTA ORAL TABLET 150 MG, 200 MG                                                                                                                                   | 5         | PA NSO; NDS; QL (112 per 28 days) |
| TAFINLAR ORAL CAPSULE 50 MG, 75 MG                                                                                                                                    | 5         | PA NSO; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>           |
|-----------------------------------------------------------------------------------|------------------|--------------------------------------|
| TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG                                         | 5                | PA NSO; NDS; QL (900 per 30 days)    |
| TAGRISSE ORAL TABLET 40 MG, 80 MG                                                 | 5                | PA NSO; LA; NDS; QL (30 per 30 days) |
| TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML                                    | 5                | PA NSO; NDS                          |
| TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG             | 5                | PA NSO; NDS; QL (30 per 30 days)     |
| <i>tamoxifen oral tablet 10 mg, 20 mg</i>                                         | 2                |                                      |
| TECENTRIQ HYBREZA SUBCUTANEOUS SOLUTION 1,875 MG-30,000 UNIT/15 ML                | 5                | PA NSO; NDS                          |
| TECENTRIQ INTRAVENOUS SOLUTION 1,200 MG/20 ML (60 MG/ML), 840 MG/14 ML (60 MG/ML) | 5                | PA NSO; NDS                          |
| TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML                                 | 5                | PA NSO; NDS                          |
| TEPMETKO ORAL TABLET 225 MG                                                       | 5                | PA NSO; NDS; QL (60 per 30 days)     |
| TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML                                            | 5                | PA NSO; NDS                          |
| TIBSOVO ORAL TABLET 250 MG                                                        | 5                | PA NSO; NDS; QL (60 per 30 days)     |
| TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG                         | 4                |                                      |
| TIVDAK INTRAVENOUS RECON SOLN 40 MG                                               | 5                | PA NSO; NDS; QL (5 per 21 days)      |
| <i>toremifene oral tablet 60 mg</i> (Fareston)                                    | 5                | NDS                                  |
| <i>torpenz oral tablet 10 mg</i> (everolimus (antineoplastic))                    | 5                | PA NSO; NDS; QL (60 per 30 days)     |
| <i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (everolimus (antineoplastic))     | 5                | PA NSO; NDS; QL (30 per 30 days)     |
| TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG   | 4                | PA NSO                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b>            |
|---------------------------------------------------------------------------|------------------|---------------------------------------|
| <i>tretinoin (antineoplastic) oral capsule 10 mg</i>                      | 5                | NDS                                   |
| TRUQAP ORAL TABLET 160 MG, 200 MG                                         | 5                | PA NSO; NDS; QL (64 per 28 days)      |
| TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML                                     | 5                | PA NSO; NDS                           |
| TUKYSA ORAL TABLET 150 MG                                                 | 5                | PA NSO; NDS; QL (120 per 30 days)     |
| TUKYSA ORAL TABLET 50 MG                                                  | 5                | PA NSO; NDS; QL (300 per 30 days)     |
| TURALIO ORAL CAPSULE 125 MG                                               | 5                | PA NSO; NDS; QL (120 per 30 days)     |
| VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG                                     | 5                | PA NSO; NDS                           |
| VENCLEXTA ORAL TABLET 10 MG                                               | 3                | PA NSO; LA; QL (60 per 30 days)       |
| VENCLEXTA ORAL TABLET 100 MG                                              | 5                | PA NSO; LA; NDS; QL (180 per 30 days) |
| VENCLEXTA ORAL TABLET 50 MG                                               | 5                | PA NSO; LA; NDS; QL (30 per 30 days)  |
| VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG        | 5                | PA NSO; LA; NDS                       |
| VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG                        | 5                | PA NSO; NDS; QL (56 per 28 days)      |
| <i>vinblastine intravenous solution 1 mg/ml</i>                           | 2                | PA BvD                                |
| <i>vincasar pfs intravenous solution 1 mg/ml, 2 mg/2 ml</i> (vincristine) | 2                | PA BvD                                |
| <i>vincristine intravenous solution 1 mg/ml, 2 mg/2 ml</i> (Vincasar PFS) | 2                | PA BvD                                |
| <i>vinorelbine intravenous solution 10 mg/ml, 50 mg/5 ml</i>              | 3                |                                       |
| VITRAKVI ORAL CAPSULE 100 MG                                              | 5                | PA NSO; NDS; QL (60 per 30 days)      |
| VITRAKVI ORAL CAPSULE 25 MG                                               | 5                | PA NSO; NDS; QL (180 per 30 days)     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|-------------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| VITRAKVI ORAL SOLUTION 20 MG/ML                                                                                         | 5                | PA NSO; NDS; QL (300 per 30 days) |
| VIVIMUSTA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)                                                                  | 5                | PA NSO; NDS                       |
| VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG                                                                                | 5                | PA NSO; NDS; QL (30 per 30 days)  |
| VONJO ORAL CAPSULE 100 MG                                                                                               | 5                | PA NSO; NDS; QL (120 per 30 days) |
| VORANIGO ORAL TABLET 10 MG, 40 MG                                                                                       | 5                | PA NSO; NDS                       |
| VYLOY INTRAVENOUS RECON SOLN 100 MG, 300 MG                                                                             | 5                | PA NSO; NDS                       |
| WELIREG ORAL TABLET 40 MG                                                                                               | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| XALKORI ORAL CAPSULE 200 MG, 250 MG                                                                                     | 5                | PA NSO; NDS; QL (120 per 30 days) |
| XALKORI ORAL PELLETT 150 MG                                                                                             | 5                | PA NSO; NDS; QL (180 per 30 days) |
| XALKORI ORAL PELLETT 20 MG                                                                                              | 5                | PA NSO; NDS; QL (240 per 30 days) |
| XALKORI ORAL PELLETT 50 MG                                                                                              | 5                | PA NSO; NDS; QL (120 per 30 days) |
| XATMEP ORAL SOLUTION 2.5 MG/ML                                                                                          | 4                | PA BvD; ST                        |
| XOSPATA ORAL TABLET 40 MG                                                                                               | 5                | PA NSO; NDS; QL (90 per 30 days)  |
| XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2), 80 MG/WEEK (80 MG X 1) | 5                | PA NSO; NDS; QL (8 per 28 days)   |
| XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)                                                                               | 5                | PA NSO; NDS; QL (16 per 28 days)  |
| XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)                                                       | 5                | PA NSO; NDS; QL (4 per 28 days)   |
| XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)                                                                        | 5                | PA NSO; NDS; QL (24 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                    | Drug Tier | Requirements/Limits               |
|------------------------------------------------------------------------------|-----------|-----------------------------------|
| XPOVIO ORAL TABLET 80MG<br>TWICE WEEK (160 MG/WEEK)                          | 5         | PA NSO; NDS; QL (32 per 28 days)  |
| XTANDI ORAL CAPSULE 40 MG                                                    | 5         | PA NSO; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 40 MG                                                     | 5         | PA NSO; NDS; QL (120 per 30 days) |
| XTANDI ORAL TABLET 80 MG                                                     | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| YERVOY INTRAVENOUS<br>SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) | 5         | PA NSO; NDS                       |
| YONSA ORAL TABLET 125 MG (abiraterone, submicronized)                        | 5         | PA NSO; NDS; QL (120 per 30 days) |
| <i>yulithira oral tablet 10 mg, 7.5 mg</i> (everolimus (antineoplastic))     | 3         | PA NSO; QL (60 per 30 days)       |
| <i>yulithira oral tablet 2.5 mg, 5 mg</i> (everolimus (antineoplastic))      | 3         | PA NSO; QL (30 per 30 days)       |
| ZEJULA ORAL CAPSULE 100 MG                                                   | 5         | PA NSO; NDS; QL (90 per 30 days)  |
| ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG                                    | 5         | PA NSO; NDS; QL (30 per 30 days)  |
| ZELBORAF ORAL TABLET 240 MG                                                  | 5         | PA NSO; NDS; QL (240 per 30 days) |
| ZIIHERA INTRAVENOUS RECON SOLN 300 MG                                        | 5         | PA NSO; NDS                       |
| ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML                                        | 5         | PA NSO; NDS                       |
| ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG                                 | 4         | PA NSO                            |
| ZOLINZA ORAL CAPSULE 100 MG                                                  | 5         | NDS                               |
| ZYDELIG ORAL TABLET 100 MG, 150 MG                                           | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| ZYKADIA ORAL TABLET 150 MG                                                   | 5         | PA NSO; NDS; QL (84 per 28 days)  |
| ZYNLONTA INTRAVENOUS RECON SOLN 10 MG                                        | 5         | PA NSO; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                    | Drug Tier | Requirements/Limits               |
|----------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML                                                      | 5         | PA NSO; NDS; QL (20 per 28 days)  |
| <b>Anticonvulsants</b>                                                                       |           |                                   |
| <b>Anticonvulsants</b>                                                                       |           |                                   |
| <i>brivaracetam intravenous solution 50 mg/5 ml</i> (Briviact)                               | 5         | NDS; QL (80 per 30 days)          |
| <i>brivaracetam oral solution 10 mg/ml</i> (Briviact)                                        | 3         | QL (600 per 30 days)              |
| <i>brivaracetam oral tablet 10 mg, 100 mg, 25 mg, 50 mg, 75 mg</i> (Briviact)                | 5         | NDS; QL (60 per 30 days)          |
| BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML (brivaracetam)                                      | 5         | NDS; QL (80 per 30 days)          |
| <i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Carbatrol)    | 2         |                                   |
| <i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)                                  | 2         |                                   |
| <i>carbamazepine oral tablet 200 mg</i> (Tegretol)                                           | 2         |                                   |
| <i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR) | 2         |                                   |
| <i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i>                                    | 2         |                                   |
| <i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)                                             | 3         | QL (480 per 30 days)              |
| <i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)                                              | 3         | QL (60 per 30 days)               |
| DIACOMIT ORAL CAPSULE 250 MG                                                                 | 5         | PA NSO; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL CAPSULE 500 MG                                                                 | 5         | PA NSO; NDS; QL (180 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 250 MG                                                        | 5         | PA NSO; NDS; QL (360 per 30 days) |
| DIACOMIT ORAL POWDER IN PACKET 500 MG                                                        | 5         | PA NSO; NDS; QL (180 per 30 days) |
| <i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i>                                   | 3         |                                   |
| <i>diazepam rectal kit 2.5 mg</i>                                                            | 4         |                                   |
| DILANTIN ORAL CAPSULE 30 MG                                                                  | 4         |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|------------------------------------------------------------------------------------------|------------------|------------------------------|
| <i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkles)         | 2                |                              |
| <i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)        | 2                |                              |
| <i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote) | 2                |                              |
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG                                   | 5                | ST; NDS; QL (90 per 30 days) |
| ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,500 MG                                   | 5                | ST; NDS; QL (60 per 30 days) |
| EPIDIOLEX ORAL SOLUTION 100 MG/ML                                                        | 5                | PA NSO; NDS                  |
| <i>epitol oral tablet 200 mg</i> (carbamazepine)                                         | 2                |                              |
| <i>eslicarbazepine oral tablet 200 mg, 400 mg</i> (Aptiom)                               | 5                | ST; NDS; QL (30 per 30 days) |
| <i>eslicarbazepine oral tablet 600 mg, 800 mg</i> (Aptiom)                               | 5                | ST; NDS; QL (60 per 30 days) |
| <i>ethosuximide oral capsule 250 mg</i> (Zarontin)                                       | 2                |                              |
| <i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)                                 | 2                |                              |
| <i>felbamate oral suspension 600 mg/5 ml</i>                                             | 3                |                              |
| <i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)                                   | 3                |                              |
| FINTEPLA ORAL SOLUTION 2.2 MG/ML                                                         | 5                | PA NSO; NDS                  |
| <i>fosphenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)         | 2                |                              |
| <i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)                                | 2                | QL (360 per 30 days)         |
| <i>gabapentin oral capsule 400 mg</i> (Neurontin)                                        | 2                | QL (270 per 30 days)         |
| <i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)                                  | 2                | QL (2160 per 30 days)        |
| <i>gabapentin oral tablet 600 mg</i> (Neurontin)                                         | 2                | QL (180 per 30 days)         |
| <i>gabapentin oral tablet 800 mg</i> (Neurontin)                                         | 2                | QL (120 per 30 days)         |
| <i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)                             | 2                | QL (200 per 5 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>lacosamide oral solution 10 mg/ml</i> (Vimpat)                                                                      | 3                | QL (1200 per 30 days)      |
| <i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)                                                   | 3                | QL (60 per 30 days)        |
| <i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Subvenite)                                               | 1                |                            |
| <i>lamotrigine oral tablet disintegrating, dose pk 25 mg (21) - 50 mg (7)</i> (Lamictal ODT Starter (Blue))            | 3                |                            |
| <i>lamotrigine oral tablet disintegrating, dose pk 25 mg(14)-50 mg (14)-100 mg (7)</i> (Lamictal ODT Starter (Orange)) | 3                |                            |
| <i>lamotrigine oral tablet disintegrating, dose pk 50 mg (42) - 100 mg (14)</i> (Lamictal ODT Starter (Green))         | 3                |                            |
| <i>lamotrigine oral tablet extended release 24hr 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg</i> (Lamictal XR)        | 4                |                            |
| <i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)                                            | 2                |                            |
| <i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal ODT)                             | 3                |                            |
| <i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)                                                         | 2                |                            |
| <i>levetiracetam oral solution 100 mg/ml</i> (Keppra)                                                                  | 2                |                            |
| <i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)                                             | 2                |                            |
| <i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)                                     | 2                |                            |
| <i>levetiracetam oral tablet for suspension 250 mg</i> (Spritam)                                                       | 3                | ST                         |
| <i>levetiracetam oral tablet for suspension 500 mg</i> (Spritam)                                                       | 4                | ST                         |
| LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG                                                              | 4                | QL (10 per 30 days)        |
| <i>methsuximide oral capsule 300 mg</i> (Celontin)                                                                     | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>     |
|--------------------------------------------------------------------------------------------------|------------------|--------------------------------|
| NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)                                            | 4                | QL (10 per 30 days)            |
| <i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)                          | 3                |                                |
| <i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)                              | 2                |                                |
| <i>perampanel oral suspension 0.5 mg/ml</i> (Fycompa)                                            | 5                | ST; NDS; QL (720 per 30 days)  |
| <i>perampanel oral tablet 10 mg, 12 mg, 8 mg</i> (Fycompa)                                       | 5                | ST; NDS; QL (30 per 30 days)   |
| <i>perampanel oral tablet 2 mg</i> (Fycompa)                                                     | 3                | ST; QL (30 per 30 days)        |
| <i>perampanel oral tablet 4 mg, 6 mg</i> (Fycompa)                                               | 5                | ST; NDS; QL (60 per 30 days)   |
| <i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i>                                            | 2                | PA NSO-HRM; AGE (Max 64 Years) |
| <i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> | 2                | PA NSO-HRM; AGE (Max 64 Years) |
| <i>phenytek oral capsule 200 mg, 300 mg</i> (phenytoin sodium extended)                          | 2                |                                |
| <i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)                                      | 2                |                                |
| <i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin Infatabs)                                 | 2                |                                |
| <i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin Extended)                         | 2                |                                |
| <i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Phenytek)                          | 2                |                                |
| <i>phenytoin sodium intravenous solution 50 mg/ml</i>                                            | 2                |                                |
| <i>phenytoin sodium intravenous syringe 50 mg/ml</i>                                             | 2                |                                |
| <i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)              | 2                | QL (90 per 30 days)            |
| <i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)                                           | 2                | QL (60 per 30 days)            |
| <i>pregabalin oral solution 20 mg/ml</i> (Lyrica)                                                | 3                | QL (900 per 30 days)           |
| <i>primidone oral tablet 125 mg</i>                                                              | 2                |                                |
| <i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)                                            | 2                |                                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                                | Drug Tier | Requirements/Limits               |
|------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>rufinamide oral suspension 40 mg/ml</i> (Banzel)                                                                                      | 5         | ST; NDS                           |
| <i>rufinamide oral tablet 200 mg</i> (Banzel)                                                                                            | 3         | ST                                |
| <i>rufinamide oral tablet 400 mg</i> (Banzel)                                                                                            | 5         | ST; NDS                           |
| SEZABY INTRAVENOUS RECON SOLN 100 MG                                                                                                     | 5         | PA BvD; NDS                       |
| SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 750 MG                                                                                      | 4         | ST                                |
| SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG (levetiracetam)                                                                        | 4         | ST                                |
| SUBVENITE ORAL SUSPENSION 10 MG/ML                                                                                                       | 4         | PA NSO                            |
| <i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (lamotrigine)                                                                 | 1         |                                   |
| SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG                                                                                                    | 5         | PA NSO; NDS; QL (60 per 30 days)  |
| <i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i>                                                                                    | 3         |                                   |
| <i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)                                                                          | 2         |                                   |
| <i>topiramate oral capsule, sprinkle 50 mg</i>                                                                                           | 3         |                                   |
| <i>topiramate oral solution 25 mg/ml</i> (Eprontia)                                                                                      | 3         | ST                                |
| <i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)                                                                     | 1         |                                   |
| <i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i>                                                                     | 2         |                                   |
| <i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i>                                                                          | 2         |                                   |
| <i>valproic acid oral capsule 250 mg</i>                                                                                                 | 2         |                                   |
| VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) | 5         | NDS; QL (10 per 30 days)          |
| <i>vigabatrin oral powder in packet 500 mg</i> (Vigadrone)                                                                               | 5         | PA NSO; NDS; QL (180 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                          | Drug Tier | Requirements/Limits                |
|----------------------------------------------------------------------------------------------------|-----------|------------------------------------|
| <i>vigabatrin oral tablet 500 mg</i> (Vigadrone)                                                   | 5         | PA NSO; NDS; QL (180 per 30 days)  |
| <i>vigadrone oral powder in packet 500 mg</i> (vigabatrin)                                         | 5         | PA NSO; NDS; QL (180 per 30 days)  |
| <i>vigadrone oral tablet 500 mg</i> (vigabatrin)                                                   | 5         | PA NSO; NDS; QL (180 per 30 days)  |
| <i>vigpoder oral powder in packet 500 mg</i> (vigabatrin)                                          | 5         | PA NSO; NDS; QL (180 per 30 days)  |
| XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1) | 5         | NDS; QL (56 per 28 days)           |
| XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG                                                            | 5         | NDS; QL (30 per 30 days)           |
| XCOPRI ORAL TABLET 150 MG, 200 MG                                                                  | 5         | NDS; QL (60 per 30 days)           |
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 12.5 MG (14)- 25 MG (14)                              | 4         |                                    |
| XCOPRI TITRATION PACK ORAL TABLETS,DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)     | 5         | NDS                                |
| ZONISADE ORAL SUSPENSION 100 MG/5 ML                                                               | 4         |                                    |
| <i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)                                            | 2         |                                    |
| <i>zonisamide oral capsule 50 mg</i>                                                               | 2         |                                    |
| ZTALMY ORAL SUSPENSION 50 MG/ML                                                                    | 5         | PA NSO; NDS; QL (1080 per 30 days) |

## Antidementia Agents

### Antidementia Agents

|                                                    |   |                     |
|----------------------------------------------------|---|---------------------|
| <i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept) | 1 | QL (30 per 30 days) |
| <i>donepezil oral tablet 23 mg</i> (Aricept)       | 2 | QL (30 per 30 days) |
| <i>donepezil oral tablet,disintegrating 10 mg</i>  | 2 |                     |
| <i>donepezil oral tablet,disintegrating 5 mg</i>   | 2 | QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                    | Drug Tier | Requirements/Limits     |
|--------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
| <i>ergoloid oral tablet 1 mg</i>                                                                             | 2         |                         |
| <i>galantamine oral capsule,ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i>                                    | 2         | QL (30 per 30 days)     |
| <i>galantamine oral solution 4 mg/ml</i>                                                                     | 3         | QL (200 per 30 days)    |
| <i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i>                                                             | 2         | QL (60 per 30 days)     |
| <i>memantine oral capsule,sprinkle,er 24hr 14 mg, 21 mg, 28 mg</i>                                           | 2         | ST; QL (30 per 30 days) |
| <i>memantine oral capsule,sprinkle,er 24hr 7 mg</i> (Namenda XR)                                             | 2         | ST; QL (30 per 30 days) |
| <i>memantine oral solution 2 mg/ml</i>                                                                       | 3         | QL (300 per 30 days)    |
| <i>memantine oral tablet 10 mg, 5 mg</i>                                                                     | 2         | QL (60 per 30 days)     |
| <i>memantine-donepezil oral capsule,sprinkle,er 24hr 14-10 mg, 21-10 mg, 28-10 mg</i> (Namzaric)             | 3         | ST; QL (30 per 30 days) |
| NAMZARIC ORAL CAP,SPRINKLE,ER 24HR DOSE PACK 7/14/21/28 MG-10 MG                                             | 4         | ST                      |
| NAMZARIC ORAL CAPSULE,SPRINKLE,ER 24HR 7-10 MG                                                               | 4         | ST; QL (30 per 30 days) |
| <i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i>                                         | 2         |                         |
| <i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon Patch) | 3         | QL (30 per 30 days)     |
| <b>Antidepressants</b>                                                                                       |           |                         |
| <b>Antidepressants</b>                                                                                       |           |                         |
| <i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i>                                  | 2         |                         |
| <i>amitriptyline-chlordiazepoxide oral tablet 12.5-5 mg, 25-10 mg</i>                                        | 2         |                         |
| <i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i>                                                    | 2         |                         |
| AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG                                                          | 5         | NDS                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                 | Drug Tier | Requirements/Limits          |
|-----------------------------------------------------------------------------------------------------------|-----------|------------------------------|
| AUVELITY ORAL TABLET,IR ER<br>BIPHASIC,DOSEPACK 30 MG-105<br>MG /45 MG-105 MG                             | 5         | NDS                          |
| <i>bupropion hcl oral tablet 100 mg, 75<br/>mg</i>                                                        | 2         |                              |
| <i>bupropion hcl oral tablet extended<br/>release 24 hr 150 mg, 300 mg</i> (Wellbutrin XL)                | 2         |                              |
| <i>bupropion hcl oral tablet sustained-<br/>release 12 hr 100 mg, 150 mg, 200<br/>mg</i> (Wellbutrin SR)  | 2         |                              |
| <i>citalopram oral solution 10 mg/5 ml</i>                                                                | 2         |                              |
| <i>citalopram oral tablet 10 mg</i> (Celexa)                                                              | 1         | QL (120 per 30 days)         |
| <i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)                                                       | 1         | QL (30 per 30 days)          |
| <i>clomipramine oral capsule 25 mg, 50<br/>mg, 75 mg</i> (Anafranil)                                      | 4         |                              |
| <i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)                                                   | 4         |                              |
| <i>desipramine oral tablet 100 mg, 150<br/>mg, 50 mg, 75 mg</i>                                           | 4         |                              |
| <i>desvenlafaxine succinate oral tablet<br/>extended release 24 hr 100 mg, 25<br/>mg, 50 mg</i> (Pristiq) | 2         | QL (30 per 30 days)          |
| <i>doxepin oral capsule 10 mg, 100 mg,<br/>150 mg, 25 mg, 50 mg, 75 mg</i>                                | 2         |                              |
| <i>doxepin oral concentrate 10 mg/ml</i>                                                                  | 2         |                              |
| DRIZALMA SPRINKLE ORAL<br>CAPSULE, DELAYED REL<br>SPRINKLE 20 MG, 30 MG, 60 MG                            | 4         | ST; QL (60 per 30 days)      |
| DRIZALMA SPRINKLE ORAL<br>CAPSULE, DELAYED REL<br>SPRINKLE 40 MG                                          | 4         | ST; QL (30 per 30 days)      |
| <i>duloxetine oral capsule, delayed<br/>release(dr/ec) 20 mg, 30 mg, 60 mg</i>                            | 2         | QL (60 per 30 days)          |
| <i>duloxetine oral capsule, delayed<br/>release(dr/ec) 40 mg</i>                                          | 4         | QL (30 per 30 days)          |
| EMSAM TRANSDERMAL PATCH<br>24 HOUR 12 MG/24 HR, 6 MG/24<br>HR, 9 MG/24 HR                                 | 5         | ST; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|------------------------------------------------------------------------------------|------------------|----------------------------------|
| <i>escitalopram oxalate oral solution 5 mg/5 ml</i>                                | 3                |                                  |
| <i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)               | 1                |                                  |
| EXXUA ORAL TABLET<br>EXTENDED RELEASE 24 HR 18.2 MG, 36.3 MG, 54.5 MG, 72.6 MG     | 5                | PA NSO; NDS; QL (30 per 30 days) |
| EXXUA ORAL TABLET, EXT REL<br>24HR DOSE PACK 18.2 MG (32 TABS)                     | 5                | PA NSO; NDS                      |
| FETZIMA ORAL CAPSULE,EXT<br>REL 24HR DOSE PACK 20 MG<br>(2)- 40 MG (26)            | 4                | ST                               |
| FETZIMA ORAL<br>CAPSULE,EXTENDED RELEASE<br>24 HR 120 MG, 20 MG, 40 MG, 80 MG      | 4                | ST; QL (30 per 30 days)          |
| <i>fluoxetine oral capsule 10 mg, 20 mg</i> (Prozac)                               | 1                |                                  |
| <i>fluoxetine oral capsule 40 mg</i>                                               | 1                |                                  |
| <i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i>                               | 2                |                                  |
| <i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i>                                | 2                |                                  |
| <i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                              | 2                |                                  |
| <i>imipramine pamoate oral capsule 100 mg, 125 mg, 150 mg, 75 mg</i>               | 4                |                                  |
| MARPLAN ORAL TABLET 10 MG                                                          | 4                |                                  |
| <i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)                              | 2                |                                  |
| <i>mirtazapine oral tablet 45 mg, 7.5 mg</i>                                       | 2                |                                  |
| <i>mirtazapine oral tablet,disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron SolTab) | 2                |                                  |
| <i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i>                | 2                |                                  |
| <i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i>                       | 1                |                                  |
| <i>nortriptyline oral solution 10 mg/5 ml</i>                                      | 4                |                                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b>         |
|---------------------------------------------------------------------------------------------|------------------|------------------------------------|
| <i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)                                    | 4                | PA NSO-HRM; AGE (Max 64 Years)     |
| <i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)                        | 1                | PA NSO-HRM; AGE (Max 64 Years)     |
| <i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 25 mg, 37.5 mg</i> (Paxil CR) | 4                | PA NSO-HRM; AGE (Max 64 Years)     |
| <i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i>   | 2                |                                    |
| <i>phenelzine oral tablet 15 mg</i> (Nardil)                                                | 2                |                                    |
| <i>protriptyline oral tablet 10 mg, 5 mg</i>                                                | 4                |                                    |
| RALDESY ORAL SOLUTION 10 MG/ML                                                              | 5                | PA NSO; NDS; QL (1200 per 30 days) |
| <i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)                                        | 2                |                                    |
| <i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)                                 | 1                |                                    |
| SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)               | 5                | PA NSO; NDS                        |
| <i>tranylcypromine oral tablet 10 mg</i> (Parnate)                                          | 4                |                                    |
| <i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i>                                  | 1                |                                    |
| <i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i>                                       | 4                |                                    |
| TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG                                                   | 3                | QL (30 per 30 days)                |
| <i>venlafaxine besylate oral tablet extended release 24hr 112.5 mg</i>                      | 4                | QL (60 per 30 days)                |
| <i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)                  | 2                | QL (30 per 30 days)                |
| <i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)          | 2                | QL (90 per 30 days)                |
| <i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i>                         | 2                |                                    |
| <i>venlafaxine oral tablet extended release 24hr 150 mg, 225 mg, 37.5 mg</i>                | 4                | QL (30 per 30 days)                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                   | Drug Tier | Requirements/Limits              |
|-----------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| <i>venlafaxine oral tablet extended release 24hr 75 mg</i>                                                                  | 4         | QL (90 per 30 days)              |
| <i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)                                                                 | 2         | QL (30 per 30 days)              |
| ZURZUVAE ORAL CAPSULE 20 MG, 25 MG                                                                                          | 5         | PA NSO; NDS; QL (28 per 14 days) |
| ZURZUVAE ORAL CAPSULE 30 MG                                                                                                 | 5         | PA NSO; NDS; QL (14 per 14 days) |
| <b>Antidiabetic Agents</b>                                                                                                  |           |                                  |
| <b>Antidiabetic Agents, Miscellaneous</b>                                                                                   |           |                                  |
| <i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i>                                                                            | 2         |                                  |
| <i>dapagliflozin oral tablet 10 mg, 5 mg</i> (Farxiga)                                                                      | 2         | QL (30 per 30 days)              |
| <i>dapagliflozin-metformin oral tablet, ir - er, biphasic 24hr 10-1,000 mg, 10-500 mg, 5-1,000 mg, 5-500 mg</i> (Xigduo XR) | 2         |                                  |
| GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG                                                                                       | 3         | QL (30 per 30 days)              |
| JANUMET ORAL TABLET 50-1,000 MG, 50-500 MG (sitagliptin phosphate-metformin)                                                | 3         | QL (60 per 30 days)              |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG                                                                    | 3         | QL (30 per 30 days)              |
| JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 50-1,000 MG, 50-500 MG                                                          | 3         | QL (60 per 30 days)              |
| JANUVIA ORAL TABLET 100 MG, 25 MG, 50 MG (sitagliptin phosphate)                                                            | 3         | QL (30 per 30 days)              |
| JARDIANCE ORAL TABLET 10 MG, 25 MG                                                                                          | 3         | QL (30 per 30 days)              |
| JENTADUETO ORAL TABLET 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG (linagliptin-metformin)                                         | 3         | QL (60 per 30 days)              |
| JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG                                                              | 3         | QL (60 per 30 days)              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|--------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------------|
| JENTADUETO XR ORAL<br>TABLET, IR - ER, BIPHASIC 24HR<br>5-1,000 MG                                                                   | 3                | QL (30 per 30 days)              |
| <i>metformin oral solution 500 mg/5 ml</i> (Riomet)                                                                                  | 4                | QL (765 per 30 days)             |
| <i>metformin oral tablet 1,000 mg</i>                                                                                                | 6                | QL (75 per 30 days)              |
| <i>metformin oral tablet 500 mg</i>                                                                                                  | 6                | QL (150 per 30 days)             |
| <i>metformin oral tablet 850 mg</i>                                                                                                  | 6                | QL (90 per 30 days)              |
| <i>metformin oral tablet extended<br/>release 24 hr 500 mg</i>                                                                       | 6                | QL (120 per 30 days)             |
| <i>metformin oral tablet extended<br/>release 24 hr 750 mg</i>                                                                       | 6                | QL (60 per 30 days)              |
| <i>mifepristone oral tablet 300 mg</i> (Korlym)                                                                                      | 5                | PA; NDS; QL (112 per<br>28 days) |
| <i>miglitol oral tablet 100 mg, 25 mg,<br/>50 mg</i>                                                                                 | 4                | QL (90 per 30 days)              |
| MOUNJARO SUBCUTANEOUS<br>PEN INJECTOR 10 MG/0.5 ML,<br>12.5 MG/0.5 ML, 15 MG/0.5 ML,<br>2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5<br>MG/0.5 ML | 3                | PA; QL (2 per 28 days)           |
| <i>nateglinide oral tablet 120 mg, 60 mg</i>                                                                                         | 6                | QL (90 per 30 days)              |
| OZEMPIC ORAL TABLET 1.5 MG,<br>4 MG, 9 MG                                                                                            | 3                | PA; QL (30 per 30 days)          |
| OZEMPIC SUBCUTANEOUS PEN<br>INJECTOR 0.25 MG OR 0.5 MG (2<br>MG/3 ML), 1 MG/DOSE (4 MG/3<br>ML), 2 MG/DOSE (8 MG/3 ML)               | 3                | PA; QL (3 per 28 days)           |
| <i>pioglitazone oral tablet 15 mg, 30<br/>mg, 45 mg</i> (Actos)                                                                      | 6                | QL (30 per 30 days)              |
| <i>pioglitazone-metformin oral tablet<br/>15-500 mg</i>                                                                              | 6                | QL (90 per 30 days)              |
| <i>pioglitazone-metformin oral tablet</i> (Actoplus MET)<br><i>15-850 mg</i>                                                         | 6                | QL (90 per 30 days)              |
| <i>repaglinide oral tablet 0.5 mg, 1 mg</i>                                                                                          | 6                | QL (120 per 30 days)             |
| <i>repaglinide oral tablet 2 mg</i>                                                                                                  | 6                | QL (240 per 30 days)             |
| RYBELSUS ORAL TABLET 1.5<br>MG, 14 MG, 3 MG, 4 MG, 7 MG, 9<br>MG                                                                     | 3                | PA; QL (30 per 30 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                     | Drug Tier | Requirements/Limits                                  |
|-----------------------------------------------------------------------------------------------|-----------|------------------------------------------------------|
| <i>sitagliptin phos-metformin oral tablet</i> (Janumet)<br>50-1,000 mg, 50-500 mg             | 2         | QL (60 per 30 days)                                  |
| <i>sitagliptin phosphate oral tablet 100 mg, 25 mg, 50 mg</i> (Januvia)                       | 2         | QL (30 per 30 days)                                  |
| SYNJARDY ORAL TABLET 12.5-1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG                         | 3         | QL (60 per 30 days)                                  |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG                      | 3         | QL (30 per 30 days)                                  |
| SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-1,000 MG, 5-1,000 MG                     | 3         | QL (60 per 30 days)                                  |
| TRADJENTA ORAL TABLET 5 MG (linagliptin)                                                      | 3         | QL (30 per 30 days)                                  |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG                  | 3         | QL (30 per 30 days)                                  |
| TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5-1,000 MG, 5-2.5-1,000 MG             | 3         | QL (60 per 30 days)                                  |
| TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML | 3         | PA; QL (2 per 28 days)                               |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG (dapagliflozin-metformin)           | 3         | QL (30 per 30 days)                                  |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG                                    | 3         | QL (60 per 30 days)                                  |
| XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG (dapagliflozin-metformin)            | 3         | QL (60 per 30 days)                                  |
| <b>Insulins</b>                                                                               |           |                                                      |
| FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)                     | 3         | max \$35 copay per month supply; QL (30 per 28 days) |
| FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)                         | 3         | max \$35 copay per month supply; QL (30 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                       | Drug Tier | Requirements/Limits                                        |
|---------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------|
| FIASP PUMPCART<br>SUBCUTANEOUS CARTRIDGE<br>100 UNIT/ML (1.6 ML)                                                                | 3         | max \$35 copay per<br>month supply                         |
| FIASP U-100 INSULIN<br>SUBCUTANEOUS SOLUTION 100<br>UNIT/ML                                                                     | 3         | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| HUMULIN R U-500 (CONC)<br>INSULIN SUBCUTANEOUS<br>SOLUTION 500 UNIT/ML                                                          | 3         | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| HUMULIN R U-500 (CONC)<br>KWIKPEN SUBCUTANEOUS<br>INSULIN PEN 500 UNIT/ML (3<br>ML)                                             | 3         | max \$35 copay per<br>month supply; QL (24<br>per 28 days) |
| <i>insulin asp prt-insulin aspart<br/>subcutaneous insulin pen 100 unit/ml<br/>(70-30)</i> (Novolog Mix 70-<br>30FlexPen U-100) | 3         | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin asp prt-insulin aspart<br/>subcutaneous solution 100 unit/ml<br/>(70-30)</i> (Novolog Mix 70-30 U-<br>100 Insulin)   | 3         | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous<br/>cartridge 100 unit/ml</i> (Novolog PenFill U-100<br>Insulin)                           | 3         | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous<br/>insulin pen 100 unit/ml (3 ml)</i> (Novolog FlexPen U-<br>100 Insulin)                 | 3         | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin aspart u-100 subcutaneous<br/>solution 100 unit/ml</i> (Novolog U-100 Insulin<br>aspart)                             | 3         | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| <i>insulin glargine-yfgn subcutaneous<br/>insulin pen 100 unit/ml (3 ml)</i> (Semglee(insulin glarg-<br>yfgn)Pen)               | 3         | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| <i>insulin glargine-yfgn subcutaneous<br/>solution 100 unit/ml</i> (Semglee(insulin<br>glargine-yfgn))                          | 3         | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| <i>insulin lispro subcutaneous solution<br/>100 unit/ml</i> (Admelog U-100 Insulin<br>lispro)                                   | 3         | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>                                 |
|-----------------------------------------------------------------------------------------------------------------------|------------------|------------------------------------------------------------|
| LANTUS SOLOSTAR U-100 (insulin glargine)<br>INSULIN SUBCUTANEOUS<br>INSULIN PEN 100 UNIT/ML (3<br>ML)                 | 3                | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| LANTUS U-100 INSULIN (insulin glargine)<br>SUBCUTANEOUS SOLUTION 100<br>UNIT/ML                                       | 3                | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLIN 70/30 U-100 INSULIN<br>SUBCUTANEOUS SUSPENSION<br>100 UNIT/ML (70-30)                                         | 3                | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLIN 70-30 FLEXPEN U-100<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (70-30)                                        | 3                | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLIN N FLEXPEN<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (3 ML)                                                   | 3                | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLIN N NPH U-100 INSULIN<br>SUBCUTANEOUS SUSPENSION<br>100 UNIT/ML                                                 | 3                | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLIN R FLEXPEN<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT/ML (3 ML)                                                   | 3                | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLIN R REGULAR U100<br>INSULIN INJECTION SOLUTION<br>100 UNIT/ML                                                   | 3                | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLOG FLEXPEN U-100 (insulin aspart u-100)<br>INSULIN SUBCUTANEOUS<br>INSULIN PEN 100 UNIT/ML (3<br>ML)             | 3                | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLOG MIX 70-30 U-100 (insulin asp prt-insulin<br>aspart)<br>INSULN SUBCUTANEOUS<br>SOLUTION 100 UNIT/ML (70-30)    | 3                | max \$35 copay per<br>month supply; QL (40<br>per 28 days) |
| NOVOLOG MIX 70-30FLEXPEN (insulin asp prt-insulin<br>aspart)<br>U-100 SUBCUTANEOUS INSULIN<br>PEN 100 UNIT/ML (70-30) | 3                | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |
| NOVOLOG PENFILL U-100 (insulin aspart u-100)<br>INSULIN SUBCUTANEOUS<br>CARTRIDGE 100 UNIT/ML                         | 3                | max \$35 copay per<br>month supply; QL (30<br>per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                       | Drug Tier | Requirements/Limits                                    |
|-----------------------------------------------------------------------------------------------------------------|-----------|--------------------------------------------------------|
| NOVOLOG U-100 INSULIN (insulin aspart u-100)<br>ASPART SUBCUTANEOUS<br>SOLUTION 100 UNIT/ML                     | 3         | max \$35 copay per month supply; QL (40 per 28 days)   |
| SOLIQUA 100/33<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT-33 MCG/ML                                                | 3         | max \$35 copay per month supply; QL (30 per 30 days)   |
| TOUJEO MAX U-300 SOLOSTAR (insulin glargine u-300 conc)<br>SUBCUTANEOUS INSULIN PEN<br>300 UNIT/ML (3 ML)       | 3         | max \$35 copay per month supply; QL (18 per 28 days)   |
| TOUJEO SOLOSTAR U-300 (insulin glargine u-300 conc)<br>INSULIN SUBCUTANEOUS<br>INSULIN PEN 300 UNIT/ML (1.5 ML) | 3         | max \$35 copay per month supply; QL (13.5 per 28 days) |
| XULTOPHY 100/3.6<br>SUBCUTANEOUS INSULIN PEN<br>100 UNIT-3.6 MG /ML (3 ML)                                      | 3         | max \$35 copay per month supply; QL (15 per 28 days)   |
| <b>Sulfonylureas</b>                                                                                            |           |                                                        |
| <i>glimepiride oral tablet 1 mg, 2 mg</i>                                                                       | 6         | QL (30 per 30 days)                                    |
| <i>glimepiride oral tablet 4 mg</i>                                                                             | 6         | QL (60 per 30 days)                                    |
| <i>glipizide oral tablet 10 mg</i>                                                                              | 6         | QL (120 per 30 days)                                   |
| <i>glipizide oral tablet 2.5 mg</i>                                                                             | 6         | QL (90 per 30 days)                                    |
| <i>glipizide oral tablet 5 mg</i>                                                                               | 6         | QL (240 per 30 days)                                   |
| <i>glipizide oral tablet extended release 24hr 10 mg</i>                                                        | 6         | QL (60 per 30 days)                                    |
| <i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i>                                                 | 6         | QL (30 per 30 days)                                    |
| <i>glipizide-metformin oral tablet 2.5-250 mg</i>                                                               | 6         | QL (240 per 30 days)                                   |
| <i>glipizide-metformin oral tablet 2.5-500 mg, 5-500 mg</i>                                                     | 6         | QL (120 per 30 days)                                   |
| <i>glyburide micronized oral tablet 1.5 mg, 3 mg, 6 mg</i>                                                      | 6         | PA-HRM; AGE (Max 64 Years)                             |
| <i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i>                                                              | 6         | PA-HRM; AGE (Max 64 Years)                             |
| <i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i>                                        | 6         | PA-HRM; AGE (Max 64 Years)                             |
| <b>Antifungals</b>                                                                                              |           |                                                        |
| <b>Antifungals</b>                                                                                              |           |                                                        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                   | Drug Tier | Requirements/Limits   |
|-------------------------------------------------------------------------------------------------------------|-----------|-----------------------|
| ABELCET INTRAVENOUS<br>SUSPENSION 5 MG/ML                                                                   | 4         | PA BvD                |
| <i>amphotericin b injection recon soln</i><br>50 mg                                                         | 2         | PA BvD                |
| <i>amphotericin b liposome intravenous</i> (AmBisome)<br><i>suspension for reconstitution</i> 50 mg         | 5         | PA BvD; NDS           |
| <i>ciclopirox topical cream</i> 0.77 % (Ciclodan)                                                           | 2         | QL (180 per 30 days)  |
| <i>ciclopirox topical gel</i> 0.77 %                                                                        | 4         |                       |
| <i>ciclopirox topical shampoo</i> 1 %                                                                       | 4         |                       |
| <i>ciclopirox topical solution</i> 8 % (Ciclodan)                                                           | 2         | QL (19.8 per 30 days) |
| <i>ciclopirox topical suspension</i> 0.77 % (Loprox (as olamine))                                           | 4         | QL (180 per 30 days)  |
| <i>clotrimazole mucous membrane</i><br><i>troche</i> 10 mg                                                  | 2         |                       |
| <i>clotrimazole topical cream</i> 1 % (Antifungal<br>(clotrimazole))                                        | 2         |                       |
| <i>clotrimazole topical solution</i> 1 % (Athlete's Foot<br>(clotrimazole))                                 | 2         |                       |
| <i>clotrimazole-betamethasone topical</i><br><i>cream</i> 1-0.05 %                                          | 2         | QL (90 per 30 days)   |
| <i>clotrimazole-betamethasone topical</i><br><i>lotion</i> 1-0.05 %                                         | 4         |                       |
| CRESEMBA INTRAVENOUS<br>RECON SOLN 372 MG                                                                   | 5         | NDS                   |
| CRESEMBA ORAL CAPSULE 186<br>MG, 74.5 MG                                                                    | 5         | PA; NDS               |
| <i>econazole nitrate topical cream</i> 1 %                                                                  | 2         | QL (170 per 30 days)  |
| <i>fluconazole in nacl (iso-osm)</i><br><i>intravenous piggyback</i> 200 mg/100<br><i>ml, 400 mg/200 ml</i> | 2         |                       |
| <i>fluconazole oral suspension for</i><br><i>reconstitution</i> 10 mg/ml                                    | 2         |                       |
| <i>fluconazole oral suspension for</i> (Diflucan)<br><i>reconstitution</i> 40 mg/ml                         | 2         |                       |
| <i>fluconazole oral tablet</i> 100 mg, 150<br><i>mg, 200 mg, 50 mg</i>                                      | 2         |                       |
| <i>flucytosine oral capsule</i> 250 mg, 500<br><i>mg</i> (Ancobon)                                          | 5         | NDS                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------|------------------|----------------------------|
| <i>griseofulvin microsize oral suspension 125 mg/5 ml</i>              | 3                |                            |
| <i>griseofulvin microsize oral tablet 500 mg</i>                       | 4                |                            |
| <i>griseofulvin ultramicrosize oral tablet 125 mg, 165 mg, 250 mg</i>  | 4                |                            |
| <i>itraconazole oral capsule 100 mg</i> (Sporanox)                     | 3                |                            |
| <i>itraconazole oral solution 10 mg/ml</i>                             | 5                | PA; NDS                    |
| <i>ketoconazole oral tablet 200 mg</i>                                 | 2                |                            |
| <i>ketoconazole topical cream 2 %</i>                                  | 2                | QL (180 per 30 days)       |
| <i>ketoconazole topical foam 2 %</i> (Ketodan)                         | 4                | ST; QL (100 per 30 days)   |
| <i>ketoconazole topical shampoo 2 %</i>                                | 2                | QL (360 per 30 days)       |
| <i>miconazole intravenous recon soln 100 mg, 50 mg</i>                 | 2                |                            |
| <i>miconazole-3 vaginal suppository 200 mg</i>                         | 2                |                            |
| NOXAFIL ORAL SUSP, DELAYED RELEASE FOR RECON 300 MG                    | 5                | PA; NDS                    |
| <i>nyamyc topical powder 100,000 unit/gram</i> (nystatin)              | 2                | QL (60 per 30 days)        |
| <i>nystatin oral suspension 100,000 unit/ml</i>                        | 2                |                            |
| <i>nystatin oral tablet 500,000 unit</i>                               | 2                |                            |
| <i>nystatin topical cream 100,000 unit/gram</i>                        | 2                | QL (60 per 30 days)        |
| <i>nystatin topical ointment 100,000 unit/gram</i>                     | 2                | QL (60 per 30 days)        |
| <i>nystatin topical powder 100,000 unit/gram</i> (Nystop)              | 2                | QL (60 per 30 days)        |
| <i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i>       | 2                |                            |
| <i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i> | 2                |                            |
| <i>nystop topical powder 100,000 unit/gram</i> (nystatin)              | 2                | QL (60 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                             | Drug Tier | Requirements/Limits        |
|---------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>posaconazole oral suspension 200 mg/5 ml (40 mg/ml)</i>                            | 5         | PA; NDS                    |
| <i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i>                       | 5         | PA; NDS                    |
| <i>terbinafine hcl oral tablet 250 mg</i>                                             | 1         |                            |
| <i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)                          | 5         | PA BvD; NDS                |
| <i>voriconazole intravenous solution 10 mg/ml</i>                                     | 5         | PA BvD; NDS                |
| <i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend) | 5         | PA; NDS                    |
| <i>voriconazole oral tablet 200 mg, 50 mg</i>                                         | 4         |                            |
| <b>Antigout Agents</b>                                                                |           |                            |
| <b>Antigout Agents, Other</b>                                                         |           |                            |
| <i>allopurinol oral tablet 100 mg</i> (Zyloprim)                                      | 1         |                            |
| <i>allopurinol oral tablet 300 mg</i>                                                 | 1         |                            |
| <i>colchicine oral capsule 0.6 mg</i> (Mitigare)                                      | 3         | QL (60 per 30 days)        |
| <i>colchicine oral tablet 0.6 mg</i> (Colcris)                                        | 2         | QL (120 per 30 days)       |
| <i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)                                   | 4         | QL (30 per 30 days)        |
| <i>probenecid oral tablet 500 mg</i>                                                  | 2         |                            |
| <i>probenecid-colchicine oral tablet 500-0.5 mg</i>                                   | 2         |                            |
| <b>Antihistamines</b>                                                                 |           |                            |
| <b>Antihistamines</b>                                                                 |           |                            |
| <i>carbinoxamine maleate oral liquid 4 mg/5 ml</i> (Carbzah)                          | 4         | PA-HRM; AGE (Max 64 Years) |
| <i>carbzah oral liquid 4 mg/5 ml</i> (carbinoxamine maleate)                          | 4         | PA-HRM; AGE (Max 64 Years) |
| <i>clemastine oral tablet 2.68 mg</i> (Clemsza)                                       | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>clemasz oral tablet 2.68 mg</i> (clemastine)                                       | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>clemsza oral tablet 2.68 mg</i> (clemastine)                                       | 2         | PA-HRM; AGE (Max 64 Years) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                               | Drug Tier | Requirements/Limits         |
|-----------------------------------------------------------------------------------------|-----------|-----------------------------|
| <i>cypheptadine oral syrup 2 mg/5 ml</i>                                                | 2         | PA-HRM; AGE (Max 64 Years)  |
| <i>cypheptadine oral tablet 4 mg</i>                                                    | 2         | PA-HRM; AGE (Max 64 Years)  |
| <i>hydroxyzine hcl oral solution 10 mg/5 ml</i>                                         | 2         |                             |
| <i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i>                                  | 2         |                             |
| <i>levocetirizine oral solution 2.5 mg/5 ml</i> (Xyzal)                                 | 4         |                             |
| <i>levocetirizine oral tablet 5 mg</i> (24HR Allergy Relief)                            | 1         |                             |
| <i>promethazine oral syrup 6.25 mg/5 ml</i>                                             | 2         | PA-HRM; AGE (Max 64 Years)  |
| <b>Anti-Infectives (Skin And Mucous Membrane)</b>                                       |           |                             |
| <b>Anti-Infectives (Skin And Mucous Membrane)</b>                                       |           |                             |
| <i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)                                | 4         |                             |
| <i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)                     | 4         |                             |
| <i>terconazole vaginal cream 0.4 %, 0.8 %</i>                                           | 2         |                             |
| <i>terconazole vaginal suppository 80 mg</i>                                            | 4         |                             |
| <b>Antimigraine Agents</b>                                                              |           |                             |
| <b>Antimigraine Agents</b>                                                              |           |                             |
| AIMOVIG AUTOINJECTOR<br>SUBCUTANEOUS AUTO-INJECTOR 140 MG/ML, 70 MG/ML                  | 3         | PA; QL (1 per 30 days)      |
| <i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal) | 5         | ST; NDS; QL (8 per 28 days) |
| EMGALITY PEN<br>SUBCUTANEOUS PEN INJECTOR 120 MG/ML                                     | 3         | PA; QL (2 per 30 days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                        | Drug Tier | Requirements/Limits     |
|------------------------------------------------------------------------------------------------------------------|-----------|-------------------------|
| EMGALITY SYRINGE<br>SUBCUTANEOUS SYRINGE 120<br>MG/ML                                                            | 3         | PA; QL (2 per 30 days)  |
| EMGALITY SYRINGE<br>SUBCUTANEOUS SYRINGE 300<br>MG/3 ML (100 MG/ML X 3)                                          | 3         | PA; QL (3 per 30 days)  |
| <i>naratriptan oral tablet 1 mg, 2.5 mg</i>                                                                      | 2         | QL (18 per 30 days)     |
| NURTEC ODT ORAL<br>TABLET,DISINTEGRATING 75<br>MG                                                                | 3         | PA; QL (18 per 30 days) |
| QULIPTA ORAL TABLET 10 MG,<br>30 MG, 60 MG                                                                       | 3         | PA; QL (30 per 30 days) |
| <i>rizatriptan oral tablet 10 mg</i> (Maxalt)                                                                    | 2         | QL (18 per 30 days)     |
| <i>rizatriptan oral tablet 5 mg</i>                                                                              | 2         | QL (18 per 30 days)     |
| <i>rizatriptan oral tablet,disintegrating</i> (Maxalt-MLT)<br><i>10 mg</i>                                       | 2         | QL (18 per 30 days)     |
| <i>rizatriptan oral tablet,disintegrating</i><br><i>5 mg</i>                                                     | 2         | QL (18 per 30 days)     |
| <i>sumatriptan 4 mg/0.5 ml inject outer,</i> (Imitrex STATdose Pen)<br><i>suv</i>                                | 3         | QL (4 per 28 days)      |
| <i>sumatriptan nasal spray,non-aerosol</i><br><i>20 mg/actuation, 5 mg/actuation</i>                             | 3         | QL (12 per 30 days)     |
| <i>sumatriptan succinate oral tablet 100</i> (Imitrex)<br><i>mg</i>                                              | 2         | QL (9 per 30 days)      |
| <i>sumatriptan succinate oral tablet 25</i> (Imitrex)<br><i>mg, 50 mg</i>                                        | 2         | QL (18 per 30 days)     |
| <i>sumatriptan succinate subcutaneous</i> (Imitrex STATdose Pen)<br><i>pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> | 4         | QL (4 per 28 days)      |
| <i>sumatriptan succinate subcutaneous</i><br><i>solution 6 mg/0.5 ml</i>                                         | 2         | QL (5 per 28 days)      |
| <i>sumatriptan-naproxen oral tablet 85-</i> (Treximet)<br><i>500 mg</i>                                          | 4         | QL (9 per 27 days)      |
| UBRELVY ORAL TABLET 100<br>MG, 50 MG                                                                             | 3         | PA; QL (16 per 30 days) |
| <i>zolmitriptan oral tablet 2.5 mg, 5 mg</i> (Zomig)                                                             | 2         | QL (12 per 30 days)     |
| <i>zolmitriptan oral</i><br><i>tablet,disintegrating 2.5 mg, 5 mg</i>                                            | 3         | QL (12 per 30 days)     |

## Antimycobacterials

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                               | Drug Tier | Requirements/Limits        |
|-------------------------------------------------------------------------|-----------|----------------------------|
| <b>Antimycobacterials</b>                                               |           |                            |
| <i>dapsone oral tablet 100 mg, 25 mg</i>                                | 2         |                            |
| <i>ethambutol oral tablet 100 mg, 400 mg</i>                            | 2         |                            |
| <i>isoniazid oral solution 50 mg/5 ml</i>                               | 4         |                            |
| <i>isoniazid oral tablet 100 mg, 300 mg</i>                             | 1         |                            |
| PRIFTIN ORAL TABLET 150 MG                                              | 4         |                            |
| <i>pyrazinamide oral tablet 500 mg</i>                                  | 3         |                            |
| <i>rifabutin oral capsule 150 mg</i>                                    | 4         |                            |
| <i>rifampin intravenous recon soln 600 mg</i> (Rifadin)                 | 3         |                            |
| <i>rifampin oral capsule 150 mg, 300 mg</i>                             | 2         |                            |
| SIRTURO ORAL TABLET 100 MG, 20 MG                                       | 5         | PA; NDS                    |
| TRECTOR ORAL TABLET 250 MG                                              | 4         |                            |
| <b>Antinausea Agents</b>                                                |           |                            |
| <b>Antinausea Agents</b>                                                |           |                            |
| <i>aprepitant oral capsule 125 mg</i>                                   | 3         | PA BvD; QL (2 per 28 days) |
| <i>aprepitant oral capsule 40 mg</i>                                    | 3         | PA BvD; QL (1 per 28 days) |
| <i>aprepitant oral capsule 80 mg</i> (Emend)                            | 3         | PA BvD; QL (4 per 28 days) |
| <i>aprepitant oral capsule, dose pack 125 mg (1)- 80 mg (2)</i> (Emend) | 3         | PA BvD                     |
| <i>compro rectal suppository 25 mg</i> (prochlorperazine)               | 3         |                            |
| <i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)            | 4         | PA; QL (60 per 30 days)    |
| EMEND ORAL SUSPENSION FOR RECONSTITUTION 125 MG (25 MG/ ML FINAL CONC.) | 4         | PA BvD; QL (6 per 28 days) |
| <i>granisetron hcl oral tablet 1 mg</i>                                 | 4         | PA BvD                     |
| <i>meclizine oral tablet 12.5 mg</i>                                    | 1         |                            |
| <i>meclizine oral tablet 25 mg</i> (Dramamine (meclizine))              | 1         |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                         | Drug Tier | Requirements/Limits                             |
|-----------------------------------------------------------------------------------|-----------|-------------------------------------------------|
| <i>ondansetron hcl oral solution 4 mg/5 ml</i>                                    | 2         | PA BvD                                          |
| <i>ondansetron hcl oral tablet 4 mg, 8 mg</i>                                     | 2         | PA BvD                                          |
| <i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i>                         | 2         | PA BvD                                          |
| <i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i>         | 2         |                                                 |
| <i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)               | 2         |                                                 |
| <i>prochlorperazine rectal suppository 25 mg</i> (Compro)                         | 3         |                                                 |
| <i>promethazine injection solution 25 mg/ml</i> (Phenergan)                       | 2         | PA-HRM; AGE (Max 64 Years)                      |
| <i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i>                             | 1         | PA-HRM; AGE (Max 64 Years)                      |
| <i>promethazine rectal suppository 12.5 mg</i> (Promethegan)                      | 3         | PA-HRM; AGE (Max 64 Years)                      |
| <i>promethazine rectal suppository 25 mg</i> (Promethegan)                        | 2         | PA-HRM; AGE (Max 64 Years)                      |
| <i>promethegan rectal suppository 12.5 mg, 25 mg</i> (promethazine)               | 2         | PA-HRM; AGE (Max 64 Years)                      |
| <i>promethegan rectal suppository 50 mg</i> (promethazine)                        | 4         | PA-HRM; AGE (Max 64 Years)                      |
| <i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop) | 4         | PA-HRM; QL (10 per 30 days); AGE (Max 64 Years) |
| <b>Antiparasite Agents</b>                                                        |           |                                                 |
| <b>Antiparasite Agents</b>                                                        |           |                                                 |
| <i>albendazole oral tablet 200 mg</i>                                             | 3         |                                                 |
| <i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)                            | 3         |                                                 |
| <i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)                     | 2         |                                                 |
| <i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone Pediatric)           | 2         |                                                 |
| <i>chloroquine phosphate oral tablet 250 mg, 500 mg</i>                           | 2         |                                                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                   | Drug Tier | Requirements/Limits          |
|-------------------------------------------------------------|-----------|------------------------------|
| COARTEM ORAL TABLET 20-120 MG                               | 4         |                              |
| <i>hydroxychloroquine oral tablet 100 mg</i>                | 2         | QL (180 per 30 days)         |
| <i>hydroxychloroquine oral tablet 200 mg</i> (Plaquenil)    | 2         | QL (90 per 30 days)          |
| <i>hydroxychloroquine oral tablet 300 mg</i> (Sovuna)       | 2         | QL (60 per 30 days)          |
| <i>hydroxychloroquine oral tablet 400 mg</i>                | 2         | QL (60 per 30 days)          |
| IMPAVIDO ORAL CAPSULE 50 MG                                 | 5         | PA; NDS; QL (84 per 28 days) |
| <i>ivermectin oral tablet 3 mg</i> (Stromectol)             | 2         |                              |
| <i>ivermectin oral tablet 6 mg</i>                          | 2         |                              |
| <i>mefloquine oral tablet 250 mg</i>                        | 2         |                              |
| <i>nitazoxanide oral tablet 500 mg</i> (Alinia)             | 5         | NDS; QL (60 per 30 days)     |
| <i>pentamidine inhalation recon soln 300 mg</i> (Nebupent)  | 3         | PA BvD                       |
| <i>pentamidine injection recon soln 300 mg</i> (Pentam)     | 3         |                              |
| <i>praziquantel oral tablet 600 mg</i>                      | 3         |                              |
| PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)                 | 4         |                              |
| <i>pyrimethamine oral tablet 25 mg</i> (Daraprim)           | 5         | PA; NDS                      |
| <i>quinine sulfate oral capsule 324 mg</i> (Qualaquin)      | 2         | PA                           |
| <i>tinidazole oral tablet 250 mg, 500 mg</i>                | 2         |                              |
| <b>Antiparkinsonian Agents</b>                              |           |                              |
| <b>Antiparkinsonian Agents</b>                              |           |                              |
| <i>amantadine hcl oral capsule 100 mg</i>                   | 2         |                              |
| <i>amantadine hcl oral solution 50 mg/5 ml</i>              | 2         |                              |
| <i>amantadine hcl oral tablet 100 mg</i>                    | 2         |                              |
| <i>apomorphine subcutaneous cartridge 10 mg/ml</i> (APOKYN) | 5         | PA; NDS; QL (60 per 30 days) |
| <i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>           | 2         |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|---------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------|
| <i>bromocriptine oral capsule 5 mg</i>                                                                                                            | 4                |                               |
| <i>bromocriptine oral tablet 2.5 mg</i>                                                                                                           | 2                |                               |
| <i>cabergoline oral tablet 0.5 mg</i>                                                                                                             | 2                |                               |
| <i>carbidopa oral tablet 25 mg</i> (Lodosyn)                                                                                                      | 2                |                               |
| <i>carbidopa-levodopa oral tablet 10-100 mg</i> (Sinemet)                                                                                         | 2                |                               |
| <i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)                                                                                           | 2                |                               |
| <i>carbidopa-levodopa oral tablet 25-250 mg</i>                                                                                                   | 2                |                               |
| <i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i>                                                                       | 2                |                               |
| <i>carbidopa-levodopa oral tablet, disintegrating 10-100 mg</i>                                                                                   | 2                |                               |
| <i>carbidopa-levodopa oral tablet, disintegrating 25-100 mg, 25-250 mg</i>                                                                        | 4                |                               |
| <i>carbidopa-levodopa-entacapone oral tablet 12.5-50-200 mg, 18.75-75-200 mg, 25-100-200 mg, 31.25-125-200 mg, 37.5-150-200 mg, 50-200-200 mg</i> | 4                |                               |
| <i>entacapone oral tablet 200 mg</i>                                                                                                              | 3                |                               |
| INBRIJA INHALATION CAPSULE, W/INHALATION DEVICE 42 MG                                                                                             | 5                | PA; NDS; QL (300 per 30 days) |
| NEUPRO TRANSDERMAL PATCH 24 HOUR 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR                               | 4                | ST; QL (30 per 30 days)       |
| ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML                                                                                                          | 5                | PA; NDS; QL (600 per 30 days) |
| ONGENTYS ORAL CAPSULE 25 MG, 50 MG                                                                                                                | 4                | PA; QL (30 per 30 days)       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                      | Drug Tier | Requirements/Limits              |
|----------------------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| OSMOLEX ER ORAL TABLET, IR<br>- ER, BIPHASIC 24HR 129 MG,<br>193 MG, 258 MG, 322<br>MG/DAY(129 MG X1-193MG X1) | 4         | ST                               |
| <i>pramipexole oral tablet 0.125 mg,<br/>0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5<br/>mg</i>                        | 2         |                                  |
| <i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)                                                           | 4         |                                  |
| <i>ropinirole oral tablet 0.25 mg, 0.5<br/>mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i>                                | 2         |                                  |
| <i>ropinirole oral tablet extended<br/>release 24 hr 12 mg, 2 mg, 4 mg, 6<br/>mg, 8 mg</i>                     | 2         |                                  |
| <i>selegiline hcl oral capsule 5 mg</i>                                                                        | 2         |                                  |
| <i>selegiline hcl oral tablet 5 mg</i>                                                                         | 4         |                                  |
| <i>trihexyphenidyl oral elixir 0.4 mg/ml</i>                                                                   | 2         |                                  |
| <i>trihexyphenidyl oral tablet 2 mg, 5<br/>mg</i>                                                              | 2         |                                  |
| VYALEV CONTIN.<br>SUBCUTANEOUS INFUSION<br>SOLUTION 12-240 MG/ML                                               | 5         | PA; NDS; QL (560 per<br>28 days) |
| <b>Antipsychotic Agents</b>                                                                                    |           |                                  |
| <b>Antipsychotic Agents</b>                                                                                    |           |                                  |
| ABILIFY ASIMTUFII<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 720 MG/2.4 ML                          | 5         | NDS; QL (2.4 per 42<br>days)     |
| ABILIFY ASIMTUFII<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 960 MG/3.2 ML                          | 5         | NDS; QL (3.2 per 42<br>days)     |
| ABILIFY MAINTENA<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>RECON 300 MG, 400 MG                           | 5         | NDS; QL (2 per 28 days)          |
| ABILIFY MAINTENA<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 300 MG, 400 MG                          | 5         | NDS; QL (2 per 28 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---------------------------------------------------------------------------------------|------------------|------------------------------|
| <i>aripiprazole oral solution 1 mg/ml</i>                                             | 3                |                              |
| <i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)      | 2                |                              |
| <i>aripiprazole oral tablet,disintegrating 10 mg</i>                                  | 4                | ST; QL (90 per 30 days)      |
| <i>aripiprazole oral tablet,disintegrating 15 mg</i>                                  | 4                | ST; QL (60 per 30 days)      |
| ARISTADA INITIO<br>INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 675 MG/2.4 ML   | 5                | NDS; QL (4.8 per 365 days)   |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 1,064 MG/3.9 ML           | 5                | NDS; QL (3.9 per 14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 441 MG/1.6 ML             | 5                | NDS; QL (1.6 per 14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 662 MG/2.4 ML             | 5                | NDS; QL (2.4 per 14 days)    |
| ARISTADA INTRAMUSCULAR<br>SUSPENSION,EXTENDED REL<br>SYRING 882 MG/3.2 ML             | 5                | NDS; QL (3.2 per 14 days)    |
| <i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)              | 4                | QL (60 per 30 days)          |
| BYSANTI ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG                        | 5                | ST; NDS; QL (60 per 30 days) |
| BYSANTI TITRATION PACK A<br>ORAL TABLETS,DOSE PACK<br>1MG(2)-2MG(2)- 4MG(2)-6MG(2)    | 4                | ST                           |
| BYSANTI TITRATION PACK B<br>ORAL TABLETS,DOSE PACK 1<br>MG(6)-2MG(2)- 6 MG(2)-8 MG(2) | 4                | ST                           |
| BYSANTI TITRATION PACK C<br>ORAL TABLETS,DOSE PACK 1<br>MG(4)-2MG(2)- 6 MG (2)        | 4                | ST                           |
| CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG                                            | 5                | ST; NDS; QL (30 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                   | Drug Tier | Requirements/Limits          |
|-----------------------------------------------------------------------------|-----------|------------------------------|
| <i>chlorpromazine injection solution 25 mg/ml</i>                           | 2         |                              |
| <i>chlorpromazine oral concentrate 100 mg/ml, 30 mg/ml</i>                  | 3         |                              |
| <i>chlorpromazine oral tablet 10 mg, 100 mg, 200 mg, 25 mg, 50 mg</i>       | 4         |                              |
| <i>clozapine oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Clozaril)        | 2         |                              |
| <i>clozapine oral tablet,disintegrating 100 mg, 12.5 mg, 25 mg</i>          | 4         | ST; QL (90 per 30 days)      |
| <i>clozapine oral tablet,disintegrating 150 mg</i>                          | 4         | ST; QL (180 per 30 days)     |
| <i>clozapine oral tablet,disintegrating 200 mg</i>                          | 4         | ST; QL (120 per 30 days)     |
| COBENFY ORAL CAPSULE 100-20 MG, 125-30 MG, 50-20 MG                         | 5         | ST; NDS; QL (60 per 30 days) |
| COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG       | 5         | ST; NDS                      |
| ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML                                | 5         | NDS; QL (0.75 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML                                     | 5         | NDS; QL (1 per 21 days)      |
| ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML                                 | 5         | NDS; QL (1.5 per 21 days)    |
| ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML                                | 5         | NDS; QL (2.25 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML                                 | 5         | NDS; QL (0.25 per 21 days)   |
| ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML                                  | 5         | NDS; QL (0.5 per 21 days)    |
| FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG               | 5         | ST; NDS; QL (60 per 30 days) |
| FANAPT TITRATION PACK A ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2) | 4         | ST                           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|------------------------------------------------------------------------------------------------------------------|------------------|-------------------------------|
| FANAPT TITRATION PACK B<br>ORAL TABLETS,DOSE PACK 1<br>MG(6)-2MG(2)- 6 MG(2)-8 MG(2)                             | 4                | ST                            |
| FANAPT TITRATION PACK C<br>ORAL TABLETS,DOSE PACK 1<br>MG(4)-2 MG(2) -6 MG (2)                                   | 4                | ST                            |
| <i>fluphenazine decanoate injection<br/>solution 25 mg/ml</i>                                                    | 2                |                               |
| <i>fluphenazine hcl injection solution<br/>2.5 mg/ml</i>                                                         | 3                |                               |
| <i>fluphenazine hcl oral concentrate 5<br/>mg/ml</i>                                                             | 3                |                               |
| <i>fluphenazine hcl oral elixir 2.5 mg/5<br/>ml</i>                                                              | 3                |                               |
| <i>fluphenazine hcl oral tablet 1 mg, 10<br/>mg, 2.5 mg, 5 mg</i>                                                | 4                |                               |
| <i>haloperidol decanoate intramuscular<br/>solution 100 mg/ml, 100 mg/ml (1<br/>ml), 50 mg/ml, 50 mg/ml(1ml)</i> | 2                |                               |
| <i>haloperidol lactate injection solution<br/>5 mg/ml</i>                                                        | 2                |                               |
| <i>haloperidol lactate intramuscular<br/>syringe 5 mg/ml</i>                                                     | 2                |                               |
| <i>haloperidol lactate oral concentrate<br/>2 mg/ml</i>                                                          | 2                |                               |
| <i>haloperidol oral tablet 0.5 mg, 1 mg,<br/>10 mg, 2 mg, 20 mg, 5 mg</i>                                        | 2                |                               |
| INVEGA HAFYERA<br>INTRAMUSCULAR SYRINGE<br>1,092 MG/3.5 ML                                                       | 5                | NDS; QL (3.5 per 166<br>days) |
| INVEGA HAFYERA<br>INTRAMUSCULAR SYRINGE<br>1,560 MG/5 ML                                                         | 5                | NDS; QL (5 per 166<br>days)   |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 117<br>MG/0.75 ML                                                       | 5                | NDS; QL (0.75 per 21<br>days) |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 156<br>MG/ML                                                            | 5                | NDS; QL (1 per 21 days)       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b>       |
|-------------------------------------------------------------------|------------------|----------------------------------|
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 234<br>MG/1.5 ML         | 5                | NDS; QL (1.5 per 21 days)        |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 39<br>MG/0.25 ML         | 3                | QL (0.25 per 21 days)            |
| INVEGA SUSTENNA<br>INTRAMUSCULAR SYRINGE 78<br>MG/0.5 ML          | 5                | NDS; QL (0.5 per 21 days)        |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 273<br>MG/0.88 ML          | 5                | NDS; QL (0.88 per 70 days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 410<br>MG/1.32 ML          | 5                | NDS; QL (1.32 per 70 days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 546<br>MG/1.75 ML          | 5                | NDS; QL (1.75 per 70 days)       |
| INVEGA TRINZA<br>INTRAMUSCULAR SYRINGE 819<br>MG/2.63 ML          | 5                | NDS; QL (2.63 per 70 days)       |
| <i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i>  | 2                |                                  |
| <i>lurasidone oral tablet 120 mg</i> (Latuda)                     | 4                |                                  |
| <i>lurasidone oral tablet 20 mg, 40 mg, 60 mg, 80 mg</i> (Latuda) | 3                |                                  |
| LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG         | 5                | NDS; QL (30 per 30 days)         |
| <i>molindone oral tablet 10 mg</i>                                | 2                | QL (240 per 30 days)             |
| <i>molindone oral tablet 25 mg</i>                                | 2                | QL (270 per 30 days)             |
| <i>molindone oral tablet 5 mg</i>                                 | 5                | NDS; QL (120 per 30 days)        |
| NUPLAZID ORAL CAPSULE 34 MG                                       | 5                | PA NSO; NDS; QL (30 per 30 days) |
| NUPLAZID ORAL TABLET 10 MG                                        | 5                | PA NSO; NDS; QL (30 per 30 days) |
| <i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)        | 3                | QL (30 per 30 days)              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                       | Drug Tier | Requirements/Limits      |
|-----------------------------------------------------------------------------------------------------------------|-----------|--------------------------|
| <i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)                               | 2         |                          |
| <i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)                         | 3         |                          |
| OPIPZA ORAL FILM 10 MG, 2 MG, 5 MG                                                                              | 5         | ST; NDS                  |
| <i>paliperidone oral tablet extended release 24hr 1.5 mg</i>                                                    | 4         | QL (30 per 30 days)      |
| <i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)                                       | 4         | QL (30 per 30 days)      |
| <i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)                                             | 4         | QL (60 per 30 days)      |
| <i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i>                                                         | 2         |                          |
| PERSERIS SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG                                             | 5         | NDS; QL (1 per 30 days)  |
| <i>pimozide oral tablet 1 mg, 2 mg</i>                                                                          | 2         |                          |
| <i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)                           | 2         |                          |
| <i>quetiapine oral tablet 150 mg</i>                                                                            | 2         | QL (30 per 30 days)      |
| <i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)        | 2         |                          |
| REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG                                                     | 5         | NDS; QL (30 per 30 days) |
| <i>risperidone microspheres intramuscular suspension, extended rel recon 12.5 mg/2 ml</i> (Risperdal Consta)    | 2         | QL (2 per 28 days)       |
| <i>risperidone microspheres intramuscular suspension, extended rel recon 25 mg/2 ml</i> (Rykindo)               | 2         | QL (2 per 28 days)       |
| <i>risperidone microspheres intramuscular suspension, extended rel recon 37.5 mg/2 ml, 50 mg/2 ml</i> (Rykindo) | 5         | NDS; QL (2 per 28 days)  |
| <i>risperidone oral solution 1 mg/ml</i> (Risperdal)                                                            | 2         |                          |
| <i>risperidone oral tablet 0.25 mg</i>                                                                          | 2         |                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|----------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| <i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)                                            | 2                |                              |
| <i>risperidone oral tablet, disintegrating 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>                               | 4                |                              |
| RYKINDO INTRAMUSCULAR SUSPENSION, EXTENDED REL RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML (risperidone microspheres) | 5                | NDS; QL (2 per 28 days)      |
| SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR                                     | 5                | ST; NDS; QL (30 per 30 days) |
| <i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                                                          | 2                |                              |
| <i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                                                              | 2                |                              |
| <i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i>                                                           | 2                |                              |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 100 MG/0.28 ML                                                    | 5                | NDS; QL (0.28 per 28 days)   |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 125 MG/0.35 ML                                                    | 5                | NDS; QL (0.35 per 28 days)   |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 150 MG/0.42 ML                                                    | 5                | NDS; QL (0.42 per 56 days)   |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 200 MG/0.56 ML                                                    | 5                | NDS; QL (0.56 per 56 days)   |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 250 MG/0.7 ML                                                     | 5                | NDS; QL (0.7 per 56 days)    |
| UZEDY SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 50 MG/0.14 ML                                                     | 5                | NDS; QL (0.14 per 28 days)   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                      | Drug Tier | Requirements/Limits              |
|------------------------------------------------------------------------------------------------|-----------|----------------------------------|
| UZEDY SUBCUTANEOUS<br>SUSPENSION,EXTENDED REL<br>SYRING 75 MG/0.21 ML                          | 5         | NDS; QL (0.21 per 28<br>days)    |
| VERSACLOZ ORAL<br>SUSPENSION 50 MG/ML                                                          | 5         | ST; NDS; QL (540 per<br>30 days) |
| VRAYLAR ORAL CAPSULE 0.5<br>MG, 0.75 MG, 1.5 MG, 3 MG, 4.5<br>MG, 6 MG                         | 5         | ST; NDS; QL (30 per 30<br>days)  |
| VRAYLAR ORAL<br>CAPSULE,DOSE PACK 1.5 MG<br>(1)- 3 MG (6)                                      | 4         | ST                               |
| <i>ziprasidone hcl oral capsule 20 mg, (Geodon)</i><br><i>40 mg, 60 mg, 80 mg</i>              | 2         |                                  |
| <i>ziprasidone mesylate intramuscular (Geodon)</i><br><i>recon soln 20 mg/ml (final conc.)</i> | 3         | QL (6 per 28 days)               |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 210 MG                      | 4         | QL (2 per 28 days)               |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 300 MG                      | 5         | NDS; QL (2 per 28 days)          |
| ZYPREXA RELPREVV<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 405 MG                      | 5         | NDS; QL (1 per 28 days)          |
| <b>Antivirals (Systemic)</b>                                                                   |           |                                  |
| <b>Antiretrovirals</b>                                                                         |           |                                  |
| <i>abacavir oral solution 20 mg/ml (Ziagen)</i>                                                | 2         |                                  |
| <i>abacavir oral tablet 300 mg</i>                                                             | 2         |                                  |
| <i>abacavir-lamivudine oral tablet 600-<br/>300 mg</i>                                         | 2         |                                  |
| APTIVUS ORAL CAPSULE 250<br>MG                                                                 | 5         | NDS                              |
| <i>atazanavir oral capsule 150 mg</i>                                                          | 2         |                                  |
| <i>atazanavir oral capsule 200 mg, 300 (Reyataz)</i><br><i>mg</i>                              | 2         |                                  |
| BIKTARVY ORAL TABLET 30-<br>120-15 MG, 50-200-25 MG                                            | 5         | NDS; QL (30 per 30<br>days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                         | Drug Tier | Requirements/Limits          |
|-------------------------------------------------------------------------------------------------------------------|-----------|------------------------------|
| CABENUVA INTRAMUSCULAR<br>SUSPENSION,EXTENDED<br>RELEASE 400 MG/2 ML- 600<br>MG/2 ML, 600 MG/3 ML- 900<br>MG/3 ML | 5         | NDS                          |
| <i>cabotegravir intramuscular<br/>suspension,extended release 400<br/>mg/2 ml (200 mg/ml)</i>                     | 5         | NDS; QL (24 per 365<br>days) |
| <i>cabotegravir intramuscular</i> (Apretude)<br><i>suspension,extended release 600<br/>mg/3 ml (200 mg/ml)</i>    | 5         | NDS; QL (24 per 365<br>days) |
| CIMDUO ORAL TABLET 300-300<br>MG                                                                                  | 5         | NDS                          |
| <i>darunavir oral tablet 600 mg</i> (Prezista)                                                                    | 3         |                              |
| <i>darunavir oral tablet 800 mg</i> (Prezista)                                                                    | 5         | NDS                          |
| DELSTRIGO ORAL TABLET 100-<br>300-300 MG                                                                          | 5         | NDS                          |
| DESCOVY ORAL TABLET 120-15<br>MG, 200-25 MG                                                                       | 5         | NDS                          |
| <i>didanosine oral capsule,delayed<br/>release(dr/ec) 250 mg, 400 mg</i>                                          | 3         |                              |
| DOVATO ORAL TABLET 50-300<br>MG                                                                                   | 5         | NDS                          |
| EDURANT PED ORAL TABLET<br>FOR SUSPENSION 2.5 MG                                                                  | 5         | NDS                          |
| <i>efavirenz oral capsule 200 mg</i>                                                                              | 3         |                              |
| <i>efavirenz oral capsule 50 mg</i>                                                                               | 2         |                              |
| <i>efavirenz oral tablet 600 mg</i>                                                                               | 3         |                              |
| <i>efavirenz-emtricitabin-tenofovir oral<br/>tablet 600-200-300 mg</i>                                            | 2         |                              |
| <i>efavirenz-lamivudine-tenofovir disoproxil oral<br/>tablet 400-300-300 mg</i>                                   | 5         | NDS                          |
| <i>efavirenz-lamivudine-tenofovir disoproxil oral</i> (Symfi)<br><i>tablet 600-300-300 mg</i>                     | 5         | NDS                          |
| <i>emtricitabine oral capsule 200 mg</i> (Emtriva)                                                                | 3         |                              |
| <i>emtricitabine-tenofovir (tdf) oral</i> (Truvada)<br><i>tablet 100-150 mg, 167-250 mg</i>                       | 3         |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                 | Drug Tier | Requirements/Limits      |
|---------------------------------------------------------------------------|-----------|--------------------------|
| <i>emtricitabine-tenofovir (tdf) oral tablet 133-200 mg</i> (Truvada)     | 5         | NDS                      |
| <i>emtricitabine-tenofovir (tdf) oral tablet 200-300 mg</i> (Truvada)     | 2         |                          |
| <i>emtricitabine-tenofovir (tdf) oral tablet 200-25-300 mg</i> (Complera) | 5         | NDS                      |
| EMTRIVA ORAL SOLUTION 10 MG/ML                                            | 4         |                          |
| <i>etravirine oral tablet 100 mg, 200 mg</i> (Intelligence)               | 5         | NDS                      |
| EVOTAZ ORAL TABLET 300-150 MG                                             | 5         | NDS                      |
| <i>fosamprenavir oral tablet 700 mg</i>                                   | 5         | NDS                      |
| FUZEON SUBCUTANEOUS RECON SOLN 90 MG                                      | 5         | NDS                      |
| GENVOYA ORAL TABLET 150-150-200-10 MG                                     | 5         | NDS                      |
| IDVYNZO ORAL TABLET 100-0.25 MG                                           | 5         | NDS; QL (30 per 30 days) |
| INTELENCE ORAL TABLET 25 MG                                               | 4         |                          |
| ISENTRESS HD ORAL TABLET 600 MG                                           | 5         | NDS                      |
| ISENTRESS ORAL POWDER IN PACKET 100 MG                                    | 5         | NDS                      |
| ISENTRESS ORAL TABLET 400 MG                                              | 5         | NDS                      |
| ISENTRESS ORAL TABLET, CHEWABLE 100 MG                                    | 5         | NDS                      |
| ISENTRESS ORAL TABLET, CHEWABLE 25 MG                                     | 3         |                          |
| JULUCA ORAL TABLET 50-25 MG                                               | 5         | NDS                      |
| KALETRA ORAL SOLUTION 400-100 MG/5 ML (lopinavir-ritonavir)               | 4         | QL (480 per 30 days)     |
| <i>lamivudine oral solution 10 mg/ml</i> (Epivir)                         | 2         |                          |
| <i>lamivudine oral tablet 100 mg</i>                                      | 2         |                          |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)                     | 2         |                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------|------------------|----------------------------|
| <i>lamivudine-zidovudine oral tablet 150-300 mg</i>                | 3                |                            |
| LEXIVA ORAL SUSPENSION 50 MG/ML                                    | 4                |                            |
| <i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra) | 2                | QL (480 per 30 days)       |
| <i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)         | 3                | QL (300 per 30 days)       |
| <i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)         | 3                | QL (120 per 30 days)       |
| <i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)            | 5                | NDS                        |
| <i>nevirapine oral suspension 50 mg/5 ml</i>                       | 3                | QL (1200 per 30 days)      |
| <i>nevirapine oral tablet 200 mg</i>                               | 2                | QL (60 per 30 days)        |
| <i>nevirapine oral tablet extended release 24 hr 100 mg</i>        | 3                | QL (90 per 30 days)        |
| <i>nevirapine oral tablet extended release 24 hr 400 mg</i>        | 3                | QL (30 per 30 days)        |
| NORVIR ORAL POWDER IN PACKET 100 MG                                | 4                |                            |
| ODEFSEY ORAL TABLET 200-25-25 MG                                   | 5                | NDS                        |
| PIFELTRO ORAL TABLET 100 MG                                        | 5                | NDS                        |
| PREZCOBIX ORAL TABLET 675-150 MG, 800-150 MG-MG                    | 5                | NDS                        |
| PREZISTA ORAL SUSPENSION 100 MG/ML                                 | 5                | NDS                        |
| PREZISTA ORAL TABLET 150 MG                                        | 5                | NDS                        |
| PREZISTA ORAL TABLET 75 MG                                         | 4                |                            |
| RETROVIR INTRAVENOUS SOLUTION 10 MG/ML                             | 4                |                            |
| REYATAZ ORAL POWDER IN PACKET 50 MG                                | 5                | NDS                        |
| <i>rilpivirine hcl oral tablet 25 mg</i> (Edurant)                 | 5                | NDS                        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                      | Drug Tier | Requirements/Limits      |
|----------------------------------------------------------------------------------------------------------------|-----------|--------------------------|
| <i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i> | 5         | NDS                      |
| <i>ritonavir oral tablet 100 mg</i> (Norvir)                                                                   | 2         |                          |
| RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG                                                              | 5         | NDS                      |
| SELZENTRY ORAL SOLUTION 20 MG/ML                                                                               | 5         | NDS                      |
| SELZENTRY ORAL TABLET 25 MG                                                                                    | 3         |                          |
| SELZENTRY ORAL TABLET 75 MG                                                                                    | 5         | NDS                      |
| <i>stavudine oral capsule 15 mg, 20 mg</i>                                                                     | 2         |                          |
| STRIBILD ORAL TABLET 150-150-200-300 MG                                                                        | 5         | NDS                      |
| SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK), 300 MG (5-TABLET PACK)                                    | 5         | NDS                      |
| SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML                                                                       | 5         | PA BvD; NDS              |
| SYM TUZA ORAL TABLET 800-150-200-10 MG                                                                         | 5         | NDS                      |
| <i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)                                               | 2         |                          |
| TIVICAY ORAL TABLET 10 MG                                                                                      | 4         |                          |
| TIVICAY ORAL TABLET 25 MG, 50 MG                                                                               | 5         | NDS                      |
| TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG                                                                     | 5         | NDS                      |
| TRIUMEQ ORAL TABLET 600-50-300 MG                                                                              | 5         | NDS; QL (30 per 30 days) |
| TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG                                                               | 4         |                          |
| TRIZIVIR ORAL TABLET 300-150-300 MG                                                                            | 5         | NDS                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                               | Drug Tier | Requirements/Limits           |
|-------------------------------------------------------------------------|-----------|-------------------------------|
| TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)                | 5         | NDS                           |
| VEMLIDY ORAL TABLET 25 MG                                               | 5         | NDS; QL (30 per 30 days)      |
| VIRACEPT ORAL TABLET 250 MG, 625 MG                                     | 5         | NDS                           |
| VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)                             | 5         | NDS                           |
| VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG                               | 5         | NDS                           |
| VOCABRIA ORAL TABLET 30 MG                                              | 4         |                               |
| <i>zidovudine oral capsule 100 mg</i> (Retrovir)                        | 2         |                               |
| <i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)                        | 2         |                               |
| <i>zidovudine oral tablet 300 mg</i>                                    | 2         |                               |
| <b>Antivirals, Miscellaneous</b>                                        |           |                               |
| LIVTENCITY ORAL TABLET 200 MG                                           | 5         | PA; NDS                       |
| <i>oseltamivir oral capsule 30 mg</i>                                   | 2         | QL (84 per 180 days)          |
| <i>oseltamivir oral capsule 45 mg</i>                                   | 2         | QL (48 per 180 days)          |
| <i>oseltamivir oral capsule 75 mg</i> (Tamiflu)                         | 2         | QL (42 per 180 days)          |
| <i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu) | 2         | QL (540 per 180 days)         |
| PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)                | 2         | QL (20 per 5 days)            |
| PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (6)- 100 MG (5)                  | 2         | QL (11 per 28 days)           |
| PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG              | 2         | QL (30 per 5 days)            |
| PREVYMIS ORAL PELLETS IN PACKET 120 MG, 20 MG                           | 5         | PA; NDS; QL (120 per 30 days) |
| PREVYMIS ORAL TABLET 240 MG, 480 MG                                     | 5         | PA; NDS; QL (28 per 28 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                             | Drug Tier | Requirements/Limits          |
|-----------------------------------------------------------------------|-----------|------------------------------|
| RELENZA DISKHALER<br>INHALATION BLISTER WITH<br>DEVICE 5 MG/ACTUATION | 4         | QL (60 per 180 days)         |
| <i>rimantadine oral tablet 100 mg</i> (Flumadine)                     | 3         |                              |
| <b>Hcv Antivirals</b>                                                 |           |                              |
| EPCLUSA ORAL PELLETS IN<br>PACKET 150-37.5 MG                         | 5         | PA; NDS; QL (28 per 28 days) |
| EPCLUSA ORAL PELLETS IN<br>PACKET 200-50 MG                           | 5         | PA; NDS; QL (56 per 28 days) |
| EPCLUSA ORAL TABLET 200-50<br>MG                                      | 5         | PA; NDS; QL (28 per 28 days) |
| EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir)<br>MG            | 5         | PA; NDS; QL (28 per 28 days) |
| HARVONI ORAL PELLETS IN<br>PACKET 33.75-150 MG                        | 5         | PA; NDS; QL (28 per 28 days) |
| HARVONI ORAL PELLETS IN<br>PACKET 45-200 MG                           | 5         | PA; NDS; QL (56 per 28 days) |
| HARVONI ORAL TABLET 45-200<br>MG                                      | 5         | PA; NDS; QL (28 per 28 days) |
| HARVONI ORAL TABLET 90-400 (ledipasvir-sofosbuvir)<br>MG              | 5         | PA; NDS; QL (28 per 28 days) |
| MAVYRET ORAL TABLET 100-40<br>MG                                      | 5         | PA; NDS; QL (84 per 28 days) |
| VOSEVI ORAL TABLET 400-100-<br>100 MG                                 | 5         | PA; NDS; QL (28 per 28 days) |
| <b>Interferons</b>                                                    |           |                              |
| PEGASYS SUBCUTANEOUS<br>SOLUTION 180 MCG/ML                           | 5         | PA; NDS                      |
| PEGASYS SUBCUTANEOUS<br>SYRINGE 180 MCG/0.5 ML                        | 5         | PA; NDS                      |
| <b>Nucleosides And Nucleotides</b>                                    |           |                              |
| <i>acyclovir oral capsule 200 mg</i>                                  | 1         |                              |
| <i>acyclovir oral suspension 200 mg/5<br/>ml</i>                      | 4         |                              |
| <i>acyclovir oral tablet 400 mg, 800 mg</i>                           | 2         |                              |
| <i>acyclovir sodium intravenous<br/>solution 50 mg/ml</i>             | 3         | PA BvD                       |
| <i>adefovir oral tablet 10 mg</i>                                     | 3         |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                         | Drug Tier | Requirements/Limits  |
|-----------------------------------------------------------------------------------|-----------|----------------------|
| <i>entecavir oral tablet 0.5 mg, 1 mg</i> (Baraclude)                             | 3         |                      |
| <i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>                             | 2         |                      |
| <i>lagevrio (eua) oral capsule 200 mg</i>                                         | 4         | QL (40 per 5 days)   |
| <i>ribavirin oral capsule 200 mg</i>                                              | 2         |                      |
| <i>ribavirin oral tablet 200 mg</i>                                               | 2         |                      |
| <i>valacyclovir oral tablet 1 gram, 500 mg</i> (Valtrex)                          | 2         |                      |
| <i>valganciclovir oral recon soln 50 mg/ml</i> (Valcyte)                          | 5         | NDS                  |
| <i>valganciclovir oral tablet 450 mg</i>                                          | 2         |                      |
| <b>Blood Products/Modifiers/Volume Expanders</b>                                  |           |                      |
| <b>Anticoagulants</b>                                                             |           |                      |
| <i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)          | 3         | QL (60 per 30 days)  |
| ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)              | 3         |                      |
| ELIQUIS ORAL TABLET 2.5 MG                                                        | 3         | QL (60 per 30 days)  |
| ELIQUIS ORAL TABLET 5 MG                                                          | 3         | QL (74 per 30 days)  |
| ELIQUIS ORAL TABLET FOR SUSPENSION 0.5 MG, 1.5 MG (0.5 MG X 3), 2 MG (0.5 MG X 4) | 3         | QL (960 per 30 days) |
| ELIQUIS SPRINKLE ORAL CAPSULE, SPRINKLE 0.15 MG                                   | 3         | QL (120 per 30 days) |
| <i>enoxaparin subcutaneous syringe 100 mg/ml, 150 mg/ml</i> (Lovenox)             | 3         | QL (60 per 30 days)  |
| <i>enoxaparin subcutaneous syringe 120 mg/0.8 ml, 80 mg/0.8 ml</i> (Lovenox)      | 3         | QL (48 per 30 days)  |
| <i>enoxaparin subcutaneous syringe 30 mg/0.3 ml</i> (Lovenox)                     | 3         | QL (18 per 30 days)  |
| <i>enoxaparin subcutaneous syringe 40 mg/0.4 ml</i> (Lovenox)                     | 3         | QL (24 per 30 days)  |
| <i>enoxaparin subcutaneous syringe 60 mg/0.6 ml</i> (Lovenox)                     | 3         | QL (36 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                   | Drug Tier | Requirements/Limits          |
|-------------------------------------------------------------------------------------------------------------|-----------|------------------------------|
| <i>fondaparinux subcutaneous syringe</i> (Arixtra)<br>10 mg/0.8 ml                                          | 5         | NDS; QL (24 per 30 days)     |
| <i>fondaparinux subcutaneous syringe</i> (Arixtra)<br>2.5 mg/0.5 ml                                         | 2         | QL (15 per 30 days)          |
| <i>fondaparinux subcutaneous syringe</i> 5 (Arixtra)<br>mg/0.4 ml                                           | 5         | NDS; QL (12 per 30 days)     |
| <i>fondaparinux subcutaneous syringe</i> (Arixtra)<br>7.5 mg/0.6 ml                                         | 5         | NDS; QL (18 per 30 days)     |
| <i>heparin (porcine) injection solution</i><br>1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml | 2         |                              |
| <i>jantoven oral tablet</i> 1 mg, 10 mg, 2 (warfarin)<br>mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg         | 1         |                              |
| <i>rivaroxaban oral suspension for reconstitution</i> 1 mg/ml (Xarelto)                                     | 2         | QL (600 per 30 days)         |
| <i>rivaroxaban oral tablet</i> 2.5 mg (Xarelto)                                                             | 2         | QL (60 per 30 days)          |
| <i>warfarin oral tablet</i> 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg                       | 1         |                              |
| XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)                                 | 3         |                              |
| XARELTO ORAL SUSPENSION (rivaroxaban)<br>FOR RECONSTITUTION 1 MG/ML                                         | 3         | QL (600 per 30 days)         |
| XARELTO ORAL TABLET 10 MG, (rivaroxaban)<br>20 MG                                                           | 3         | QL (30 per 30 days)          |
| XARELTO ORAL TABLET 15 MG (rivaroxaban)                                                                     | 3         | QL (60 per 30 days)          |
| XARELTO ORAL TABLET 2.5 MG (rivaroxaban)                                                                    | 3         | ST; QL (60 per 30 days)      |
| <b>Blood Formation Modifiers</b>                                                                            |           |                              |
| ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG                                                                | 5         | PA; NDS; QL (60 per 30 days) |
| CINRYZE INTRAVENOUS RECON SOLN 500 UNIT (5 ML)                                                              | 5         | PA; NDS                      |
| DOPTELET (10 TAB PACK) ORAL TABLET 20 MG                                                                    | 5         | PA; NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                    | Drug Tier | Requirements/Limits           |
|------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| DOPTELET (15 TAB PACK) ORAL<br>TABLET 20 MG                                                                                  | 5         | PA; NDS; QL (60 per 30 days)  |
| DOPTELET (30 TAB PACK) ORAL<br>TABLET 20 MG                                                                                  | 5         | PA; NDS; QL (60 per 30 days)  |
| DOPTELET SPRINKLE ORAL<br>CAPSULE, SPRINKLE 10 MG                                                                            | 5         | PA; NDS; QL (60 per 30 days)  |
| <i>eltrombopag olamine oral powder in packet 12.5 mg</i> (Promacta)                                                          | 5         | PA; NDS; QL (90 per 30 days)  |
| <i>eltrombopag olamine oral powder in packet 25 mg</i> (Promacta)                                                            | 5         | PA; NDS; QL (180 per 30 days) |
| <i>eltrombopag olamine oral tablet 12.5 mg</i> (Promacta)                                                                    | 5         | PA; NDS; QL (90 per 30 days)  |
| <i>eltrombopag olamine oral tablet 25 mg</i> (Promacta)                                                                      | 5         | PA; NDS; QL (30 per 30 days)  |
| <i>eltrombopag olamine oral tablet 50 mg, 75 mg</i> (Promacta)                                                               | 5         | PA; NDS; QL (60 per 30 days)  |
| HAEGARDA SUBCUTANEOUS<br>RECON SOLN 2,000 UNIT                                                                               | 5         | PA; NDS; QL (30 per 30 days)  |
| HAEGARDA SUBCUTANEOUS<br>RECON SOLN 3,000 UNIT                                                                               | 5         | PA; NDS; QL (20 per 30 days)  |
| LEUKINE INJECTION RECON<br>SOLN 250 MCG                                                                                      | 5         | PA; NDS                       |
| NIVESTYM INJECTION<br>SOLUTION 300 MCG/ML, 480 MCG/1.6 ML                                                                    | 5         | PA; NDS                       |
| NIVESTYM SUBCUTANEOUS<br>SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML                                                              | 5         | PA; NDS                       |
| NYVEPRIA SUBCUTANEOUS<br>SYRINGE 6 MG/0.6 ML                                                                                 | 5         | PA; NDS                       |
| RETACRIT INJECTION<br>SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML | 3         | PA; QL (12 per 28 days)       |
| RETACRIT INJECTION<br>SOLUTION 40,000 UNIT/ML                                                                                | 3         | PA; QL (4 per 28 days)        |
| ROLVEDON SUBCUTANEOUS<br>SYRINGE 13.2 MG/0.6 ML                                                                              | 5         | PA; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                      | Drug Tier | Requirements/Limits          |
|--------------------------------------------------------------------------------|-----------|------------------------------|
| UDENYCA ONBODY<br>SUBCUTANEOUS SYRINGE, W/<br>WEARABLE INJECTOR 6 MG/0.6<br>ML | 5         | PA; NDS                      |
| <b>Hematologic Agents, Miscellaneous</b>                                       |           |                              |
| <i>anagrelide oral capsule 0.5 mg</i> (Agrylin)                                | 3         |                              |
| <i>anagrelide oral capsule 1 mg</i>                                            | 3         |                              |
| CABLIVI INJECTION KIT 11 MG                                                    | 5         | PA; NDS; QL (30 per 30 days) |
| DROXIA ORAL CAPSULE 200<br>MG, 300 MG, 400 MG                                  | 4         |                              |
| TAVALISSE ORAL TABLET 100<br>MG, 150 MG                                        | 5         | PA; NDS; QL (60 per 30 days) |
| <i>tranexamic acid oral tablet 650 mg</i>                                      | 2         |                              |
| <b>Platelet-Aggregation Inhibitors</b>                                         |           |                              |
| <i>aspirin-dipyridamole oral capsule, er<br/>multiphase 12 hr 25-200 mg</i>    | 3         |                              |
| <i>cilostazol oral tablet 100 mg, 50 mg</i>                                    | 2         |                              |
| <i>clopidogrel oral tablet 75 mg</i> (Plavix)                                  | 1         |                              |
| <i>dipyridamole oral tablet 25 mg, 50<br/>mg, 75 mg</i>                        | 2         | PA-HRM; AGE (Max 64 Years)   |
| <i>pentoxifylline oral tablet extended<br/>release 400 mg</i>                  | 2         |                              |
| <i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)                         | 2         |                              |
| <i>ticagrelor oral tablet 60 mg, 90 mg</i> (Brilinta)                          | 2         |                              |
| <b>Caloric Agents</b>                                                          |           |                              |
| <b>Caloric Agents</b>                                                          |           |                              |
| CLINIMIX 5%/D15W SULFITE<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 5 %        | 4         | PA BvD                       |
| CLINIMIX 4.25%/D10W SULF<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 4.25 %     | 4         | PA BvD                       |
| CLINIMIX 4.25%/D5W SULFIT<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 4.25 %    | 4         | PA BvD                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------|------------------|----------------------------|
| CLINIMIX 5%-D20W(SULFITE-FREE) INTRAVENOUS<br>PARENTERAL SOLUTION 5 %        | 4                | PA BvD                     |
| CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS<br>PARENTERAL SOLUTION 6-5 %      | 4                | PA BvD                     |
| CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS<br>PARENTERAL SOLUTION 8-10 %     | 4                | PA BvD                     |
| CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS<br>PARENTERAL SOLUTION 8-14 %     | 4                | PA BvD                     |
| CLINIMIX E 2.75%/D5W SULF<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 2.75 %  | 4                | PA BvD                     |
| CLINIMIX E 4.25%/D10W SUL<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 4.25 %  | 4                | PA BvD                     |
| CLINIMIX E 4.25%/D5W SULF<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 4.25 %  | 4                | PA BvD                     |
| CLINIMIX E 5%/D15W SULFIT<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 5 %     | 4                | PA BvD                     |
| CLINIMIX E 5%/D20W SULFIT<br>FREE INTRAVENOUS<br>PARENTERAL SOLUTION 5 %     | 4                | PA BvD                     |
| CLINIMIX E 8%-D10W<br>SULFITEFREE INTRAVENOUS<br>PARENTERAL SOLUTION 8-10 %  | 4                | PA BvD                     |
| CLINIMIX E 8%-D14W<br>SULFITEFREE INTRAVENOUS<br>PARENTERAL SOLUTION 8-14 %  | 4                | PA BvD                     |
| <i>dextrose 5 % in water (d5w)</i><br><i>intravenous parenteral solution</i> | 2                |                            |
| PROSOL 20 % INTRAVENOUS<br>PARENTERAL SOLUTION                               | 4                | PA BvD                     |
| TRAVASOL 10 % INTRAVENOUS<br>PARENTERAL SOLUTION 10 %                        | 4                | PA BvD                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                        | Drug Tier | Requirements/Limits           |
|--------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| TROPHAMINE 10 %<br>INTRAVENOUS PARENTERAL<br>SOLUTION 10 %                                       | 4         | PA BvD                        |
| <b>Cardiovascular Agents</b>                                                                     |           |                               |
| <b>Alpha-Adrenergic Agents</b>                                                                   |           |                               |
| <i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i>                                          | 1         |                               |
| <i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-TTS-1)                          | 2         |                               |
| <i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-TTS-2)                          | 2         |                               |
| <i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-TTS-3)                          | 2         |                               |
| <i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)                                    | 1         |                               |
| <i>droxidopa oral capsule 100 mg</i> (Northera)                                                  | 2         | PA; QL (180 per 30 days)      |
| <i>droxidopa oral capsule 200 mg, 300 mg</i> (Northera)                                          | 5         | PA; NDS; QL (180 per 30 days) |
| <i>guanfacine oral tablet 1 mg, 2 mg</i>                                                         | 2         |                               |
| <i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i>                                                 | 2         |                               |
| <i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i>                                                    | 2         |                               |
| <b>Angiotensin II Receptor Antagonists</b>                                                       |           |                               |
| <i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)                                | 6         |                               |
| <i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT) | 6         |                               |
| ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG (sacubitril-valsartan)                        | 3         | QL (60 per 30 days)           |
| ENTRESTO SPRINKLE ORAL PELLETT 15-16 MG, 6-6 MG                                                  | 3         | QL (240 per 30 days)          |
| <i>irbesartan oral tablet 150 mg, 300 mg</i> (Avapro)                                            | 6         |                               |
| <i>irbesartan oral tablet 75 mg</i>                                                              | 6         |                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                         | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)                                              | 6         |                     |
| <i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)                                                                         | 6         |                     |
| <i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)                                       | 6         |                     |
| <i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)                                                                        | 6         |                     |
| <i>olmesartan-amlodipin-hcthiiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor) | 6         |                     |
| <i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)                                  | 6         |                     |
| <i>sacubitril-valsartan oral tablet 24-26 mg, 49-51 mg, 97-103 mg</i> (Entresto)                                                  | 2         | QL (60 per 30 days) |
| <i>telmisartan oral tablet 20 mg</i>                                                                                              | 6         |                     |
| <i>telmisartan oral tablet 40 mg, 80 mg</i> (Micardis)                                                                            | 6         |                     |
| <i>telmisartan-amlodipine oral tablet 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg</i>                                                    | 4         |                     |
| <i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)                                 | 6         |                     |
| <i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)                                                                | 6         |                     |
| <i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)          | 6         |                     |
| <b>Angiotensin-Converting Enzyme Inhibitors</b>                                                                                   |           |                     |
| <i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)                                                                      | 6         |                     |
| <i>benazepril oral tablet 5 mg</i>                                                                                                | 6         |                     |
| <i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)                                 | 6         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i>                                     | 6                |                            |
| <i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i>                                      | 6                |                            |
| <i>enalapril maleate oral solution 1 mg/ml</i> (Epaned)                                         | 3                | ST; QL (1200 per 30 days)  |
| <i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)                       | 6                |                            |
| <i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)                           | 6                |                            |
| <i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i>                                      | 6                |                            |
| <i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i>                                               | 6                |                            |
| <i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i>                        | 6                |                            |
| <i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)                | 6                |                            |
| <i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic) | 6                |                            |
| <i>moexipril oral tablet 15 mg, 7.5 mg</i>                                                      | 6                |                            |
| <i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i>                                        | 6                |                            |
| <i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i>                                          | 6                |                            |
| <i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i>               | 6                |                            |
| <i>ramipril oral capsule 1.25 mg, 2.5 mg, 5 mg</i> (Altace)                                     | 6                |                            |
| <i>ramipril oral capsule 10 mg</i>                                                              | 6                |                            |
| <i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i>                                                | 6                |                            |
| <b>Antiarrhythmic Agents</b>                                                                    |                  |                            |
| <i>amiodarone oral tablet 100 mg, 200 mg</i> (Pacerone)                                         | 2                |                            |
| <i>amiodarone oral tablet 400 mg</i>                                                            | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                            | Drug Tier | Requirements/Limits        |
|--------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>disopyramide phosphate oral capsule</i> (Norpace)<br>100 mg, 150 mg               | 3         | PA-HRM; AGE (Max 64 Years) |
| <i>dofetilide oral capsule</i> 125 mcg, 250 mcg, 500 mcg (Tikosyn)                   | 3         |                            |
| <i>flecainide oral tablet</i> 100 mg, 150 mg, 50 mg                                  | 2         |                            |
| <i>mexiletine oral capsule</i> 150 mg, 200 mg, 250 mg                                | 2         |                            |
| MULTAQ ORAL TABLET 400 MG                                                            | 3         |                            |
| <i>pacerone oral tablet</i> 100 mg, 200 mg, 400 mg (amiodarone)                      | 2         |                            |
| <i>propafenone oral capsule, extended release</i> 12 hr 225 mg, 325 mg, 425 mg       | 3         |                            |
| <i>propafenone oral tablet</i> 150 mg, 225 mg, 300 mg                                | 2         |                            |
| <i>quinidine gluconate oral tablet extended release</i> 324 mg                       | 3         |                            |
| <i>quinidine sulfate oral tablet</i> 200 mg, 300 mg                                  | 3         |                            |
| <b>Beta-Adrenergic Blocking Agents</b>                                               |           |                            |
| <i>acebutolol oral capsule</i> 200 mg, 400 mg                                        | 2         |                            |
| <i>atenolol oral tablet</i> 100 mg, 25 mg, 50 mg (Tenormin)                          | 1         |                            |
| <i>atenolol-chlorthalidone oral tablet</i> 100-25 mg, 50-25 mg                       | 2         |                            |
| <i>betaxolol oral tablet</i> 10 mg, 20 mg                                            | 2         |                            |
| <i>bisoprolol fumarate oral tablet</i> 10 mg, 2.5 mg, 5 mg                           | 2         |                            |
| <i>bisoprolol-hydrochlorothiazide oral tablet</i> 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg | 2         |                            |
| <i>carvedilol oral tablet</i> 12.5 mg, 25 mg, 3.125 mg, 6.25 mg (Coreg)              | 1         |                            |
| JAVADIN ORAL SOLUTION 0.02 MG/ML (20 MCG/ML)                                         | 4         | PA; QL (3600 per 30 days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i>                                                               | 2                |                            |
| <i>metoprolol succinate oral tablet</i> (Toprol XL)<br><i>extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> | 1                |                            |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 100-25 mg, 100-50 mg</i>                                            | 2                |                            |
| <i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i>                                                        | 4                |                            |
| <i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)                                                  | 1                |                            |
| <i>metoprolol tartrate oral tablet 25 mg, 37.5 mg, 75 mg</i>                                                      | 1                |                            |
| <i>nadolol oral tablet 20 mg, 40 mg, 80 mg</i>                                                                    | 2                |                            |
| <i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)                                                | 2                |                            |
| <i>pindolol oral tablet 10 mg, 5 mg</i>                                                                           | 2                |                            |
| <i>propranolol oral capsule, extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)                 | 2                |                            |
| <i>propranolol oral solution 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml)</i>                                       | 2                |                            |
| <i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i>                                                  | 2                |                            |
| <i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (sotalol)                                                 | 2                |                            |
| <i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (sotalol)                                                     | 2                |                            |
| <i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Sotalol AF)                                                     | 2                |                            |
| <i>sotalol oral tablet 240 mg</i>                                                                                 | 2                |                            |
| <i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i>                                                             | 4                |                            |
| <b>Calcium-Channel Blocking Agents</b>                                                                            |                  |                            |
| <i>cartia xt oral capsule, extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (diltiazem hcl)               | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                            | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i>                                        | 4         |                     |
| <i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i> (Tiadylt ER)                                 | 2         |                     |
| <i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cartia XT)                   | 2         |                     |
| <i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem)                                                     | 2         |                     |
| <i>diltiazem hcl oral tablet 90 mg</i>                                                                               | 2         |                     |
| <i>diltiazem hcl oral tablet extended release 24 hr 120 mg</i> (Cardizem LA)                                         | 4         |                     |
| <i>diltiazem hcl oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Matzim LA)           | 4         |                     |
| <i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (diltiazem hcl)                            | 2         |                     |
| <i>matzim la oral tablet extended release 24 hr 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl)           | 4         |                     |
| <i>taztia xt oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (diltiazem hcl)          | 2         |                     |
| <i>tiadylt er oral capsule,extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (diltiazem hcl) | 2         |                     |
| <i>verapamil oral capsule, 24 hr er pellet ct 100 mg, 200 mg, 300 mg</i>                                             | 4         |                     |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i>                                          | 2         |                     |
| <i>verapamil oral capsule,ext rel. pellets 24 hr 360 mg</i>                                                          | 4         |                     |
| <i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i>                                                                    | 1         |                     |
| <i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i>                                                 | 2         |                     |
| <b>Cardiovascular Agents, Miscellaneous</b>                                                                          |           |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                               | Drug Tier | Requirements/Limits           |
|-----------------------------------------------------------------------------------------|-----------|-------------------------------|
| ATTRUBY ORAL TABLET 356 MG                                                              | 5         | PA; NDS; QL (112 per 28 days) |
| CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG                                         | 5         | PA; NDS; QL (30 per 30 days)  |
| CORLANOR ORAL SOLUTION 5 MG/5 ML                                                        | 4         | QL (600 per 30 days)          |
| DAWNZERA SUBCUTANEOUS AUTO-INJECTOR 80 MG/0.8 ML                                        | 5         | PA; NDS; QL (0.8 per 28 days) |
| <i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Lanoxin)              | 2         |                               |
| <i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i> (Auvi-Q)                     | 3         | QL (4 per 30 days)            |
| <i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (EpiPen Jr)                   | 2         | QL (4 per 30 days)            |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i>                                | 3         | QL (4 per 30 days)            |
| <i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Auvi-Q)                       | 2         | QL (4 per 30 days)            |
| <i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i>                              | 1         |                               |
| <i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Sajazir)                              | 5         | PA; NDS; QL (18 per 30 days)  |
| <i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)                                   | 3         | QL (60 per 30 days)           |
| <i>metyrosine oral capsule 250 mg</i>                                                   | 5         | PA; NDS                       |
| <i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i>                   | 2         |                               |
| <i>sajazir subcutaneous syringe 30 mg/3 ml</i> (icatibant)                              | 5         | PA; NDS; QL (18 per 30 days)  |
| VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG                                                 | 4         | PA; QL (30 per 30 days)       |
| VYNDAMAX ORAL CAPSULE 61 MG                                                             | 5         | PA; NDS; QL (30 per 30 days)  |
| <b>Dihydropyridines</b>                                                                 |           |                               |
| <i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)                             | 1         |                               |
| <i>amlodipine-benazepril oral capsule 10-20 mg, 10-40 mg, 5-10 mg, 5-20 mg</i> (Lotrel) | 6         |                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                | Drug Tier | Requirements/Limits      |
|--------------------------------------------------------------------------------------------------------------------------|-----------|--------------------------|
| <i>amlodipine-benazepril oral capsule</i><br>2.5-10 mg, 5-40 mg                                                          | 6         |                          |
| <i>amlodipine-olmesartan oral tablet</i> (Azor)<br>10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg                                  | 6         |                          |
| <i>amlodipine-valsartan oral tablet</i> 10- (Exforge)<br>160 mg, 10-320 mg, 5-160 mg, 5-320 mg                           | 6         |                          |
| <i>amlodipine-valsartan-hcthiiazid oral tablet</i> 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-25 mg (Exforge HCT) | 3         |                          |
| <i>amlodipine-valsartan-hcthiiazid oral tablet</i> 5-160-12.5 mg (Exforge HCT)                                           | 4         |                          |
| <i>felodipine oral tablet extended release</i> 24 hr 10 mg, 2.5 mg, 5 mg                                                 | 2         |                          |
| <i>isradipine oral capsule</i> 2.5 mg, 5 mg                                                                              | 4         |                          |
| KATERZIA ORAL SUSPENSION 1 MG/ML                                                                                         | 4         | ST; QL (300 per 30 days) |
| <i>nicardipine oral capsule</i> 20 mg, 30 mg                                                                             | 4         |                          |
| <i>nifedipine oral capsule</i> 10 mg, 20 mg                                                                              | 2         |                          |
| <i>nifedipine oral tablet extended release</i> 24hr 30 mg, 60 mg (Procardia XL)                                          | 2         |                          |
| <i>nifedipine oral tablet extended release</i> 24hr 90 mg                                                                | 2         |                          |
| <i>nifedipine oral tablet extended release</i> 30 mg, 60 mg, 90 mg                                                       | 2         |                          |
| <b>Diuretics</b>                                                                                                         |           |                          |
| <i>amiloride oral tablet</i> 5 mg                                                                                        | 1         |                          |
| <i>amiloride-hydrochlorothiazide oral tablet</i> 5-50 mg                                                                 | 2         |                          |
| <i>bumetanide oral tablet</i> 0.5 mg, 1 mg, 2 mg                                                                         | 2         |                          |
| <i>chlorthalidone oral tablet</i> 25 mg, 50 mg                                                                           | 2         |                          |
| <i>furosemide injection solution</i> 10 mg/ml                                                                            | 1         |                          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                                                                                        | Drug Tier | Requirements/Limits           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| <i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i>                                                                                                                                   | 2         |                               |
| <i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)                                                                                                                                        | 1         |                               |
| <i>hydrochlorothiazide oral capsule 12.5 mg</i>                                                                                                                                                  | 1         |                               |
| <i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i>                                                                                                                                     | 1         |                               |
| <i>indapamide oral tablet 1.25 mg, 2.5 mg</i>                                                                                                                                                    | 1         |                               |
| JYNARQUE ORAL TABLET 15 MG, 30 MG (tolvaptan (polycys kidney dis))                                                                                                                               | 5         | PA; NDS; QL (120 per 30 days) |
| <i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i>                                                                                                                                                | 2         |                               |
| <i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)                                                                                                                               | 1         |                               |
| <i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i>                                                                                                                                       | 2         |                               |
| <i>tolvaptan (polycys kidney dis) oral tablets, sequential 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm)</i> (Jynarque) | 5         | PA; NDS; QL (56 per 28 days)  |
| <i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i>                                                                                                                                          | 1         |                               |
| <i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i>                                                                                                                                    | 1         |                               |
| <i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i>                                                                                                                           | 1         |                               |
| <b>Dyslipidemics</b>                                                                                                                                                                             |           |                               |
| <i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)                                                                                                                            | 6         |                               |
| <i>amlodipine-atorvastatin oral tablet 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg</i> (Caduet)                                                                                      | 6         | QL (30 per 30 days)           |
| <i>amlodipine-atorvastatin oral tablet 2.5-10 mg, 2.5-20 mg, 2.5-40 mg</i>                                                                                                                       | 6         |                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                           | Drug Tier | Requirements/Limits  |
|-------------------------------------------------------------------------------------|-----------|----------------------|
| <i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)                | 6         |                      |
| <i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)          | 2         |                      |
| <i>cholestyramine light oral powder in packet 4 gram</i> (cholestyramine)           | 2         |                      |
| <i>colesevelam oral powder in packet 3.75 gram</i> (WelChol)                        | 4         |                      |
| <i>colesevelam oral tablet 625 mg</i> (WelChol)                                     | 3         |                      |
| <i>colestipol oral packet 5 gram</i>                                                | 2         |                      |
| <i>colestipol oral tablet 1 gram</i> (Colestid)                                     | 2         |                      |
| EZALLOR SPRINKLE ORAL CAPSULE, SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG                   | 4         | ST                   |
| <i>ezetimibe oral tablet 10 mg</i> (Zetia)                                          | 2         | QL (30 per 30 days)  |
| <i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin 10-10)                   | 6         | QL (30 per 30 days)  |
| <i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin 10-20)                   | 6         | QL (30 per 30 days)  |
| <i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin 10-40)                   | 6         | QL (30 per 30 days)  |
| <i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin 10-80)                   | 6         | QL (30 per 30 days)  |
| <i>fenofibrate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i>     | 2         |                      |
| <i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i>                       | 2         |                      |
| <i>fenofibrate oral tablet 160 mg, 54 mg</i>                                        | 2         |                      |
| <i>fenofibric acid (choline) oral capsule, delayed release(dr/ec) 135 mg, 45 mg</i> | 2         |                      |
| <i>fluvastatin oral capsule 20 mg, 40 mg</i>                                        | 6         | QL (60 per 30 days)  |
| <i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)             | 6         |                      |
| <i>gemfibrozil oral tablet 600 mg</i> (Lopid)                                       | 1         |                      |
| <i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)                              | 3         | QL (240 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                           | Drug Tier | Requirements/Limits          |
|---------------------------------------------------------------------|-----------|------------------------------|
| <i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)                | 3         | QL (120 per 30 days)         |
| JUXTAPID ORAL CAPSULE 10 MG, 2 MG, 5 MG                             | 5         | PA; NDS; QL (28 per 28 days) |
| JUXTAPID ORAL CAPSULE 20 MG, 30 MG                                  | 5         | PA; NDS; QL (56 per 28 days) |
| <i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i>                   | 6         |                              |
| NEXLETOL ORAL TABLET 180 MG                                         | 3         | ST; QL (30 per 30 days)      |
| NEXLIZET ORAL TABLET 180-10 MG                                      | 3         | ST; QL (30 per 30 days)      |
| <i>niacin oral tablet 500 mg</i> (Niacor)                           | 4         |                              |
| <i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg</i>   | 2         |                              |
| <i>niacin oral tablet extended release 24 hr 750 mg</i>             | 4         |                              |
| <i>niacor oral tablet 500 mg</i> (niacin)                           | 4         |                              |
| <i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)       | 2         | ST; QL (120 per 30 days)     |
| <i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)   | 3         | QL (30 per 30 days)          |
| <i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i>           | 6         |                              |
| <i>prevalite oral powder in packet 4 gram</i> (cholestyramine)      | 2         |                              |
| REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML     | 3         | ST; QL (7 per 28 days)       |
| REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML               | 3         | ST; QL (6 per 28 days)       |
| REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML                      | 3         | ST; QL (6 per 28 days)       |
| <i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor) | 6         |                              |
| <i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)          | 6         |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                             | Drug Tier | Requirements/Limits           |
|-------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| <i>simvastatin oral tablet 5 mg, 80 mg</i>                                                            | 6         |                               |
| <b>Renin-Angiotensin-Aldosterone System Inhibitors</b>                                                |           |                               |
| <i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)                                                | 3         |                               |
| <i>eplerenone oral tablet 25 mg</i> (Inspra)                                                          | 2         |                               |
| <i>eplerenone oral tablet 50 mg</i>                                                                   | 2         |                               |
| KERENDIA ORAL TABLET 10 MG, 20 MG, 40 MG                                                              | 3         | PA; QL (30 per 30 days)       |
| <i>spironolactone oral suspension 25 mg/5 ml</i> (CaroSpir)                                           | 2         | ST; QL (600 per 30 days)      |
| <b>Vasodilators</b>                                                                                   |           |                               |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i>                                           | 2         |                               |
| <i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil Titrados)                                       | 2         |                               |
| <i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i>                                                | 2         |                               |
| <i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i>                 | 1         |                               |
| <i>isosorbide-hydralazine oral tablet 20-37.5 mg</i> (BiDil)                                          | 4         |                               |
| <i>minoxidil oral tablet 10 mg, 2.5 mg</i>                                                            | 2         |                               |
| <i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)                             | 2         |                               |
| <i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur) | 2         |                               |
| <b>Central Nervous System Agents</b>                                                                  |           |                               |
| <b>Central Nervous System Agents</b>                                                                  |           |                               |
| <i>atomoxetine oral capsule 10 mg</i>                                                                 | 3         | QL (60 per 30 days)           |
| <i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i>                                                  | 2         | QL (30 per 30 days)           |
| <i>atomoxetine oral capsule 18 mg, 25 mg, 40 mg</i>                                                   | 2         | QL (60 per 30 days)           |
| AUSTEDO ORAL TABLET 12 MG, 9 MG                                                                       | 5         | PA; NDS; QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                                                         | Drug Tier | Requirements/Limits           |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| AUSTEDO ORAL TABLET 6 MG                                                                                                                                          | 5         | PA; NDS; QL (60 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG                                                                                                               | 5         | PA; NDS; QL (90 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG                                                                                                        | 5         | PA; NDS; QL (60 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG                                                                                          | 5         | PA; NDS; QL (30 per 30 days)  |
| AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG                                                                                                                | 5         | PA; NDS; QL (210 per 30 days) |
| AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24-30 MG, 6 MG (14)-12 MG (14)-24 MG (14)                                                | 5         | PA; NDS                       |
| AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML                                                                                                               | 5         | PA; NDS; QL (1 per 28 days)   |
| AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML                                                                                                                    | 5         | PA; NDS; QL (1 per 28 days)   |
| BETASERON SUBCUTANEOUS KIT 0.3 MG                                                                                                                                 | 5         | PA; NDS; QL (15 per 30 days)  |
| <i>cladribine 10 mg x 10 tab pk outer</i> (Mavenclad (10 tablet pack))                                                                                            | 5         | PA; NDS                       |
| <i>cladribine(multiple sclerosis) oral tablet 10 mg (10 pack), 10 mg (4 pack), 10 mg (5 pack), 10 mg (6 pack), 10 mg (7 pack), 10 mg (8 pack), 10 mg (9 pack)</i> | 5         | PA; NDS                       |
| <i>clonidine hcl oral tablet extended release 12 hr 0.1 mg</i>                                                                                                    | 4         |                               |
| <i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)                                                                                            | 2         | PA; QL (60 per 30 days)       |
| <i>dexmethylphenidate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Focalin)                                                                                               | 2         | QL (60 per 30 days)           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| <i>dextroamphetamine sulfate oral capsule, extended release 10 mg, 15 mg</i> (Dexedrine Spansule)             | 4                | QL (120 per 30 days)         |
| <i>dextroamphetamine sulfate oral capsule, extended release 5 mg</i>                                          | 4                | QL (120 per 30 days)         |
| <i>dextroamphetamine sulfate oral tablet 10 mg</i> (Zenzedi)                                                  | 2                | QL (180 per 30 days)         |
| <i>dextroamphetamine sulfate oral tablet 15 mg, 2.5 mg, 5 mg, 7.5 mg</i> (Zenzedi)                            | 2                | QL (120 per 30 days)         |
| <i>dextroamphetamine sulfate oral tablet 20 mg</i> (Zenzedi)                                                  | 2                | QL (90 per 30 days)          |
| <i>dextroamphetamine sulfate oral tablet 30 mg</i> (Zenzedi)                                                  | 2                | QL (60 per 30 days)          |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)     | 2                | QL (30 per 30 days)          |
| <i>dextroamphetamine-amphetamine oral capsule, extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)    | 2                | QL (60 per 30 days)          |
| <i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall) | 2                | QL (60 per 30 days)          |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg</i> (Tecfidera)                              | 3                | PA; QL (14 per 7 days)       |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)            | 3                | PA                           |
| <i>dimethyl fumarate oral capsule, delayed release(dr/ec) 240 mg</i> (Tecfidera)                              | 5                | PA; NDS; QL (60 per 30 days) |
| ENSPRYNG SUBCUTANEOUS SYRINGE 120 MG/ML                                                                       | 5                | PA; NDS                      |
| <i>fingolimod oral capsule 0.5 mg</i> (Gilenya)                                                               | 5                | PA; NDS; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 20 mg/ml</i> (Glatopa)                                                     | 5                | PA; NDS; QL (30 per 30 days) |
| <i>glatiramer subcutaneous syringe 40 mg/ml</i> (Glatopa)                                                     | 5                | PA; NDS; QL (12 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b>    |
|------------------------------------------------------------------------------------------|------------------|-------------------------------|
| <i>glatopa subcutaneous syringe 20 mg/ml</i> (glatiramer)                                | 5                | PA; NDS; QL (30 per 30 days)  |
| <i>glatopa subcutaneous syringe 40 mg/ml</i> (glatiramer)                                | 5                | PA; NDS; QL (12 per 28 days)  |
| <i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv ER) | 2                |                               |
| INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)-80 MG (21)               | 5                | PA; NDS                       |
| INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG                                                | 5                | PA; NDS; QL (30 per 30 days)  |
| INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG                             | 5                | PA; NDS; QL (30 per 30 days)  |
| KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML                                      | 5                | PA; NDS; QL (1.2 per 28 days) |
| <i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i>                             | 1                |                               |
| <i>lithium carbonate oral tablet 300 mg</i>                                              | 1                |                               |
| <i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)                  | 2                |                               |
| <i>lithium carbonate oral tablet extended release 450 mg</i>                             | 2                |                               |
| <i>lithium citrate oral solution 8 meq/5 ml</i>                                          | 2                |                               |
| MAYZENT ORAL TABLET 0.25 MG                                                              | 5                | PA; NDS; QL (112 per 28 days) |
| MAYZENT ORAL TABLET 1 MG, 2 MG                                                           | 5                | PA; NDS; QL (30 per 30 days)  |
| MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)                   | 3                | PA                            |
| MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)                  | 5                | PA; NDS                       |
| <i>metadate er oral tablet extended release 20 mg</i> (methylphenidate hcl)              | 2                | QL (90 per 30 days)           |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                     | <b>Drug Tier</b> | <b>Requirements/Limits</b>  |
|----------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------|
| <i>methylphenidate hcl oral capsule, er biphasic 30-70 10 mg, 20 mg, 40 mg, 50 mg, 60 mg</i> (Metadate CD)           | 3                | QL (30 per 30 days)         |
| <i>methylphenidate hcl oral capsule, er biphasic 30-70 30 mg</i> (Metadate CD)                                       | 3                | QL (60 per 30 days)         |
| <i>methylphenidate hcl oral capsule, er biphasic 50-50 10 mg, 40 mg, 60 mg</i>                                       | 3                | QL (30 per 30 days)         |
| <i>methylphenidate hcl oral capsule, er biphasic 50-50 20 mg</i> (Ritalin LA)                                        | 3                | QL (30 per 30 days)         |
| <i>methylphenidate hcl oral capsule, er biphasic 50-50 30 mg</i>                                                     | 3                | QL (60 per 30 days)         |
| <i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)                                            | 3                | QL (900 per 30 days)        |
| <i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)                                                  | 2                | QL (90 per 30 days)         |
| <i>methylphenidate hcl oral tablet extended release 10 mg, 20 mg</i>                                                 | 2                | QL (90 per 30 days)         |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg (bx rating), 27 mg (bx rating), 54 mg (bx rating)</i> | 3                | QL (30 per 30 days)         |
| <i>methylphenidate hcl oral tablet extended release 24hr 18 mg, 27 mg, 54 mg</i> (Concerta)                          | 3                | QL (30 per 30 days)         |
| <i>methylphenidate hcl oral tablet extended release 24hr 36 mg</i> (Concerta)                                        | 3                | QL (60 per 30 days)         |
| <i>methylphenidate hcl oral tablet extended release 24hr 36 mg (bx rating)</i>                                       | 3                | QL (60 per 30 days)         |
| <i>methylphenidate hcl oral tablet extended release 24hr 72 mg</i> (Relexxii)                                        | 4                | QL (30 per 30 days)         |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML                                                                    | 5                | PA; NDS; QL (1 per 28 days) |
| PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML-94 MCG/0.5 ML                                                       | 5                | PA; NDS                     |
| PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML                                                                         | 5                | PA; NDS; QL (1 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                     | Drug Tier | Requirements/Limits           |
|---------------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| PLEGRIDY SUBCUTANEOUS<br>SYRINGE 63 MCG/0.5 ML- 94<br>MCG/0.5 ML                                              | 5         | PA; NDS                       |
| <i>riluzole oral tablet 50 mg</i>                                                                             | 3         |                               |
| <i>teriflunomide oral tablet 14 mg, 7 mg</i> (Aubagio)                                                        | 5         | PA; NDS; QL (30 per 30 days)  |
| <i>tetrabenazine oral tablet 12.5 mg</i> (Xenazine)                                                           | 3         | PA; QL (112 per 28 days)      |
| <i>tetrabenazine oral tablet 25 mg</i> (Xenazine)                                                             | 5         | PA; NDS; QL (112 per 28 days) |
| VUMERITY ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 231 MG                                                     | 5         | PA; NDS; QL (120 per 30 days) |
| <b>Contraceptives</b>                                                                                         |           |                               |
| <b>Contraceptives</b>                                                                                         |           |                               |
| <i>afirmelle oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)                                    | 2         |                               |
| <i>altavera (28) oral tablet 0.15-0.03 mg</i> (levonorgestrel-ethinyl estrad)                                 | 2         |                               |
| <i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (norethindrone-ethin estradiol)                              | 2         |                               |
| <i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                                                   | 2         |                               |
| <i>amethia oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol-e.estrad) | 2         | QL (91 per 84 days)           |
| <i>amethyst (28) oral tablet 90-20 mcg (28)</i> (levonorgestrel-ethinyl estrad)                               | 2         |                               |
| <i>apri oral tablet 0.15-0.03 mg</i> (desogestrel-ethinyl estradiol)                                          | 2         |                               |
| <i>aranelle (28) oral tablet 0.5/1/0.5-35 mg-mcg</i>                                                          | 2         |                               |
| <i>ashlyna oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> (l norgest/e.estradiol-e.estrad) | 2         | QL (91 per 84 days)           |
| <i>aubra eq oral tablet 0.1-20 mg-mcg</i> (levonorgestrel-ethinyl estrad)                                     | 2         |                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                               |                                  | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                   | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i>                       | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>            | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>     | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>aviane oral tablet 0.1-20 mg-mcg</i>                                 | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>ayuna oral tablet 0.15-0.03 mg</i>                                   | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>           | (desog-e.estradiol/e.estradiol)  | 2         |                     |
| <i>balziva (28) oral tablet 0.4-35 mg-mcg</i>                           |                                  | 2         |                     |
| <i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>             | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>  | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>      | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>briellyn oral tablet 0.4-35 mg-mcg</i>                               |                                  | 2         |                     |
| <i>camila oral tablet 0.35 mg</i>                                       | (norethindrone (contraceptive))  | 2         |                     |
| <i>chateal eq (28) oral tablet 0.15-0.03 mg</i>                         | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>                          | (norgestrel-ethinyl estradiol)   | 2         |                     |
| <i>cyred eq oral tablet 0.15-0.03 mg</i>                                | (desogestrel-ethinyl estradiol)  | 2         |                     |
| <i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>                        | (norethindrone-ethin estradiol)  | 2         |                     |
| <i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>             |                                  | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                     |                                     | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------|-------------------------------------|-----------|---------------------|
| <i>daysee oral tablets, dose pack, 3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (l norgest/e.estradiol-e.estradiol) | 2         | QL (91 per 84 days) |
| <i>deblitane oral tablet 0.35 mg</i>                                          | (norethindrone (contraceptive))     | 2         |                     |
| <i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> | (Azurette (28))                     | 2         |                     |
| <i>dolishale oral tablet 90-20 mcg (28)</i>                                   | (levonorgestrel-ethinyl estradiol)  | 2         |                     |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.02 mg</i>                   | (Jasmiel (28))                      | 2         |                     |
| <i>drospirenone-ethinyl estradiol oral tablet 3-0.03 mg</i>                   | (Syeda)                             | 2         |                     |
| <i>elinest oral tablet 0.3-30 mg-mcg</i>                                      | (norgestrel-ethinyl estradiol)      | 2         |                     |
| <i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>                               | (etonogestrel-ethinyl estradiol)    | 2         | QL (1 per 28 days)  |
| <i>emzahh oral tablet 0.35 mg</i>                                             | (norethindrone (contraceptive))     | 2         |                     |
| <i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>                            | (etonogestrel-ethinyl estradiol)    | 4         | QL (1 per 28 days)  |
| <i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>                    | (levonorg-eth estradiol triphasic)  | 2         |                     |
| <i>enskyce oral tablet 0.15-0.03 mg</i>                                       | (desogestrel-ethinyl estradiol)     | 2         |                     |
| <i>errin oral tablet 0.35 mg</i>                                              | (norethindrone (contraceptive))     | 2         |                     |
| <i>estarylla oral tablet 0.25-0.035 mg</i>                                    | (norgestimate-ethinyl estradiol)    | 2         |                     |
| <i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>                  | (Kelnor 1/35 (28))                  | 2         |                     |
| <i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>                  | (Valtya)                            | 2         |                     |
| <i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>        | (EluRyng)                           | 2         | QL (1 per 28 days)  |
| <i>falmina (28) oral tablet 0.1-20 mg-mcg</i>                                 | (levonorgestrel-ethinyl estradiol)  | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                          |                                  | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i> | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>gemmily oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>                             | (norethindrone-e.estradiol-iron) | 3         |                     |
| <i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                         | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>              | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>hailey fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>                  | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>                                   | (etonogestrel-ethinyl estradiol) | 2         | QL (1 per 28 days)  |
| <i>heather oral tablet 0.35 mg</i>                                                 | (norethindrone (contraceptive))  | 2         |                     |
| <i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>                  | (levonorgestrel-ethinyl estrad)  | 2         | QL (91 per 84 days) |
| <i>incassia oral tablet 0.35 mg</i>                                                | (norethindrone (contraceptive))  | 2         |                     |
| <i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>                | (levonorgestrel-ethinyl estrad)  | 2         | QL (91 per 84 days) |
| <i>isibloom oral tablet 0.15-0.03 mg</i>                                           | (desogestrel-ethinyl estradiol)  | 2         |                     |
| <i>jaimiess oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i>      | (l norgest/e.estradiol-e.estrad) | 2         | QL (91 per 84 days) |
| <i>jasmiel (28) oral tablet 3-0.02 mg</i>                                          | (drospirenone-ethinyl estradiol) | 2         |                     |
| <i>jencycla oral tablet 0.35 mg</i>                                                | (norethindrone (contraceptive))  | 1         |                     |
| <i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>                  | (levonorgestrel-ethinyl estrad)  | 4         | QL (91 per 84 days) |
| <i>juleber oral tablet 0.15-0.03 mg</i>                                            | (desogestrel-ethinyl estradiol)  | 2         |                     |
| <i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                                 | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i>                                     | (norethindrone ac-eth estradiol) | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                           |                                  | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>                                | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>                                    | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                                           | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>                                         | (desog-e.estradiol/e.estradiol)  | 2         |                     |
| <i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i>                                                     | (ethynodiol diac-eth estradiol)  | 2         |                     |
| <i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i>                                                     | (ethynodiol diac-eth estradiol)  | 2         |                     |
| <i>kurvelo (28) oral tablet 0.15-0.03 mg</i>                                                        | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG                             |                                  | 4         |                     |
| <i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.1 mg-20 mcg (84)/10 mcg (7)</i>  | (Camrese Lo)                     | 2         | QL (91 per 84 days) |
| <i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i> | (Rosyrah)                        | 2         | QL (91 per 84 days) |
| <i>l norgest/e.estradiol-e.estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (Amethia)                        | 2         | QL (91 per 84 days) |
| <i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                                                  | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i>                                                      | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                                           | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>                                | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>                                    | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>lessina oral tablet 0.1-20 mg-mcg</i>                                                            | (levonorgestrel-ethinyl estrad)  | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                               |                                  | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>                         | (levonorg-eth estrad triphasic)  | 2         |                     |
| <i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i>          | (Balcoltra)                      | 4         |                     |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mcg-mcg</i>                         | (Afirmelle)                      | 2         |                     |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>                           | (Altavera (28))                  | 2         |                     |
| <i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>                         | (Amethyst (28))                  | 2         |                     |
| <i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i> | (Iclevia)                        | 2         | QL (91 per 84 days) |
| <i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>         | (Enpresse)                       | 2         |                     |
| <i>levora-28 oral tablet 0.15-0.03 mg</i>                                               | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG                   |                                  | 3         |                     |
| <i>loryna (28) oral tablet 3-0.02 mg</i>                                                | (drospirenone-ethinyl estradiol) | 2         |                     |
| <i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>                                      | (norgestrel-ethinyl estradiol)   | 2         |                     |
| <i>lo-zumandimine (28) oral tablet 3-0.02 mg</i>                                        | (drospirenone-ethinyl estradiol) | 2         |                     |
| <i>luizza oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>                                    | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>luteru (28) oral tablet 0.1-20 mg-mcg</i>                                            | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>lyleq oral tablet 0.35 mg</i>                                                        | (norethindrone (contraceptive))  | 2         |                     |
| <i>lyza oral tablet 0.35 mg</i>                                                         | (norethindrone (contraceptive))  | 2         |                     |
| <i>marlissa (28) oral tablet 0.15-0.03 mg</i>                                           | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>meleya oral tablet 0.35 mg</i>                                                       | (norethindrone (contraceptive))  | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                       |                                  | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>merzee oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>                           | (norethindrone-e.estradiol-iron) | 3         |                     |
| <i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>                        | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>                            | (norethindrone ac-eth estradiol) | 2         |                     |
| <i>microgestin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                 | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>      | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>          | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>mili oral tablet 0.25-0.035 mg</i>                                           | (norgestimate-ethinyl estradiol) | 2         |                     |
| MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG         |                                  | 4         |                     |
| <i>mono-lynyah oral tablet 0.25-0.035 mg</i>                                    | (norgestimate-ethinyl estradiol) | 1         |                     |
| NEXPLANON SUBDERMAL IMPLANT 68 MG                                               |                                  | 3         |                     |
| <i>nikki (28) oral tablet 3-0.02 mg</i>                                         | (drospirenone-ethinyl estradiol) | 2         |                     |
| <i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i> | (Xulane)                         | 2         | QL (3 per 28 days)  |
| <i>norethindrone (contraceptive) oral tablet 0.35 mg</i>                        | (Jencycla)                       | 2         |                     |
| <i>norethindrone ac-eth estradiol oral tablet 1.5-30 mg-mcg</i>                 | (Aurovela 1.5/30 (21))           | 2         |                     |
| <i>norethindrone ac-eth estradiol oral tablet 1-20 mg-mcg</i>                   | (Aurovela 1/20 (21))             | 2         |                     |
| <i>norethindrone-e.estradiol-iron oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>   | (Gemmily)                        | 3         |                     |
| <i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>    | (Aurovela Fe 1-20 (28))          | 2         |                     |
| <i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>  | (Aurovela Fe 1.5/30 (28))        | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                  | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------|------------------|----------------------------|
| <i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>  | 2                |                            |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>     | 2                |                            |
| <i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i> | 2                |                            |
| <i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i>                   | 2                |                            |
| <i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>                             | 2                |                            |
| <i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>                                  | 2                |                            |
| <i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                       | 2                |                            |
| <i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>                                    | 2                |                            |
| <i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>                         | 2                |                            |
| <i>nymyo oral tablet 0.25-35 mg-mcg</i>                                           | 2                |                            |
| <i>orquidea oral tablet 0.35 mg</i>                                               | 2                |                            |
| <i>philith oral tablet 0.4-35 mg-mcg</i>                                          | 2                |                            |
| <i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>                      | 2                |                            |
| <i>portia 28 oral tablet 0.15-0.03 mg</i>                                         | 2                |                            |
| <i>reclipsen (28) oral tablet 0.15-0.03 mg</i>                                    | 2                |                            |
| <i>rosyrah oral tablets,dose pack,3 month 0.15 mg-20 mcg/ 0.15 mg-25 mcg</i>      | 2                |                            |
| <i>setlakin oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>                | 2                | QL (91 per 84 days)        |
| <i>sharobel oral tablet 0.35 mg</i>                                               | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                     |                                  | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>                  | (desog-e.estradiol/e.estradiol)  | 2         |                     |
| <i>simpesse oral tablets,dose pack,3 month 0.15 mg-30 mcg (84)/10 mcg (7)</i> | (l norgest/e.estradiol-e.estrad) | 2         | QL (91 per 84 days) |
| SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG           |                                  | 4         |                     |
| <i>sprintec (28) oral tablet 0.25-0.035 mg</i>                                | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>sronyx oral tablet 0.1-20 mg-mcg</i>                                       | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>syeda oral tablet 3-0.03 mg</i>                                            | (drospirenone-ethinyl estradiol) | 2         |                     |
| <i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>                    | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>          | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>taysofy oral capsule 1 mg-20 mcg (24)/75 mg (4)</i>                        | (norethindrone-e.estradiol-iron) | 3         |                     |
| <i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>                    | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>              | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>               | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>tri-linyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>                 | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>               | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>                  | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>                    | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>                | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>                   | (norgestimate-ethinyl estradiol) | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                |                                  | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------|----------------------------------|-----------|---------------------|
| <i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>              | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>     | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>           | (levonorg-eth estrad triphasic)  | 2         |                     |
| <i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>            | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>           | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>                             | (norgestrel-ethinyl estradiol)   | 2         |                     |
| <i>tyblume oral tablet, chewable 0.1 mg-20 mcg</i>                       |                                  | 4         |                     |
| <i>valtya oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i>                       | (ethynodiol diac-eth estradiol)  | 2         |                     |
| <i>velivet triphasic regimen (28) oral tablet 0.1/.125/.15-25 mg-mcg</i> |                                  | 2         |                     |
| <i>vestura (28) oral tablet 3-0.02 mg</i>                                | (drospirenone-ethinyl estradiol) | 2         |                     |
| <i>vienva oral tablet 0.1-20 mg-mcg</i>                                  | (levonorgestrel-ethinyl estrad)  | 2         |                     |
| <i>viorele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>             | (desog-e.estradiol/e.estradiol)  | 2         |                     |
| <i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>              | (desog-e.estradiol/e.estradiol)  | 2         |                     |
| <i>vyfemla (28) oral tablet 0.4-35 mg-mcg</i>                            |                                  | 2         |                     |
| <i>vylibra oral tablet 0.25-0.035 mg</i>                                 | (norgestimate-ethinyl estradiol) | 2         |                     |
| <i>xarah fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>               | (norethindrone-e.estradiol-iron) | 2         |                     |
| <i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>                  | (norelgestromin-ethin.estradiol) | 2         | QL (3 per 28 days)  |
| <i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>                  | (norelgestromin-ethin.estradiol) | 2         | QL (3 per 28 days)  |
| <i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>                           | (ethynodiol diac-eth estradiol)  | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                       |                                  | Drug Tier | Requirements/Limits  |
|-----------------------------------------------------------------|----------------------------------|-----------|----------------------|
| <i>zumandimine (28) oral tablet 3-0.03 mg</i>                   | (drospirenone-ethinyl estradiol) | 2         |                      |
| <b>Dental And Oral Agents</b>                                   |                                  |           |                      |
| <b>Dental And Oral Agents</b>                                   |                                  |           |                      |
| <i>cevimeline oral capsule 30 mg</i>                            | (Evoxac)                         | 4         |                      |
| <i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> | (Periogard)                      | 1         |                      |
| <i>denta 5000 plus dental cream 1.1 %</i>                       | (fluoride (sodium))              | 1         |                      |
| <i>dentagel dental gel 1.1 %</i>                                | (fluoride (sodium))              | 1         |                      |
| <i>fluoride (sodium) dental gel 1.1 %</i>                       | (DentaGel)                       | 1         |                      |
| <i>fluoride (sodium) dental solution 0.2 %</i>                  | (PreviDent)                      | 1         |                      |
| <i>periogard mucous membrane mouthwash 0.12 %</i>               | (chlorhexidine gluconate)        | 1         |                      |
| <i>pilocarpine hcl oral tablet 5 mg</i>                         | (Salagen (pilocarpine))          | 2         |                      |
| <i>pilocarpine hcl oral tablet 7.5 mg</i>                       | (Salagen (pilocarpine))          | 4         |                      |
| <i>sf 5000 plus dental cream 1.1 %</i>                          | (fluoride (sodium))              | 1         |                      |
| <i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i>         | (Denta 5000 Plus Sensitive)      | 1         |                      |
| <i>triamcinolone acetonide dental paste 0.1 %</i>               | (Kourzeq)                        | 2         |                      |
| <b>Dermatological Agents</b>                                    |                                  |           |                      |
| <b>Dermatological Agents, Other</b>                             |                                  |           |                      |
| <i>accutane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i>         | (isotretinoin)                   | 3         |                      |
| <i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i>             |                                  | 2         |                      |
| <i>acyclovir topical cream 5 %</i>                              | (Zovirax)                        | 4         | QL (5 per 4 days)    |
| <i>acyclovir topical ointment 5 %</i>                           | (Zovirax)                        | 4         | QL (30 per 30 days)  |
| <i>ammonium lactate topical cream 12 %</i>                      |                                  | 2         |                      |
| <i>ammonium lactate topical lotion 12 %</i>                     | (AmLactin)                       | 2         |                      |
| <i>calcipotriene scalp solution 0.005 %</i>                     | (Pellix)                         | 2         | QL (120 per 30 days) |
| <i>calcipotriene topical cream 0.005 %</i>                      |                                  | 3         | QL (120 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                     | Drug Tier | Requirements/Limits          |
|-------------------------------------------------------------------------------|-----------|------------------------------|
| <i>calcipotriene topical ointment 0.005 %</i>                                 | 3         | QL (120 per 30 days)         |
| <i>fluorouracil topical cream 0.5 %</i> (Carac)                               | 5         | NDS                          |
| <i>fluorouracil topical cream 5 %</i> (Efudex)                                | 2         |                              |
| <i>fluorouracil topical solution 2 %</i>                                      | 2         |                              |
| <i>fluorouracil topical solution 5 %</i>                                      | 4         |                              |
| <i>imiquimod topical cream in packet 5 %</i>                                  | 2         | QL (24 per 30 days)          |
| KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %                               | 5         | ST; NDS; QL (5 per 5 days)   |
| <i>methoxsalen oral capsule, liqd-filled, rapid rel 10 mg</i>                 | 5         | NDS                          |
| PANRETIN TOPICAL GEL 0.1 %                                                    | 5         | NDS; QL (60 per 28 days)     |
| <i>penciclovir topical cream 1 %</i> (Denavir)                                | 4         |                              |
| <i>podofilox topical solution 0.5 %</i>                                       | 2         |                              |
| REGRANEX TOPICAL GEL 0.01 %                                                   | 5         | PA; NDS; QL (30 per 30 days) |
| SANTYL TOPICAL OINTMENT 250 UNIT/GRAM                                         | 4         | QL (180 per 30 days)         |
| VALCHLOR TOPICAL GEL 0.016 %                                                  | 5         | PA NSO; NDS                  |
| <i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (isotretinoin)        | 3         |                              |
| <b>Dermatological Antibacterials</b>                                          |           |                              |
| <i>clindamycin phosphate topical foam 1 %</i> (Clindacin)                     | 4         | QL (100 per 30 days)         |
| <i>clindamycin phosphate topical solution 1 %</i>                             | 2         | QL (180 per 30 days)         |
| <i>clindamycin phosphate topical swab 1 %</i> (Clindacin ETZ)                 | 2         |                              |
| <i>clindamycin-benzoyl peroxide topical gel 1.2 % (1 % base) -5 %</i> (Neuac) | 2         |                              |
| <i>clindamycin-benzoyl peroxide topical gel 1-5 %</i>                         | 4         |                              |
| <i>ery pads topical swab 2 %</i> (erythromycin with ethanol)                  | 2         |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                           | Drug Tier | Requirements/Limits  |
|---------------------------------------------------------------------|-----------|----------------------|
| <i>erythromycin with ethanol topical gel 2 %</i>                    | 4         |                      |
| <i>erythromycin with ethanol topical solution 2 %</i>               | 2         |                      |
| <i>erythromycin-benzoyl peroxide topical gel 3-5 %</i> (Benzamycin) | 4         |                      |
| <i>gentamicin topical cream 0.1 %</i>                               | 2         | QL (90 per 30 days)  |
| <i>gentamicin topical ointment 0.1 %</i>                            | 2         | QL (120 per 30 days) |
| <i>metronidazole topical cream 0.75 %</i> (Rosadan)                 | 2         |                      |
| <i>metronidazole topical gel 0.75 %</i> (Rosadan)                   | 2         |                      |
| <i>metronidazole topical gel 1 %</i> (Metrogel)                     | 4         |                      |
| <i>metronidazole topical lotion 0.75 %</i> (MetroLotion)            | 4         |                      |
| <i>mupirocin topical ointment 2 %</i> (Centany)                     | 1         | QL (220 per 30 days) |
| <i>rosadan topical cream 0.75 %</i> (metronidazole)                 | 2         |                      |
| <i>selenium sulfide topical lotion 2.5 %</i>                        | 2         |                      |
| <i>silver sulfadiazine topical cream 1 %</i> (SSD)                  | 2         |                      |
| <i>ssd topical cream 1 %</i> (silver sulfadiazine)                  | 4         |                      |
| <i>sulfacetamide sodium (acne) topical suspension 10 %</i> (Klaron) | 2         |                      |
| <b>Dermatological Anti-Inflammatory Agents</b>                      |           |                      |
| <i>ala-cort topical cream 1 %</i> (hydrocortisone)                  | 2         |                      |
| <i>ala-scalp topical lotion 2 %</i> (hydrocortisone)                | 4         |                      |
| <i>alclometasone topical cream 0.05 %</i>                           | 2         |                      |
| <i>alclometasone topical ointment 0.05 %</i>                        | 2         |                      |
| <i>betamethasone dipropionate topical cream 0.05 %</i>              | 2         |                      |
| <i>betamethasone dipropionate topical lotion 0.05 %</i>             | 2         |                      |
| <i>betamethasone dipropionate topical ointment 0.05 %</i>           | 2         |                      |
| <i>betamethasone valerate topical cream 0.1 %</i>                   | 2         |                      |
| <i>betamethasone valerate topical foam 0.12 %</i>                   | 4         |                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                       | Drug Tier | Requirements/Limits  |
|---------------------------------------------------------------------------------|-----------|----------------------|
| <i>betamethasone valerate topical lotion 0.1 %</i>                              | 2         |                      |
| <i>betamethasone valerate topical ointment 0.1 %</i>                            | 2         |                      |
| <i>betamethasone, augmented topical cream 0.05 %</i>                            | 2         |                      |
| <i>betamethasone, augmented topical gel 0.05 %</i>                              | 2         |                      |
| <i>betamethasone, augmented topical lotion 0.05 %</i>                           | 2         |                      |
| <i>betamethasone, augmented topical ointment 0.05 %</i> (Diprolene (augmented)) | 2         |                      |
| <i>clobetasol scalp solution 0.05 %</i>                                         | 2         |                      |
| <i>clobetasol topical cream 0.05 %</i>                                          | 2         |                      |
| <i>clobetasol topical foam 0.05 %</i>                                           | 4         |                      |
| <i>clobetasol topical gel 0.05 %</i>                                            | 4         |                      |
| <i>clobetasol topical lotion 0.05 %</i> (Clobex)                                | 4         |                      |
| <i>clobetasol topical ointment 0.05 %</i>                                       | 2         |                      |
| <i>clobetasol topical shampoo 0.05 %</i> (Clobex)                               | 2         |                      |
| <i>clobetasol-emollient topical cream 0.05 %</i>                                | 2         |                      |
| <i>clobetasol-emollient topical foam 0.05 %</i> (Tovet Emollient)               | 4         |                      |
| <i>desonide topical cream 0.05 %</i>                                            | 2         |                      |
| <i>desonide topical lotion 0.05 %</i>                                           | 4         |                      |
| <i>desonide topical ointment 0.05 %</i>                                         | 2         |                      |
| <i>desoximetasone topical cream 0.05 %</i> (Topicort)                           | 4         | QL (120 per 30 days) |
| <i>desoximetasone topical cream 0.25 %</i> (Topicort)                           | 2         | QL (120 per 30 days) |
| <i>desoximetasone topical gel 0.05 %</i> (Topicort)                             | 4         | QL (120 per 30 days) |
| <i>desoximetasone topical ointment 0.05 %, 0.25 %</i> (Topicort)                | 4         |                      |
| <i>diflorasone topical ointment 0.05 %</i>                                      | 4         | QL (180 per 30 days) |
| EUCRISA TOPICAL OINTMENT 2 %                                                    | 3         |                      |
| <i>fluocinolone topical cream 0.01 %</i>                                        | 2         |                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                          | Drug Tier | Requirements/Limits  |
|------------------------------------------------------------------------------------|-----------|----------------------|
| <i>fluocinolone topical cream 0.025 %</i> (Synalar)                                | 2         |                      |
| <i>fluocinolone topical ointment 0.025 %</i> (Synalar)                             | 2         |                      |
| <i>fluocinonide topical cream 0.05 %</i>                                           | 2         |                      |
| <i>fluocinonide topical gel 0.05 %</i>                                             | 2         |                      |
| <i>fluocinonide topical ointment 0.05 %</i>                                        | 2         |                      |
| <i>fluocinonide topical solution 0.05 %</i>                                        | 2         |                      |
| <i>fluocinonide-emollient topical cream 0.05 %</i> (Fluocinonide-E)                | 2         |                      |
| <i>fluticasone propionate topical cream 0.05 %</i>                                 | 2         |                      |
| <i>fluticasone propionate topical ointment 0.005 %</i>                             | 2         |                      |
| <i>halobetasol propionate topical cream 0.05 %</i>                                 | 2         |                      |
| <i>halobetasol propionate topical ointment 0.05 %</i>                              | 2         |                      |
| <i>hydrocortisone 2.5% cream</i>                                                   | 2         |                      |
| <i>hydrocortisone butyrate topical cream 0.1 %</i>                                 | 4         | QL (120 per 30 days) |
| <i>hydrocortisone butyrate topical lotion 0.1 %</i> (Evesse)                       | 4         | QL (236 per 30 days) |
| <i>hydrocortisone butyrate topical ointment 0.1 %</i>                              | 4         | QL (120 per 30 days) |
| <i>hydrocortisone butyrate topical solution 0.1 %</i>                              | 4         | QL (120 per 30 days) |
| <i>hydrocortisone topical cream 1 %</i> (Ala-Cort)                                 | 2         |                      |
| <i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Procto-Med HC) | 2         |                      |
| <i>hydrocortisone topical lotion 2.5 %</i>                                         | 2         |                      |
| <i>hydrocortisone topical ointment 1 %</i> (Anti-Itch (HC))                        | 1         |                      |
| <i>hydrocortisone topical ointment 2.5 %</i>                                       | 1         |                      |
| <i>hydrocortisone valerate topical cream 0.2 %</i>                                 | 2         |                      |
| <i>hydrocortisone valerate topical ointment 0.2 %</i>                              | 4         |                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                          | Drug Tier | Requirements/Limits  |
|------------------------------------------------------------------------------------|-----------|----------------------|
| <i>mometasone topical cream 0.1 %</i>                                              | 2         |                      |
| <i>mometasone topical ointment 0.1 %</i>                                           | 2         |                      |
| <i>mometasone topical solution 0.1 %</i>                                           | 2         |                      |
| <i>pimecrolimus topical cream 1 %</i>                                              | 4         | QL (100 per 30 days) |
| <i>procto-med hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 2         |                      |
| <i>proctosol hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone)  | 2         |                      |
| <i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (hydrocortisone) | 2         |                      |
| <i>tacrolimus topical ointment 0.03 %, 0.1 %</i>                                   | 3         | QL (100 per 30 days) |
| <i>triamcinol ac (pf) in 0.9%nacl injection suspension 40 mg/ml</i>                | 2         |                      |
| <i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i>                        | 1         |                      |
| <i>triamcinolone acetonide topical cream 0.5 %</i> (Triderm)                       | 1         |                      |
| <i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i>                       | 2         |                      |
| <i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i>              | 2         |                      |
| <b>Dermatological Retinoids</b>                                                    |           |                      |
| <i>adapalene topical cream 0.1 %</i> (Differin)                                    | 4         |                      |
| ALTRENO TOPICAL LOTION 0.05 %                                                      | 4         | PA                   |
| <i>tazarotene topical cream 0.05 %</i> (Tazorac)                                   | 3         |                      |
| <i>tazarotene topical cream 0.1 %</i> (Tazorac)                                    | 2         |                      |
| <i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i> (Retin-A)                    | 2         | PA                   |
| <i>tretinoin topical gel 0.01 %, 0.025 %</i> (Retin-A)                             | 2         | PA                   |
| <i>tretinoin topical gel 0.05 %</i> (Atralin)                                      | 4         | PA                   |
| <b>Scabicides And Pediculicides</b>                                                |           |                      |
| <i>malathion topical lotion 0.5 %</i> (Ovide)                                      | 4         |                      |
| <i>permethrin topical cream 5 %</i>                                                | 2         | QL (60 per 30 days)  |
| <b>Devices</b>                                                                     |           |                      |
| <b>Devices</b>                                                                     |           |                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                  |                                   | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| 1ST TIER UNIFINE PENTP 5MM<br>31G 31 GAUGE X 3/16"                         | (pen needle, diabetic)            | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP 4MM<br>32G 32 GAUGE X 5/32"                         | (pen needle, diabetic)            | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP 6MM<br>31G 31 GAUGE X 1/4"                          | (pen needle, diabetic)            | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP 8MM<br>31G STRL,SINGLE-USE,SHRT 31<br>GAUGE X 5/16" | (pen needle, diabetic)            | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP<br>29GX1/2" 29 GAUGE X 1/2"                         | (pen needle, diabetic)            | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP<br>31GX3/16 31 GAUGE X 3/16"                        | (pen needle, diabetic)            | 2         | PA; ST              |
| 1ST TIER UNIFINE PNTIP<br>32GX5/32 32 GAUGE X 5/32"                        | (pen needle, diabetic)            | 2         | PA; ST              |
| ADVOCATE INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16"                | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16"                | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"                | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"                | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16                        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE INS SYR 1 ML<br>30GX5/16 1 ML 30 GAUGE X 5/16                     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ADVOCATE PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"                            | (pen needle, diabetic)            | 2         | PA; ST              |
| ADVOCATE PEN NEEDLE 4MM<br>33G 33 GAUGE X 5/32"                            | (pen needle, diabetic)            | 2         | PA; ST              |
| ADVOCATE PEN NEEDLES 5MM<br>31G 31 GAUGE X 3/16"                           | (pen needle, diabetic)            | 2         | PA; ST              |
| ADVOCATE PEN NEEDLES 8MM<br>31G 31 GAUGE X 5/16"                           | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| ALCOHOL PADS TOPICAL PADS, (alcohol swabs)<br>MEDICATED                                                         | 1                | PA; ST                     |
| AQINJECT PEN NEEDLE 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"                                          | 2                | PA; ST                     |
| AQINJECT PEN NEEDLE 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                                          | 2                | PA; ST                     |
| ASSURE ID DUO PRO NDL 31G (pen needle, diabetic,<br>5MM 31 GAUGE X 3/16" safety)                                | 2                | PA; ST                     |
| ASSURE ID DUO-SHIELD<br>30GX3/16" 30 GAUGE X 3/16"                                                              | 2                | PA; ST                     |
| ASSURE ID DUO-SHIELD<br>30GX5/16" 30 GAUGE X 5/16"                                                              | 2                | PA; ST                     |
| ASSURE ID INSULIN SAFETY<br>SYRINGE 1 ML 29 GAUGE X 1/2"                                                        | 2                | PA; ST                     |
| ASSURE ID PEN NEEDLE<br>30GX5/16" 30 GAUGE X 5/16"                                                              | 2                | PA; ST                     |
| ASSURE ID PRO PEN NDL 30G<br>5MM 30 GAUGE X 3/16"                                                               | 2                | PA; ST                     |
| ASSURE ID SYR 0.5 ML<br>31GX15/64" 0.5 ML 31 GAUGE X<br>15/64"                                                  | 2                | PA; ST                     |
| ASSURE ID SYR 1 ML<br>31GX15/64" 1 ML 31 GAUGE X<br>15/64"                                                      | 2                | PA; ST                     |
| BD AUTOSHIELD DUO NDL<br>5MMX30G 30 GAUGE X 3/16"                                                               | 2                | PA; ST                     |
| BD ECLIPSE 30GX1/2" SYRINGE (insulin syringe-needle<br>1 ML 30 GAUGE X 1/2" u-100)                              | 2                | PA; ST                     |
| BD INS SYR 0.3 ML<br>8MMX31G(1/2) 0.3 ML 31 GAUGE<br>X 5/16"                                                    | 2                | PA; ST                     |
| BD INS SYR UF 0.3 ML (insulin syringe-needle<br>12.7MMX30G 0.3 ML 30 GAUGE u-100)<br>X 1/2"                     | 2                | PA; ST                     |
| BD INS SYR UF 0.5 ML (insulin syringe-needle<br>12.7MMX30G NOT FOR RETAIL u-100)<br>SALE 0.5 ML 30 GAUGE X 1/2" | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------|------------------|----------------------------|
| BD INSULIN SYR 1 ML<br>27GX12.7MM 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)       | 2                | PA; ST                     |
| BD INSULIN SYR 1 ML 27GX5/8" MICRO-FINE 1 ML 27 GAUGE X 5/8" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"                                      | 2                | PA; ST                     |
| BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"                                     | 2                | PA; ST                     |
| BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"                                     | 2                | PA; ST                     |
| BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"                                         | 2                | PA; ST                     |
| BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"                                       | 2                | PA; ST                     |
| BD SAFETYGLIDE SYRINGE 27GX5/8 1 ML 27 GAUGE X 5/8" (insulin syringe-needle u-100)          | 2                | PA; ST                     |
| BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"                                     | 2                | PA; ST                     |
| BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"                                      | 2                | PA; ST                     |
| BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"                                     | 2                | PA; ST                     |
| BD SINGLE USE SWAB (alcohol swabs)                                                          | 1                | PA; ST                     |
| BD UF MICRO PEN NEEDLE 6MMX32G 32 GAUGE X 1/4" (pen needle, diabetic)                       | 2                | PA; ST                     |
| BD UF MINI PEN NEEDLE 5MMX31G 31 GAUGE X 3/16" (pen needle, diabetic)                       | 2                | PA; ST                     |
| BD UF NANO PEN NEEDLE 4MMX32G 32 GAUGE X 5/32" (pen needle, diabetic)                       | 2                | PA; ST                     |
| BD UF ORIG PEN NDL 12.7MMX29G 29 GAUGE X 1/2" (pen needle, diabetic)                        | 2                | PA; ST                     |
| BD UF SHORT PEN NEEDLE 8MMX31G 31 GAUGE X 5/16" (pen needle, diabetic)                      | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                     |                                   | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| BD VEO INS 0.3 ML 6MMX31G<br>(1/2) 0.3 ML 31 GAUGE X 15/64"   |                                   | 2         | PA; ST              |
| BD VEO INS SYRING 1 ML<br>6MMX31G 1 ML 31 GAUGE X<br>15/64"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| BD VEO INS SYRN 0.3 ML<br>6MMX31G 0.3 ML 31 GAUGE X<br>15/64" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| BD VEO INS SYRN 0.5 ML<br>6MMX31G 1/2 ML 31 GAUGE X<br>15/64" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| BORDERED GAUZE 2"X2" 2 X 2 "                                  | (gauze bandage)                   | 1         | PA; ST              |
| CAREFINE PEN NEEDLE 12.7MM<br>29G HRI 29 GAUGE X 1/2"         | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLE 4MM<br>32G 32 GAUGE X 5/32"               | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLE 5MM<br>32G 32 GAUGE X 3/16"               | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLE 6MM<br>31G HRI 31 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLE 8MM<br>30G HRI 30 GAUGE X 5/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLES 6MM<br>32G 32 GAUGE X 1/4"               | (pen needle, diabetic)            | 2         | PA; ST              |
| CAREFINE PEN NEEDLES 8MM<br>31G 31 GAUGE X 5/16"              | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH ALCOHOL 70%<br>PREP PAD                             | (alcohol swabs)                   | 1         | PA; ST              |
| CARETOUCH PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"              | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"              | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"            | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"            | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH PEN NEEDLE<br>32GX3/16" 32 GAUGE X 3/16"            | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                              |                                   | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| CARETOUCH PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"                     | (pen needle, diabetic)            | 2         | PA; ST              |
| CARETOUCH SYR 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CARETOUCH SYR 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CARETOUCH SYR 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CARETOUCH SYR 1 ML<br>28GX5/16" 1 ML 28 X 5/16"                        |                                   | 2         | PA; ST              |
| CARETOUCH SYR 1 ML<br>29GX5/16" 1 ML 29 GAUGE X 5/16"                  |                                   | 2         | PA; ST              |
| CARETOUCH SYR 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16"                  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CARETOUCH SYR 1 ML<br>31GX5/16" 1 ML 31 GAUGE X 5/16"                  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| CLICKFINE PEN NEEDLE<br>32GX5/32" 32GX4MM, STERILE<br>32 GAUGE X 5/32" | (pen needle, diabetic)            | 2         | PA; ST              |
| CLICKFINE UNIVERSAL 31G X<br>1/4" 6MM, STORE BRAND 31<br>GAUGE X 1/4"  | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT EZ 0.3 ML 31G 15/64"<br>0.3 ML 31 GAUGE X 15/64"               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ 0.5 ML 31G 15/64"<br>1/2 ML 31 GAUGE X 15/64"               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ INS 0.3 ML<br>30GX1/2" 0.3 ML 30 GAUGE X<br>1/2"            | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16"          | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ INS 1 ML 31G<br>15/64" 1 ML 31 GAUGE X 15/64"               | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ INS 1 ML<br>31GX5/16" 1 ML 31 GAUGE X 5/16"                 | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                      |                                | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------|--------------------------------|-----------|---------------------|
| COMFORT EZ INSULIN SYR 0.3 ML 0.3 ML 31 GAUGE X 5/16"                          | (insulin syringe-needle u-100) | 2         | PA; ST              |
| COMFORT EZ INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"                                 | (pen needle, diabetic)         | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"              | (pen needle, diabetic)         | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES 4MM 33G 33 GAUGE X 5/32"                                | (pen needle, diabetic)         | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES 5MM 31G MINI 31 GAUGE X 3/16"                           | (pen needle, diabetic)         | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"            | (pen needle, diabetic)         | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES 5MM 33G 33 GAUGE X 3/16"                                | (pen needle, diabetic)         | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"                                 | (pen needle, diabetic)         | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"                                 | (pen needle, diabetic)         | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"                                 | (pen needle, diabetic)         | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"                          | (pen needle, diabetic)         | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"                                | (pen needle, diabetic)         | 2         | PA; ST              |
| COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"                                |                                | 2         | PA; ST              |
| COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"                                |                                | 2         | PA; ST              |
| COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"                                | (pen needle, diabetic, safety) | 2         | PA; ST              |
| COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"                                | (pen needle, diabetic, safety) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                   |                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| COMFORT EZ SYR 0.3 ML<br>29GX1/2" 0.3 ML 29 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ SYR 0.5 ML<br>28GX1/2" 1/2 ML 28 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ SYR 0.5 ML<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ SYR 0.5 ML<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ SYR 1 ML 27G<br>12.7MM 1 ML 27 GAUGE X 1/2"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ SYR 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ SYR 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ SYR 1 ML<br>30GX1/2" 1 ML 30 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT EZ SYR 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| COMFORT POINT PEN NDL<br>31GX1/3" 31 GAUGE X 1/3"           |                                   | 2         | PA; ST              |
| COMFORT POINT PEN NDL<br>31GX1/6" 31 GAUGE X 1/6"           |                                   | 2         | PA; ST              |
| COMFORT TOUCH PEN NDL 31G<br>4MM 31 GAUGE X 5/32"           | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT TOUCH PEN NDL 31G<br>5MM 31 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT TOUCH PEN NDL 31G<br>6MM 31 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT TOUCH PEN NDL 31G<br>8MM 31 GAUGE X 5/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT TOUCH PEN NDL 32G<br>4MM 32 GAUGE X 5/32"           | (pen needle, diabetic)            | 2         | PA; ST              |
| COMFORT TOUCH PEN NDL 32G<br>5MM 32 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                 | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------|-----------|---------------------|
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"                   | 2         | PA; ST              |
| COMFORT TOUCH PEN NDL 32G (pen needle, diabetic)<br>8MM 32 GAUGE X 5/16"                  | 2         | PA; ST              |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic)<br>4MM 33 GAUGE X 5/32"                  | 2         | PA; ST              |
| COMFORT TOUCH PEN NDL 33G (pen needle, diabetic)<br>6MM 33 GAUGE X 1/4"                   | 2         | PA; ST              |
| COMFORT TOUCH PEN NDL (pen needle, diabetic)<br>33GX5MM 33 GAUGE X 3/16"                  | 2         | PA; ST              |
| CURITY ALCOHOL PREPS 2 (alcohol swabs)<br>PLY,MEDIUM                                      | 1         | PA; ST              |
| CURITY GAUZE PADS 2 X 2 " (gauze bandage)                                                 | 1         | PA; ST              |
| CURITY GAUZE SPONGES (12<br>PLY)-200/BAG 2 X 2 "                                          | 1         | PA; ST              |
| DERMACEA 2"X2" GAUZE 12 (gauze bandage)<br>PLY, USP TYPE VII 2 X 2 "                      | 1         | PA; ST              |
| DERMACEA GAUZE 2"X2"<br>SPONGE 8 PLY 2 X 2 "                                              | 1         | PA; ST              |
| DERMACEA NON-WOVEN 2"X2"<br>SPNGE 2 X 2 "                                                 | 1         | PA; ST              |
| DROPLET 0.3 ML 29G<br>12.7MM(1/2) OUTER 0.3 ML 29<br>GAUGE X 1/2"                         | 2         | PA; ST              |
| DROPLET 0.3 ML 30G<br>12.7MM(1/2) OUTER 0.3 ML 30<br>GAUGE X 1/2"                         | 2         | PA; ST              |
| DROPLET 0.5 ML<br>29GX12.5MM(1/2) 0.5 ML 29<br>GAUGE X 1/2"                               | 2         | PA; ST              |
| DROPLET 0.5 ML<br>30GX12.5MM(1/2) 0.5 ML 30<br>GAUGE X 1/2"                               | 2         | PA; ST              |
| DROPLET INS 0.3 ML (insulin syringe-needle<br>29GX12.5MM 0.3 ML 29 GAUGE u-100)<br>X 1/2" | 2         | PA; ST              |
| DROPLET INS 0.3 ML 30G<br>8MM(1/2) OUTER 0.3 ML 30<br>GAUGE X 5/16"                       | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| DROPLET INS 0.3 ML<br>30GX12.5MM 0.3 ML 30 GAUGE<br>X 1/2" (insulin syringe-needle<br>u-100)       | 2                | PA; ST                     |
| DROPLET INS 0.3 ML 31G<br>6MM(1/2) OUTER 0.3 ML 31<br>GAUGE X 15/64"                               | 2                | PA; ST                     |
| DROPLET INS 0.3 ML 31G<br>8MM(1/2) OUTER 0.3 ML 31<br>GAUGE X 5/16"                                | 2                | PA; ST                     |
| DROPLET INS 0.5 ML 29G<br>12.7MM OUTER 0.5 ML 29<br>GAUGE X 1/2" (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| DROPLET INS 0.5 ML 30G<br>12.7MM OUTER 0.5 ML 30<br>GAUGE X 1/2" (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>30GX6MM(1/2) 0.5ML 30 GAUGE<br>X 15/64"                                      | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>30GX8MM(1/2) 0.5 ML 30 GAUGE<br>X 5/16"                                      | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>31GX6MM(1/2) 0.5 ML 31 GAUGE<br>X 15/64"                                     | 2                | PA; ST                     |
| DROPLET INS 0.5 ML<br>31GX8MM(1/2) 0.5 ML 31 GAUGE<br>X 5/16"                                      | 2                | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>30GX6MM 0.3 ML 30 GAUGE X<br>15/64"                                      | 2                | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>30GX8MM 0.3 ML 30 GAUGE X<br>5/16" (insulin syringe-needle<br>u-100)     | 2                | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>31GX6MM 0.3 ML 31 GAUGE X<br>15/64" (insulin syringe-needle<br>u-100)    | 2                | PA; ST                     |
| DROPLET INS SYR 0.3 ML<br>31GX8MM 0.3 ML 31 GAUGE X<br>5/16" (insulin syringe-needle<br>u-100)     | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                   | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| DROPLET INS SYR 0.5 ML 30G (insulin syringe-needle<br>8MM OUTER 0.5 ML 30 GAUGE X u-100)<br>5/16"  | 2                | PA; ST                     |
| DROPLET INS SYR 0.5 ML 31G (insulin syringe-needle<br>6MM OUTER 1/2 ML 31 GAUGE X u-100)<br>15/64" | 2                | PA; ST                     |
| DROPLET INS SYR 0.5 ML 31G (insulin syringe-needle<br>8MM OUTER 0.5 ML 31 GAUGE X u-100)<br>5/16"  | 2                | PA; ST                     |
| DROPLET INS SYR 1 ML 29G (insulin syringe-needle<br>12.7MM OUTER 1 ML 29 GAUGE u-100)<br>X 1/2"    | 2                | PA; ST                     |
| DROPLET INS SYR 1 ML 30G (insulin syringe-needle<br>12.5MM 1 ML 30 GAUGE X 1/2" u-100)             | 2                | PA; ST                     |
| DROPLET INS SYR 1 ML 30G<br>6MM 1 ML 30 GAUGE X 15/64"                                             | 2                | PA; ST                     |
| DROPLET INS SYR 1 ML 30G (insulin syringe-needle<br>8MM OUTER 1 ML 30 GAUGE X u-100)<br>5/16       | 2                | PA; ST                     |
| DROPLET INS SYR 1 ML 31G (insulin syringe-needle<br>6MM OUTER 1 ML 31 GAUGE X u-100)<br>15/64"     | 2                | PA; ST                     |
| DROPLET INS SYR 1 ML 31G (insulin syringe-needle<br>8MM 1 ML 31 GAUGE X 5/16 u-100)                | 2                | PA; ST                     |
| DROPLET MICRON 34G X 9/64"<br>34 GAUGE X 9/64"                                                     | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 29G<br>10MM 29 GAUGE X 3/8"                                                     | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 29G (pen needle, diabetic)<br>12MM 29 GAUGE X 1/2"                              | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 30G (pen needle, diabetic)<br>8MM 30 GAUGE X 5/16"                              | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"                              | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 31G (pen needle, diabetic)<br>6MM 31 GAUGE X 1/4"                               | 2                | PA; ST                     |
| DROPLET PEN NEEDLE 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"                              | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                   |                                   | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| DROPLET PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"              | (pen needle, diabetic)            | 2         | PA; ST              |
| DROPLET PEN NEEDLE 32G<br>5MM 32 GAUGE X 3/16"              | (pen needle, diabetic)            | 2         | PA; ST              |
| DROPLET PEN NEEDLE 32G<br>6MM 32 GAUGE X 1/4"               | (pen needle, diabetic)            | 2         | PA; ST              |
| DROPLET PEN NEEDLE 32G<br>8MM 32 GAUGE X 5/16"              | (pen needle, diabetic)            | 2         | PA; ST              |
| DROPSAFE ALCOHOL 70% PREP<br>PADS                           | (alcohol swabs)                   | 1         | PA; ST              |
| DROPSAFE INS SYR 0.3 ML 31G<br>6MM 0.3 ML 31 GAUGE X 15/64" |                                   | 2         | PA; ST              |
| DROPSAFE INS SYR 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"  |                                   | 2         | PA; ST              |
| DROPSAFE INS SYR 0.5 ML 31G<br>6MM 0.5 ML 31 GAUGE X 15/64" |                                   | 2         | PA; ST              |
| DROPSAFE INS SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"  |                                   | 2         | PA; ST              |
| DROPSAFE INSUL SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 15/64"   |                                   | 2         | PA; ST              |
| DROPSAFE INSUL SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16"    |                                   | 2         | PA; ST              |
| DROPSAFE INSULN 1 ML 29G<br>12.5MM 1 ML 29 GAUGE X 1/2"     |                                   | 2         | PA; ST              |
| DROPSAFE PEN NEEDLE 31G<br>4MM 31 GAUGE X 5/32"             | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| DROPSAFE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"             | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| DROPSAFE PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"             |                                   | 2         | PA; ST              |
| DROPSAFE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"             |                                   | 2         | PA; ST              |
| EASY CMFT SFTY PEN NDL 31G<br>5MM 31 GAUGE X 3/16"          | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| EASY CMFT SFTY PEN NDL 31G<br>6MM 31 GAUGE X 1/4"           |                                   | 2         | PA; ST              |
| EASY CMFT SFTY PEN NDL 32G<br>4MM 32 GAUGE X 5/32"          |                                   | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------|------------------|----------------------------|
| EASY COMFORT 0.3 ML 31G 1/2"<br>0.3 ML 31 X 1/2"                                              | 2                | PA; ST                     |
| EASY COMFORT 0.3 ML 31G<br>5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle<br>u-100)    | 2                | PA; ST                     |
| EASY COMFORT 0.5 ML<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2" (insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| EASY COMFORT 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16" (insulin syringe-needle<br>u-100) | 2                | PA; ST                     |
| EASY COMFORT 0.5 ML<br>32GX5/16" 1/2 ML 32 GAUGE X<br>5/16"                                   | 2                | PA; ST                     |
| EASY COMFORT 0.5 ML<br>SYRINGE 0.5 ML 30 GAUGE X<br>5/16" (insulin syringe-needle<br>u-100)   | 2                | PA; ST                     |
| EASY COMFORT 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16 (insulin syringe-needle<br>u-100)         | 2                | PA; ST                     |
| EASY COMFORT 1 ML 32GX5/16"<br>1 ML 32 GAUGE X 5/16"                                          | 2                | PA; ST                     |
| EASY COMFORT ALCOHOL 70%<br>PAD (alcohol swabs)                                               | 1                | PA; ST                     |
| EASY COMFORT INSULIN 1 ML<br>SYR 1 ML 30 GAUGE X 5/16 (insulin syringe-needle<br>u-100)       | 2                | PA; ST                     |
| EASY COMFORT PEN NDL 29G<br>4MM 29 GAUGE X 5/32"                                              | 2                | PA; ST                     |
| EASY COMFORT PEN NDL 29G<br>5MM 29 GAUGE X 3/16"                                              | 2                | PA; ST                     |
| EASY COMFORT PEN NDL<br>31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)                       | 2                | PA; ST                     |
| EASY COMFORT PEN NDL<br>31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)                     | 2                | PA; ST                     |
| EASY COMFORT PEN NDL<br>31GX5/16" 31 GAUGE X 5/16" (pen needle, diabetic)                     | 2                | PA; ST                     |
| EASY COMFORT PEN NDL<br>32GX5/32" 32 GAUGE X 5/32" (pen needle, diabetic)                     | 2                | PA; ST                     |
| EASY COMFORT PEN NDL 33G<br>4MM 33 GAUGE X 5/32" (pen needle, diabetic)                       | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                              |                                  | Drug Tier | Requirements/Limits |
|--------------------------------------------------------|----------------------------------|-----------|---------------------|
| EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"          | (pen needle, diabetic)           | 2         | PA; ST              |
| EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"           | (pen needle, diabetic)           | 2         | PA; ST              |
| EASY COMFORT SYR 0.5 ML 29G 8MM 1/2 ML 29 X5/16 "      | (insulin syringe-needle u-100)   | 2         | PA; ST              |
| EASY COMFORT SYR 1 ML 29G 8MM 1 ML 29 GAUGE X 5/16     |                                  | 2         | PA; ST              |
| EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"    | (insulin syringe-needle u-100)   | 2         | PA; ST              |
| EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100)   | 2         | PA; ST              |
| EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64" | (insulin syringe-needle u-100)   | 2         | PA; ST              |
| EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"     | (insulin syringe-needle u-100)   | 2         | PA; ST              |
| EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"         | (pen needle, diabetic)           | 2         | PA; ST              |
| EASY TOUCH 0.3 ML 30G 8MM(1/2) 0.3 ML 30 GAUGE X 5/16" |                                  | 2         | PA; ST              |
| EASY TOUCH 0.3 ML 31G 6MM(1/2) 0.3 ML 31 GAUGE X 1/4"  | (insulin syr/ndl u100 half mark) | 2         | PA; ST              |
| EASY TOUCH 0.3 ML 31G 8MM(1/2) 0.3 ML 31 GAUGE X 5/16" |                                  | 2         | PA; ST              |
| EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"  | (insulin syringe-needle u-100)   | 2         | PA; ST              |
| EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"  | (insulin syringe-needle u-100)   | 2         | PA; ST              |
| EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"  |                                  | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                    |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| EASY TOUCH 0.5 ML SYR<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2"  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH 0.5 ML SYR<br>30GX5/16 0.5 ML 30 GAUGE X<br>5/16" |                                   | 2         | PA; ST              |
| EASY TOUCH 1 ML SYR<br>29GX1/2" 1 ML 29 GAUGE X 1/2"         |                                   | 2         | PA; ST              |
| EASY TOUCH 1 ML SYR<br>30GX1/2" 1 ML 30 GAUGE X 1/2"         |                                   | 2         | PA; ST              |
| EASY TOUCH ALCOHOL 70%<br>PADS GAMMA-STERILIZED              | (alcohol swabs)                   | 1         | PA; ST              |
| EASY TOUCH AUTO 0.5 ML 30G<br>6MM 0.5 ML 30 GAUGE X 1/4"     |                                   | 2         | PA; ST              |
| EASY TOUCH AUTO 0.5 ML 30G<br>8MM 0.5 ML 30 GAUGE X 5/16"    |                                   | 2         | PA; ST              |
| EASY TOUCH AUTORET 1 ML<br>30G 6MM 1 ML 30 GAUGE X 1/4"      |                                   | 2         | PA; ST              |
| EASY TOUCH AUTORET 1 ML<br>30G 8MM 1 ML 30 GAUGE X 5/16"     |                                   | 2         | PA; ST              |
| EASY TOUCH FLIPLOK 1 ML<br>27GX0.5 1 ML 27 GAUGE X 1/2"      |                                   | 2         | PA; ST              |
| EASY TOUCH INS 0.3 ML 30G<br>8MM 0.3 ML 30 GAUGE X 5/16"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH INS 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH INS 0.5 ML 30G<br>8MM 0.5 ML 30 GAUGE X 5/16"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH INS 0.5 ML 31G<br>6MM 1/2 ML 31 GAUGE X 1/4"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH INS 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH INS 1 ML 27G 1/2"<br>1 ML 27 GAUGE X 1/2"         | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH INS 1 ML 28G<br>12.7MM 1 ML 28 GAUGE X 1/2"       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH INS SYR 1 ML 30G<br>8MM 1 ML 30 GAUGE X 5/16      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------|------------------|----------------------------|
| EASY TOUCH INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)         | 2                | PA; ST                     |
| EASY TOUCH INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)         | 2                | PA; ST                     |
| EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"                                        | 2                | PA; ST                     |
| EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"                                        | 2                | PA; ST                     |
| EASY TOUCH INSULIN SYR 1 ML 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)             | 2                | PA; ST                     |
| EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"                                        | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"                                        | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"                                       | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"                                       | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"                                       | 2                | PA; ST                     |
| EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"                                       | 2                | PA; ST                     |
| EASY TOUCH LUER LOK INSUL 1 ML (insulin syringe needleless)                                 | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)                       | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" (pen needle, diabetic)                      | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)                       | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)                      | 2                | PA; ST                     |
| EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)                      | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                  |                                   | Drug Tier | Requirements/Limits |
|------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| EASY TOUCH PEN NEEDLE<br>32GX1/4" 32 GAUGE X 1/4"          | (pen needle, diabetic)            | 2         | PA; ST              |
| EASY TOUCH PEN NEEDLE<br>32GX3/16 32 GAUGE X 3/16"         | (pen needle, diabetic)            | 2         | PA; ST              |
| EASY TOUCH PEN NEEDLE<br>32GX5/32 32 GAUGE X 5/32"         | (pen needle, diabetic)            | 2         | PA; ST              |
| EASY TOUCH SAF PEN NDL 29G<br>5MM 29 GAUGE X 3/16"         |                                   | 2         | PA; ST              |
| EASY TOUCH SAF PEN NDL 29G<br>8MM 29 GAUGE X 5/16"         |                                   | 2         | PA; ST              |
| EASY TOUCH SAF PEN NDL 30G<br>5MM 30 GAUGE X 3/16"         |                                   | 2         | PA; ST              |
| EASY TOUCH SAF PEN NDL 30G<br>8MM 30 GAUGE X 5/16"         |                                   | 2         | PA; ST              |
| EASY TOUCH SYR 0.5 ML 28G<br>12.7MM 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH SYR 0.5 ML 29G<br>12.7MM 0.5 ML 29 GAUGE X 1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH SYR 1 ML 27G<br>16MM 1 ML 27 GAUGE X 5/8"       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASY TOUCH UNI-SLIP SYR 1<br>ML                            | (insulin syringe<br>needleless)   | 2         | PA; ST              |
| EASYLIFE ALCOHOL 70% PADS                                  | (alcohol swabs)                   | 1         | PA; ST              |
| EASYLIFE INS PEN NDL 29G<br>12MM 29 GAUGE X 1/2"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 31G<br>4MM 31 GAUGE X 5/32"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 31G<br>5MM 31 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 31G<br>6MM 31 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 31G<br>8MM 31 GAUGE X 5/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 32G<br>4MM 32 GAUGE X 5/32"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 32G<br>5MM 32 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                  |                                   | Drug Tier | Requirements/Limits |
|------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| EASYLIFE INS PEN NDL 32G<br>6MM 32 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 32G<br>8MM 32 GAUGE X 5/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 33G<br>4MM 33 GAUGE X 5/32"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 33G<br>5MM 33 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 33G<br>6MM 33 GAUGE X 1/4"            | (pen needle, diabetic)            | 2         | PA; ST              |
| EASYLIFE INS PEN NDL 33G<br>8MM 33 GAUGE X 5/16"           |                                   | 2         | PA; ST              |
| EASYLIFE INS SYR 0.5 ML 30G<br>8MM 0.5 ML 30 GAUGE X 5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASYLIFE INS SYR 1 ML 30G<br>8MM 1 ML 30 GAUGE X 5/16"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASYLIFE INS SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASYLIFE SAFTY PEN NDL 31G<br>4MM 31 GAUGE X 5/32"         | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| EASYLIFE SAFTY PEN NDL 31G<br>5MM 31 GAUGE X 3/16"         | (pen needle, diabetic,<br>safety) | 2         | PA; ST              |
| EASYLIFE SYR 1 ML 30G<br>12.7MM 1 ML 30 GAUGE X 1/2"       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| EASYTOUCH SAF PEN NDL 30G<br>6MM 30 GAUGE X 1/4"           |                                   | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 29G<br>12MM 29 GAUGE X 1/2"             | (pen needle, diabetic)            | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 30G<br>5MM 30 GAUGE X 3/16"             | (pen needle, diabetic)            | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 30G<br>8MM 30 GAUGE X 5/16"             | (pen needle, diabetic)            | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"             | (pen needle, diabetic)            | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 31G<br>6MM 31 GAUGE X 1/4"              | (pen needle, diabetic)            | 2         | PA; ST              |
| EMBRACE PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"             | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                       |                                | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------|--------------------------------|-----------|---------------------|
| EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                     | (pen needle, diabetic)         | 2         | PA; ST              |
| EXEL U100 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"                | (insulin syringe-needle u-100) | 2         | PA; ST              |
| EXEL U100 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"              | (Advocate Syringes)            | 2         | PA; ST              |
| FT STERILE PADS 2" X 2" 2 X 2 "                                 | (gauze bandage)                | 1         | PA; ST              |
| GAUZE PAD TOPICAL BANDAGE 2 X 2 "                               | (gauze bandage)                | 1         | PA; ST              |
| GNP ALCOHOL SWAB STERILE, TWO PLY                               | (Alcohol Pads)                 | 1         | PA; ST              |
| GNP PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"                         | (1st Tier Unifine Pentips)     | 2         | PA; ST              |
| GNP PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"                          | (CareFine Pen Needle)          | 2         | PA; ST              |
| GNP SIMPLI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                  | (pen needle, diabetic)         | 2         | PA; ST              |
| GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2" |                                | 2         | PA; ST              |
| GNP ULT CMFRT 0.5 ML 29GX1/2" 1/2 ML 29                         | (insulin syringe-needle u-100) | 2         | PA; ST              |
| GNP ULTR CMFRT 0.5 ML 30GX5/16 1/2 ML 30 GAUGE                  | (insulin syringe-needle u-100) | 2         | PA; ST              |
| GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 30 GAUGE X 7/16"            | (insulin syringe-needle u-100) | 2         | PA; ST              |
| GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30                         | (insulin syringe-needle u-100) | 2         | PA; ST              |
| GS PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"                        | (1st Tier Unifine Pentips)     | 2         | PA; ST              |
| HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"         | (insulin syringe-needle u-100) | 2         | PA; ST              |
| HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"         | (insulin syringe-needle u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                     |                                   | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| HEALTHWISE INS 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| HEALTHWISE INS 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| HEALTHWISE INS 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16"        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| HEALTHWISE INS 1 ML<br>31GX5/16" 1 ML 31 GAUGE X 5/16"        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| HEALTHWISE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"             | (pen needle, diabetic)            | 2         | PA; ST              |
| HEALTHWISE PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"             | (pen needle, diabetic)            | 2         | PA; ST              |
| HEALTHWISE PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"             | (pen needle, diabetic)            | 2         | PA; ST              |
| HEALTHY ACCENTS PENTIP<br>5MM 31G 31 GAUGE X 3/16"            | (pen needle, diabetic)            | 2         | PA; ST              |
| HEALTHY ACCENTS PENTIP<br>6MM 31G 31 GAUGE X 1/4"             | (pen needle, diabetic)            | 2         | PA; ST              |
| HEALTHY ACCENTS PENTIP<br>8MM 31G 31 GAUGE X 5/16"            | (pen needle, diabetic)            | 2         | PA; ST              |
| HEALTHY ACCENTS PENTP<br>12MM 29G 29 GAUGE X 1/2"             |                                   | 2         | PA; ST              |
| HEB INCONTROL ALCOHOL 70%<br>PADS                             | (alcohol swabs)                   | 1         | PA; ST              |
| INCONTROL PEN NEEDLE 12MM<br>29G 29 GAUGE X 1/2"              | (pen needle, diabetic)            | 2         | PA; ST              |
| INCONTROL PEN NEEDLE 4MM<br>32G 32 GAUGE X 5/32"              | (pen needle, diabetic)            | 2         | PA; ST              |
| INCONTROL PEN NEEDLE 5MM<br>31G 31 GAUGE X 3/16"              | (pen needle, diabetic)            | 2         | PA; ST              |
| INCONTROL PEN NEEDLE 6MM<br>31G 31 GAUGE X 1/4"               | (pen needle, diabetic)            | 2         | PA; ST              |
| INCONTROL PEN NEEDLE 8MM<br>31G 31 GAUGE X 5/16"              | (pen needle, diabetic)            | 2         | PA; ST              |
| INPEN (FOR HUMALOG) BLUE<br>SUBCUTANEOUS INSULIN PEN          |                                   | 3         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------|------------------|----------------------------|
| INPEN (FOR HUMALOG) GREY<br>SUBCUTANEOUS INSULIN PEN                                          | 3                |                            |
| INPEN (FOR HUMALOG) PINK<br>SUBCUTANEOUS INSULIN PEN                                          | 3                |                            |
| INPEN (NOVOLOG OR FIASP)<br>BLUE SUBCUTANEOUS INSULIN<br>PEN                                  | 3                |                            |
| INPEN (NOVOLOG OR FIASP)<br>GREY SUBCUTANEOUS<br>INSULIN PEN                                  | 3                |                            |
| INPEN (NOVOLOG OR FIASP)<br>PINK SUBCUTANEOUS INSULIN<br>PEN                                  | 3                |                            |
| INSULIN 1 ML SYRINGE 1 ML 29<br>GAUGE X 7/16", 1 ML 30 GAUGE<br>X 7/16"                       | 2                | PA; ST                     |
| INSULIN 1/2 ML SYRINGE 1/2 ML (Ultrilet Insulin Syringe)<br>29                                | 2                | PA; ST                     |
| INSULIN 1/2 ML SYRINGE 1/2 ML<br>30 GAUGE                                                     | 2                | PA; ST                     |
| INSULIN 3/10 ML SYRINGE 0.3 ML 30 (Ultra Comfort Insulin Syringe)                             | 2                | PA; ST                     |
| INSULIN SYR 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (Easy Touch Ins Syr (half unit))       | 2                | PA; ST                     |
| INSULIN SYRIN 0.5 ML 28GX1/2" (OTC) 1/2 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)       | 2                | PA; ST                     |
| INSULIN SYRIN 0.5 ML 29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)       | 2                | PA; ST                     |
| INSULIN SYRIN 0.5 ML 30GX1/2" (RX) 0.5 ML 30 GAUGE X 1/2" (Comfort EZ Insulin Syringe)        | 2                | PA; ST                     |
| INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16" (Advocate Syringes) | 2                | PA; ST                     |
| INSULIN SYRING 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe)      | 2                | PA; ST                     |
| INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE (insulin syringe-needle u-100)                         | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)                | 2                | PA; ST                     |
| INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe-needle u-100)                                     | 2                | PA; ST                     |
| INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (Easy Touch Insulin Syringe)                  | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 1 ML 29 GAUGE                                                                  | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 27G 1/2" INNER 1 ML 27 GAUGE X 1/2" (Comfort EZ Insulin Syringe)               | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)               | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 30GX1/2" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 1/2" (BD Eclipse Luer-Lok)         | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16 (Advocate Syringes)          | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (Easy Touch Insulin Syringe)                     | 2                | PA; ST                     |
| INSULIN SYRINGE 1 ML 31GX5/16" SHORT NEEDLE, THIN II (OTC) 1 ML 31 GAUGE X 5/16 (Advocate Syringes) | 2                | PA; ST                     |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ulitet Insulin Syringe)                       | 2                | PA; ST                     |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)              | 2                | PA; ST                     |
| INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Monoject Syringe)                             | 2                | PA; ST                     |
| INSULIN U-500 SYRINGE-NEEDLE SYRINGE 1/2 ML 31 GAUGE X 15/64"                                       | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)                                  | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)                                  | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| INSUPEN PEN NEEDLE (pen needle, diabetic)<br>31GX3/16" 31 GAUGE X 3/16"                                         | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 32G 4MM (pen needle, diabetic)<br>32 GAUGE X 5/32"                                           | 2                | PA; ST                     |
| INSUPEN PEN NEEDLE 32G 6MM (pen needle, diabetic)<br>(RX) 32 GAUGE X 1/4"                                       | 2                | PA; ST                     |
| IV ANTISEPTIC WIPES (alcohol swabs)                                                                             | 1                | PA; ST                     |
| KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)                                                                    | 1                | PA; ST                     |
| LISCO SPONGES 100/BAG 2 X 2 "                                                                                   | 1                | PA; ST                     |
| LITE TOUCH 31GX1/4" PEN (pen needle, diabetic)<br>NEEDLE 31 GAUGE X 1/4"                                        | 2                | PA; ST                     |
| LITE TOUCH INSULIN 0.5 ML (insulin syringe-needle<br>SYR 1/2 ML 28 GAUGE, 1/2 ML 29 u-100)<br>, 1/2 ML 30 GAUGE | 2                | PA; ST                     |
| LITE TOUCH INSULIN 1 ML SYR<br>1 ML 28 GAUGE, 1 ML 29 GAUGE                                                     | 2                | PA; ST                     |
| LITE TOUCH INSULIN 1 ML SYR (insulin syringe-needle<br>1 ML 30 GAUGE X 7/16" u-100)                             | 2                | PA; ST                     |
| LITE TOUCH INSULIN SYR 1 ML (insulin syringe-needle<br>1 ML 31 GAUGE X 5/16 u-100)                              | 2                | PA; ST                     |
| LITE TOUCH PEN NEEDLE 29G (pen needle, diabetic)<br>29 GAUGE X 1/2"                                             | 2                | PA; ST                     |
| LITE TOUCH PEN NEEDLE 31G (pen needle, diabetic)<br>31 GAUGE X 3/16", 31 GAUGE X<br>5/16"                       | 2                | PA; ST                     |
| LITETOUCH INS 0.3 ML 29GX1/2" (insulin syringe-needle<br>0.3 ML 29 GAUGE X 1/2" u-100)                          | 2                | PA; ST                     |
| LITETOUCH INS 0.3 ML (insulin syringe-needle<br>30GX5/16" 0.3 ML 30 GAUGE X u-100)<br>5/16"                     | 2                | PA; ST                     |
| LITETOUCH INS 0.3 ML (insulin syringe-needle<br>31GX5/16" 0.3 ML 31 GAUGE X u-100)<br>5/16"                     | 2                | PA; ST                     |
| LITETOUCH INS 0.5 ML (insulin syringe-needle<br>31GX5/16" 0.5 ML 31 GAUGE X u-100)<br>5/16"                     | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                       |                                   | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| LITETOUCH SYR 0.5 ML<br>28GX1/2" 1/2 ML 28 GAUGE X<br>1/2"                      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| LITETOUCH SYR 0.5 ML<br>29GX1/2" 0.5 ML 29 GAUGE X<br>1/2"                      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| LITETOUCH SYR 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16"                    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| LITETOUCH SYRIN 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| LITETOUCH SYRIN 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| LITETOUCH SYRIN 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16                          | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MAGELLAN INSUL SYRINGE 0.3<br>ML 0.3 ML 30 X 5/16"                              |                                   | 2         | PA; ST              |
| MAGELLAN INSUL SYRINGE 0.5<br>ML 0.5 ML 30 GAUGE X 5/16"                        |                                   | 2         | PA; ST              |
| MAGELLAN INSULIN SYR 0.3<br>ML 0.3 ML 29 GAUGE X 1/2"                           |                                   | 2         | PA; ST              |
| MAGELLAN INSULIN SYR 0.5<br>ML 0.5 ML 29 GAUGE X 1/2"                           |                                   | 2         | PA; ST              |
| MAGELLAN INSULIN SYRINGE<br>1 ML 1 ML 29 GAUGE X 1/2", 1<br>ML 30 GAUGE X 5/16" |                                   | 2         | PA; ST              |
| MAXICOMFORT II PEN NDL<br>31GX6MM 31 GAUGE X 1/4"                               | (pen needle, diabetic)            | 2         | PA; ST              |
| MAXICOMFORT INS 0.5 ML<br>27GX1/2" 1/2 ML 27 GAUGE X<br>1/2"                    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MAXI-COMFORT INS 0.5 ML 28G<br>1/2 ML 28 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MAXICOMFORT INS 1 ML<br>27GX1/2" 1 ML 27 GAUGE X 1/2"                           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MAXI-COMFORT INS 1 ML<br>28GX1/2" 1 ML 28 GAUGE X 1/2"                          | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| MAXICOMFORT PEN NDL 29G X<br>5MM 29 GAUGE X 3/16"                               |                                   | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"                                                             | 2                | PA; ST                     |
| MICRODOT PEN NEEDLE (pen needle, diabetic)<br>31GX6MM 31 GAUGE X 1/4"                                      | 2                | PA; ST                     |
| MICRODOT PEN NEEDLE (pen needle, diabetic)<br>32GX4MM 32 GAUGE X 5/32"                                     | 2                | PA; ST                     |
| MICRODOT PEN NEEDLE (pen needle, diabetic)<br>33GX4MM 33 GAUGE X 5/32"                                     | 2                | PA; ST                     |
| MICRODOT READYGARD NDL (pen needle, diabetic, safety)<br>31G 5MM OUTER 31 GAUGE X 3/16"                    | 2                | PA; ST                     |
| MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16" (CareFine Pen Needle)                                             | 2                | PA; ST                     |
| MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16" (Comfort EZ Pen Needles)                                          | 2                | PA; ST                     |
| MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16" (Comfort EZ Pen Needles)                                          | 2                | PA; ST                     |
| MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4" (Comfort EZ Pen Needles)                                           | 2                | PA; ST                     |
| MINI ULTRA-THIN II PEN NDL (pen needle, diabetic)<br>31G STERILE 31 GAUGE X 3/16"                          | 2                | PA; ST                     |
| MONOJECT 0.5 ML SYRN (insulin syringe-needle u-100)<br>28GX1/2" 1/2 ML 28 GAUGE                            | 2                | PA; ST                     |
| MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2" (insulin syringe-needle u-100)                             | 2                | PA; ST                     |
| MONOJECT 1 ML SYRN 28GX1/2" (insulin syringe-needle u-100)<br>(OTC) 1 ML 28 GAUGE X 1/2"                   | 2                | PA; ST                     |
| MONOJECT INSUL SYR U100 (insulin syringe-needle u-100)<br>(OTC) 0.3 ML 29 GAUGE X 1/2"                     | 2                | PA; ST                     |
| MONOJECT INSUL SYR U100 (insulin syringe-needle u-100)<br>.5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"       | 2                | PA; ST                     |
| MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8" (insulin syringe-needle u-100)                           | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                             |                                 | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------|---------------------------------|-----------|---------------------|
| MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2" | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)                         | (insulin syringes (disposable)) | 2         | PA; ST              |
| MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"             | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"                   | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"             | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"                   | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16              | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"                     | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT INSULIN SYR U-100 1 ML 29 GAUGE X 1/2"                       |                                 | 2         | PA; ST              |
| MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"                       | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"                       | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16                            | (insulin syringe-needle u-100)  | 2         | PA; ST              |
| NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                        | (pen needle, diabetic)          | 2         | PA; ST              |
| NANO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"                              | (pen needle, diabetic)          | 2         | PA; ST              |
| NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"                                  | (pen needle, diabetic)          | 2         | PA; ST              |
| NOVOFINE AUTOCOVER 30G NEEDLE 30 GAUGE X 1/3"                         |                                 | 2         | PA; ST              |
| NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"                        |                                 | 2         | PA; ST              |
| OMNIPOD 5 (G6/LIBRE 2 PLUS) SUBCUTANEOUS CARTRIDGE                    |                                 | 3         | QL (10 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                          | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------|------------------|----------------------------|
| OMNIPOD 5 G6-G7 INTRO<br>KT(GEN5) SUBCUTANEOUS<br>CARTRIDGE                               | 3                | QL (1 per 365 days)        |
| OMNIPOD 5 G6-G7 PODS (GEN 5)<br>SUBCUTANEOUS CARTRIDGE                                    | 3                | QL (10 per 30 days)        |
| OMNIPOD 5<br>INTRO(G6/LIBRE2PLUS)<br>SUBCUTANEOUS CARTRIDGE                               | 3                | QL (1 per 365 days)        |
| OMNIPOD CLASSIC PODS (GEN<br>3) SUBCUTANEOUS CARTRIDGE                                    | 3                | QL (10 per 30 days)        |
| OMNIPOD DASH INTRO KIT<br>(GEN 4) SUBCUTANEOUS<br>CARTRIDGE                               | 3                | QL (1 per 365 days)        |
| OMNIPOD DASH PDM KIT (GEN<br>4)                                                           | 3                | QL (1 per 365 days)        |
| OMNIPOD DASH PODS (GEN 4)<br>SUBCUTANEOUS CARTRIDGE                                       | 3                | QL (10 per 30 days)        |
| PEN NEEDLE 30G 5MM OUTER (Embrace Pen Needle)<br>30 GAUGE X 3/16"                         | 2                | PA; ST                     |
| PEN NEEDLE 30G 8MM INNER 30 (CareFine Pen Needle)<br>GAUGE X 5/16"                        | 2                | PA; ST                     |
| PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic)<br>GAUGE X 5/16"                         | 2                | PA; ST                     |
| PEN NEEDLE 31G X 1/4" HRI 31 (1st Tier Unifine<br>GAUGE X 1/4" Pentips)                   | 2                | PA; ST                     |
| PEN NEEDLE 33G 4MM 33 (Advocate Pen Needle)<br>GAUGE X 5/32"                              | 2                | PA; ST                     |
| PEN NEEDLE, DIABETIC (1st Tier Unifine Pentips<br>NEEDLE 29 GAUGE X 1/2" Plus)            | 2                | PA; ST                     |
| PEN NEEDLES 12MM 29G (pen needle, diabetic)<br>29GX12MM,STRL 29 GAUGE X<br>1/2"           | 2                | PA; ST                     |
| PEN NEEDLES 4MM 32G 32 (pen needle, diabetic)<br>GAUGE X 5/32"                            | 2                | PA; ST                     |
| PEN NEEDLES 5MM 31G (pen needle, diabetic)<br>31GX5MM,STRL,MINI (OTC) 31<br>GAUGE X 3/16" | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------|------------------|----------------------------|
| PEN NEEDLES 8MM 31G (pen needle, diabetic)<br>31GX8MM,STRL,SHORT (OTC) 31<br>GAUGE X 5/16" | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 29G 1/2" (pen needle, diabetic)<br>29 GAUGE X 1/2"                      | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 31G 1/4" (pen needle, diabetic)<br>31 GAUGE X 1/4"                      | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 31GX3/16" (pen needle, diabetic)<br>MINI, 5MM 31 GAUGE X 3/16"          | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 31GX5/16" (pen needle, diabetic)<br>SHORT, 8MM 31 GAUGE X 5/16"         | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 32G 1/4" (pen needle, diabetic)<br>32 GAUGE X 1/4"                      | 2                | PA; ST                     |
| PENTIPS PEN NEEDLE 32GX5/32" (pen needle, diabetic)<br>32 GAUGE X 5/32"                    | 2                | PA; ST                     |
| PIP PEN NEEDLE 31G X 5MM 31 (pen needle, diabetic)<br>GAUGE X 3/16"                        | 2                | PA; ST                     |
| PIP PEN NEEDLE 32G X 4MM 32 (pen needle, diabetic)<br>GAUGE X 5/32"                        | 2                | PA; ST                     |
| PREVENT PEN NEEDLE 31GX1/4"<br>31 GAUGE X 1/4"                                             | 2                | PA; ST                     |
| PREVENT PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"                                           | 2                | PA; ST                     |
| PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle<br>0.5 ML 30 GAUGE X 1/2" u-100)       | 2                | PA; ST                     |
| PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle<br>0.5 ML 30 GAUGE X 5/16" u-100)     | 2                | PA; ST                     |
| PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle<br>0.5 ML 31 GAUGE X 5/16" u-100)     | 2                | PA; ST                     |
| PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle<br>ML 30 GAUGE X 1/2" u-100)           | 2                | PA; ST                     |
| PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle<br>ML 30 GAUGE X 5/16 u-100)          | 2                | PA; ST                     |
| PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle<br>ML 31 GAUGE X 5/16 u-100)          | 2                | PA; ST                     |
| PRO COMFORT ALCOHOL 70% (alcohol swabs)<br>PADS                                            | 1                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                               |                                | Drug Tier | Requirements/Limits |
|---------------------------------------------------------|--------------------------------|-----------|---------------------|
| PRO COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"            | (pen needle, diabetic)         | 2         | PA; ST              |
| PRO COMFORT PEN NDL 32G X 1/4" 32 GAUGE X 1/4"          | (pen needle, diabetic)         | 2         | PA; ST              |
| PRO COMFORT PEN NDL 4MM 32G 32 GAUGE X 5/32"            | (pen needle, diabetic)         | 2         | PA; ST              |
| PRO COMFORT PEN NDL 5MM 32G 32 GAUGE X 3/16"            | (pen needle, diabetic)         | 2         | PA; ST              |
| PRO-COMFORT ALCOHOL 70% PADS                            | (alcohol swabs)                | 1         | PA; ST              |
| PRODIGY INS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"      | (insulin syringe-needle u-100) | 2         | PA; ST              |
| PRODIGY SYRNG 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"  | (insulin syringe-needle u-100) | 2         | PA; ST              |
| PRODIGY SYRNGE 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16" | (insulin syringe-needle u-100) | 2         | PA; ST              |
| PURE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"         | (pen needle, diabetic, safety) | 2         | PA; ST              |
| PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"          |                                | 2         | PA; ST              |
| PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"         |                                | 2         | PA; ST              |
| PURE COMFORT ALCOHOL 70% PADS                           | (alcohol swabs)                | 1         | PA; ST              |
| PURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"           | (pen needle, diabetic)         | 2         | PA; ST              |
| PURE COMFORT PEN NDL 32G 5MM 32 GAUGE X 3/16"           | (pen needle, diabetic)         | 2         | PA; ST              |
| PURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"            | (pen needle, diabetic)         | 2         | PA; ST              |
| PURE COMFORT PEN NDL 32G 8MM 32 GAUGE X 5/16"           | (pen needle, diabetic)         | 2         | PA; ST              |
| RA ISOPROPYL ALCOHOL 70% WIPES                          | (alcohol swabs)                | 1         | PA; ST              |
| RA STERILE PADS 2"X 2" 2 X 2 "                          | (Bordered Gauze)               | 1         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                             | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------|------------------|----------------------------|
| RAYA SURE PEN NEEDLE 29G<br>12MM 29 GAUGE X 15/32"                                           | 2                | PA; ST                     |
| RAYA SURE PEN NEEDLE 31G<br>4MM 31 GAUGE X 5/32" (Comfort Touch Pen<br>Needle)               | 2                | PA; ST                     |
| RAYA SURE PEN NEEDLE 31G<br>5MM 31 GAUGE X 13/64"                                            | 2                | PA; ST                     |
| RAYA SURE PEN NEEDLE 31G<br>6MM 31 GAUGE X 15/64" (True-Comfort Pro Pen<br>Needle)           | 2                | PA; ST                     |
| RELION INS SYR 0.3 ML<br>31GX6MM 0.3 ML 31 GAUGE X<br>15/64" (Comfort EZ Insulin<br>Syringe) | 2                | PA; ST                     |
| RELION INS SYR 0.5 ML<br>31GX6MM 1/2 ML 31 GAUGE X<br>15/64" (Comfort EZ Insulin<br>Syringe) | 2                | PA; ST                     |
| RELION INS SYR 1 ML<br>31GX15/64" 1 ML 31 GAUGE X<br>15/64" (Comfort EZ Insulin<br>Syringe)  | 2                | PA; ST                     |
| RELION PEN NEEDLE 32GX5/32"<br>32 GAUGE X 5/32" (1st Tier Unifine<br>Pentips)                | 2                | PA; ST                     |
| RELION SYRING 0.3 ML<br>31GX5/16" INNER 0.3 ML 31<br>GAUGE X 5/16" (Advocate Syringes)       | 2                | PA; ST                     |
| RELION SYRING 0.5 ML<br>31GX5/16" INNER (OTC) 0.5 ML<br>31 GAUGE X 5/16" (Advocate Syringes) | 2                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100<br>0.3 ML 30GX5/16",10X10 0.3 ML<br>30 GAUGE X 5/16"              | 2                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100<br>0.5 ML 29GX1/2",10X10 0.5 ML 29<br>GAUGE X 1/2"                | 2                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100<br>0.5 ML 30GX5/16",10X10 0.5 ML<br>30 GAUGE X 5/16"              | 2                | PA; ST                     |
| SAFESNAP INS SYR UNITS-100 1<br>ML 28GX1/2",10X10 1 ML 28<br>GAUGE X 1/2"                    | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                                                            | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"                                                                                         | 2                | PA; ST                     |
| SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort EZ PRO Safety Pen Ndl)                                                                                  | 2                | PA; ST                     |
| SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16" (pen needle, diabetic, safety)                                                                                 | 2                | PA; ST                     |
| SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"                                                                                                       | 2                | PA; ST                     |
| SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"                                                                                                         | 2                | PA; ST                     |
| SECURESAFE PEN NEEDLE 31G 5MM OUTER 31 GAUGE X 3/16" (pen needle, diabetic, safety)                                                                         | 2                | PA; ST                     |
| SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"                                                                                                 | 2                | PA; ST                     |
| SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"                                                                                                   | 2                | PA; ST                     |
| SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"                                                                                                              | 2                | PA; ST                     |
| SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"                                                                                                              | 2                | PA; ST                     |
| SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"                                                                                                              | 2                | PA; ST                     |
| SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"                                                                                                             | 2                | PA; ST                     |
| NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)                                                                                               | 2                | PA; ST                     |
| SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100) | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| SURE COMFORT 1 ML SYRINGE (insulin syringe-needle u-100)<br>1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 | 2                | PA; ST                     |
| SURE COMFORT 3/10 ML SYRINGE (insulin syringe-needle u-100)<br>0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"                                   | 2                | PA; ST                     |
| SURE COMFORT 3/10 ML SYRINGE (insulin syringe-needle u-100)<br>INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"                                                                   | 2                | PA; ST                     |
| SURE COMFORT 30G PEN (pen needle, diabetic)<br>NEEDLE 30 GAUGE X 5/16"                                                                                                   | 2                | PA; ST                     |
| SURE COMFORT ALCOHOL (alcohol swabs)<br>PREP PADS                                                                                                                        | 1                | PA; ST                     |
| SURE COMFORT INS 0.3 ML (insulin syringe-needle u-100)<br>31GX1/4 0.3 ML 31 GAUGE X 1/4"                                                                                 | 2                | PA; ST                     |
| SURE COMFORT INS 0.5 ML (insulin syringe-needle u-100)<br>31GX1/4 1/2 ML 31 GAUGE X 1/4"                                                                                 | 2                | PA; ST                     |
| SURE COMFORT INS 1 ML (insulin syringe-needle u-100)<br>31GX1/4" 1 ML 31 GAUGE X 1/4"                                                                                    | 2                | PA; ST                     |
| SURE COMFORT PEN NDL (pen needle, diabetic)<br>29GX1/2" 12.7MM 29 GAUGE X 1/2"                                                                                           | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"                                                                                                  | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"                                                                                                  | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                                                                                                  | 2                | PA; ST                     |
| SURE COMFORT PEN NDL 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"                                                                                                   | 2                | PA; ST                     |
| SURE-FINE PEN NEEDLES (pen needle, diabetic)<br>12.7MM 29 GAUGE X 1/2"                                                                                                   | 2                | PA; ST                     |
| SURE-FINE PEN NEEDLES 5MM (pen needle, diabetic)<br>31 GAUGE X 3/16"                                                                                                     | 2                | PA; ST                     |
| SURE-FINE PEN NEEDLES 8MM (pen needle, diabetic)<br>31 GAUGE X 5/16"                                                                                                     | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                              |                                | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------------|--------------------------------|-----------|---------------------|
| SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"                         | (insulin syringe-needle u-100) | 2         | PA; ST              |
| SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" | (insulin syringe-needle u-100) | 2         | PA; ST              |
| SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"                                                      | (insulin syringe-needle u-100) | 2         | PA; ST              |
| SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16                               | (insulin syringe-needle u-100) | 2         | PA; ST              |
| SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16                                                    | (insulin syringe-needle u-100) | 2         | PA; ST              |
| SURE-PREP ALCOHOL PREP PADS                                                                            | (alcohol swabs)                | 1         | PA; ST              |
| TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"                                                  |                                | 2         | PA; ST              |
| TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"                                                  |                                | 2         | PA; ST              |
| TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"                                                 |                                | 2         | PA; ST              |
| TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"                                                  |                                | 2         | PA; ST              |
| TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"                                                  |                                | 2         | PA; ST              |
| TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"                                                  |                                | 2         | PA; ST              |
| TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"                                                 |                                | 2         | PA; ST              |
| TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"                                                  |                                | 2         | PA; ST              |
| TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"                                                    | (insulin syringe-needle u-100) | 2         | PA; ST              |
| TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"                                                    | (insulin syringe-needle u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                    |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| TECHLITE INS SYR 1 ML<br>31GX6MM 1 ML 31 GAUGE X<br>15/64"                                                   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| TECHLITE INS SYR 1 ML<br>31GX8MM 1 ML 31 GAUGE X<br>5/16                                                     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>29GX1/2" 29 GAUGE X 1/2"                                                              | (pen needle, diabetic)            | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>29GX3/8" 29 GAUGE X 3/8"                                                              |                                   | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"                                                              | (pen needle, diabetic)            | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"                                                            | (pen needle, diabetic)            | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"                                                            | (pen needle, diabetic)            | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>32GX1/4" 32 GAUGE X 1/4"                                                              | (pen needle, diabetic)            | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>32GX5/16" 32 GAUGE X 5/16"                                                            | (pen needle, diabetic)            | 2         | PA; ST              |
| TECHLITE PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"                                                            | (pen needle, diabetic)            | 2         | PA; ST              |
| TECHLITE PLUS PEN NDL 32G<br>4MM 32 GAUGE X 5/32"                                                            | (pen needle, diabetic)            | 2         | PA; ST              |
| TERUMO INS SYRINGE U100-1<br>ML 1 ML 27 GAUGE X 1/2", 1 ML<br>28 GAUGE X 1/2", 1 ML 29<br>GAUGE X 1/2"       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| TERUMO INS SYRINGE U100-1<br>ML 1 ML 30 GAUGE X 3/8"                                                         | (Thinpro Insulin<br>Syringe)      | 2         | PA; ST              |
| TERUMO INS SYRINGE U100-1/2<br>ML 1/2 ML 30 X 3/8"                                                           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| TERUMO INS SYRINGE U100-1/3<br>ML 0.3 ML 30 X 3/8"                                                           | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| TERUMO INS SYRNG U100-1/2<br>ML 0.5 ML 29 GAUGE X 1/2", 1/2<br>ML 27 GAUGE X 1/2", 1/2 ML 28<br>GAUGE X 1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                              | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8" (insulin syringe-needle u-100)                         | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"                                                                                | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" (insulin syringe-needle u-100) | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"                                                                                | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-1 ML 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8" (insulin syringe-needle u-100)   | 2                | PA; ST                     |
| THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"                                                                                    | 2                | PA; ST                     |
| TRUE CMFRT PRO 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)                                        | 2                | PA; ST                     |
| TRUE CMFRT PRO 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                                        | 2                | PA; ST                     |
| TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"                                                                       | 2                | PA; ST                     |
| TRUE CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)                                                | 2                | PA; ST                     |
| TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"                                                                                | 2                | PA; ST                     |
| TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"                                                                               | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"                                                                           | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"                                                                         | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"                                                                         | 2                | PA; ST                     |
| TRUE COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                                          | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------|------------------|----------------------------|
| TRUE COMFORT 1 ML 31GX5/16" (insulin syringe-needle<br>1 ML 31 GAUGE X 5/16 u-100)       | 2                | PA; ST                     |
| TRUE COMFORT ALCOHOL 70% (alcohol swabs)<br>PADS                                         | 1                | PA; ST                     |
| TRUE COMFORT PEN NDL 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"                  | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL (pen needle, diabetic)<br>31GX5MM 31 GAUGE X 3/16"                  | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL (pen needle, diabetic)<br>31GX6MM 31 GAUGE X 1/4"                   | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 32G (pen needle, diabetic)<br>5MM 32 GAUGE X 3/16"                  | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"                   | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL (pen needle, diabetic)<br>32GX4MM 32 GAUGE X 5/32"                  | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 33G (pen needle, diabetic)<br>4MM 33 GAUGE X 5/32"                  | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 33G (pen needle, diabetic)<br>5MM 33 GAUGE X 3/16"                  | 2                | PA; ST                     |
| TRUE COMFORT PEN NDL 33G (pen needle, diabetic)<br>6MM 33 GAUGE X 1/4"                   | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 30G (insulin syringe-needle<br>1/2" 1 ML 30 GAUGE X 1/2" u-100)    | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 30G (insulin syringe-needle<br>5/16" 1 ML 30 GAUGE X 5/16 u-100)   | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 31G (insulin syringe-needle<br>5/16" 1 ML 31 GAUGE X 5/16 u-100)   | 2                | PA; ST                     |
| TRUE COMFORT PRO 1 ML 32G<br>5/16" 1 ML 32 GAUGE X 5/16"                                 | 2                | PA; ST                     |
| TRUE COMFORT PRO ALCOHOL (alcohol swabs)<br>PADS                                         | 1                | PA; ST                     |
| TRUE COMFORT SFTY 1 ML 30G<br>1/2" 1 ML 30 GAUGE X 1/2"                                  | 2                | PA; ST                     |
| TRUE COMFRT PRO 0.5 ML 30G (insulin syringe-needle<br>1/2" 0.5 ML 30 GAUGE X 1/2" u-100) | 2                | PA; ST                     |
| TRUE COMFRT SFTY 1 ML 30G<br>5/16" 1 ML 30 GAUGE X 5/16"                                 | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                  | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------|-----------|---------------------|
| TRUE COMFRT SFTY 1 ML 31G<br>5/16" 1 ML 31 GAUGE X 5/16"                                   | 2         | PA; ST              |
| TRUE COMFRT SFTY 1 ML 32G<br>5/16" 1 ML 32 GAUGE X 5/16"                                   | 2         | PA; ST              |
| TRUE-CMFRT PRO PEN NDL 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"                  | 2         | PA; ST              |
| TRUE-CMFRT PRO PEN NDL 31G (pen needle, diabetic)<br>6MM 31 GAUGE X 15/64"                 | 2         | PA; ST              |
| TRUE-CMFRT PRO PEN NDL 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"                  | 2         | PA; ST              |
| TRUE-CMFRT PRO PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                  | 2         | PA; ST              |
| TRUEPLUS PEN NEEDLE (pen needle, diabetic)<br>29GX1/2" 29 GAUGE X 1/2"                     | 2         | PA; ST              |
| TRUEPLUS PEN NEEDLE 31G X (pen needle, diabetic)<br>1/4" 31 GAUGE X 1/4"                   | 2         | PA; ST              |
| TRUEPLUS PEN NEEDLE (pen needle, diabetic)<br>31GX3/16" 31 GAUGE X 3/16"                   | 2         | PA; ST              |
| TRUEPLUS PEN NEEDLE (pen needle, diabetic)<br>31GX5/16" 31 GAUGE X 5/16"                   | 2         | PA; ST              |
| TRUEPLUS PEN NEEDLE (pen needle, diabetic)<br>32GX5/32" 32 GAUGE X 5/32"                   | 2         | PA; ST              |
| TRUEPLUS SYR 0.3 ML 29GX1/2" (insulin syringe-needle<br>0.3 ML 29 GAUGE X 1/2" u-100)      | 2         | PA; ST              |
| TRUEPLUS SYR 0.3 ML (insulin syringe-needle<br>30GX5/16" 0.3 ML 30 GAUGE X u-100)<br>5/16" | 2         | PA; ST              |
| TRUEPLUS SYR 0.3 ML (insulin syringe-needle<br>31GX5/16" 0.3 ML 31 GAUGE X u-100)<br>5/16" | 2         | PA; ST              |
| TRUEPLUS SYR 0.5 ML 28GX1/2" (insulin syringe-needle<br>1/2 ML 28 GAUGE X 1/2" u-100)      | 2         | PA; ST              |
| TRUEPLUS SYR 0.5 ML 29GX1/2" (insulin syringe-needle<br>0.5 ML 29 GAUGE X 1/2" u-100)      | 2         | PA; ST              |
| TRUEPLUS SYR 0.5 ML (insulin syringe-needle<br>30GX5/16" 0.5 ML 30 GAUGE X u-100)<br>5/16" | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                             |                                     | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------|-------------------------------------|-----------|---------------------|
| TRUEPLUS SYR 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16"           | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| TRUEPLUS SYR 1 ML 28GX1/2" 1<br>ML 28 GAUGE X 1/2"                    | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| TRUEPLUS SYR 1 ML 29GX1/2" 1<br>ML 29 GAUGE X 1/2"                    | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| TRUEPLUS SYR 1 ML 30GX5/16"<br>1 ML 30 GAUGE X 5/16                   | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| TRUEPLUS SYR 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16                   | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| ULT CFT 0.3 ML 31GX5/16" (1/2)<br>1/2 UNIT 0.3 ML 31 GAUGE X<br>5/16" |                                     | 2         | PA; ST              |
| ULTICAR INS 0.3 ML<br>31GX1/4(1/2) 0.3 ML 31 GAUGE X<br>1/4"          | (insulin syr/ndl u100<br>half mark) | 2         | PA; ST              |
| ULTICARE INS 0.3 ML 31GX1/4"<br>0.3 ML 31 GAUGE X 1/4"                | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| ULTICARE INS 0.5 ML 31GX1/4"<br>1/2 ML 31 GAUGE X 1/4"                | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| ULTICARE INS 1 ML 31GX1/4" 1<br>ML 31 GAUGE X 1/4"                    | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| ULTICARE INS SYR 1 ML<br>30GX1/2" 1 ML 30 GAUGE X 1/2"                | (insulin syringe-needle<br>u-100)   | 2         | PA; ST              |
| ULTICARE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"                     | (pen needle, diabetic)              | 2         | PA; ST              |
| ULTICARE PEN NEEDLE 6MM<br>31G 31 GAUGE X 1/4"                        | (pen needle, diabetic)              | 2         | PA; ST              |
| ULTICARE PEN NEEDLE 8MM<br>31G 31 GAUGE X 5/16"                       | (pen needle, diabetic)              | 2         | PA; ST              |
| ULTICARE PEN NEEDLES 12MM<br>29G 29 GAUGE X 1/2"                      | (pen needle, diabetic)              | 2         | PA; ST              |
| ULTICARE PEN NEEDLES 4MM<br>32G MICRO, 32GX4MM 32<br>GAUGE X 5/32"    | (pen needle, diabetic)              | 2         | PA; ST              |
| ULTICARE PEN NEEDLES 6MM<br>32G 32 GAUGE X 1/4"                       | (pen needle, diabetic)              | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                             | Drug Tier                         | Requirements/Limits |        |
|-----------------------------------------------------------------------|-----------------------------------|---------------------|--------|
| ULTICARE SAFE PEN NDL 30G<br>8MM 30 GAUGE X 5/16"                     | 2                                 | PA; ST              |        |
| ULTICARE SAFE PEN NDL 5MM<br>30G 30 GAUGE X 3/16"                     | 2                                 | PA; ST              |        |
| ULTICARE SYR 0.3 ML 30GX1/2"<br>0.3 ML 30 GAUGE X 1/2"                | (insulin syringe-needle<br>u-100) | 2                   | PA; ST |
| ULTICARE SYR 0.3 ML<br>31GX5/16" SHORT NDL 0.3 ML 31<br>GAUGE X 5/16" | (insulin syringe-needle<br>u-100) | 2                   | PA; ST |
| ULTICARE SYR 0.5 ML 30GX1/2"<br>0.5 ML 30 GAUGE X 1/2"                | (insulin syringe-needle<br>u-100) | 2                   | PA; ST |
| ULTICARE SYR 0.5 ML<br>31GX5/16" SHORT NDL 0.5 ML 31<br>GAUGE X 5/16" | (insulin syringe-needle<br>u-100) | 2                   | PA; ST |
| ULTICARE SYR 1 ML 31GX5/16"<br>1 ML 31 GAUGE X 5/16                   | (insulin syringe-needle<br>u-100) | 2                   | PA; ST |
| ULTIGUARD SAFE 1 ML 30G<br>12.7MM 1 ML 30 X 1/2"                      | 2                                 | PA; ST              |        |
| ULTIGUARD SAFE0.3 ML 30G<br>12.7MM 0.3 ML 30 X 1/2"                   | 2                                 | PA; ST              |        |
| ULTIGUARD SAFE0.5 ML 30G<br>12.7MM 1/2 ML 30 X 1/2"                   | 2                                 | PA; ST              |        |
| ULTIGUARD SAFEPACK 1 ML<br>31G 8MM 1 ML 31 X 5/16"                    | 2                                 | PA; ST              |        |
| ULTIGUARD SAFEPACK 29G<br>12.7MM 29 GAUGE X 1/2"                      | 2                                 | PA; ST              |        |
| ULTIGUARD SAFEPACK 31G<br>5MM 31 GAUGE X 3/16"                        | 2                                 | PA; ST              |        |
| ULTIGUARD SAFEPACK 31G<br>6MM 31 GAUGE X 1/4"                         | 2                                 | PA; ST              |        |
| ULTIGUARD SAFEPACK 31G<br>8MM 31 GAUGE X 5/16"                        | 2                                 | PA; ST              |        |
| ULTIGUARD SAFEPACK 32G<br>4MM 32 GAUGE X 5/32"                        | 2                                 | PA; ST              |        |
| ULTIGUARD SAFEPACK 32G<br>6MM 32 GAUGE X 1/4"                         | 2                                 | PA; ST              |        |
| ULTIGUARD SAFEPK 0.3 ML 31G<br>8MM 0.3 ML 31 X 5/16"                  | 2                                 | PA; ST              |        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                        | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|---------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| ULTIGUARD SAFE PK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"                                                      | 2                | PA; ST                     |
| ULTILET ALCOHOL STERL SWAB (alcohol swabs)                                                              | 1                | PA; ST                     |
| ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" | 2                | PA; ST                     |
| ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16" | 2                | PA; ST                     |
| ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16           | 2                | PA; ST                     |
| ULTILET PEN NEEDLE 29 GAUGE                                                                             | 2                | PA; ST                     |
| ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32" (pen needle, diabetic)                                      | 2                | PA; ST                     |
| ULTRA COMFORT 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"                                                    | 2                | PA; ST                     |
| ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"                                                    | 2                | PA; ST                     |
| ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"                                    | 2                | PA; ST                     |
| ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"                                                    | 2                | PA; ST                     |
| ULTRA COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"                                                  | 2                | PA; ST                     |
| ULTRA COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"                                                    | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                  |                                   | Drug Tier | Requirements/Limits |
|------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ULTRA COMFORT 0.5 ML<br>SYRINGE 1/2 ML 28 GAUGE            | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA COMFORT 1 ML<br>29GX1/2" 1 ML 29 GAUGE X 1/2"        | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA COMFORT 1 ML<br>30GX5/16" 1 ML 30 GAUGE X 5/16       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA COMFORT 1 ML<br>31GX5/16" 1 ML 31 GAUGE X 5/16       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA COMFORT 1 ML<br>SYRINGE 1 ML 28 GAUGE X 1/2"         | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA FLO 0.3 ML 30G 1/2" (1/2)<br>0.3 ML 30 GAUGE X 1/2"  |                                   | 2         | PA; ST              |
| ULTRA FLO 0.3 ML 30G 5/16"(1/2)<br>0.3 ML 30 GAUGE X 5/16" |                                   | 2         | PA; ST              |
| ULTRA FLO 0.3 ML 31G 5/16"(1/2)<br>0.3 ML 31 GAUGE X 5/16" |                                   | 2         | PA; ST              |
| ULTRA FLO PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA FLO PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA FLO PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA FLO PEN NEEDLE 33G<br>4MM 33 GAUGE X 5/32"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA FLO PEN NEEDLES<br>12MM 29G 29 GAUGE X 1/2"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA FLO SYR 0.3 ML<br>29GX1/2" 0.3 ML 29 GAUGE X<br>1/2" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA FLO SYR 0.3 ML 30G<br>5/16" 0.3 ML 30 GAUGE X 5/16"  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA FLO SYR 0.3 ML 31G<br>5/16" 0.3 ML 31 GAUGE X 5/16"  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA FLO SYR 0.5 ML 29G 1/2"<br>0.5 ML 29 GAUGE X 1/2"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA THIN PEN NDL 32G X<br>4MM 32 GAUGE X 5/32"           | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                    |                                   | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ULTRACARE INS 0.3 ML<br>30GX5/16" 0.3 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 0.3 ML<br>31GX5/16" 0.3 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 0.5 ML<br>30GX1/2" 0.5 ML 30 GAUGE X<br>1/2"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 0.5 ML<br>30GX5/16" 0.5 ML 30 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 0.5 ML<br>31GX5/16" 0.5 ML 31 GAUGE X<br>5/16" | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 1 ML 30G X<br>5/16" 1 ML 30 GAUGE X 5/16"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 1 ML 30GX1/2"<br>1 ML 30 GAUGE X 1/2"          | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE INS 1 ML 31G X<br>5/16" 1 ML 31 GAUGE X 5/16"      | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>31GX1/4" 31 GAUGE X 1/4"             | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>31GX3/16" 31 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>31GX5/16" 31 GAUGE X 5/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>32GX1/4" 32 GAUGE X 1/4"             | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>32GX3/16" 32 GAUGE X 3/16"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>32GX5/32" 32 GAUGE X 5/32"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRACARE PEN NEEDLE<br>33GX5/32" 33 GAUGE X 5/32"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE 0.3 ML 30G 12.7MM<br>0.3 ML 30 GAUGE X 1/2"       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE 0.3 ML 31G 6MM<br>(1/2) 0.3 ML 31 GAUGE X 15/64"  |                                   | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                  |                                   | Drug Tier | Requirements/Limits |
|------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ULTRA-FINE 0.3 ML 31G 8MM<br>(1/2) 0.3 ML 31 GAUGE X 5/16" |                                   | 2         | PA; ST              |
| ULTRA-FINE 0.5 ML 30G 12.7MM<br>0.5 ML 30 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE INS SYR 1 ML 31G<br>6MM 1 ML 31 GAUGE X 15/64"  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE INS SYR 1 ML 31G<br>8MM 1 ML 31 GAUGE X 5/16    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE PEN NDL 29G<br>12.7MM 29 GAUGE X 1/2"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE PEN NEEDLE 31G<br>8MM 31 GAUGE X 5/16"          | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE PEN NEEDLE 32G<br>6MM 32 GAUGE X 1/4"           | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-FINE SYR 0.3 ML 31G<br>6MM 0.3 ML 31 GAUGE X 15/64"  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE SYR 0.3 ML 31G<br>8MM 0.3 ML 31 GAUGE X 5/16"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE SYR 0.5 ML 31G<br>6MM 1/2 ML 31 GAUGE X 15/64"  | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE SYR 0.5 ML 31G<br>8MM 0.5 ML 31 GAUGE X 5/16"   | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-FINE SYR 1 ML 30G<br>12.7MM 1 ML 30 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II 1 ML 31GX5/16" 1<br>ML 31 GAUGE X 5/16       | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.3 ML 30G<br>0.3 ML 30 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.3 ML 31G<br>0.3 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.5 ML 29G<br>0.5 ML 29 GAUGE X 1/2"     | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.5 ML 30G<br>0.5 ML 30 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS 0.5 ML 31G<br>0.5 ML 31 GAUGE X 5/16"    | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                           |                                   | Drug Tier | Requirements/Limits |
|---------------------------------------------------------------------|-----------------------------------|-----------|---------------------|
| ULTRA-THIN II INS SYR 1 ML<br>29G 1 ML 29 GAUGE X 1/2"              | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II INS SYR 1 ML<br>30G 1 ML 30 GAUGE X 5/16              | (insulin syringe-needle<br>u-100) | 2         | PA; ST              |
| ULTRA-THIN II PEN NDL<br>29GX1/2" 29 GAUGE X 1/2"                   | (pen needle, diabetic)            | 2         | PA; ST              |
| ULTRA-THIN II PEN NDL<br>31GX5/16 31 GAUGE X 5/16"                  | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE OTC PEN NEEDLE 31G<br>5MM 31 GAUGE X 3/16"                  | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE OTC PEN NEEDLE 32G<br>4MM 32 GAUGE X 5/32"                  | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE PENTIPS 12MM 29G<br>29GX12MM, STRL 29 GAUGE X<br>1/2"       | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE PENTIPS 31GX3/16"<br>31GX5MM,STRL,MINI 31 GAUGE<br>X 3/16"  | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE PENTIPS 32G 4MM 32<br>GAUGE X 5/32"                         | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE PENTIPS 32GX1/4" 32<br>GAUGE X 1/4"                         | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE PENTIPS 33GX5/32" 33<br>GAUGE X 5/32"                       | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE PENTIPS 6MM 31G 31<br>GAUGE X 1/4"                          | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE PENTIPS 8MM 31G<br>31GX8MM, SHORT, STRL 31<br>GAUGE X 5/16" | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE PENTIPS MAX<br>30GX3/16" 30 GAUGE X 3/16"                   | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE PENTIPS PLUS<br>29GX1/2" 12MM 29 GAUGE X 1/2"               | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE PENTIPS PLUS<br>30GX3/16" 30 GAUGE X 3/16"                  | (pen needle, diabetic)            | 2         | PA; ST              |
| UNIFINE PENTIPS PLUS 31G<br>5MM 31 GAUGE X 3/16"                    | (pen needle, diabetic)            | 2         | PA; ST              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------|------------------|----------------------------|
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>31GX1/4" ULTRA SHORT, 6MM<br>31 GAUGE X 1/4"      | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>32GX5/32" 32 GAUGE X 5/32"                        | 2                | PA; ST                     |
| UNIFINE PENTIPS PLUS (pen needle, diabetic)<br>33GX5/32" 33 GAUGE X 5/32"                        | 2                | PA; ST                     |
| UNIFINE PROTECT 30G 5MM 30<br>GAUGE X 3/16"                                                      | 2                | PA; ST                     |
| UNIFINE PROTECT 30G 8MM 30<br>GAUGE X 5/16"                                                      | 2                | PA; ST                     |
| UNIFINE PROTECT 32G 4MM 32<br>GAUGE X 5/32"                                                      | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 30G<br>5MM 30 GAUGE X 3/16"                                                  | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 30G<br>8MM 30 GAUGE X 5/16"                                                  | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 31G (pen needle, diabetic,<br>5MM 31 GAUGE X 3/16" safety)                   | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 31G<br>6MM 31 GAUGE X 1/4"                                                   | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 31G<br>8MM 31 GAUGE X 5/16"                                                  | 2                | PA; ST                     |
| UNIFINE SAFECONTROL 32G<br>4MM 32 GAUGE X 5/32"                                                  | 2                | PA; ST                     |
| UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"                         | 2                | PA; ST                     |
| UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic)<br>6MM 31 GAUGE X 1/4"                          | 2                | PA; ST                     |
| UNIFINE ULTRA PEN NDL 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"                         | 2                | PA; ST                     |
| UNIFINE ULTRA PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                         | 2                | PA; ST                     |
| VANISHPOINT 0.5 ML 30GX1/2" (insulin syringe-needle<br>SY OUTER 0.5 ML 30 GAUGE X u-100)<br>1/2" | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------|------------------|----------------------------|
| VANISHPOINT INS 0.5 ML 30G<br>8MM OUTER 0.5 ML 30 GAUGE X<br>5/16"                       | 2                | PA; ST                     |
| VANISHPOINT INS 1 ML<br>30GX3/16" 1 ML 30 GAUGE X<br>3/16"                               | 2                | PA; ST                     |
| VANISHPOINT U-100 29X1/2 SYR (insulin syringe-needle<br>1 ML 29 GAUGE X 1/2" u-100)      | 2                | PA; ST                     |
| VERIFINE INS SYR 1 ML 29G 1/2" (insulin syringe-needle<br>1 ML 29 GAUGE X 1/2" u-100)    | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 29G (pen needle, diabetic)<br>12MM 29 GAUGE X 1/2"                   | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"                   | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 31G X (pen needle, diabetic)<br>6MM 31 GAUGE X 1/4"                  | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 31G X (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"                 | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 32G (pen needle, diabetic)<br>6MM 32 GAUGE X 1/4"                    | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 32G X (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                 | 2                | PA; ST                     |
| VERIFINE PEN NEEDLE 32G X (pen needle, diabetic)<br>5MM 32 GAUGE X 3/16"                 | 2                | PA; ST                     |
| VERIFINE PLUS PEN NDL 31G (pen needle, diabetic)<br>5MM 31 GAUGE X 3/16"                 | 2                | PA; ST                     |
| VERIFINE PLUS PEN NDL 31G (pen needle, diabetic)<br>8MM 31 GAUGE X 5/16"                 | 2                | PA; ST                     |
| VERIFINE PLUS PEN NDL 32G (pen needle, diabetic)<br>4MM 32 GAUGE X 5/32"                 | 2                | PA; ST                     |
| VERIFINE PLUS PEN NDL 32G<br>4MM-SHARPS CONTAINER 32<br>GAUGE X 5/32"                    | 2                | PA; ST                     |
| VERIFINE SYRING 0.5 ML 29G (insulin syringe-needle<br>1/2" 0.5 ML 29 GAUGE X 1/2" u-100) | 2                | PA; ST                     |
| VERIFINE SYRING 1 ML 31G (insulin syringe-needle<br>5/16" 1 ML 31 GAUGE X 5/16 u-100)    | 2                | PA; ST                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                                                                              | Drug Tier | Requirements/Limits          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------|
| VERIFINE SYRNG 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                                                                                                 | 2         | PA; ST                       |
| VERIFINE SYRNG 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)                                                                                                 | 2         | PA; ST                       |
| VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "                                                                                                                                | 1         | PA; ST                       |
| V-GO 20 DEVICE                                                                                                                                                                         | 3         | QL (30 per 30 days)          |
| V-GO 30 DEVICE                                                                                                                                                                         | 3         | QL (30 per 30 days)          |
| V-GO 40 DEVICE                                                                                                                                                                         | 3         | QL (30 per 30 days)          |
| WEBCOL ALCOHOL PREPS 20'S,LARGE (alcohol swabs)                                                                                                                                        | 1         | PA; ST                       |
| WM UNIFINE PENTIP PLUS 8MM 31G W/ SAFETY CLICK 31 GAUGE X 5/16" (pen needle, diabetic)                                                                                                 | 2         | PA; ST                       |
| <b>Enzyme Cofactors/Chaperones</b>                                                                                                                                                     |           |                              |
| <b>Enzyme Cofactors/Chaperones</b>                                                                                                                                                     |           |                              |
| MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG                                                                                                                                      | 5         | PA; NDS; QL (90 per 30 days) |
| <b>Enzyme Replacement/Modifiers</b>                                                                                                                                                    |           |                              |
| <b>Enzyme Replacement/Modifiers</b>                                                                                                                                                    |           |                              |
| CERDELGA ORAL CAPSULE 84 MG                                                                                                                                                            | 5         | PA; NDS                      |
| CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT | 3         |                              |
| GALAFOLD ORAL CAPSULE 123 MG                                                                                                                                                           | 5         | PA; NDS; QL (14 per 28 days) |
| <i>javygtor oral tablet,soluble 100 mg</i> (sapropterin)                                                                                                                               | 5         | PA; NDS                      |
| <i>miglustat oral capsule 100 mg</i> (Yargesa)                                                                                                                                         | 5         | PA; NDS; QL (90 per 30 days) |
| <i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Orfadin)                                                                                                                      | 5         | PA; NDS                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                                                                                                                                                                         | Drug Tier | Requirements/Limits          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------------------------|
| ORFADIN ORAL SUSPENSION 4 MG/ML                                                                                                                                                                                                                                                   | 5         | PA; NDS                      |
| PALYNZIQ SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 2.5 MG/0.5 ML, 20 MG/ML                                                                                                                                                                                                               | 5         | PA; NDS                      |
| PULMOZYME INHALATION SOLUTION 1 MG/ML                                                                                                                                                                                                                                             | 5         | PA BvD; NDS                  |
| REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)                                                                                                                                                                                                                          | 5         | PA; NDS                      |
| <i>sapropterin oral tablet, soluble 100 mg</i> (Javygtor)                                                                                                                                                                                                                         | 5         | PA; NDS                      |
| STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML                                                                                                                                                                                                | 5         | PA; LA; NDS                  |
| <i>yargesa oral capsule 100 mg</i> (miglustat)                                                                                                                                                                                                                                    | 5         | PA; NDS; QL (90 per 30 days) |
| ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000- 84,000 UNIT, 25,000-79,000- 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000- 168,000 UNIT, 5,000-17,000- 24,000 UNIT, 60,000-189,600- 252,600 UNIT | 3         |                              |
| <b>Eye, Ear, Nose, Throat Agents</b>                                                                                                                                                                                                                                              |           |                              |
| <b>Eye, Ear, Nose, Throat Agents, Miscellaneous</b>                                                                                                                                                                                                                               |           |                              |
| <i>apraclonidine ophthalmic (eye) drops 0.5 %</i>                                                                                                                                                                                                                                 | 2         |                              |
| <i>atropine ophthalmic (eye) drops 1 %</i>                                                                                                                                                                                                                                        | 2         |                              |
| <i>azelastine nasal spray, non-aerosol 137 mcg (0.1 %)</i>                                                                                                                                                                                                                        | 2         | QL (60 per 30 days)          |
| <i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i> (Astepro Allergy)                                                                                                                                                                                                   | 2         | QL (30 per 25 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                              | Drug Tier | Requirements/Limits   |
|----------------------------------------------------------------------------------------|-----------|-----------------------|
| <i>azelastine ophthalmic (eye) drops 0.05 %</i>                                        | 2         |                       |
| <i>bepotastine besilate ophthalmic (eye) drops 1.5 %</i> (Bepreve)                     | 4         | ST                    |
| <i>cromolyn ophthalmic (eye) drops 4 %</i>                                             | 2         |                       |
| <i>epinastine ophthalmic (eye) drops 0.05 %</i>                                        | 4         |                       |
| <i>ipratropium bromide nasal spray,non-aerosol 21 mcg (0.03 %)</i>                     | 2         | QL (30 per 28 days)   |
| <i>ipratropium bromide nasal spray,non-aerosol 42 mcg (0.06 %)</i>                     | 2         | QL (15 per 10 days)   |
| MIEBO (PF) OPHTHALMIC (EYE) DROPS 100 %                                                | 3         | QL (12 per 28 days)   |
| <i>olopatadine nasal spray,non-aerosol 0.6 %</i>                                       | 4         | QL (30.5 per 30 days) |
| <i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Eye Allergy Itch-Redness Rlf)         | 2         |                       |
| <i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Advanced Eye Relief (olopatad))       | 2         |                       |
| <b>Eye, Ear, Nose, Throat Anti-Infectives Agents</b>                                   |           |                       |
| <i>acetic acid otic (ear) solution 2 %</i>                                             | 2         |                       |
| <i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i>                              | 2         |                       |
| <i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Polycin) | 2         |                       |
| <i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i>                                  | 2         |                       |
| <i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i>               | 3         | QL (7.5 per 7 days)   |
| <i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i>                        | 2         | QL (3.5 per 4 days)   |
| <i>gatifloxacin ophthalmic (eye) drops 0.5 %</i>                                       | 2         |                       |
| <i>gentamicin ophthalmic (eye) drops 0.3 %</i>                                         | 2         |                       |
| <i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i>                               | 2         |                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                       | Drug Tier | Requirements/Limits |
|-----------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)                                                      | 2         |                     |
| NATACYN OPTHALMIC (EYE) DROPS,SUSPENSION 5 %                                                                    | 4         |                     |
| <i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neo-Polycin HC)       | 2         |                     |
| <i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neo-Polycin)      | 2         |                     |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol) | 2         |                     |
| <i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i>                     | 2         |                     |
| <i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i>                      | 2         |                     |
| <i>neomycin-polymyxin-hc ophthalmic (eye) drops,suspension 3.5-10,000-10 mg-unit-mg/ml</i>                      | 4         |                     |
| <i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i>                           | 2         |                     |
| <i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i>                                   | 2         |                     |
| <i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (neomycin-bacitracin-poly-hc)       | 2         |                     |
| <i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (neomycin-bacitracin-polymyxin)      | 2         |                     |
| <i>ofloxacin ophthalmic (eye) drops 0.3 %</i> (Ocuflox)                                                         | 2         |                     |
| <i>ofloxacin otic (ear) drops 0.3 %</i>                                                                         | 2         |                     |
| <i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i> (bacitracin-polymyxin b)                          | 2         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                        | Drug Tier | Requirements/Limits          |
|----------------------------------------------------------------------------------|-----------|------------------------------|
| <i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i> | 1         |                              |
| <i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>                          | 2         |                              |
| <i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>                       | 2         |                              |
| <i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>    | 2         |                              |
| <i>tobramycin ophthalmic (eye) drops 0.3 %</i>                                   | 1         |                              |
| <i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>      | 2         |                              |
| <i>tobramycin-lotepred ophthalmic (eye) drops,suspension 0.3-0.5 %</i> (Zylet)   | 2         |                              |
| <i>trifluridine ophthalmic (eye) drops 1 %</i>                                   | 4         |                              |
| XDEMVY OPTHALMIC (EYE) DROPS 0.25 %                                              | 5         | PA; NDS; QL (10 per 42 days) |
| ZIRGAN OPTHALMIC (EYE) GEL 0.15 %                                                | 4         |                              |
| <b>Eye, Ear, Nose, Throat Anti-Inflammatory Agents</b>                           |           |                              |
| <i>bromfenac ophthalmic (eye) drops 0.07 %</i> (Prolensa)                        | 3         |                              |
| <i>bromfenac ophthalmic (eye) drops 0.075 %</i> (BromSite)                       | 3         |                              |
| <i>bromfenac ophthalmic (eye) drops 0.09 %</i>                                   | 4         |                              |
| <i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> (Restasis)               | 3         | QL (60 per 30 days)          |
| <i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i>               | 2         |                              |
| <i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i>                            | 2         |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>difluprednate ophthalmic (eye) drops</i> (Durezol)<br>0.05 %                                          | 4                |                            |
| EYSUVIS OPHTHALMIC (EYE)<br>DROPS,SUSPENSION 0.25 %                                                      | 3                | QL (8.3 per 14 days)       |
| <i>flunisolide nasal spray,non-aerosol</i><br>25 mcg (0.025 %)                                           | 4                | QL (50 per 25 days)        |
| <i>fluocinolone acetonide oil otic (ear)</i> (DermOtic Oil)<br>drops 0.01 %                              | 2                |                            |
| <i>fluorometholone ophthalmic (eye)</i> (FML Liquifilm)<br>drops,suspension 0.1 %                        | 2                |                            |
| <i>flurbiprofen sodium ophthalmic (eye)</i><br>drops 0.03 %                                              | 2                |                            |
| <i>fluticasone propionate nasal</i> (24 Hour Allergy Relief)<br><i>spray,suspension 50 mcg/actuation</i> | 1                | QL (16 per 30 days)        |
| ILEVRO OPHTHALMIC (EYE)<br>DROPS,SUSPENSION 0.3 %                                                        | 3                |                            |
| INVELTYS OPHTHALMIC (EYE)<br>DROPS,SUSPENSION 1 %                                                        | 3                | QL (5.6 per 14 days)       |
| <i>ketorolac ophthalmic (eye) drops 0.5</i> (Acular)<br>%                                                | 2                | QL (10 per 25 days)        |
| LOTEMAX OPHTHALMIC (EYE)<br>OINTMENT 0.5 %                                                               | 3                | QL (3.5 per 14 days)       |
| LOTEMAX SM OPHTHALMIC<br>(EYE) DROPS,GEL 0.38 %                                                          | 3                | QL (5 per 16 days)         |
| <i>loteprednol etabonate ophthalmic</i> (Lotemax)<br><i>(eye) drops,gel 0.5 %</i>                        | 4                | QL (10 per 14 days)        |
| <i>loteprednol etabonate ophthalmic</i> (Alrex)<br><i>(eye) drops,suspension 0.2 %</i>                   | 3                | ST                         |
| <i>loteprednol etabonate ophthalmic</i><br><i>(eye) drops,suspension 0.5 %</i>                           | 4                | QL (15 per 19 days)        |
| <i>mometasone nasal spray,non-aerosol</i> (Allergy Nasal<br>50 mcg/actuation (mometasone))               | 4                | QL (34 per 30 days)        |
| <i>prednisolone acetate ophthalmic</i> (Pred Forte)<br><i>(eye) drops,suspension 1 %</i>                 | 4                |                            |
| <i>prednisolone sodium phosphate</i><br><i>ophthalmic (eye) drops 1 %</i>                                | 2                |                            |
| XIIDRA OPHTHALMIC (EYE)<br>DROPPERETTE 5 %                                                               | 3                | QL (60 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                             | Drug Tier | Requirements/Limits     |
|-------------------------------------------------------------------------------------------------------|-----------|-------------------------|
| <b>Gastrointestinal Agents</b>                                                                        |           |                         |
| <b>Antiulcer Agents And Acid Suppressants</b>                                                         |           |                         |
| <i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>                                   | 4         |                         |
| <i>cimetidine hcl oral solution 300 mg/5 ml</i>                                                       | 2         |                         |
| <i>cimetidine oral tablet 200 mg</i> (Acid Reducer (cimetidine))                                      | 2         |                         |
| <i>cimetidine oral tablet 300 mg, 400 mg, 800 mg</i>                                                  | 2         |                         |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 20 mg</i> (Acid Reducer (esomeprazole)) | 2         |                         |
| <i>esomeprazole magnesium oral capsule,delayed release(dr/ec) 40 mg</i> (Nexium)                      | 2         |                         |
| <i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i> (Nexium Packet)        | 4         | ST; QL (30 per 30 days) |
| <i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium Packet)               | 4         | ST; QL (60 per 30 days) |
| <i>famotidine oral suspension for reconstitution 40 mg/5 ml (8 mg/ml)</i>                             | 4         |                         |
| <i>famotidine oral tablet 20 mg</i> (Acid Controller)                                                 | 1         |                         |
| <i>famotidine oral tablet 40 mg</i> (Pepcid)                                                          | 1         |                         |
| <i>lansoprazole oral capsule,delayed release(dr/ec) 15 mg</i> (Acid Reducer (lansoprazole))           | 2         | QL (30 per 30 days)     |
| <i>lansoprazole oral capsule,delayed release(dr/ec) 30 mg</i> (Prevacid)                              | 2         | QL (60 per 30 days)     |
| <i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)                                             | 2         |                         |
| <i>nizatidine oral capsule 150 mg, 300 mg</i>                                                         | 2         |                         |
| <i>omeprazole oral capsule,delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i>                             | 1         |                         |
| <i>omeprazole-sodium bicarbonate oral capsule 20-1.1 mg-gram</i> (Zegerid OTC)                        | 5         | ST; NDS                 |
| <i>omeprazole-sodium bicarbonate oral capsule 40-1.1 mg-gram</i>                                      | 4         | ST                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                        | Drug Tier | Requirements/Limits          |
|----------------------------------------------------------------------------------|-----------|------------------------------|
| <i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg</i> (Protonix) | 1         |                              |
| <i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (AcipHex)          | 2         |                              |
| <i>sucralfate oral tablet 1 gram</i> (Carafate)                                  | 2         |                              |
| VOQUEZNA ORAL TABLET 10 MG, 20 MG                                                | 4         | PA                           |
| <b>Gastrointestinal Agents, Other</b>                                            |           |                              |
| <i>carglumic acid oral tablet, dispersible 200 mg</i> (Carbaglu)                 | 5         | PA; NDS                      |
| <i>constulose oral solution 10 gram/15 ml</i> (lactulose)                        | 2         |                              |
| <i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)                        | 3         |                              |
| <i>dicyclomine oral capsule 10 mg</i>                                            | 2         |                              |
| <i>dicyclomine oral solution 10 mg/5 ml</i>                                      | 2         |                              |
| <i>dicyclomine oral tablet 20 mg</i>                                             | 2         |                              |
| <i>diphenoxylate-atropine oral liquid 2.5-0.025 mg/5 ml</i>                      | 4         | PA-HRM; AGE (Max 64 Years)   |
| <i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)                 | 2         | PA-HRM; AGE (Max 64 Years)   |
| <i>enulose oral solution 10 gram/15 ml</i> (lactulose)                           | 2         |                              |
| GATTEX 30-VIAL SUBCUTANEOUS KIT 5 MG                                             | 5         | PA; NDS                      |
| <i>generlac oral solution 10 gram/15 ml</i> (lactulose)                          | 2         |                              |
| <i>glycerol phenylbutyrate oral liquid 1.1 gram/ml</i> (Ravicti)                 | 5         | PA; NDS                      |
| <i>glycopyrrolate oral tablet 1 mg</i> (Robinul)                                 | 2         |                              |
| <i>glycopyrrolate oral tablet 2 mg</i> (Robinul Forte)                           | 2         |                              |
| IQIRVO ORAL TABLET 80 MG                                                         | 5         | PA; NDS; QL (30 per 30 days) |
| <i>kionex oral suspension 15 gram/60 ml</i> (sodium polystyrene sulfonate)       | 2         |                              |
| <i>lactulose oral solution 10 gram/15 ml</i> (Constulose)                        | 2         |                              |
| LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG                                    | 3         | QL (30 per 30 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                  | Drug Tier | Requirements/Limits            |
|----------------------------------------------------------------------------|-----------|--------------------------------|
| LIVDELZI ORAL CAPSULE 10 MG                                                | 5         | PA; NDS; QL (30 per 30 days)   |
| LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM                              | 3         |                                |
| <i>loperamide oral capsule 2 mg</i> (Anti-Diarrheal (loperamide))          | 2         |                                |
| <i>lubiprostone oral capsule 24 mcg</i>                                    | 2         | QL (60 per 30 days)            |
| <i>lubiprostone oral capsule 8 mcg</i> (Amitiza)                           | 2         | QL (120 per 30 days)           |
| <i>methscopolamine oral tablet 2.5 mg, 5 mg</i>                            | 4         |                                |
| <i>metoclopramide hcl oral solution 5 mg/5 ml</i>                          | 2         |                                |
| <i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)                 | 1         |                                |
| MOVANTIK ORAL TABLET 12.5 MG, 25 MG                                        | 3         | QL (30 per 30 days)            |
| OICALIVA ORAL TABLET 10 MG, 5 MG                                           | 5         | PA; NDS; QL (30 per 30 days)   |
| RELISTOR ORAL TABLET 150 MG                                                | 5         | PA; NDS; QL (90 per 30 days)   |
| RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6 ML                                | 5         | PA; NDS; QL (16.8 per 28 days) |
| RELISTOR SUBCUTANEOUS SYRINGE 12 MG/0.6 ML                                 | 5         | PA; NDS; QL (16.8 per 28 days) |
| RELISTOR SUBCUTANEOUS SYRINGE 8 MG/0.4 ML                                  | 5         | PA; NDS; QL (11.2 per 28 days) |
| <i>sodium phenylbutyrate oral tablet 500 mg</i> (Buphenyl)                 | 5         | PA; NDS                        |
| <i>sodium polystyrene sulfonate oral powder 15 gram</i>                    | 2         |                                |
| <i>sodium polystyrene sulfonate oral suspension 15 gram/60 ml</i> (Kionex) | 2         |                                |
| <i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i>                | 2         |                                |
| TRULANCE ORAL TABLET 3 MG                                                  | 3         | QL (30 per 30 days)            |
| <i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)                      | 5         | NDS                            |
| <i>ursodiol oral capsule 300 mg</i>                                        | 2         |                                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                | Drug Tier | Requirements/Limits          |
|------------------------------------------------------------------------------------------|-----------|------------------------------|
| ursodiol oral tablet 250 mg                                                              | 2         |                              |
| ursodiol oral tablet 500 mg (URSO Forte)                                                 | 2         |                              |
| VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM                    | 3         |                              |
| XERMELO ORAL TABLET 250 MG                                                               | 5         | PA; NDS; QL (84 per 28 days) |
| <b>Laxatives</b>                                                                         |           |                              |
| gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram (peg 3350-electrolytes)             | 2         |                              |
| gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram (peg 3350-electrolytes)             | 2         |                              |
| gavilyte-n oral recon soln 420 gram (peg-electrolyte soln)                               | 2         |                              |
| peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram (GaviLyte-G)             | 2         |                              |
| peg-electrolyte soln oral recon soln 420 gram (GaviLyte-N)                               | 2         |                              |
| sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram (Suprep Bowel Prep Kit) | 2         |                              |
| sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)          | 2         |                              |
| <b>Phosphate Binders</b>                                                                 |           |                              |
| calcium acetate(phosphat bind) oral capsule 667 mg                                       | 2         |                              |
| calcium acetate(phosphat bind) oral tablet 667 mg                                        | 2         |                              |
| lanthanum oral tablet,chewable 1,000 mg, 500 mg, 750 mg (Fosrenol)                       | 5         | NDS                          |
| sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram (Renvela)                   | 3         |                              |
| sevelamer carbonate oral tablet 800 mg (Renvela)                                         | 2         |                              |
| sevelamer hcl oral tablet 400 mg, 800 mg                                                 | 3         |                              |
| <b>Genitourinary Agents</b>                                                              |           |                              |
| <b>Antispasmodics, Urinary</b>                                                           |           |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                          | Drug Tier | Requirements/Limits |
|------------------------------------------------------------------------------------|-----------|---------------------|
| <i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i>                  | 2         |                     |
| <i>fesoterodine oral tablet extended release 24 hr 4 mg</i> (Toviaz)               | 4         |                     |
| <i>fesoterodine oral tablet extended release 24 hr 8 mg</i> (Toviaz)               | 2         |                     |
| <i>flavoxate oral tablet 100 mg</i>                                                | 2         |                     |
| MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG (mirabegron)             | 2         |                     |
| <i>oxybutynin chloride oral syrup 5 mg/5 ml</i>                                    | 2         |                     |
| <i>oxybutynin chloride oral tablet 2.5 mg</i>                                      | 4         |                     |
| <i>oxybutynin chloride oral tablet 5 mg</i>                                        | 2         |                     |
| <i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i>    | 2         |                     |
| <i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)                              | 2         |                     |
| <i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i>                  | 2         |                     |
| <i>tolterodine oral tablet 1 mg, 2 mg</i>                                          | 2         |                     |
| <i>trospium oral capsule, extended release 24hr 60 mg</i>                          | 4         |                     |
| <i>trospium oral tablet 20 mg</i>                                                  | 2         |                     |
| <b>Genitourinary Agents, Miscellaneous</b>                                         |           |                     |
| <i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)              | 2         | QL (30 per 30 days) |
| <i>dutasteride oral capsule 0.5 mg</i> (Avodart)                                   | 2         |                     |
| <i>dutasteride-tamsulosin oral capsule, er multiphase 24 hr 0.5-0.4 mg</i> (Jalyn) | 4         |                     |
| <i>finasteride oral tablet 5 mg</i> (Proscar)                                      | 1         |                     |
| <i>tamsulosin oral capsule 0.4 mg</i>                                              | 1         |                     |
| <i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i>                              | 1         |                     |
| <i>tiopronin oral tablet 100 mg</i> (Thiola)                                       | 5         | NDS                 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                            |                     | Drug Tier | Requirements/Limits           |
|--------------------------------------------------------------------------------------|---------------------|-----------|-------------------------------|
| <b>Heavy Metal Antagonists</b>                                                       |                     |           |                               |
| <b>Heavy Metal Antagonists</b>                                                       |                     |           |                               |
| <i>deferiasirox oral granules in packet 180 mg, 360 mg, 90 mg</i>                    | (Jadenu Sprinkle)   | 5         | PA; NDS                       |
| <i>deferiasirox oral tablet 180 mg, 360 mg, 90 mg</i>                                | (Jadenu)            | 2         | PA                            |
| <i>deferiasirox oral tablet, dispersible 125 mg</i>                                  | (Exjade)            | 3         | PA                            |
| <i>deferiasirox oral tablet, dispersible 250 mg, 500 mg</i>                          | (Exjade)            | 5         | PA; NDS                       |
| <i>deferiprone oral tablet 1,000 mg</i>                                              | (Ferriprox)         | 5         | PA; NDS                       |
| <i>deferiprone oral tablet 500 mg</i>                                                |                     | 5         | PA; NDS                       |
| FERRIPROX ORAL SOLUTION 100 MG/ML                                                    |                     | 5         | PA; NDS                       |
| <i>penicillamine oral tablet 250 mg</i>                                              | (Depen Titratabs)   | 5         | PA; NDS                       |
| <i>trientine oral capsule 250 mg</i>                                                 | (Syprine)           | 5         | PA; NDS; QL (240 per 30 days) |
| <b>Hormonal Agents, Stimulant/Replacement/Modifying</b>                              |                     |           |                               |
| <b>Androgens</b>                                                                     |                     |           |                               |
| <i>danazol oral capsule 100 mg, 200 mg, 50 mg</i>                                    |                     | 3         |                               |
| <i>oxandrolone oral tablet 10 mg, 2.5 mg</i>                                         |                     | 3         | PA                            |
| <i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i>                 | (Depo-Testosterone) | 2         | PA                            |
| <i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i>                     |                     | 2         | PA                            |
| <i>testosterone enanthate intramuscular oil 200 mg/ml</i>                            |                     | 2         | PA; QL (5 per 28 days)        |
| <i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i>    | (Vogelxo)           | 4         | PA; QL (300 per 30 days)      |
| <i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> | (AndroGel)          | 4         | PA; QL (150 per 30 days)      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                                       | Drug Tier | Requirements/Limits        |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram)</i>                                                                               | 4         | PA; QL (300 per 30 days)   |
| <i>testosterone transdermal gel in packet 1 % (50 mg/5 gram)</i> (Vogelxo)                                                                      | 4         | PA; QL (300 per 30 days)   |
| <i>testosterone transdermal solution in metered pump w/app 30 mg/actuation (1.5 ml)</i>                                                         | 4         | PA; QL (180 per 30 days)   |
| <b>Estrogens And Antiestrogens</b>                                                                                                              |           |                            |
| <i>abigale lo oral tablet 0.5-0.1 mg</i> (estradiol-norethindrone acet)                                                                         | 1         |                            |
| <i>abigale oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)                                                                              | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>amabelz oral tablet 0.5-0.1 mg, 1-0.5 mg</i> (estradiol-norethindrone acet)                                                                  | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>conjugated estrogens oral tablet 0.3 mg, 0.45 mg, 0.625 mg, 0.9 mg, 1.25 mg</i> (Premarin)                                                   | 2         |                            |
| <i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol)              | 2         | QL (8 per 28 days)         |
| <i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                                                                 | 1         |                            |
| <i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Dotti)              | 2         | QL (8 per 28 days)         |
| <i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara) | 2         | QL (4 per 28 days)         |
| <i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)                                                                                   | 2         |                            |
| <i>estradiol vaginal tablet 10 mcg</i> (Yuvaferm)                                                                                               | 4         | QL (18 per 28 days)        |
| <i>estradiol valerate intramuscular oil 10 mg/ml, 20 mg/ml</i> (Delestrogen)                                                                    | 4         |                            |
| <i>estradiol valerate intramuscular oil 40 mg/ml</i>                                                                                            | 4         |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                            | Drug Tier | Requirements/Limits        |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------|----------------------------|
| <i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Abigale Lo)                                                              | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i> (Abigale)                                                                   | 2         | PA-HRM; AGE (Max 64 Years) |
| FEMRING VAGINAL RING 0.05 MG/24 HR, 0.1 MG/24 HR                                                                                     | 4         | QL (1 per 84 days)         |
| <i>fyavolv oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)                                               | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>jinteli oral tablet 1-5 mg-mcg</i> (norethindrone ac-eth estradiol)                                                               | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>lyllana transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (estradiol) | 2         | QL (8 per 28 days)         |
| <i>mimvey oral tablet 1-0.5 mg</i> (estradiol-norethindrone acet)                                                                    | 2         | PA-HRM; AGE (Max 64 Years) |
| <i>norethindrone ac-eth estradiol oral tablet 0.5-2.5 mg-mcg, 1-5 mg-mcg</i> (Fyavolv)                                               | 2         | PA-HRM; AGE (Max 64 Years) |
| PREMARIN VAGINAL CREAM 0.625 MG/GRAM                                                                                                 | 3         |                            |
| PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)                                                                                 | 3         | PA-HRM; AGE (Max 64 Years) |
| PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG                                                                | 3         | PA-HRM; AGE (Max 64 Years) |
| <i>raloxifene oral tablet 60 mg</i> (Evista)                                                                                         | 2         |                            |
| <i>yuvafem vaginal tablet 10 mcg</i> (estradiol)                                                                                     | 4         | QL (18 per 28 days)        |
| <b>Glucocorticoids/Mineralocorticoids</b>                                                                                            |           |                            |
| <i>dexamethasone oral solution 0.5 mg/5 ml</i>                                                                                       | 2         |                            |
| <i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i>                                                     | 2         |                            |
| <i>dexamethasone sodium phosphate injection solution 10 mg/ml, 4 mg/ml</i>                                                           | 1         |                            |
| <i>fludrocortisone oral tablet 0.1 mg</i>                                                                                            | 2         |                            |
| HEMADY ORAL TABLET 20 MG                                                                                                             | 4         |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                             | Drug Tier | Requirements/Limits          |
|-------------------------------------------------------------------------------------------------------|-----------|------------------------------|
| <i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)                                         | 2         |                              |
| <i>methylprednisolone acetate injection suspension 40 mg/ml</i> (Depo-Medrol)                         | 2         |                              |
| <i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)                                      | 2         |                              |
| <i>methylprednisolone oral tablet 32 mg</i>                                                           | 2         |                              |
| <i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol (Pak))                                  | 1         |                              |
| <i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i>                                          | 2         | PA BvD                       |
| <i>prednisolone oral solution 15 mg/5 ml</i>                                                          | 2         | PA BvD                       |
| <i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> | 2         | PA BvD                       |
| <i>prednisone oral solution 5 mg/5 ml</i>                                                             | 2         | PA BvD                       |
| <i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i>                                 | 1         | PA BvD                       |
| <i>prednisone oral tablets,dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i>                 | 2         |                              |
| <i>triamcinolone acetate injection suspension 40 mg/ml</i> (Kenalog)                                  | 2         |                              |
| <b>Pituitary</b>                                                                                      |           |                              |
| CORTROPHIN GEL INJECTION GEL 80 UNIT/ML                                                               | 5         | PA; NDS; QL (35 per 28 days) |
| CORTROPHIN GEL SUBCUTANEOUS SYRINGE 40 UNIT/0.5 ML                                                    | 5         | PA; NDS; QL (15 per 30 days) |
| CORTROPHIN GEL SUBCUTANEOUS SYRINGE 80 UNIT/ML                                                        | 5         | PA; NDS; QL (30 per 30 days) |
| <i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i>                                           | 3         |                              |
| <i>desmopressin nasal spray,non-aerosol 10 mcg/spray (0.1 ml)</i>                                     | 3         |                              |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                                       | Drug Tier | Requirements/Limits               |
|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)                                                                                          | 2         |                                   |
| EGRIFTA SV SUBCUTANEOUS RECON SOLN 2 MG                                                                                                         | 5         | PA; NDS; QL (30 per 30 days)      |
| EGRIFTA WR SUBCUTANEOUS KIT 11.6 MG                                                                                                             | 5         | PA; NDS; QL (4 per 28 days)       |
| INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML                                                                                                         | 5         | PA; NDS                           |
| <i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)                                                                         | 5         | PA NSO; NDS; QL (0.5 per 28 days) |
| LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG                                                                                       | 5         | PA NSO; NDS                       |
| LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG                                                                                                  | 5         | PA NSO; NDS                       |
| LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG                                                                            | 5         | PA; NDS                           |
| LUPRON DEPOT-PED INTRAMUSCULAR KIT 11.25 MG, 15 MG, 7.5 MG (PED)                                                                                | 5         | PA; NDS                           |
| LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG                                                                                                | 5         | PA; NDS                           |
| NORDITROPIN FLEXPLO SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) | 5         | PA; NDS                           |
| <i>octreotide acetate injection solution 1,000 mcg/ml</i>                                                                                       | 5         | NDS                               |
| <i>octreotide acetate injection solution 100 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> (Sandostatin)                                                    | 4         |                                   |
| <i>octreotide acetate injection solution 200 mcg/ml</i>                                                                                         | 4         |                                   |
| ORGOVYX ORAL TABLET 120 MG                                                                                                                      | 5         | PA NSO; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                           | Drug Tier | Requirements/Limits               |
|-------------------------------------------------------------------------------------|-----------|-----------------------------------|
| ORILISSA ORAL TABLET 150 MG                                                         | 5         | PA; NDS; QL (28 per 28 days)      |
| ORILISSA ORAL TABLET 200 MG                                                         | 5         | PA; NDS; QL (56 per 28 days)      |
| SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG                                   | 5         | PA; NDS                           |
| SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) | 5         | PA; NDS; QL (60 per 30 days)      |
| SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 60 MG/0.2 ML                     | 5         | PA NSO; NDS; QL (0.2 per 28 days) |
| SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 90 MG/0.3 ML                     | 5         | PA NSO; NDS; QL (0.3 per 28 days) |
| SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG                  | 5         | PA; NDS                           |
| SYNAREL NASAL SPRAY, NON-AEROSOL 2 MG/ML                                            | 5         | PA; NDS                           |
| <b>Progestins</b>                                                                   |           |                                   |
| DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML                           | 3         | QL (0.65 per 84 days)             |
| <i>gallifrey oral tablet 5 mg</i> (norethindrone acetate)                           | 2         |                                   |
| <i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)        | 2         |                                   |
| <i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)           | 2         |                                   |
| <i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)                | 1         |                                   |
| <i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i>   | 3         | PA-HRM; AGE (Max 64 Years)        |
| <i>norethindrone acetate oral tablet 5 mg</i> (Gallifrey)                           | 2         |                                   |
| <i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)             | 2         |                                   |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                                        | Drug Tier | Requirements/Limits             |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------|
| <b>Thyroid And Antithyroid Agents</b>                                                                                                            |           |                                 |
| <i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Levo-T) | 1         |                                 |
| <i>liomny oral tablet 25 mcg, 5 mcg, 50 mcg</i> (liothyronine)                                                                                   | 2         |                                 |
| <i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Liomny)                                                                                   | 2         |                                 |
| <i>methimazole oral tablet 10 mg, 5 mg</i>                                                                                                       | 1         |                                 |
| <i>propylthiouracil oral tablet 50 mg</i>                                                                                                        | 2         |                                 |
| REZDIFFRA ORAL TABLET 100 MG, 60 MG, 80 MG                                                                                                       | 5         | PA; NDS                         |
| <b>Immunological Agents</b>                                                                                                                      |           |                                 |
| <b>Immunological Agents</b>                                                                                                                      |           |                                 |
| <i>adalimumab-aaty subcutaneous auto-injector, kit 40 mg/0.4 ml</i> (Yuflyma(CF) Autoinjector)                                                   | 5         | PA; NDS                         |
| <i>adalimumab-aaty subcutaneous auto-injector, kit 80 mg/0.8 ml</i> (adalimumab-aaty(CF) AI Crohns)                                              | 5         | PA; NDS                         |
| <i>adalimumab-aaty subcutaneous syringe kit 20 mg/0.2 ml, 40 mg/0.4 ml</i> (Yuflyma(CF))                                                         | 5         | PA; NDS                         |
| <i>adalimumab-aaty(cf) ai crohns subcutaneous auto-injector, kit 80 mg/0.8 ml</i> (adalimumab-aaty)                                              | 5         | PA; NDS                         |
| ARCALYST SUBCUTANEOUS RECON SOLN 220 MG                                                                                                          | 5         | PA; NDS                         |
| <i>auranofin oral capsule 3 mg</i> (Ridaura)                                                                                                     | 5         | NDS                             |
| <i>azathioprine oral tablet 50 mg</i> (Imuran)                                                                                                   | 2         | PA BvD                          |
| <i>azathioprine sodium injection recon soln 100 mg</i>                                                                                           | 2         | PA BvD                          |
| BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML                                                                                                    | 5         | PA; NDS; QL (8 per 28 days)     |
| BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML                                                                                                          | 5         | PA; NDS; QL (8 per 28 days)     |
| BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML                                                                                                          | 5         | PA NSO; NDS; QL (2 per 28 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                          | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| CIMZIA POWDER FOR RECONST<br>SUBCUTANEOUS KIT 400 MG<br>(200 MG X 2 VIALS)                                         | 5         | PA; NDS             |
| CIMZIA STARTER KIT<br>SUBCUTANEOUS SYRINGE KIT<br>400 MG/2 ML (200 MG/ML X 2)                                      | 5         | PA; NDS             |
| CIMZIA SUBCUTANEOUS<br>SYRINGE KIT 200 MG/ML, 400<br>MG/2 ML (200 MG/ML X 2)                                       | 5         | PA; NDS             |
| COSENTYX (2 SYRINGES)<br>SUBCUTANEOUS SYRINGE 150<br>MG/ML                                                         | 5         | PA; NDS             |
| COSENTYX PEN (2 PENS)<br>SUBCUTANEOUS PEN INJECTOR<br>150 MG/ML                                                    | 5         | PA; NDS             |
| COSENTYX SUBCUTANEOUS<br>SYRINGE 75 MG/0.5 ML                                                                      | 5         | PA; NDS             |
| COSENTYX UNOREADY PEN<br>SUBCUTANEOUS PEN INJECTOR<br>300 MG/2 ML                                                  | 5         | PA; NDS             |
| <i>cyclosporine intravenous solution</i> (Sandimmune)<br>250 mg/5 ml                                               | 2         | PA BvD              |
| <i>cyclosporine modified oral capsule</i> (Gengraf)<br>100 mg, 25 mg                                               | 2         | PA BvD              |
| <i>cyclosporine modified oral capsule</i><br>50 mg                                                                 | 2         | PA BvD              |
| <i>cyclosporine modified oral solution</i> (Neoral)<br>100 mg/ml                                                   | 3         | PA BvD              |
| <i>cyclosporine oral capsule 100 mg, 25</i> (Sandimmune)<br><i>mg</i>                                              | 3         | PA BvD              |
| CYLTEZO(CF) PEN CROHN'S-UC- (adalimumab-adbm)<br>HS SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.4 ML, 40<br>MG/0.8 ML | 5         | PA; NDS             |
| CYLTEZO(CF) PEN PSORIASIS- (adalimumab-adbm)<br>UV SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.4 ML, 40<br>MG/0.8 ML  | 5         | PA; NDS             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| CYLTEZO(CF) PEN (adalimumab-adbm)<br>SUBCUTANEOUS PEN INJECTOR<br>KIT 40 MG/0.4 ML, 40 MG/0.8 ML                       | 5                | PA; NDS                    |
| CYLTEZO(CF) SUBCUTANEOUS (adalimumab-adbm)<br>SYRINGE KIT 10 MG/0.2 ML, 20<br>MG/0.4 ML, 40 MG/0.4 ML, 40<br>MG/0.8 ML | 5                | PA; NDS                    |
| DUPIXENT PEN<br>SUBCUTANEOUS PEN INJECTOR<br>200 MG/1.14 ML, 300 MG/2 ML                                               | 5                | PA; NDS                    |
| DUPIXENT SYRINGE<br>SUBCUTANEOUS SYRINGE 100<br>MG/0.67 ML, 200 MG/1.14 ML, 300<br>MG/2 ML                             | 5                | PA; NDS                    |
| ENBREL MINI SUBCUTANEOUS<br>CARTRIDGE 50 MG/ML (1 ML)                                                                  | 5                | PA; NDS                    |
| ENBREL SUBCUTANEOUS<br>SOLUTION 25 MG/0.5 ML                                                                           | 5                | PA; NDS                    |
| ENBREL SUBCUTANEOUS<br>SYRINGE 25 MG/0.5 ML (0.5), 50<br>MG/ML (1 ML)                                                  | 5                | PA; NDS                    |
| ENBREL SURECLICK<br>SUBCUTANEOUS PEN INJECTOR<br>50 MG/ML (1 ML)                                                       | 5                | PA; NDS                    |
| <i>everolimus (immunosuppressive) oral (Zortress)</i><br><i>tablet 0.25 mg</i>                                         | 3                | PA BvD                     |
| <i>everolimus (immunosuppressive) oral (Zortress)</i><br><i>tablet 0.5 mg, 0.75 mg, 1 mg</i>                           | 5                | PA BvD; NDS                |
| GAMMAGARD LIQUID ERC<br>INJECTION SOLUTION 10 %, 10<br>% (100ML)                                                       | 5                | PA BvD; NDS                |
| GAMMAGARD S-D (IGA < 1<br>MCG/ML) INTRAVENOUS<br>RECON SOLN 10 GRAM, 5 GRAM                                            | 5                | PA BvD; NDS                |
| GAMMAPLEX INTRAVENOUS<br>SOLUTION 10 %, 10 % (100 ML),<br>10 % (200 ML)                                                | 5                | PA BvD; NDS                |
| GAMUNEX-C INJECTION<br>SOLUTION 1 GRAM/10 ML (10 %)                                                                    | 5                | PA BvD; NDS                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                | Drug Tier | Requirements/Limits                       |
|----------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------|
| <i>gengraf oral capsule 100 mg, 25 mg</i> (cyclosporine modified)                                        | 2         | PA BvD                                    |
| <i>gengraf oral solution 100 mg/ml</i> (cyclosporine modified)                                           | 3         | PA BvD                                    |
| HADLIMA PUSH TOUCH<br>SUBCUTANEOUS AUTO-<br>INJECTOR 40 MG/0.8 ML                                        | 5         | PA; NDS                                   |
| HADLIMA SUBCUTANEOUS<br>SYRINGE 40 MG/0.8 ML                                                             | 5         | PA; NDS                                   |
| HADLIMA(CF) PUSH TOUCH (adalimumab-bwwd)<br>SUBCUTANEOUS AUTO-<br>INJECTOR 40 MG/0.4 ML                  | 5         | PA; NDS                                   |
| HADLIMA(CF) SUBCUTANEOUS (adalimumab-bwwd)<br>SYRINGE 40 MG/0.4 ML                                       | 5         | PA; NDS                                   |
| HUMIRA PEN CROHNS-UC-HS<br>START SUBCUTANEOUS PEN<br>INJECTOR KIT 40 MG/0.8 ML                           | 5         | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA PEN SUBCUTANEOUS<br>PEN INJECTOR KIT 40 MG/0.8 ML                                                 | 5         | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA SUBCUTANEOUS<br>SYRINGE KIT 40 MG/0.8 ML                                                          | 5         | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA(CF) PEDI CROHNS<br>STARTER SUBCUTANEOUS<br>SYRINGE KIT 80 MG/0.8 ML, 80<br>MG/0.8 ML-40 MG/0.4 ML | 5         | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA(CF) PEN CROHNS-UC-<br>HS SUBCUTANEOUS PEN<br>INJECTOR KIT 80 MG/0.8 ML                            | 5         | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA(CF) PEN PEDIATRIC<br>UC SUBCUTANEOUS PEN<br>INJECTOR KIT 80 MG/0.8 ML                             | 5         | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA(CF) PEN PSOR-UV-<br>ADOL HS SUBCUTANEOUS PEN<br>INJECTOR KIT 80 MG/0.8 ML-40<br>MG/0.4 ML         | 5         | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA(CF) PEN<br>SUBCUTANEOUS PEN INJECTOR<br>KIT 40 MG/0.4 ML, 80 MG/0.8 ML                            | 5         | PA; NDS; Only NDCs<br>starting with 00074 |
| HUMIRA(CF) SUBCUTANEOUS<br>SYRINGE KIT 10 MG/0.1 ML, 20<br>MG/0.2 ML, 40 MG/0.4 ML                       | 5         | PA; NDS; Only NDCs<br>starting with 00074 |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                  | Drug Tier | Requirements/Limits |
|----------------------------------------------------------------------------------------------------------------------------|-----------|---------------------|
| <i>infliximab intravenous recon soln 100 mg</i> (Remicade)                                                                 | 5         | PA; NDS             |
| KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML                                                                                | 5         | PA; NDS             |
| <i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)                                                                        | 2         |                     |
| <i>mycophenolate mofetil (hcl) intravenous recon soln 500 mg</i> (CellCept Intravenous)                                    | 2         | PA BvD              |
| <i>mycophenolate mofetil oral capsule 250 mg</i> (CellCept)                                                                | 2         | PA BvD              |
| <i>mycophenolate mofetil oral suspension for reconstitution 200 mg/ml</i> (CellCept)                                       | 5         | PA BvD; NDS         |
| <i>mycophenolate mofetil oral tablet 500 mg</i> (CellCept)                                                                 | 2         | PA BvD              |
| <i>mycophenolate sodium oral tablet, delayed release (dr/ec) 180 mg, 360 mg</i> (Myfortic)                                 | 4         | PA BvD              |
| NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML                                                                                     | 5         | PA NSO; NDS         |
| NULOJIX INTRAVENOUS RECON SOLN 250 MG                                                                                      | 5         | PA BvD; NDS         |
| ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG                                                                       | 5         | PA; NDS             |
| ORENCIA CLICKJECT SUBCUTANEOUS AUTO-INJECTOR 125 MG/ML                                                                     | 5         | PA; NDS             |
| ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML                                                       | 5         | PA; NDS             |
| OTEZLA ORAL TABLET 20 MG, 30 MG                                                                                            | 5         | PA; NDS             |
| OTEZLA STARTER ORAL TABLETS, DOSE PACK 10 MG (4)-20 MG (51), 10 MG (4)-20 MG (4)-30 MG (47), 10 MG (4)-20 MG (4)-30 MG(19) | 5         | PA; NDS             |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                                                                                      | Drug Tier | Requirements/Limits           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| OTEZLA XR INITIATION ORAL TABLET AND TABLET ER DOSE PACK 10-20-30-75 MG                                                                                                        | 5         | PA; NDS                       |
| OTEZLA XR ORAL TABLET EXTENDED RELEASE 24 HR 75 MG                                                                                                                             | 5         | PA; NDS                       |
| PROGRAF INTRAVENOUS SOLUTION 5 MG/ML (tacrolimus)                                                                                                                              | 4         | PA BvD                        |
| PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG                                                                                                                                   | 4         | PA BvD                        |
| RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML | 4         | ST                            |
| REZUROCK ORAL TABLET 200 MG                                                                                                                                                    | 5         | PA NSO; NDS                   |
| RIDAURA ORAL CAPSULE 3 MG (auranofin)                                                                                                                                          | 5         | NDS                           |
| RINVOQ LQ ORAL SOLUTION 1 MG/ML                                                                                                                                                | 5         | PA; NDS; QL (360 per 30 days) |
| RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG                                                                                                                  | 5         | PA; NDS                       |
| SELARSDI INTRAVENOUS SOLUTION 130 MG/26 ML                                                                                                                                     | 5         | PA; NDS                       |
| SELARSDI SUBCUTANEOUS SOLUTION 45 MG/0.5 ML                                                                                                                                    | 3         | PA                            |
| SELARSDI SUBCUTANEOUS SYRINGE 45 MG/0.5 ML (ustekinumab-aekn)                                                                                                                  | 3         | PA                            |
| SELARSDI SUBCUTANEOUS SYRINGE 90 MG/ML (ustekinumab-aekn)                                                                                                                      | 5         | PA; NDS                       |
| <i>sirolimus oral solution 1 mg/ml</i>                                                                                                                                         | 3         | PA BvD                        |
| <i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i>                                                                                                                                | 3         | PA BvD                        |
| SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML                                                                                                                                          | 5         | PA; NDS                       |
| SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML                                                                                                                                    | 5         | PA; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                   | Drug Tier | Requirements/Limits           |
|---------------------------------------------------------------------------------------------|-----------|-------------------------------|
| SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML                                                      | 5         | PA; NDS                       |
| SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML) | 5         | PA; NDS                       |
| <i>tacrolimus intravenous solution 5 mg/ml</i> (Prograf)                                    | 3         | PA BvD                        |
| <i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)                                 | 3         | PA BvD                        |
| <i>tacrolimus oral capsule, extended release 24hr 0.5 mg, 1 mg</i> (Astagraf XL)            | 2         | PA BvD                        |
| <i>tacrolimus oral capsule, extended release 24hr 5 mg</i> (Astagraf XL)                    | 5         | PA BvD; NDS                   |
| TAVNEOS ORAL CAPSULE 10 MG                                                                  | 5         | PA; NDS; QL (180 per 30 days) |
| <i>tofacitinib oral solution 1 mg/ml</i> (Xeljanz)                                          | 5         | PA; NDS                       |
| <i>tofacitinib oral tablet 10 mg, 5 mg</i> (Xeljanz)                                        | 5         | PA; NDS                       |
| <i>tofacitinib oral tablet extended release 24 hr 11 mg, 22 mg</i> (Xeljanz XR)             | 5         | PA; NDS                       |
| TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)                                        | 5         | PA; NDS                       |
| TREMFYA ONE-PRESS SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML                                      | 5         | PA; NDS                       |
| TREMFYA PEN INDUCTION PK(2PEN) SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML                        | 5         | PA; NDS                       |
| TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML                                           | 5         | PA; NDS                       |
| TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML                                         | 5         | PA; NDS                       |
| TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML                                 | 5         | PA; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                             | Drug Tier | Requirements/Limits |
|-------------------------------------------------------------------------------------------------------|-----------|---------------------|
| TYENNE INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)   | 5         | PA; NDS             |
| TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML                                                             | 5         | PA; NDS             |
| <i>ustekinumab-aauz subcutaneous syringe 45 mg/0.5 ml, 90 mg/ml</i> (Otulfi)                          | 3         | PA                  |
| XELJANZ ORAL SOLUTION 1 MG/ML (tofacitinib)                                                           | 5         | PA; NDS             |
| XELJANZ ORAL TABLET 10 MG, 5 MG (tofacitinib)                                                         | 5         | PA; NDS             |
| XELJANZ XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG (tofacitinib)                              | 5         | PA; NDS             |
| YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML                                                            | 5         | PA; NDS             |
| YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML                                                           | 3         | PA                  |
| YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML                                                            | 3         | PA                  |
| YESINTEK SUBCUTANEOUS SYRINGE 90 MG/ML                                                                | 5         | PA; NDS             |
| YUFLYMA(CF) AI CROHN'S-UC-HS SUBCUTANEOUS AUTO-INJECTOR, KIT 80 MG/0.8 ML (adalimumab-aaty)           | 5         | PA; NDS             |
| YUFLYMA(CF) AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML (adalimumab-aaty) | 5         | PA; NDS             |
| YUFLYMA(CF) SUBCUTANEOUS SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML (adalimumab-aaty)                     | 5         | PA; NDS             |
| <b>Vaccines</b>                                                                                       |           |                     |
| ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML                                                  | 3         | \$0 copay           |
| ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML                                                    | 3         |                     |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                 | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------|------------------|----------------------------|
| ADACEL(TDAP<br>ADOLESN/ADULT)(PF)<br>INTRAMUSCULAR SUSPENSION<br>2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML | 3                | \$0 copay                  |
| ADACEL(TDAP<br>ADOLESN/ADULT)(PF)<br>INTRAMUSCULAR SYRINGE 2<br>LF-(2.5-5-3-5 MCG)-5LF/0.5 ML    | 3                | \$0 copay                  |
| AREXVY (PF) INTRAMUSCULAR<br>SUSPENSION FOR<br>RECONSTITUTION 120 MCG/0.5<br>ML                  | 3                | \$0 copay                  |
| BCG VACCINE, LIVE (PF)<br>PERCUTANEOUS SUSPENSION<br>FOR RECONSTITUTION 50 MG                    | 3                | \$0 copay                  |
| BEXSERO INTRAMUSCULAR<br>SYRINGE 50-50-50-25 MCG/0.5<br>ML                                       | 3                | \$0 copay                  |
| BOOSTRIX TDAP<br>INTRAMUSCULAR SUSPENSION<br>2.5-8-5 LF-MCG-LF/0.5ML                             | 3                | \$0 copay                  |
| BOOSTRIX TDAP<br>INTRAMUSCULAR SYRINGE 2.5-<br>8-5 LF-MCG-LF/0.5ML                               | 3                | \$0 copay                  |
| DAPTACEL (DTAP PEDIATRIC)<br>(PF) INTRAMUSCULAR<br>SUSPENSION 15-10-5 LF-MCG-<br>LF/0.5ML        | 3                |                            |
| DENG VAXIA (PF)<br>SUBCUTANEOUS SUSPENSION<br>FOR RECONSTITUTION<br>10EXP4.5-6 CCID50/0.5 ML     | 3                | QL (3 per 365 days)        |
| ENGERIX-B (PF)<br>INTRAMUSCULAR SUSPENSION<br>20 MCG/ML                                          | 3                | PA BvD; \$0 copay          |
| ENGERIX-B (PF)<br>INTRAMUSCULAR SYRINGE 20<br>MCG/ML                                             | 3                | PA BvD; \$0 copay          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                           | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------|------------------|----------------------------|
| ENGERIX-B PEDIATRIC (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG/0.5 ML         | 3                | PA BvD; \$0 copay          |
| GARDASIL 9 (PF)<br>INTRAMUSCULAR SUSPENSION<br>0.5 ML                      | 3                | \$0 copay                  |
| GARDASIL 9 (PF)<br>INTRAMUSCULAR SYRINGE 0.5<br>ML                         | 3                | \$0 copay                  |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 1,440 ELISA UNIT/ML                   | 3                | \$0 copay                  |
| HAVRIX (PF) INTRAMUSCULAR<br>SYRINGE 720 ELISA UNIT/0.5 ML                 | 3                |                            |
| HEPLISAV-B (PF)<br>INTRAMUSCULAR SYRINGE 20<br>MCG/0.5 ML                  | 3                | PA BvD; \$0 copay          |
| HIBERIX (PF) INTRAMUSCULAR<br>RECON SOLN 10 MCG/0.5 ML                     | 3                |                            |
| IMOVAX RABIES VACCINE (PF)<br>INTRAMUSCULAR RECON SOLN<br>2.5 UNIT         | 3                | PA BvD; \$0 copay          |
| INFANRIX (DTAP) (PF)<br>INTRAMUSCULAR SYRINGE 25-<br>58-10 LF-MCG-LF/0.5ML | 3                |                            |
| IPOL INJECTION SUSPENSION<br>40-8-32 UNIT/0.5 ML                           | 3                | \$0 copay                  |
| IXIARO (PF) INTRAMUSCULAR<br>SYRINGE 6 MCG/0.5 ML                          | 3                | \$0 copay                  |
| JYNNEOS (PF) SUBCUTANEOUS<br>SUSPENSION 0.5X TO 3.95X<br>10EXP8 UNIT/0.5   | 3                | \$0 copay                  |
| KINRIX (PF) INTRAMUSCULAR<br>SYRINGE 25 LF-58 MCG-10 LF/0.5<br>ML          | 3                |                            |
| MENACTRA (PF)<br>INTRAMUSCULAR SOLUTION 4<br>MCG/0.5 ML                    | 3                | \$0 copay                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| MENQUADFI (PF)<br>INTRAMUSCULAR SOLUTION 10<br>MCG/0.5 ML                                           | 3                | \$0 copay                  |
| MENVEO A-C-Y-W-135-DIP (PF)<br>INTRAMUSCULAR KIT 10-5<br>MCG/0.5 ML                                 | 3                | \$0 copay                  |
| M-M-R II (PF) SUBCUTANEOUS<br>RECON SOLN 1,000-12,500<br>TCID50/0.5 ML                              | 3                | \$0 copay                  |
| MRESVIA (PF)<br>INTRAMUSCULAR SYRINGE 50<br>MCG/0.5 ML                                              | 3                | \$0 copay                  |
| PEDIARIX (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG-25LF-25 MCG-10LF/0.5 ML                            | 3                |                            |
| PEDVAX HIB (PF)<br>INTRAMUSCULAR SOLUTION<br>7.5 MCG/0.5 ML                                         | 3                |                            |
| PENBRAYA (PF)<br>INTRAMUSCULAR KIT 5-120<br>MCG/0.5 ML                                              | 3                | \$0 copay                  |
| PENBRAYA MENACWY<br>COMPONENT(PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 5<br>MCG/0.5 ML | 3                | \$0 copay                  |
| PENBRAYA MENB COMPONENT<br>(PF) INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                             | 3                | \$0 copay                  |
| PENMENVY MEN A-B-C-W-Y<br>(PF) INTRAMUSCULAR KIT 0.5<br>ML                                          | 3                | \$0 copay                  |
| PENMENVY MENACWY<br>COMPONENT(PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 10-5<br>MCG     | 3                | \$0 copay                  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|------------------------------------------------------------------------------------------------|------------------|----------------------------|
| PENMENVY MENB<br>COMPONENT (PF)<br>INTRAMUSCULAR SYRINGE 50-<br>50-50-25 MCG/0.5 ML            | 3                | \$0 copay                  |
| PENTACEL (PF)<br>INTRAMUSCULAR KIT 15LF-<br>20MCG-5LF- 62 DU/0.5 ML                            | 3                |                            |
| PRIORIX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10EXP3.4-4.2-<br>3.3CCID50/0.5ML | 3                | \$0 copay                  |
| PROQUAD (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10EXP3-4.3-3-<br>3.99 TCID50/0.5 | 3                |                            |
| QUADRACEL (PF)<br>INTRAMUSCULAR SUSPENSION<br>15 LF-48 MCG- 5 LF UNIT/0.5ML                    | 3                |                            |
| QUADRACEL (PF)<br>INTRAMUSCULAR SYRINGE 15<br>LF-48 MCG- 5 LF UNIT/0.5ML                       | 3                |                            |
| RABAVERT (PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 2.5 UNIT                       | 3                | PA BvD; \$0 copay          |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SUSPENSION<br>10 MCG/ML, 40 MCG/ML, 5<br>MCG/0.5 ML        | 3                | PA BvD; \$0 copay          |
| RECOMBIVAX HB (PF)<br>INTRAMUSCULAR SYRINGE 10<br>MCG/ML, 5 MCG/0.5 ML                         | 3                | PA BvD; \$0 copay          |
| ROTARIX ORAL SUSPENSION<br>10EXP6 CCID50 /1.5 ML                                               | 3                |                            |
| ROTARIX ORAL SUSPENSION<br>FOR RECONSTITUTION 10EXP6<br>CCID50/ML                              | 3                |                            |
| ROTATEQ VACCINE ORAL<br>SOLUTION 2 ML                                                          | 3                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                 | <b>Drug Tier</b>                  | <b>Requirements/Limits</b>     |
|----------------------------------------------------------------------------------|-----------------------------------|--------------------------------|
| SHINGRIX (PF)<br>INTRAMUSCULAR SUSPENSION<br>FOR RECONSTITUTION 50<br>MCG/0.5 ML | 3                                 | \$0 copay; QL (2 per 365 days) |
| SHINGRIX (PF)<br>INTRAMUSCULAR SYRINGE 50<br>MCG/0.5 ML                          | 3                                 | \$0 copay; QL (2 per 365 days) |
| TDVAX INTRAMUSCULAR<br>SUSPENSION 2-2 LF UNIT/0.5 ML                             | 3                                 | \$0 copay                      |
| TENIVAC (PF)<br>INTRAMUSCULAR SUSPENSION<br>5 LF UNIT- 2 LF UNIT/0.5ML           | 3                                 | \$0 copay                      |
| TENIVAC (PF)<br>INTRAMUSCULAR SYRINGE 5-2<br>LF UNIT/0.5 ML                      | 3                                 | \$0 copay                      |
| TICOVAC INTRAMUSCULAR<br>SYRINGE 1.2 MCG/0.25 ML                                 | 3                                 |                                |
| TICOVAC INTRAMUSCULAR<br>SYRINGE 2.4 MCG/0.5 ML                                  | 3                                 | \$0 copay                      |
| TRUMENBA INTRAMUSCULAR<br>SYRINGE 120 MCG/0.5 ML                                 | 3                                 | \$0 copay                      |
| TWINRIX (PF)<br>INTRAMUSCULAR SYRINGE 720<br>ELISA UNIT- 20 MCG/ML               | 3                                 | \$0 copay                      |
| TYPHIM VI INTRAMUSCULAR<br>SOLUTION 25 MCG/0.5 ML                                | 3                                 | \$0 copay                      |
| TYPHIM VI INTRAMUSCULAR<br>SYRINGE 25 MCG/0.5 ML                                 | (typhoid vi polysacch<br>vaccine) | \$0 copay                      |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 25 UNIT/0.5 ML                            | 3                                 |                                |
| VAQTA (PF) INTRAMUSCULAR<br>SUSPENSION 50 UNIT/ML                                | 3                                 | \$0 copay                      |
| VAQTA (PF) INTRAMUSCULAR<br>SYRINGE 25 UNIT/0.5 ML                               | 3                                 |                                |
| VAQTA (PF) INTRAMUSCULAR<br>SYRINGE 50 UNIT/ML                                   | 3                                 | \$0 copay                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                  | Drug Tier | Requirements/Limits |
|--------------------------------------------------------------------------------------------|-----------|---------------------|
| VARIVAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 1,350<br>UNIT/0.5 ML         | 3         | \$0 copay           |
| VAXCHORA VACCINE ORAL<br>SUSPENSION FOR<br>RECONSTITUTION 4X10EXP8 TO<br>2X 10EXP9 CF UNIT | 3         | \$0 copay           |
| VIMKUNYA INTRAMUSCULAR<br>SYRINGE 40 MCG/0.8 ML                                            | 3         | \$0 copay           |
| VIVOTIF ORAL<br>CAPSULE,DELAYED<br>RELEASE(DR/EC) 2 BILLION<br>UNIT                        | 3         | \$0 copay           |
| YF-VAX (PF) SUBCUTANEOUS<br>SUSPENSION FOR<br>RECONSTITUTION 10 EXP4.74<br>UNIT/0.5 ML     | 3         | \$0 copay           |

## Inflammatory Bowel Disease Agents

### Inflammatory Bowel Disease Agents

|                                                                           |   |         |
|---------------------------------------------------------------------------|---|---------|
| <i>alosetron oral tablet 0.5 mg</i> (Lotronex)                            | 3 |         |
| <i>alosetron oral tablet 1 mg</i> (Lotronex)                              | 5 | NDS     |
| <i>balsalazide oral capsule 750 mg</i> (Colazal)                          | 2 |         |
| <i>budesonide oral capsule, delayed, extend. release 3 mg</i>             | 4 |         |
| <i>budesonide rectal foam 2 mg/actuation</i> (Uceris)                     | 3 |         |
| DIPENTUM ORAL CAPSULE 250 MG                                              | 5 | ST; NDS |
| <i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)               | 3 |         |
| <i>mesalamine oral capsule (with del rel tablets) 400 mg</i>              | 4 |         |
| <i>mesalamine oral capsule, extended release 500 mg</i> (Pentasa)         | 3 |         |
| <i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso) | 4 |         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                             | Drug Tier | Requirements/Limits      |
|---------------------------------------------------------------------------------------|-----------|--------------------------|
| <i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)              | 4         | QL (120 per 30 days)     |
| <i>mesalamine oral tablet, delayed release (dr/ec) 800 mg</i>                         | 4         |                          |
| <i>mesalamine rectal enema 4 gram/60 ml</i> (Rowasa)                                  | 3         |                          |
| <i>mesalamine rectal suppository 1,000 mg</i> (Canasa)                                | 3         |                          |
| <i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)                                  | 2         |                          |
| <i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine EN-tabs) | 4         |                          |
| <b>Metabolic Bone Disease Agents</b>                                                  |           |                          |
| <b>Metabolic Bone Disease Agents</b>                                                  |           |                          |
| <i>alendronate oral solution 70 mg/75 ml</i>                                          | 4         | QL (300 per 28 days)     |
| <i>alendronate oral tablet 10 mg</i>                                                  | 1         | QL (30 per 30 days)      |
| <i>alendronate oral tablet 35 mg</i>                                                  | 1         | QL (4 per 28 days)       |
| <i>alendronate oral tablet 70 mg</i> (Fosamax)                                        | 1         | QL (4 per 28 days)       |
| <i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i>                | 2         |                          |
| <i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i>                                      | 2         |                          |
| <i>calcitriol oral solution 1 mcg/ml</i> (Rocaltrol)                                  | 4         |                          |
| <i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)                                 | 3         | QL (60 per 30 days)      |
| <i>cinacalcet oral tablet 90 mg</i> (Sensipar)                                        | 2         | QL (120 per 30 days)     |
| <i>doxercalciferol oral capsule 0.5 mcg, 1 mcg, 2.5 mcg</i>                           | 4         |                          |
| <i>ibandronate oral tablet 150 mg</i>                                                 | 2         | QL (1 per 28 days)       |
| OSENVELT SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)                               | 5         | PA; NDS                  |
| <i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)                               | 4         |                          |
| <i>paricalcitol oral capsule 4 mcg</i>                                                | 4         |                          |
| RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG                                  | 5         | NDS; QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                           | Drug Tier | Requirements/Limits            |
|-------------------------------------------------------------------------------------|-----------|--------------------------------|
| <i>risedronate oral tablet 150 mg</i> (Actonel)                                     | 2         | QL (1 per 28 days)             |
| <i>risedronate oral tablet 30 mg, 5 mg</i>                                          | 4         | QL (30 per 30 days)            |
| <i>risedronate oral tablet 35 mg</i> (Actonel)                                      | 2         | QL (4 per 28 days)             |
| <i>risedronate oral tablet 35 mg (12 pack), 35 mg (4 pack)</i>                      | 2         | QL (4 per 28 days)             |
| <i>risedronate oral tablet, delayed release (dr/ec) 35 mg</i> (Atelvia)             | 4         | QL (4 per 28 days)             |
| STOBOCLO SUBCUTANEOUS SYRINGE 60 MG/ML                                              | 3         | QL (1 per 180 days)            |
| <i>teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)</i> (Bonsity) | 5         | PA; NDS; QL (2.24 per 28 days) |
| TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)                         | 5         | PA; NDS; QL (1.56 per 30 days) |
| <b>Miscellaneous Therapeutic Agents</b>                                             |           |                                |
| <b>Miscellaneous Therapeutic Agents</b>                                             |           |                                |
| ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML                                      | 5         | PA; NDS                        |
| ANDEMBRY AUTOINJECTOR SUBCUTANEOUS AUTO-INJECTOR 200 MG/1.2 ML                      | 5         | PA; NDS                        |
| BAQSIMI NASAL SPRAY, NON-AEROSOL 3 MG/ACTUATION                                     | 3         |                                |
| <i>betaine oral powder 1 gram/scoop</i> (Cystadane)                                 | 5         | PA; NDS                        |
| <i>bupirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i>                       | 1         |                                |
| <i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)                               | 5         | NDS                            |
| ELMIRON ORAL CAPSULE 100 MG                                                         | 4         |                                |
| EVRYSDI ORAL RECON SOLN 0.75 MG/ML                                                  | 5         | PA; NDS                        |
| EVRYSDI ORAL TABLET 5 MG                                                            | 5         | PA; NDS; QL (30 per 30 days)   |
| <i>glucagon emergency kit (human) injection recon soln 1 mg</i>                     | 3         |                                |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                             | Drug Tier | Requirements/Limits           |
|---------------------------------------------------------------------------------------|-----------|-------------------------------|
| <i>glutamine (sickle cell) oral powder in packet 5 gram</i> (Endari)                  | 5         | PA; NDS; QL (180 per 30 days) |
| GVOKE HYPOPEN 2-PACK<br>SUBCUTANEOUS AUTO-<br>INJECTOR 0.5 MG/0.1 ML, 1<br>MG/0.2 ML  | 3         |                               |
| GVOKE PFS 1-PACK SYRINGE<br>SUBCUTANEOUS SYRINGE 0.5<br>MG/0.1 ML, 1 MG/0.2 ML        | 3         |                               |
| GVOKE SUBCUTANEOUS<br>SOLUTION 1 MG/0.2 ML                                            | 3         |                               |
| <i>hydroxyzine pamoate oral capsule 100 mg</i>                                        | 2         |                               |
| <i>hydroxyzine pamoate oral capsule 25 mg, 50 mg</i>                                  | 1         |                               |
| <i>leucovorin calcium oral tablet 10 mg, 15 mg, 25 mg, 5 mg</i>                       | 2         |                               |
| <i>levocarnitine (with sugar) oral solution 100 mg/ml</i> (Carnitor)                  | 2         |                               |
| <i>levocarnitine oral tablet 330 mg</i> (Carnitor)                                    | 4         |                               |
| <i>mesna oral tablet 400 mg</i> (Mesnex)                                              | 5         | NDS                           |
| <i>nitroglycerin rectal ointment 0.4 % (w/w)</i> (Rectiv)                             | 3         | QL (30 per 30 days)           |
| <i>pyridostigmine bromide oral syrup 60 mg/5 ml</i> (Mestinon)                        | 4         |                               |
| <i>pyridostigmine bromide oral tablet 30 mg</i>                                       | 4         |                               |
| <i>pyridostigmine bromide oral tablet 60 mg</i> (Mestinon)                            | 2         |                               |
| <i>pyridostigmine bromide oral tablet extended release 180 mg</i> (Mestinon Timespan) | 4         |                               |
| RIVFLOZA SUBCUTANEOUS<br>SOLUTION 80 MG/0.5 ML (160<br>MG/ML)                         | 5         | PA; NDS                       |
| RIVFLOZA SUBCUTANEOUS<br>SYRINGE 128 MG/0.8 ML, 160<br>MG/ML                          | 5         | PA; NDS                       |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                              | Drug Tier | Requirements/Limits               |
|--------------------------------------------------------|-----------|-----------------------------------|
| TAKHZYRO SUBCUTANEOUS SOLUTION 300 MG/2 ML (150 MG/ML) | 5         | PA; NDS; QL (4 per 28 days)       |
| TAKHZYRO SUBCUTANEOUS SYRINGE 150 MG/ML                | 5         | PA; NDS; QL (2 per 28 days)       |
| TAKHZYRO SUBCUTANEOUS SYRINGE 300 MG/2 ML (150 MG/ML)  | 5         | PA; NDS; QL (4 per 28 days)       |
| THALOMID ORAL CAPSULE 100 MG                           | 5         | PA NSO; NDS; QL (120 per 30 days) |
| THALOMID ORAL CAPSULE 150 MG, 200 MG                   | 5         | PA NSO; NDS; QL (56 per 28 days)  |
| THALOMID ORAL CAPSULE 50 MG                            | 5         | PA NSO; NDS; QL (224 per 28 days) |
| TYBOST ORAL TABLET 150 MG                              | 3         | QL (30 per 30 days)               |
| VEOZAH ORAL TABLET 45 MG                               | 4         | PA; QL (30 per 30 days)           |
| VOWST ORAL CAPSULE 1 X 10EXP6 TO 3 X 10EXP7 CELL       | 5         | PA; NDS; QL (12 per 30 days)      |

## Ophthalmic Agents

### Antiglaucoma Agents

|                                                                        |   |                      |
|------------------------------------------------------------------------|---|----------------------|
| <i>acetazolamide oral capsule, extended release 500 mg</i>             | 2 |                      |
| <i>acetazolamide oral tablet 125 mg, 250 mg</i>                        | 2 |                      |
| <i>acetazolamide sodium injection recon soln 500 mg</i>                | 2 |                      |
| <i>betaxolol ophthalmic (eye) drops 0.5 %</i>                          | 4 |                      |
| <i>bimatoprost ophthalmic (eye) drops 0.03 %</i>                       | 4 | QL (2.5 per 25 days) |
| <i>brimonidine ophthalmic (eye) drops 0.1 %</i> (Alphagan P)           | 4 |                      |
| <i>brimonidine ophthalmic (eye) drops 0.15 %</i> (Alphagan P)          | 2 |                      |
| <i>brimonidine ophthalmic (eye) drops 0.2 %</i>                        | 2 |                      |
| <i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan) | 4 |                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                              | Drug Tier | Requirements/Limits  |
|--------------------------------------------------------------------------------------------------------|-----------|----------------------|
| <i>brinzolamide ophthalmic (eye) drops,suspension 1 %</i> (Azopt)                                      | 3         |                      |
| <i>carteolol ophthalmic (eye) drops 1 %</i>                                                            | 2         |                      |
| <i>dorzolamide ophthalmic (eye) drops 2 %</i>                                                          | 2         |                      |
| <i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)                              | 2         |                      |
| <i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)                                            | 1         | QL (2.5 per 25 days) |
| <i>levobunolol ophthalmic (eye) drops 0.5 %</i>                                                        | 2         |                      |
| LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 % (bimatoprost)                                                    | 3         | QL (2.5 per 25 days) |
| <i>methazolamide oral tablet 25 mg, 50 mg</i>                                                          | 4         |                      |
| <i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i>                                            | 2         |                      |
| RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %                                                                | 3         | QL (2.5 per 25 days) |
| ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %                                                          | 3         | QL (2.5 per 25 days) |
| SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %                                                    | 3         |                      |
| <i>tafluprost (pf) ophthalmic (eye) dropperette 0.0015 %</i> (Zioptan (PF))                            | 4         | QL (30 per 30 days)  |
| <i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i>                                            | 1         |                      |
| <i>timolol maleate ophthalmic (eye) gel forming solution 0.25 %, 0.5 %</i>                             | 4         |                      |
| <i>timolol ophthalmic (eye) drops 0.5 %</i> (Betimol)                                                  | 1         |                      |
| <i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)                                          | 4         | QL (2.5 per 25 days) |
| VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %                                                                 | 4         | QL (5 per 30 days)   |
| <b>Replacement Preparations</b>                                                                        |           |                      |
| <b>Replacement Preparations</b>                                                                        |           |                      |
| <i>d5 % (d-glucose)-0.9 % sodchlr intravenous parenteral solution</i> (d5 % and 0.9 % sodium chloride) | 2         |                      |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                       | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> (D5 % (d-glucose)-0.9 % sodchlr) | 2                |                            |
| <i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i>                                     | 2                |                            |
| ISOLYTE S IV SOLUTION-EXCEL SINGLE USE                                                                 | 4                |                            |
| ISOLYTE S PH 7.4 INTRAVENOUS PARENTERAL SOLUTION                                                       | 4                |                            |
| ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS PARENTERAL SOLUTION 5 %                                          | 4                |                            |
| <i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (potassium chloride)                      | 2                |                            |
| <i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (potassium chloride)                      | 2                |                            |
| <i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (potassium chloride)                      | 2                |                            |
| <i>magnesium sulfate injection solution 500 mg/ml (50 %)</i>                                           | 4                |                            |
| <i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i>                                            | 2                |                            |
| PLASMA-LYTE A INTRAVENOUS PARENTERAL SOLUTION (electrolyte-a)                                          | 4                |                            |
| <i>potassium chloride intravenous solution 2 meq/ml</i>                                                | 2                |                            |
| <i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i>                                 | 2                |                            |
| <i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i>                                       | 4                |                            |
| <i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 10)                            | 2                |                            |
| <i>potassium chloride oral tablet extended release 15 meq</i>                                          | 3                |                            |
| <i>potassium chloride oral tablet extended release 20 meq</i>                                          | 2                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                               | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|--------------------------------------------------------------------------------|------------------|----------------------------|
| potassium chloride oral tablet extended release 8 meq (Klor-Con 8)             | 2                |                            |
| potassium chloride oral tablet, er particles/crystals 10 meq (Klor-Con M10)    | 2                |                            |
| potassium chloride oral tablet, er particles/crystals 15 meq (Klor-Con M15)    | 2                |                            |
| potassium chloride oral tablet, er particles/crystals 20 meq (Klor-Con M20)    | 2                |                            |
| potassium chloride-0.45 % nacl intravenous parenteral solution 20 meq/l        | 2                |                            |
| potassium citrate oral tablet extended release 10 meq (1,080 mg) (Urocit-K 10) | 2                |                            |
| potassium citrate oral tablet extended release 15 meq (Urocit-K 15)            | 2                |                            |
| potassium citrate oral tablet extended release 5 meq (540 mg)                  | 2                |                            |
| sodium chloride 0.45 % intravenous parenteral solution 0.45 %                  | 2                |                            |
| sodium chloride 0.9 % intravenous parenteral solution                          | 2                |                            |
| sodium chloride 0.9% solution mini-bag, single use                             | 2                |                            |

## **Respiratory Tract Agents**

### **Anti-Inflammatories, Inhaled Corticosteroids**

|                                                                                                                                            |   |                     |
|--------------------------------------------------------------------------------------------------------------------------------------------|---|---------------------|
| ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol) | 3 | QL (12 per 30 days) |
| ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION (fluticasone furoate)                | 3 | QL (30 per 30 days) |
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol)                              | 3 | QL (60 per 30 days) |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE                                                                            | 3                | QL (60 per 30 days)          |
| <i>breyna inhalation hfa aerosol inhaler</i> (budesonide-formoterol)<br>160-4.5 mcg/actuation, 80-4.5 mcg/actuation                   | 4                | QL (30.9 per 30 days)        |
| <i>budesonide inhalation suspension for nebulization</i> 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml (Pulmicort)                             | 3                | PA BvD; QL (120 per 30 days) |
| <i>budesonide-formoterol inhalation hfa aerosol inhaler</i> 160-4.5 mcg/actuation, 80-4.5 mcg/actuation (Breyna)                      | 4                | QL (30.6 per 30 days)        |
| <i>fluticasone propionate inhalation hfa aerosol inhaler</i> 110 mcg/actuation                                                        | 4                | QL (12 per 30 days)          |
| <i>fluticasone propionate inhalation hfa aerosol inhaler</i> 220 mcg/actuation                                                        | 4                | QL (24 per 30 days)          |
| <i>fluticasone propionate inhalation hfa aerosol inhaler</i> 44 mcg/actuation                                                         | 4                | QL (21.2 per 30 days)        |
| <i>fluticasone propion-salmeterol inhalation blister with device</i> 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose (Wixela Inhub) | 2                | QL (60 per 30 days)          |
| <i>wixela inhub inhalation blister with device</i> 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose (fluticasone propion-salmeterol) | 2                | QL (60 per 30 days)          |
| <b>Antileukotrienes</b>                                                                                                               |                  |                              |
| <i>montelukast oral tablet</i> 10 mg (Singulair)                                                                                      | 1                |                              |
| <i>montelukast oral tablet, chewable</i> 4 mg, 5 mg (Singulair)                                                                       | 2                |                              |
| <i>zafirlukast oral tablet</i> 10 mg, 20 mg                                                                                           | 4                |                              |
| <b>Bronchodilators</b>                                                                                                                |                  |                              |
| AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION                                                                           | 3                | QL (32.1 per 30 days)        |
| <i>albuterol sulfate inhalation hfa aerosol inhaler</i> 90 mcg/actuation (Ventolin HFA)                                               | 2                | QL (17 per 30 days)          |
| <i>albuterol sulfate inhalation hfa aerosol inhaler</i> 90 mcg/actuation (nda020503)                                                  | 2                | QL (13.4 per 30 days)        |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                                                | <b>Drug Tier</b> | <b>Requirements/Limits</b>   |
|---------------------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| <i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i>                                            | 2                | QL (36 per 30 days)          |
| <i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i> | 2                | PA BvD                       |
| <i>albuterol sulfate oral syrup 2 mg/5 ml</i>                                                                                   | 2                |                              |
| <i>albuterol sulfate oral tablet 2 mg, 4 mg</i>                                                                                 | 4                |                              |
| ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION (umeclidinium-vilanterol)                                    | 3                | QL (60 per 30 days)          |
| BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-18-4.8 MCG/ACTUATION, 160-9-4.8 MCG/ACTUATION                             | 3                | QL (10.7 per 30 days)        |
| COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION                                                                         | 3                | QL (8 per 30 days)           |
| <i>ipratropium bromide inhalation hfa aerosol inhaler 17 mcg/actuation</i> (Atrovent HFA)                                       | 3                | QL (25.8 per 28 days)        |
| <i>ipratropium bromide inhalation solution 0.02 %</i>                                                                           | 2                | PA BvD                       |
| <i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i>                                 | 2                | PA BvD; QL (540 per 30 days) |
| PROAIR RESPICLICK INHALATION AEROSOL POWDR BREATH ACTIVATED 90 MCG/ACTUATION                                                    | 4                | QL (2 per 30 days)           |
| SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE                                                                      | 3                | QL (60 per 30 days)          |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                    | Drug Tier | Requirements/Limits             |
|--------------------------------------------------------------------------------------------------------------|-----------|---------------------------------|
| SPIRIVA RESPIMAT<br>INHALATION MIST 1.25<br>MCG/ACTUATION, 2.5<br>MCG/ACTUATION                              | 3         | QL (4 per 30 days)              |
| STIOLTO RESPIMAT<br>INHALATION MIST 2.5-2.5<br>MCG/ACTUATION                                                 | 3         | QL (4 per 30 days)              |
| STRIVERDI RESPIMAT<br>INHALATION MIST 2.5<br>MCG/ACTUATION                                                   | 3         | QL (4 per 28 days)              |
| <i>terbutaline oral tablet 2.5 mg, 5 mg</i>                                                                  | 3         |                                 |
| <i>theophylline oral solution 80 mg/15<br/>ml</i>                                                            | 3         |                                 |
| <i>theophylline oral tablet extended<br/>release 12 hr 100 mg, 200 mg, 300<br/>mg, 450 mg</i>                | 4         |                                 |
| <i>theophylline oral tablet extended<br/>release 24 hr 400 mg, 600 mg</i>                                    | 2         |                                 |
| <i>tiotropium bromide inhalation</i> (Spiriva with<br><i>capsule, w/inhalation device 18 mcg</i> HandiHaler) | 3         | QL (30 per 30 days)             |
| TRELEGY ELLIPTA<br>INHALATION BLISTER WITH<br>DEVICE 100-62.5-25 MCG, 200-<br>62.5-25 MCG                    | 3         | QL (60 per 30 days)             |
| <b>Respiratory Tract Agents, Other</b>                                                                       |           |                                 |
| <i>acetylcysteine solution 100 mg/ml (10<br/>%), 200 mg/ml (20 %)</i>                                        | 2         | PA BvD                          |
| ALYFTREK ORAL TABLET 10-<br>50-125 MG                                                                        | 5         | PA; NDS; QL (60 per 30<br>days) |
| ALYFTREK ORAL TABLET 4-20-<br>50 MG                                                                          | 5         | PA; NDS; QL (90 per 30<br>days) |
| BRONCHITOL INHALATION<br>CAPSULE, W/INHALATION<br>DEVICE 40 MG                                               | 5         | NDS; QL (560 per 28<br>days)    |
| <i>cromolyn inhalation solution for<br/>nebulization 20 mg/2 ml</i>                                          | 2         | PA BvD                          |
| FASENRA PEN SUBCUTANEOUS<br>AUTO-INJECTOR 30 MG/ML                                                           | 5         | PA; NDS; QL (1 per 28<br>days)  |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                      | <b>Drug Tier</b> | <b>Requirements/Limits</b>        |
|-----------------------------------------------------------------------|------------------|-----------------------------------|
| FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML                   | 5                | PA; NDS; QL (1 per 28 days)       |
| JASCAYD ORAL TABLET 18 MG, 9 MG                                       | 5                | PA; NDS; QL (60 per 30 days)      |
| KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG | 5                | PA; NDS; QL (56 per 28 days)      |
| KALYDECO ORAL TABLET 150 MG                                           | 5                | PA; NDS; QL (56 per 28 days)      |
| <i>nintedanib oral capsule 100 mg, 150 mg</i> (Ofev)                  | 5                | PA; NDS; QL (60 per 30 days)      |
| NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML                           | 5                | PA; LA; NDS; QL (3 per 28 days)   |
| NUCALA SUBCUTANEOUS RECON SOLN 100 MG                                 | 5                | PA; LA; NDS; QL (3 per 28 days)   |
| NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML                                 | 5                | PA; LA; NDS; QL (3 per 28 days)   |
| NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML                              | 5                | PA; LA; NDS; QL (0.4 per 28 days) |
| ORKAMBI ORAL GRANULES IN PACKET 100-125 MG, 150-188 MG, 75-94 MG      | 5                | PA; NDS; QL (56 per 28 days)      |
| ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG                            | 5                | PA; NDS; QL (112 per 28 days)     |
| <i>pirfenidone oral capsule 267 mg</i>                                | 5                | PA; NDS; QL (270 per 30 days)     |
| <i>pirfenidone oral tablet 267 mg</i> (Esbriet)                       | 5                | PA; NDS; QL (270 per 30 days)     |
| <i>pirfenidone oral tablet 534 mg</i>                                 | 5                | PA; NDS; QL (90 per 30 days)      |
| <i>pirfenidone oral tablet 801 mg</i> (Esbriet)                       | 5                | PA; NDS; QL (90 per 30 days)      |
| PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)/20 ML                 | 5                | PA BvD; NDS                       |
| <i>roflumilast oral tablet 250 mcg</i> (Daliresp)                     | 3                | QL (28 per 28 days)               |
| <i>roflumilast oral tablet 500 mcg</i> (Daliresp)                     | 3                | QL (30 per 30 days)               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                       | Drug Tier | Requirements/Limits             |
|-----------------------------------------------------------------------------------------------------------------|-----------|---------------------------------|
| SYMDEKO ORAL TABLETS,<br>SEQUENTIAL 100-150 MG (D)/<br>150 MG (N), 50-75 MG (D)/ 75 MG<br>(N)                   | 5         | PA; NDS; QL (56 per 28<br>days) |
| TRIKAFTA ORAL GRANULES IN<br>PACKET, SEQUENTIAL 100-50-<br>75MG (D) /75 MG (N), 80-40-60<br>MG (D) /59.5 MG (N) | 5         | PA; NDS; QL (56 per 28<br>days) |
| TRIKAFTA ORAL TABLETS,<br>SEQUENTIAL 100-50-75 MG(D)<br>/150 MG (N), 50-25-37.5 MG (D)/75<br>MG (N)             | 5         | PA; NDS; QL (84 per 28<br>days) |
| WINREVAIR SUBCUTANEOUS<br>KIT 120 MG (60 MG X 2), 45 MG,<br>60 MG, 90 MG (45 MG X 2)                            | 5         | PA; NDS; QL (1 per 21<br>days)  |
| XOLAIR SUBCUTANEOUS<br>AUTO-INJECTOR 150 MG/ML,<br>300 MG/2 ML, 75 MG/0.5 ML                                    | 5         | PA; NDS                         |
| XOLAIR SUBCUTANEOUS<br>RECON SOLN 150 MG                                                                        | 5         | PA; NDS                         |
| XOLAIR SUBCUTANEOUS<br>SYRINGE 150 MG/ML, 300 MG/2<br>ML, 75 MG/0.5 ML                                          | 5         | PA; NDS                         |

## Skeletal Muscle Relaxants

### Skeletal Muscle Relaxants

|                                                     |   |  |
|-----------------------------------------------------|---|--|
| <i>baclofen oral tablet 10 mg, 20 mg, 5<br/>mg</i>  | 2 |  |
| <i>cyclobenzaprine oral tablet 10 mg, 5<br/>mg</i>  | 1 |  |
| <i>dantrolene oral capsule 100 mg, 50<br/>mg</i>    | 4 |  |
| <i>dantrolene oral capsule 25 mg</i> (Dantrium)     | 4 |  |
| <i>methocarbamol oral tablet 500 mg,<br/>750 mg</i> | 2 |  |
| <i>tizanidine oral tablet 2 mg</i>                  | 2 |  |
| <i>tizanidine oral tablet 4 mg</i> (Zanaflex)       | 2 |  |

## Sleep Disorder Agents

### Sleep Disorder Agents

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                       | Drug Tier | Requirements/Limits               |
|---------------------------------------------------------------------------------|-----------|-----------------------------------|
| <i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)          | 2         | PA; QL (30 per 30 days)           |
| BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG                                  | 3         | QL (30 per 30 days)               |
| <i>doxepin oral tablet 3 mg, 6 mg</i> (Silenor)                                 | 2         | QL (30 per 30 days)               |
| <i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)                       | 2         | QL (30 per 30 days)               |
| HETLIOZ LQ ORAL SUSPENSION 4 MG/ML                                              | 5         | PA; NDS; QL (150 per 30 days)     |
| <i>modafinil oral tablet 100 mg</i> (Provigil)                                  | 2         | PA; QL (30 per 30 days)           |
| <i>modafinil oral tablet 200 mg</i> (Provigil)                                  | 2         | PA; QL (60 per 30 days)           |
| <i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)                           | 5         | PA; LA; NDS; QL (540 per 30 days) |
| <i>tasimelteon oral capsule 20 mg</i> (Hetlioiz)                                | 5         | PA; NDS; QL (30 per 30 days)      |
| <i>zaleplon oral capsule 10 mg, 5 mg</i>                                        | 2         | QL (30 per 30 days)               |
| <i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)                                | 1         | QL (30 per 30 days)               |
| <i>zolpidem oral tablet,ext release multiphase 12.5 mg, 6.25 mg</i> (Ambien CR) | 2         | QL (30 per 30 days)               |
| <b>Vasodilating Agents</b>                                                      |           |                                   |
| <b>Vasodilating Agents</b>                                                      |           |                                   |
| ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG                          | 5         | PA; NDS; QL (90 per 30 days)      |
| <i>alyq oral tablet 20 mg</i> (tadalafil (pulm. hypertension))                  | 2         | PA; QL (60 per 30 days)           |
| <i>ambrisentan oral tablet 10 mg, 5 mg</i> (Letairis)                           | 5         | PA; NDS; QL (30 per 30 days)      |
| <i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)                          | 5         | PA; LA; NDS; QL (60 per 30 days)  |
| <i>macitentan oral tablet 10 mg</i> (Opsumit)                                   | 5         | PA; NDS; QL (30 per 30 days)      |
| OPSUMIT ORAL TABLET 10 MG (macitentan)                                          | 5         | PA; NDS; QL (30 per 30 days)      |
| <i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Revatio)               | 2         | PA; QL (360 per 30 days)          |
| <i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra)                     | 1         | EX; CB (6 EA per 30 days)         |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| Drug Name                                                                                                 | Drug Tier | Requirements/Limits           |
|-----------------------------------------------------------------------------------------------------------|-----------|-------------------------------|
| <i>tadalafil oral tablet 2.5 mg</i>                                                                       | 2         | PA; QL (30 per 30 days)       |
| <i>tadalafil oral tablet 5 mg</i> (Cialis)                                                                | 2         | PA; QL (30 per 30 days)       |
| <i>treprostinil sodium injection solution</i> (Remodulin)<br><i>1 mg/ml, 10 mg/ml, 2.5 mg/ml, 5 mg/ml</i> | 5         | PA; NDS                       |
| TYVASO INHALATION<br>SOLUTION FOR NEBULIZATION<br>1.74 MG/2.9 ML (0.6 MG/ML)                              | 5         | PA; NDS                       |
| UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG                 | 5         | PA; NDS; QL (60 per 30 days)  |
| UPTRAVI ORAL TABLET 200 MCG                                                                               | 5         | PA; NDS; QL (240 per 30 days) |
| UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)                                                | 5         | PA; NDS                       |
| YUTREPIA INHALATION CAPSULE, W/INHALATION DEVICE 106 MCG, 26.5 MCG, 53 MCG, 79.5 MCG                      | 5         | PA; NDS                       |
| <b>Vitamins And Minerals</b>                                                                              |           |                               |
| <b>Vitamins And Minerals</b>                                                                              |           |                               |
| <i>bal-care dha combo pack 27-1-430 mg</i>                                                                | 1         |                               |
| <i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i>                                                | 1         |                               |
| <i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i>                                                        | 1         |                               |
| <i>completenate tablet chew 29 mg iron-1 mg</i>                                                           | 1         |                               |
| <i>folivane-ob capsule 85-1 mg</i>                                                                        | 1         |                               |
| <i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i>                                                     | 1         |                               |
| <i>marnatal-f capsule 60 mg iron-1 mg</i>                                                                 | 1         |                               |
| <i>m-natal plus tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid)                              | 1         |                               |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                         | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|----------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>mynatal advance oral tablet 90-1-50 mg</i>                                                            | 1                |                            |
| <i>mynatal capsule 65 mg iron- 1 mg</i>                                                                  | 1                |                            |
| <i>mynatal oral tablet 90-1-50 mg</i>                                                                    | 1                |                            |
| <i>mynatal plus captab 65 mg iron- 1 mg</i>                                                              | 1                |                            |
| <i>mynatal-z captab 65 mg iron- 1 mg</i>                                                                 | 1                |                            |
| <i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i>                                       | 1                |                            |
| <i>newgen tablet 32-1,000 mg-mcg</i>                                                                     | 1                |                            |
| <i>niva-plus tablet 27 mg iron- 1 mg</i>                                                                 | 1                |                            |
| <i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i>                                                | 1                |                            |
| <i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i>                            | 1                |                            |
| <i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid) | 1                |                            |
| <i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i>                                                 | 1                |                            |
| <i>pnv-omega softgel 28-1-300 mg</i>                                                                     | 1                |                            |
| <i>pr natal 400 combo pack 29-1-400 mg</i>                                                               | 1                |                            |
| <i>pr natal 400 ec combo pack 29-1-400 mg</i>                                                            | 1                |                            |
| <i>pr natal 430 combo pack 29 mg iron-1 mg -430 mg</i>                                                   | 1                |                            |
| <i>pr natal 430 ec combo pack 29-1-430 mg</i>                                                            | 1                |                            |
| <i>prenal true combo pack 30 mg iron-1.4 mg-300 mg</i>                                                   | 1                |                            |
| <i>prenaissance oral capsule 29-1.25-55-325 mg</i>                                                       | 1                |                            |
| <i>prenaissance plus oral capsule 28-1-50-250 mg</i>                                                     | 1                |                            |
| <i>prenatabs fa tablet 29-1 mg</i>                                                                       | 1                |                            |
| <i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i>                                    | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

| <b>Drug Name</b>                                                                                    | <b>Drug Tier</b> | <b>Requirements/Limits</b> |
|-----------------------------------------------------------------------------------------------------|------------------|----------------------------|
| <i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i>                                                 | 1                |                            |
| <i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> (pnv,calcium 72-iron,carb-folic)             | 1                |                            |
| <i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> (pnv,calcium 72-iron-folic acid) | 1                |                            |
| <i>prenatal-u capsule 106.5-1 mg</i>                                                                | 1                |                            |
| <i>r-natal ob softgel 20 mg iron- 1 mg- 320 mg</i>                                                  | 1                |                            |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i>                                                   | 1                |                            |
| <i>select-ob chewable caplet 29 mg iron- 1 mg</i>                                                   | 1                |                            |
| <i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i>                                                 | 1                |                            |
| <i>taron-c dha capsule 35-1-200 mg</i>                                                              | 1                |                            |
| <i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i>                          | 1                |                            |
| <i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i>                                             | 1                |                            |
| <i>vitafol gummies 3.33 mg iron- 0.33 mg</i>                                                        | 1                |                            |
| <i>vitafol-ob+dha combo pack 65-1-250 mg</i>                                                        | 1                |                            |
| <i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i>                                         | 1                |                            |
| <i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i>                                                | 1                |                            |
| <i>zatean-pn plus softgel 28-1-300 mg</i>                                                           | 1                |                            |
| <i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i>                                                | 1                |                            |

You can find information on what the symbols and abbreviations in this table mean by going to the introduction pages of this document

08/01/2026

## INDEX

|                                        |          |  |
|----------------------------------------|----------|--|
| <b>1</b>                               |          |  |
| 1ST TIER UNIFINE PENTIPS               |          |  |
| .....                                  | 115      |  |
| 1ST TIER UNIFINE PENTIPS               |          |  |
| PLUS .....                             | 115      |  |
| <b>A</b>                               |          |  |
| <i>abacavir</i> .....                  | 71       |  |
| <i>abacavir-lamivudine</i> .....       | 71       |  |
| ABELCET.....                           | 55       |  |
| <i>abigale</i> .....                   | 172      |  |
| <i>abigale lo</i> .....                | 172      |  |
| ABILIFY ASIMTUFII.....                 | 64       |  |
| ABILIFY MAINTENA.....                  | 64       |  |
| <i>abiraterone</i> .....               | 19       |  |
| <i>abiraterone, submicronized</i> .... | 19       |  |
| <i>abirtega</i> .....                  | 19       |  |
| ABRYSVO (PF).....                      | 184      |  |
| <i>acamprosate</i> .....               | 8        |  |
| <i>acarbose</i> .....                  | 49       |  |
| <i>accutane</i> .....                  | 109      |  |
| <i>acebutolol</i> .....                | 86       |  |
| <i>acetaminophen-codeine</i> .....     | 3        |  |
| <i>acetazolamide</i> .....             | 194      |  |
| <i>acetazolamide sodium</i> .....      | 194      |  |
| <i>acetic acid</i> .....               | 162      |  |
| <i>acetylcysteine</i> .....            | 200      |  |
| <i>acitretin</i> .....                 | 109      |  |
| ACTHIB (PF).....                       | 184      |  |
| ACTIMMUNE.....                         | 192      |  |
| <i>acyclovir</i> .....                 | 77, 109  |  |
| <i>acyclovir sodium</i> .....          | 77       |  |
| ADACEL(TDAP                            |          |  |
| ADOLESN/ADULT)(PF)                     | 185      |  |
| <i>adalimumab-aaty</i> .....           | 177      |  |
| <i>adalimumab-aaty(cf) ai crohns</i>   |          |  |
| .....                                  | 177      |  |
| <i>adapalene</i> .....                 | 114      |  |
| <i>adefovir</i> .....                  | 77       |  |
| ADEMPAS.....                           | 203      |  |
| <i>adrucil</i> .....                   | 19       |  |
| ADVAIR HFA.....                        | 197      |  |
| ADVOCATE PEN NEEDLE                    |          |  |
| .....                                  | 115      |  |
| ADVOCATE SYRINGES...                   | 115      |  |
| <i>afirmelle</i> .....                 | 99       |  |
| AIMOVIG AUTOINJECTOR                   |          |  |
| .....                                  | 58       |  |
| AIRSUPRA.....                          | 198      |  |
| AKEEGA.....                            | 19       |  |
| <i>ala-cort</i> .....                  | 111      |  |
| <i>ala-scalp</i> .....                 | 111      |  |
| <i>albendazole</i> .....               | 61       |  |
| <i>albuterol sulfate</i> .....         | 198, 199 |  |
| <i>alclometasone</i> .....             | 111      |  |
| ALCOHOL PADS.....                      | 116      |  |
| ALCOHOL PREP PADS ....                 | 136      |  |
| ALCOHOL SWABS.....                     | 132      |  |
| ALCOHOL WIPES.....                     | 142      |  |
| ALECENSA.....                          | 19       |  |
| <i>alendronate</i> .....               | 191      |  |
| <i>alfuzosin</i> .....                 | 170      |  |
| <i>aliskiren</i> .....                 | 94       |  |
| <i>allopurinol</i> .....               | 57       |  |
| <i>alosetron</i> .....                 | 190      |  |
| <i>alprazolam</i> .....                | 9, 10    |  |
| <i>altavera (28)</i> .....             | 99       |  |
| ALTRENO.....                           | 114      |  |
| ALUNBRIG.....                          | 19       |  |
| ALVAIZ.....                            | 79       |  |
| <i>alyacen 1/35 (28)</i> .....         | 99       |  |
| <i>alyacen 7/7/7 (28)</i> .....        | 99       |  |
| ALYFTREK.....                          | 200      |  |
| <i>alyq</i> .....                      | 203      |  |
| <i>amabelz</i> .....                   | 172      |  |
| <i>amantadine hcl</i> .....            | 62       |  |
| <i>ambrisentan</i> .....               | 203      |  |
| <i>amethia</i> .....                   | 99       |  |
| <i>amethyst (28)</i> .....             | 99       |  |
| <i>amikacin</i> .....                  | 11       |  |
| <i>amiloride</i> .....                 | 90       |  |
| <i>amiloride-hydrochlorothiazide</i>   |          |  |
| .....                                  | 90       |  |
| <i>amiodarone</i> .....                | 85       |  |
| <i>amitriptyline</i> .....             | 45       |  |
| <i>amitriptyline-chlordiazepoxide</i>  |          |  |
| .....                                  | 45       |  |
| <i>amlodipine</i> .....                | 89       |  |
| <i>amlodipine-atorvastatin</i> .....   | 91       |  |
| <i>amlodipine-benazepril</i> .....     | 89, 90   |  |
| <i>amlodipine-olmesartan</i> .....     | 90       |  |
| <i>amlodipine-valsartan</i> .....      | 90       |  |
| <i>amlodipine-valsartan-hcthiiazid</i> |          |  |
| .....                                  | 90       |  |
| <i>ammonium lactate</i> .....          | 109      |  |
| <i>amoxapine</i> .....                 | 45       |  |
| <i>amoxicil-clarithromy-lansopraz</i>  |          |  |
| .....                                  | 166      |  |
| <i>amoxicillin</i> .....               | 15, 16   |  |
| <i>amoxicillin-pot clavulanate</i> ..  | 16       |  |
| <i>amphotericin b</i> .....            | 55       |  |
| <i>amphotericin b liposome</i> .....   | 55       |  |
| <i>ampicillin</i> .....                | 16       |  |
| <i>ampicillin sodium</i> .....         | 16       |  |
| <i>ampicillin-sulbactam</i> .....      | 16       |  |
| <i>anagrelide</i> .....                | 81       |  |
| <i>anastrozole</i> .....               | 19       |  |
| ANDEMBRY                               |          |  |
| AUTOINJECTOR.....                      | 192      |  |
| ANKTIVA.....                           | 19       |  |
| ANORO ELLIPTA.....                     | 199      |  |
| <i>apomorphine</i> .....               | 62       |  |

|                                      |     |                                      |          |                                             |          |
|--------------------------------------|-----|--------------------------------------|----------|---------------------------------------------|----------|
| <i>apraclonidine</i> .....           | 161 | <i>aurovela fe 1-20 (28)</i> .....   | 100      | BD SAFETYGLIDE SYRINGE .....                | 117      |
| <i>aprepitant</i> .....              | 60  | AUSTEDO.....                         | 94, 95   | BD ULTRA-FINE MICRO PEN NEEDLE .....        | 117      |
| <i>apri</i> .....                    | 99  | AUSTEDO XR .....                     | 95       | BD ULTRA-FINE MINI PEN NEEDLE .....         | 117      |
| APTIVUS .....                        | 71  | AUSTEDO XR TITRATION KT(WK1-4) ..... | 95       | BD ULTRA-FINE NANO PEN NEEDLE .....         | 117      |
| AQINJECT PEN NEEDLE..                | 116 | AUVELITY .....                       | 45, 46   | BD ULTRA-FINE ORIG PEN NEEDLE .....         | 117      |
| <i>aranelle (28)</i> .....           | 99  | <i>aviane</i> .....                  | 100      | BD ULTRA-FINE SHORT PEN NEEDLE .....        | 117      |
| ARCALYST .....                       | 177 | AVMAPKI.....                         | 19       | BD VEO INSULIN SYR (HALF UNIT).....         | 118      |
| AREXVY (PF) .....                    | 185 | AVMAPKI-FAKZYNJA.....                | 20       | BD VEO INSULIN SYRINGE UF .....             | 118      |
| ARIKAYCE .....                       | 11  | AVONEX .....                         | 95       | BELSOMRA.....                               | 203      |
| <i>aripiprazole</i> .....            | 65  | AXTLE .....                          | 20       | <i>benazepril</i> .....                     | 84       |
| ARISTADA.....                        | 65  | <i>ayuna</i> .....                   | 100      | <i>benazepril-hydrochlorothiazide</i> ..... | 84, 85   |
| ARISTADA INITIO .....                | 65  | AYVAKIT .....                        | 20       | <i>bendamustine</i> .....                   | 20       |
| <i>armodafinil</i> .....             | 203 | <i>azacitidine</i> .....             | 20       | BENDAMUSTINE .....                          | 20       |
| ARNUITY ELLIPTA.....                 | 197 | <i>azathioprine</i> .....            | 177      | BENDEKA .....                               | 20       |
| <i>ascomp with codeine</i> .....     | 3   | <i>azathioprine sodium</i> .....     | 177      | BENLYSTA.....                               | 177      |
| <i>asenapine maleate</i> .....       | 65  | <i>azelastine</i> .....              | 161, 162 | <i>benztropine</i> .....                    | 62       |
| <i>ashlyna</i> .....                 | 99  | <i>azithromycin</i> .....            | 14       | <i>bepotastine besilate</i> .....           | 162      |
| <i>aspirin-dipyridamole</i> .....    | 81  | <i>aztreonam</i> .....               | 15       | BESREMI .....                               | 177      |
| ASSURE ID DUO PRO SFTY PEN NDL ..... | 116 | <i>azurette (28)</i> .....           | 100      | <i>betaine</i> .....                        | 192      |
| ASSURE ID DUO-SHIELD                 | 116 | <b>B</b>                             |          | <i>betamethasone dipropionate</i>           | 111      |
| ASSURE ID INSULIN SAFETY.....        | 116 | <i>bacitracin</i> .....              | 162      | <i>betamethasone valerate</i>               | 111, 112 |
| ASSURE ID PEN NEEDLE                 | 116 | <i>bacitracin-polymyxin b</i> .....  | 162      | <i>betamethasone, augmented</i> ..          | 112      |
| ASSURE ID PRO PEN NEEDLE .....       | 116 | <i>baclofen</i> .....                | 202      | BETASERON .....                             | 95       |
| <i>atazanavir</i> .....              | 71  | <i>bal-care dha</i> .....            | 204      | <i>betaxolol</i> .....                      | 86, 194  |
| <i>atenolol</i> .....                | 86  | <i>bal-care dha essential</i> .....  | 204      | <i>bethanechol chloride</i> .....           | 170      |
| <i>atenolol-chlorthalidone</i> ..... | 86  | <i>balsalazide</i> .....             | 190      | <i>bexarotene</i> .....                     | 20       |
| <i>atomoxetine</i> .....             | 94  | BALVERSA .....                       | 20       | BEXSERO .....                               | 185      |
| <i>atorvastatin</i> .....            | 92  | <i>balziva (28)</i> .....            | 100      | <i>bicalutamide</i> .....                   | 20       |
| <i>atovaquone</i> .....              | 61  | BAQSIMI .....                        | 192      | BICILLIN L-A.....                           | 16       |
| <i>atovaquone-proguanil</i> .....    | 61  | BCG VACCINE, LIVE (PF)               | 185      | BIKTARVY .....                              | 71       |
| <i>atropine</i> .....                | 161 | BD ALCOHOL SWABS.....                | 117      | <i>bimatoprost</i> .....                    | 194      |
| ATTRUBY .....                        | 89  | BD AUTOSHIELD DUO PEN NEEDLE.....    | 116      | <i>bisoprolol fumarate</i> .....            | 86       |
| <i>aubra eq</i> .....                | 99  | BD ECLIPSE LUER-LOK..                | 116      |                                             |          |
| AUGTYRO .....                        | 19  | BD INSULIN SYRINGE ....              | 117      |                                             |          |
| <i>auranofin</i> .....               | 177 | BD INSULIN SYRINGE (HALF UNIT).....  | 116      |                                             |          |
| <i>aurovela 1.5/30 (21)</i> .....    | 100 | BD INSULIN SYRINGE ULTRA-FINE.....   | 116      |                                             |          |
| <i>aurovela 1/20 (21)</i> .....      | 100 | BD SAFETYGLIDE INSULIN SYRINGE ..... | 117      |                                             |          |
| <i>aurovela 24 fe</i> .....          | 100 |                                      |          |                                             |          |
| <i>aurovela fe 1.5/30 (28)</i> ..... | 100 |                                      |          |                                             |          |

|                                             |          |                                       |          |                                       |          |
|---------------------------------------------|----------|---------------------------------------|----------|---------------------------------------|----------|
| <i>bisoprolol-hydrochlorothiazide</i> ..... | 86       | BYSANTI TITRATION PACK                |          | CARETOUCH PEN NEEDLE                  |          |
| BIZENGRI .....                              | 20       | A .....                               | 65       | .....                                 | 118, 119 |
| <i>bleomycin</i> .....                      | 20       | BYSANTI TITRATION PACK                |          | <i>carglumic acid</i> .....           | 167      |
| <i>blisovi 24 fe</i> .....                  | 100      | B .....                               | 65       | <i>carteolol</i> .....                | 195      |
| <i>blisovi fe 1.5/30 (28)</i> .....         | 100      | BYSANTI TITRATION PACK                |          | <i>cartia xt</i> .....                | 87       |
| <i>blisovi fe 1/20 (28)</i> .....           | 100      | C .....                               | 65       | <i>carvedilol</i> .....               | 86       |
| BOOSTRIX TDAP .....                         | 185      | C                                     |          | CAYSTON.....                          | 15       |
| BORDERED GAUZE.....                         | 118      | CABENUVA.....                         | 72       | <i>cefaclor</i> .....                 | 13       |
| <i>bortezomib</i> .....                     | 20       | <i>cabergoline</i> .....              | 63       | <i>cefadroxil</i> .....               | 13       |
| BORUZU .....                                | 20       | CABLIVI.....                          | 81       | <i>cefazolin</i> .....                | 13       |
| <i>bosentan</i> .....                       | 203      | CABOMETYX.....                        | 21       | <i>cefdinir</i> .....                 | 13       |
| BOSULIF .....                               | 20, 21   | <i>cabotegravir</i> .....             | 72       | <i>cefepime</i> .....                 | 13       |
| <i>bosutinib</i> .....                      | 21       | <i>calcipotriene</i> .....            | 109, 110 | <i>cefixime</i> .....                 | 13       |
| BRAFTOVI.....                               | 21       | <i>calcitonin (salmon)</i> .....      | 191      | <i>cefoxitin</i> .....                | 13       |
| BREO ELLIPTA .....                          | 197, 198 | <i>calcitriol</i> .....               | 191      | <i>cefpodoxime</i> .....              | 13       |
| <i>breyana</i> .....                        | 198      | <i>calcium acetate(phosphat bind)</i> |          | <i>cefprozil</i> .....                | 13       |
| BREZTRI AEROSPHERE ..                       | 199      | .....                                 | 169      | <i>ceftaroline fosamil</i> .....      | 13       |
| <i>briellyn</i> .....                       | 100      | CALQUENCE                             |          | <i>ceftazidime</i> .....              | 14       |
| <i>brimonidine</i> .....                    | 194      | (ACALABRUTINIB MAL)                   |          | <i>ceftriaxone</i> .....              | 14       |
| <i>brimonidine-timolol</i> .....            | 194      | .....                                 | 21       | <i>cefuroxime axetil</i> .....        | 14       |
| <i>brinzolamide</i> .....                   | 195      | CAMCEVI (6 MONTH) .....               | 21       | <i>cefuroxime sodium</i> .....        | 14       |
| <i>brivaracetam</i> .....                   | 39       | <i>camila</i> .....                   | 100      | <i>celecoxib</i> .....                | 6        |
| BRIVIACT .....                              | 39       | CAMZYOS.....                          | 89       | <i>cephalexin</i> .....               | 14       |
| <i>bromfenac</i> .....                      | 164      | <i>candesartan</i> .....              | 83       | CERDELGA .....                        | 160      |
| <i>bromocriptine</i> .....                  | 63       | <i>candesartan-hydrochlorothiazid</i> |          | <i>cevimeline</i> .....               | 109      |
| BRONCHITOL .....                            | 200      | .....                                 | 83       | <i>chateal eq (28)</i> .....          | 100      |
| BRUKINSA .....                              | 21       | CAPLYTA.....                          | 65       | <i>chlordiazepoxide hcl</i> .....     | 10       |
| <i>budesonide</i> .....                     | 190, 198 | CAPRELSA.....                         | 21       | <i>chlorhexidine gluconate</i> .....  | 109      |
| <i>budesonide-formoterol</i> .....          | 198      | <i>captopril</i> .....                | 85       | <i>chloroquine phosphate</i> .....    | 61       |
| <i>bumetanide</i> .....                     | 90       | <i>carbamazepine</i> .....            | 39       | <i>chlorpromazine</i> .....           | 66       |
| <i>buprenorphine</i> .....                  | 3        | <i>carbidopa</i> .....                | 63       | <i>chlorthalidone</i> .....           | 90       |
| <i>buprenorphine hcl</i> .....              | 9        | <i>carbidopa-levodopa</i> .....       | 63       | <i>cholestyramine (with sugar)</i> .. | 92       |
| <i>buprenorphine-naloxone</i> .....         | 9        | <i>carbidopa-levodopa-entacapone</i>  |          | <i>cholestyramine light</i> .....     | 92       |
| <i>bupropion hcl</i> .....                  | 46       | .....                                 | 63       | <i>ciclopirox</i> .....               | 55       |
| <i>bupropion hcl (smoking deter)</i> .      | 9        | <i>carbinoxamine maleate</i> .....    | 57       | <i>cilostazol</i> .....               | 81       |
| <i>buspirone</i> .....                      | 192      | <i>carboplatin</i> .....              | 21       | CIMDUO .....                          | 72       |
| <i>butalbital-acetaminop-caf-cod</i> .3     |          | <i>carbzah</i> .....                  | 57       | <i>cimetidine</i> .....               | 166      |
| <i>butalbital-acetaminophen-caff</i> .3     |          | CAREFINE PEN NEEDLE. 118              |          | <i>cimetidine hcl</i> .....           | 166      |
| <i>butalbital-aspirin-caffeine</i> .....    | 3        | CARETOUCH ALCOHOL                     |          | CIMZIA .....                          | 178      |
| <i>butorphanol</i> .....                    | 3        | PREP PAD.....                         | 118      | CIMZIA POWDER FOR                     |          |
| BYSANTI.....                                | 65       | CARETOUCH INSULIN                     |          | RECONST .....                         | 178      |
|                                             |          | SYRINGE .....                         | 119      | CIMZIA STARTER KIT ....               | 178      |

|                                          |         |                                          |               |                                       |               |
|------------------------------------------|---------|------------------------------------------|---------------|---------------------------------------|---------------|
| <i>cinacalcet</i> .....                  | 191     | CLINIMIX E 5%/D20W                       |               | <i>constulose</i> .....               | 167           |
| CINRYZE.....                             | 79      | SULFIT FREE .....                        | 82            | COPIKTRA.....                         | 22            |
| <i>ciprofloxacin hcl</i> .....           | 17, 162 | CLINIMIX E 8%-D10W                       |               | CORLANOR.....                         | 89            |
| <i>ciprofloxacin in 5 % dextrose</i> ..  | 17      | SULFITEFREE .....                        | 82            | CORTROPHIN GEL .....                  | 174           |
| <i>ciprofloxacin-dexamethasone</i>       |         | CLINIMIX E 8%-D14W                       |               | COSENTYX .....                        | 178           |
| .....                                    | 162     | SULFITEFREE .....                        | 82            | COSENTYX (2 SYRINGES)                 |               |
| <i>citalopram</i> .....                  | 46      | <i>clobazam</i> .....                    | 39            | .....                                 | 178           |
| <i>cladribine</i> .....                  | 21      | <i>clobetasol</i> .....                  | 112           | COSENTYX PEN (2 PENS)                 | 178           |
| <i>cladribine(multiple sclerosis)</i> .. | 95      | <i>clobetasol-emollient</i> .....        | 112           | COSENTYX UNOREADY                     |               |
| <i>clarithromycin</i> .....              | 14, 15  | <i>clomipramine</i> .....                | 46            | PEN .....                             | 178           |
| <i>clemastine</i> .....                  | 57      | <i>clonazepam</i> .....                  | 10            | COTELLIC .....                        | 22            |
| <i>clemasz</i> .....                     | 57      | <i>clonidine</i> .....                   | 83            | CREON .....                           | 160           |
| <i>clemsza</i> .....                     | 57      | <i>clonidine hcl</i> .....               | 83, 95        | CRESEMBA.....                         | 55            |
| CLICKFINE PEN NEEDLE                     | 119     | <i>clopidogrel</i> .....                 | 81            | <i>cromolyn</i> .....                 | 162, 167, 200 |
| <i>clindamycin hcl</i> .....             | 11      | <i>clorazepate dipotassium</i> .....     | 10            | <i>cryselle (28)</i> .....            | 100           |
| <i>clindamycin pediatric</i> .....       | 11      | <i>clotrimazole</i> .....                | 55            | CURITY ALCOHOL SWABS                  |               |
| <i>clindamycin phosphate</i> ....        | 11, 12, | <i>clotrimazole-betamethasone</i> ..     | 55            | .....                                 | 122           |
| 58, 110                                  |         | <i>clozapine</i> .....                   | 66            | CURITY GAUZE .....                    | 122           |
| <i>clindamycin-benzoyl peroxide</i>      |         | <i>c-nate dha</i> .....                  | 204           | <i>cyclobenzaprine</i> .....          | 202           |
| .....                                    | 110     | COARTEM.....                             | 62            | <i>cyclophosphamide</i> .....         | 22            |
| CLINIMIX 5%/D15W                         |         | COBENFY.....                             | 66            | <i>cyclosporine</i> .....             | 164, 178      |
| SULFITE FREE .....                       | 81      | COBENFY STARTER PACK                     |               | <i>cyclosporine modified</i> .....    | 178           |
| CLINIMIX 4.25%/D10W SULF                 |         | .....                                    | 66            | CYLTEZO(CF).....                      | 179           |
| FREE .....                               | 81      | <i>codeine sulfate</i> .....             | 3, 4          | CYLTEZO(CF) PEN .....                 | 179           |
| CLINIMIX 4.25%/D5W                       |         | <i>codeine-butalbital-asa-caff</i> ..... | 4             | CYLTEZO(CF) PEN                       |               |
| SULFIT FREE.....                         | 81      | <i>colchicine</i> .....                  | 57            | CROHN'S-UC-HS .....                   | 178           |
| CLINIMIX 5%-                             |         | <i>colesevelam</i> .....                 | 92            | CYLTEZO(CF) PEN                       |               |
| D20W(SULFITE-FREE) ...                   | 82      | <i>colestipol</i> .....                  | 92            | PSORIASIS-UV .....                    | 178           |
| CLINIMIX 6%-D5W                          |         | <i>colistin (colistimethate na)</i> .... | 12            | <i>cyproheptadine</i> .....           | 58            |
| (SULFITE-FREE) .....                     | 82      | COMBIVENT RESPIMAT. ....                 | 199           | <i>cyred eq</i> .....                 | 100           |
| CLINIMIX 8%-                             |         | COMETRIQ .....                           | 21            | <b>D</b>                              |               |
| D10W(SULFITE-FREE) ...                   | 82      | COMFORT EZ INSULIN                       |               | <i>d5 % (d-glucose)-0.9 % sodchlr</i> |               |
| CLINIMIX 8%-                             |         | SYRINGE.....                             | 119, 120, 121 | .....                                 | 195           |
| D14W(SULFITE-FREE) ...                   | 82      | COMFORT EZ PEN NEEDLES                   |               | <i>d5 % and 0.9 % sodium chloride</i> |               |
| CLINIMIX E 2.75%/D5W                     |         | .....                                    | 120           | .....                                 | 196           |
| SULF FREE .....                          | 82      | COMFORT EZ PRO SAFETY                    |               | <i>d5 %-0.45 % sodium chloride</i>    |               |
| CLINIMIX E 4.25%/D10W                    |         | PEN NDL .....                            | 120           | .....                                 | 196           |
| SUL FREE.....                            | 82      | COMFORT TOUCH PEN                        |               | <i>dabigatran etexilate</i> .....     | 78            |
| CLINIMIX E 4.25%/D5W                     |         | NEEDLE.....                              | 121, 122      | <i>dalfampridine</i> .....            | 95            |
| SULF FREE .....                          | 82      | <i>completenate</i> .....                | 204           | <i>danazol</i> .....                  | 171           |
| CLINIMIX E 5%/D15W                       |         | <i>compro</i> .....                      | 60            | <i>dantrolene</i> .....               | 202           |
| SULFIT FREE.....                         | 82      | <i>conjugated estrogens</i> .....        | 172           | DANYELZA.....                         | 22            |

|                                |          |                                |        |                                 |               |
|--------------------------------|----------|--------------------------------|--------|---------------------------------|---------------|
| DANZITEN.....                  | 22       | dexmethylphenidate .....       | 95     | DOVATO.....                     | 72            |
| dapagliflozin.....             | 49       | dextroamphetamine sulfate....  | 96     | doxazosin.....                  | 83            |
| dapagliflozin-metformin .....  | 49       | dextroamphetamine-             |        | doxepin.....                    | 46, 203       |
| dapsone.....                   | 60       | amphetamine.....               | 96     | doxercalciferol .....           | 191           |
| DAPTACEL (DTAP                 |          | dextrose 5 % in water (d5w) .. | 82     | doxorubicin, peg-liposomal ...  | 22            |
| PEDIATRIC) (PF).....           | 185      | DIACOMIT .....                 | 39     | doxy-100.....                   | 18            |
| daptomycin .....               | 12       | diazepam .....                 | 10, 39 | doxycycline hyclate .....       | 18            |
| darunavir.....                 | 72       | diazepam intensol .....        | 10     | doxycycline monohydrate.....    | 18            |
| DARZALEX .....                 | 22       | diazoxide.....                 | 192    | DRIZALMA SPRINKLE .....         | 46            |
| DARZALEX FASPRO .....          | 22       | diclofenac epolamine .....     | 6      | dronabinol.....                 | 60            |
| dasatinib .....                | 22       | diclofenac potassium .....     | 6      | DROPLET INSULIN                 |               |
| dasetta 1/35 (28).....         | 100      | diclofenac sodium .....        | 6, 164 | SYR(HALF UNIT) ..               | 122, 123      |
| dasetta 7/7/7 (28) .....       | 100      | diclofenac-misoprostol .....   | 7      | DROPLET INSULIN                 |               |
| DATROWAY.....                  | 22       | dicloxacillin .....            | 16     | SYRINGE .....                   | 122, 123, 124 |
| DAURISMO.....                  | 22       | dicyclomine.....               | 167    | DROPLET MICRON PEN              |               |
| DAWNZERA.....                  | 89       | didanosine.....                | 72     | NEEDLE .....                    | 124           |
| daysee .....                   | 101      | DIFICID.....                   | 15     | DROPLET PEN NEEDLE .            | 124,          |
| deblitane .....                | 101      | diflorasone .....              | 112    | 125                             |               |
| decitabine .....               | 22       | diflunisal .....               | 7      | DROPSAFE ALCOHOL PREP           |               |
| deferasirox.....               | 171      | difluprednate.....             | 165    | PADS .....                      | 125           |
| deferiprone .....              | 171      | digoxin .....                  | 89     | DROPSAFE INSULIN                |               |
| DELSTRIGO.....                 | 72       | dihydroergotamine.....         | 58     | SYRINGE .....                   | 125           |
| demeclocycline .....           | 18       | DILANTIN.....                  | 39     | DROPSAFE PEN NEEDLE             | 125           |
| DENGVAIXIA (PF).....           | 185      | diltiazem hcl.....             | 88     | drosipirenone-ethinyl estradiol |               |
| denta 5000 plus .....          | 109      | dilt-xr .....                  | 88     | .....                           | 101           |
| dentagel .....                 | 109      | dimethyl fumarate .....        | 96     | DROXIA.....                     | 81            |
| DEPO-SUBQ PROVERA              | 104      | DIPENTUM.....                  | 190    | droxidopa .....                 | 83            |
| .....                          | 176      | diphenoxylate-atropine .....   | 167    | duloxetine.....                 | 46            |
| DERMACEA .....                 | 122      | dipyridamole.....              | 81     | DUPIXENT PEN .....              | 179           |
| DERMACEA NON-WOVEN             |          | disopyramide phosphate .....   | 86     | DUPIXENT SYRINGE .....          | 179           |
| .....                          | 122      | disulfiram.....                | 9      | dutasteride.....                | 170           |
| dermacinrx lidocan .....       | 8        | divalproex .....               | 40     | dutasteride-tamsulosin .....    | 170           |
| DESCOVY.....                   | 72       | dofetilide .....               | 86     | <b>E</b>                        |               |
| desipramine .....              | 46       | dolishale.....                 | 101    | EASY COMFORT ALCOHOL            |               |
| desmopressin .....             | 174, 175 | donepezil.....                 | 44     | PAD.....                        | 126           |
| desog-e.estradiol/e.estradiol  | 101      | DOPTelet (10 TAB PACK)79       |        | EASY COMFORT INSULIN            |               |
| desonide.....                  | 112      | DOPTelet (15 TAB PACK)80       |        | SYRINGE .....                   | 126, 127      |
| desoximetasone.....            | 112      | DOPTelet (30 TAB PACK)80       |        | EASY COMFORT PEN                |               |
| desvenlafaxine succinate ..... | 46       | DOPTelet SPRINKLE.....         | 80     | NEEDLES.....                    | 126, 127      |
| dexamethasone .....            | 173      | dorzolamide .....              | 195    | EASY COMFORT SAFETY             |               |
| dexamethasone sodium           |          | dorzolamide-timolol.....       | 195    | PEN NEEDLE .....                | 125           |
| phosphate .....                | 164, 173 | dotti.....                     | 172    |                                 |               |

|                                                      |                                                                    |                                                   |
|------------------------------------------------------|--------------------------------------------------------------------|---------------------------------------------------|
| EASY GLIDE INSULIN<br>SYRINGE.....127                | <i>efavirenz-lamivudine-tenofovir disoproxil fumarate</i> ..... 72 | <i>enillorin</i> ..... 101                        |
| EASY GLIDE PEN NEEDLE<br>.....127                    | EGRIFTA SV ..... 175                                               | <i>enoxaparin</i> ..... 78                        |
| EASY TOUCH.....129, 130                              | EGRIFTA WR..... 175                                                | <i>enpresse</i> ..... 101                         |
| EASY TOUCH ALCOHOL<br>PREP PADS .....128             | ELAHIRE ..... 23                                                   | ENSACOVE ..... 23                                 |
| EASY TOUCH<br>AUTORETRACT SYRINGE<br>.....128        | ELEPSIA XR..... 40                                                 | <i>enskyce</i> ..... 101                          |
| EASY TOUCH FLIPLOCK<br>INSULIN.....129               | ELIGARD..... 23                                                    | ENSPRYNG ..... 96                                 |
| EASY TOUCH FLIPLOCK<br>SYRINGE.....128               | ELIGARD (3 MONTH) ..... 23                                         | <i>entacapone</i> ..... 63                        |
| EASY TOUCH INS SYR<br>(HALF UNIT) .....127           | ELIGARD (4 MONTH) ..... 23                                         | <i>entecavir</i> ..... 78                         |
| EASY TOUCH INSULIN<br>SAFETY SYR.....127, 128        | ELIGARD (6 MONTH) ..... 23                                         | ENTRESTO ..... 83                                 |
| EASY TOUCH INSULIN<br>SYRINGE.....127, 128, 129, 130 | <i>elimest</i> ..... 101                                           | ENTRESTO SPRINKLE ..... 83                        |
| EASY TOUCH LUER LOCK<br>INSULIN.....129              | ELIQUIS..... 78                                                    | <i>enulose</i> ..... 167                          |
| EASY TOUCH PEN NEEDLE<br>.....129                    | ELIQUIS DVT-PE TREAT 30D<br>START..... 78                          | EPCLUSA..... 77                                   |
| EASY TOUCH SAFETY PEN<br>NEEDLE .....130, 131        | ELIQUIS SPRINKLE..... 78                                           | EPIDIOLEX..... 40                                 |
| EASY TOUCH<br>SHEATHLOCK INSULIN<br>.....129         | ELMIRON ..... 192                                                  | <i>epinastine</i> ..... 162                       |
| EASY TOUCH UNI-SLIP ...130                           | ELREXFIO ..... 23                                                  | <i>epinephrine</i> ..... 89                       |
| EASYLIFE ALCOHOL PADS<br>.....130                    | <i>eltrombopag olamine</i> ..... 80                                | <i>epitol</i> ..... 40                            |
| EASYLIFE INSULIN PEN<br>NEEDLE .....130, 131         | <i>eluryng</i> ..... 101                                           | EPKINLY ..... 23                                  |
| EASYLIFE INSULIN<br>SYRINGE.....131                  | EMBRACE PEN NEEDLE 131,<br>132                                     | <i>eplerenone</i> ..... 94                        |
| EASYLIFE SAFETY PEN<br>NEEDLE .....131               | EMCYT ..... 23                                                     | ERBITUX ..... 23                                  |
| <i>econazole nitrate</i> .....55                     | EMEND ..... 60                                                     | <i>ergoloid</i> ..... 45                          |
| EDURANT PED .....72                                  | EMGALITY PEN..... 58                                               | ERIVEDGE..... 23                                  |
| <i>efavirenz</i> .....72                             | EMGALITY SYRINGE ..... 59                                          | ERLEADA ..... 23                                  |
| <i>efavirenz-emtricitabine-tenofovir</i> 72          | EMRELIS ..... 23                                                   | <i>erlotinib</i> ..... 23, 24                     |
|                                                      | EMSAM..... 46                                                      | <i>errin</i> ..... 101                            |
|                                                      | <i>emtricitabine</i> ..... 72                                      | <i>ertapenem</i> ..... 15                         |
|                                                      | <i>emtricitabine-tenofovir (tdf)</i> . 72,<br>73                   | <i>ery pads</i> ..... 110                         |
|                                                      | <i>emtricitabine-tenofovir (tdf)</i> .. 73                         | <i>erythromycin</i> ..... 15, 162                 |
|                                                      | EMTRIVA ..... 73                                                   | <i>erythromycin ethylsuccinate</i> .. 15          |
|                                                      | <i>emzahn</i> ..... 101                                            | <i>erythromycin with ethanol</i> ... 111          |
|                                                      | <i>enalapril maleate</i> ..... 85                                  | <i>erythromycin-benzoyl peroxide</i><br>..... 111 |
|                                                      | <i>enalapril-hydrochlorothiazide</i> 85                            | ERZOFRI..... 66                                   |
|                                                      | ENBREL..... 179                                                    | <i>escitalopram oxalate</i> ..... 47              |
|                                                      | ENBREL MINI..... 179                                               | <i>eslicarbazepine</i> ..... 40                   |
|                                                      | ENBREL SURECLICK ..... 179                                         | <i>esomeprazole magnesium</i> .... 166            |
|                                                      | <i>endocet</i> ..... 4                                             | <i>estarylla</i> ..... 101                        |
|                                                      | ENERGIX-B (PF)..... 185                                            | <i>estazolam</i> ..... 10                         |
|                                                      | ENERGIX-B PEDIATRIC (PF)<br>..... 186                              | <i>estradiol</i> ..... 172                        |
|                                                      |                                                                    | <i>estradiol valerate</i> ..... 172               |
|                                                      |                                                                    | <i>estradiol-norethindrone acet</i> 173           |
|                                                      |                                                                    | <i>eszopiclone</i> ..... 203                      |
|                                                      |                                                                    | <i>ethambutol</i> ..... 60                        |

|                                         |     |                                           |          |                                         |        |
|-----------------------------------------|-----|-------------------------------------------|----------|-----------------------------------------|--------|
| <i>ethosuximide</i> .....               | 40  | <i>fenofibrate</i> .....                  | 92       | <i>flurbiprofen</i> .....               | 7      |
| <i>ethynodiol diac-eth estradiol</i>    | 101 | <i>fenofibrate micronized</i> .....       | 92       | <i>flurbiprofen sodium</i> .....        | 165    |
| <i>etodolac</i> .....                   | 7   | <i>fenofibrate nanocrystallized ..</i>    | 92       | <i>fluticasone propionate</i> 113, 165, |        |
| <i>etonogestrel-ethinyl estradiol</i>   |     | <i>fenofibric acid (choline)</i> .....    | 92       | 198                                     |        |
| .....                                   | 101 | <i>fenoprofen</i> .....                   | 7        | <i>fluticasone propion-salmeterol</i>   |        |
| ETOPOPHOS.....                          | 24  | <i>fentanyl</i> .....                     | 4        | .....                                   | 198    |
| <i>etoposide</i> .....                  | 24  | <i>fentanyl citrate</i> .....             | 4        | <i>fluvastatin</i> .....                | 92     |
| <i>etravirine</i> .....                 | 73  | FERRIPROX .....                           | 171      | <i>fluvoxamine</i> .....                | 47     |
| EUCRISA.....                            | 112 | <i>fesoterodine</i> .....                 | 170      | <i>folivane-ob</i> .....                | 204    |
| EULEXIN.....                            | 24  | FETZIMA.....                              | 47       | <i>fondaparinux</i> .....               | 79     |
| <i>everolimus (antineoplastic)</i> .... | 24  | FIASP FLEXTOUCH U-100                     |          | <i>fosamprenavir</i> .....              | 73     |
| <i>everolimus</i>                       |     | INSULIN .....                             | 51       | <i>fosfomycin tromethamine</i> .....    | 12     |
| (immunosuppressive).....                | 179 | FIASP PENFILL U-100                       |          | <i>fosinopril</i> .....                 | 85     |
| EVOTAZ.....                             | 73  | INSULIN .....                             | 51       | <i>fosinopril-hydrochlorothiazide</i>   |        |
| EVRYSDI.....                            | 192 | FIASP PUMPCART.....                       | 52       | .....                                   | 85     |
| EXEL INSULIN.....                       | 132 | FIASP U-100 INSULIN .....                 | 52       | <i>fosphephenytoin</i> .....            | 40     |
| <i>exemestane</i> .....                 | 24  | <i>fidaxomicin</i> .....                  | 15       | FOTIVDA .....                           | 24     |
| EXTENCILLINE .....                      | 16  | <i>finasteride</i> .....                  | 170      | FRUZAQLA .....                          | 24, 25 |
| EXXUA .....                             | 47  | <i>finagolimid</i> .....                  | 96       | <i>fulvestrant</i> .....                | 25     |
| EYSUVIS .....                           | 165 | FINTEPLA .....                            | 40       | <i>furosemide</i> .....                 | 90, 91 |
| EZALLOR SPRINKLE.....                   | 92  | <i>fioricet</i> .....                     | 4        | FUZEON.....                             | 73     |
| <i>ezetimibe</i> .....                  | 92  | FIRMAGON KIT W DILUENT                    |          | FYARRO .....                            | 25     |
| <i>ezetimibe-simvastatin</i> .....      | 92  | SYRINGE.....                              | 24       | <i>fyavolv</i> .....                    | 173    |
| <b>F</b>                                |     | <i>flavoxate</i> .....                    | 170      | <b>G</b>                                |        |
| FAKZYNJA .....                          | 24  | <i>flecainide</i> .....                   | 86       | <i>gabapentin</i> .....                 | 40     |
| <i>falmina (28)</i> .....               | 101 | <i>floxuridine</i> .....                  | 24       | GALAFOLD .....                          | 160    |
| <i>famciclovir</i> .....                | 78  | <i>fluconazole</i> .....                  | 55       | <i>galantamine</i> .....                | 45     |
| <i>famotidine</i> .....                 | 166 | <i>fluconazole in nacl (iso-osm)</i> . 55 |          | <i>gallifrey</i> .....                  | 176    |
| FANAPT .....                            | 66  | <i>flucytosine</i> .....                  | 55       | GAMMAGARD LIQUID ERC                    |        |
| FANAPT TITRATION PACK                   |     | <i>fludrocortisone</i> .....              | 173      | .....                                   | 179    |
| A .....                                 | 66  | <i>flunisolide</i> .....                  | 165      | GAMMAGARD S-D (IGA < 1                  |        |
| FANAPT TITRATION PACK                   |     | <i>fluocinolone</i> .....                 | 112, 113 | MCG/ML).....                            | 179    |
| B .....                                 | 67  | <i>fluocinolone acetonide oil ...</i>     | 165      | GAMMAPLEX.....                          | 179    |
| FANAPT TITRATION PACK                   |     | <i>fluocinonide</i> .....                 | 113      | GAMUNEX-C .....                         | 179    |
| C .....                                 | 67  | <i>fluocinonide-emollient</i> .....       | 113      | GARDASIL 9 (PF) .....                   | 186    |
| FASENRA.....                            | 201 | <i>fluoride (sodium)</i> .....            | 109      | <i>gatifloxacin</i> .....               | 162    |
| FASENRA PEN .....                       | 200 | <i>fluorometholone</i> .....              | 165      | GATTEX 30-VIAL.....                     | 167    |
| <i>febuxostat</i> .....                 | 57  | <i>fluorouracil</i> .....                 | 24, 110  | GAUZE BANDAGE .....                     | 142    |
| <i>feirza</i> .....                     | 102 | <i>fluoxetine</i> .....                   | 47       | GAUZE PAD.....                          | 132    |
| <i>felbamate</i> .....                  | 40  | <i>fluphenazine decanoate</i> .....       | 67       | <i>gavilyte-c</i> .....                 | 169    |
| <i>felodipine</i> .....                 | 90  | <i>fluphenazine hcl</i> .....             | 67       | <i>gavilyte-g</i> .....                 | 169    |
| FEMRING.....                            | 173 | <i>flurazepam</i> .....                   | 10       | <i>gavilyte-n</i> .....                 | 169    |

|                                  |              |                              |          |                                    |        |
|----------------------------------|--------------|------------------------------|----------|------------------------------------|--------|
| GAVRETO.....                     | 25           | HAEGARDA.....                | 80       | HUMULIN R U-500 (CONC)             |        |
| gefitinib.....                   | 25           | hailey 24 fe.....            | 102      | KWIKPEN .....                      | 52     |
| gemcitabine .....                | 25           | hailey fe 1.5/30 (28).....   | 102      | hydralazine.....                   | 89     |
| gemfibrozil.....                 | 92           | hailey fe 1/20 (28).....     | 102      | hydrochlorothiazide .....          | 91     |
| gemmily .....                    | 102          | halobetasol propionate ..... | 113      | hydrocodone-acetaminophen... 4     |        |
| generlac .....                   | 167          | haloette .....               | 102      | hydrocodone-ibuprofen..... 4       |        |
| gengraf .....                    | 180          | haloperidol.....             | 67       | hydrocortisone ..... 113, 174, 190 |        |
| gentamicin .....                 | 11, 111, 162 | haloperidol decanoate .....  | 67       | hydrocortisone butyrate .....      | 113    |
| gentamicin sulfate (ped) (pf) .. | 11           | haloperidol lactate.....     | 67       | hydrocortisone valerate .....      | 113    |
| GENVOYA .....                    | 73           | HARVONI.....                 | 77       | hydrocortisone-acetic acid... 162  |        |
| GILOTRIF.....                    | 25           | HAVRIX (PF).....             | 186      | hydromorphone .....                | 5      |
| glatiramer.....                  | 96           | HEALTHWISE INSULIN           |          | hydromorphone (pf) .....           | 4      |
| glatopa.....                     | 97           | SYRINGE.....                 | 132, 133 | hydroxychloroquine .....           | 62     |
| glimepiride .....                | 54           | HEALTHWISE PEN NEEDLE        |          | hydroxyurea .....                  | 25     |
| glipizide .....                  | 54           | .....                        | 133      | hydroxyzine hcl .....              | 58     |
| glipizide-metformin .....        | 54           | HEALTHY ACCENTS              |          | hydroxyzine pamoate .....          | 193    |
| glucagon emergency kit           |              | UNIFINE PENTIP.....          | 133      | HYRNUO .....                       | 25     |
| (human) .....                    | 192          | heather .....                | 102      | <b>I</b>                           |        |
| glutamine (sickle cell) .....    | 193          | HEMADY.....                  | 173      | ibandronate .....                  | 191    |
| glyburide.....                   | 54           | heparin (porcine) .....      | 79       | IBRANCE .....                      | 25     |
| glyburide micronized.....        | 54           | HEPLISAV-B (PF).....         | 186      | IBTROZI.....                       | 26     |
| glyburide-metformin.....         | 54           | HERCEPTIN HYLECTA.....       | 25       | ibu .....                          | 7      |
| glycerol phenylbutyrate.....     | 167          | HERNEXEOS .....              | 25       | ibuprofen .....                    | 7      |
| glycopyrrolate .....             | 167          | HETLIOZ LQ.....              | 203      | ibuprofen-famotidine.....          | 7      |
| glydo .....                      | 8            | HIBERIX (PF).....            | 186      | icatibant .....                    | 89     |
| GLYXAMBI .....                   | 49           | HUMIRA .....                 | 180      | iclevia .....                      | 102    |
| GOMEKLI .....                    | 25           | HUMIRA PEN .....             | 180      | ICLUSIG.....                       | 26     |
| granisetron hcl .....            | 60           | HUMIRA PEN CROHNS-UC-        |          | icosapent ethyl .....              | 92, 93 |
| griseofulvin microsize .....     | 56           | HS START .....               | 180      | IDHIFA .....                       | 26     |
| griseofulvin ultramicrosize..... | 56           | HUMIRA(CF) .....             | 180      | IDVYNZO.....                       | 73     |
| guanfacine .....                 | 83, 97       | HUMIRA(CF) PEDI CROHNS       |          | ifosfamide.....                    | 26     |
| GVOKE.....                       | 193          | STARTER .....                | 180      | ILEVRO.....                        | 165    |
| GVOKE HYPOPEN 2-PACK             |              | HUMIRA(CF) PEN.....          | 180      | imatinib .....                     | 26     |
| .....                            | 193          | HUMIRA(CF) PEN CROHNS-       |          | IMBRUVICA.....                     | 26     |
| GVOKE PFS 1-PACK                 |              | UC-HS .....                  | 180      | IMDELLTRA .....                    | 26     |
| SYRINGE.....                     | 193          | HUMIRA(CF) PEN               |          | imipenem-cilastatin.....           | 15     |
| <b>H</b>                         |              | PEDIATRIC UC.....            | 180      | imipramine hcl .....               | 47     |
| HADLIMA .....                    | 180          | HUMIRA(CF) PEN PSOR-UV-      |          | imipramine pamoate .....           | 47     |
| HADLIMA PUSHTOUCH ..             | 180          | ADOL HS .....                | 180      | imiquimod .....                    | 110    |
| HADLIMA(CF) .....                | 180          | HUMULIN R U-500 (CONC)       |          | IMJUDO .....                       | 26     |
| HADLIMA(CF) PUSHTOUCH            |              | INSULIN .....                | 52       | IMKELDI.....                       | 26     |
| .....                            | 180          |                              |          |                                    |        |

|                                             |     |
|---------------------------------------------|-----|
| IMOVAX RABIES VACCINE (PF).....             | 186 |
| IMPAVIDO.....                               | 62  |
| INBRIJA.....                                | 63  |
| <i>incassia</i> .....                       | 102 |
| INCONTROL ALCOHOL PADS.....                 | 133 |
| INCONTROL PEN NEEDLE .....                  | 133 |
| INCRELEX.....                               | 175 |
| <i>indapamide</i> .....                     | 91  |
| <i>indomethacin</i> .....                   | 7   |
| INFANRIX (DTAP) (PF).....                   | 186 |
| <i>infliximab</i> .....                     | 181 |
| INGREZZA.....                               | 97  |
| INGREZZA INITIATION PK(TARDIV).....         | 97  |
| INGREZZA SPRINKLE.....                      | 97  |
| INLEXZO.....                                | 26  |
| INLURIYO.....                               | 26  |
| INLYTA.....                                 | 26  |
| INPEN (FOR HUMALOG) BLUE .....              | 133 |
| INPEN (FOR HUMALOG) GREY.....               | 134 |
| INPEN (FOR HUMALOG) PINK.....               | 134 |
| INPEN (NOVOLOG OR FIASP) BLUE .....         | 134 |
| INPEN (NOVOLOG OR FIASP) GREY.....          | 134 |
| INPEN (NOVOLOG OR FIASP) PINK .....         | 134 |
| INQOVI.....                                 | 26  |
| INREBIC.....                                | 27  |
| <i>insulin asp prt-insulin aspart</i> ..... | 52  |
| <i>insulin aspart u-100</i> .....           | 52  |
| <i>insulin glargine-yfgn</i> .....          | 52  |
| <i>insulin lispro</i> .....                 | 52  |
| INSULIN SYR/NDL U100 HALF MARK .....        | 134 |

|                                                      |          |
|------------------------------------------------------|----------|
| INSULIN SYRINGE MICROFINE .....                      | 117      |
| INSULIN SYRINGE-NEEDLE U-100 132, 134, 135, 143, 147 |          |
| INSULIN U-500 SYRINGE-NEEDLE.....                    | 135      |
| INSUPEN PEN NEEDLE .. 135, 136                       |          |
| INTELENCE .....                                      | 73       |
| <i>introvale</i> .....                               | 102      |
| INVEGA HAFYERA.....                                  | 67       |
| INVEGA SUSTENNA ....                                 | 67, 68   |
| INVEGA TRINZA .....                                  | 68       |
| INVELTYS.....                                        | 165      |
| IPOLE .....                                          | 186      |
| <i>ipratropium bromide</i> ....                      | 162, 199 |
| <i>ipratropium-albuterol</i> .....                   | 199      |
| IQIRVO .....                                         | 167      |
| <i>irbesartan</i> .....                              | 83       |
| <i>irbesartan-hydrochlorothiazide</i> .....          | 84       |
| <i>irinotecan</i> .....                              | 27       |
| ISENTRESS .....                                      | 73       |
| ISENTRESS HD.....                                    | 73       |
| <i>isibloom</i> .....                                | 102      |
| ISOLYTE S PH 7.4 .....                               | 196      |
| ISOLYTE-P IN 5 % DEXTROSE .....                      | 196      |
| ISOLYTE-S.....                                       | 196      |
| <i>isoniazid</i> .....                               | 60       |
| <i>isosorbide dinitrate</i> .....                    | 94       |
| <i>isosorbide mononitrate</i> .....                  | 94       |
| <i>isosorbide-hydralazine</i> .....                  | 94       |
| <i>isradipine</i> .....                              | 90       |
| ITOVEBI .....                                        | 27       |
| <i>itraconazole</i> .....                            | 56       |
| IV PREP WIPES .....                                  | 136      |
| <i>ivabradine</i> .....                              | 89       |
| <i>ivermectin</i> .....                              | 62       |
| IWILFIN.....                                         | 27       |
| IXIARO (PF) .....                                    | 186      |

|                                   |        |
|-----------------------------------|--------|
| <b>J</b>                          |        |
| <i>jaimiess</i> .....             | 102    |
| JAKAFI.....                       | 27     |
| JAKAFI XR .....                   | 27     |
| <i>jantoven</i> .....             | 79     |
| JANUMET.....                      | 49     |
| JANUMET XR .....                  | 49     |
| JANUVIA .....                     | 49     |
| JARDIANCE .....                   | 49     |
| JASCAYD.....                      | 201    |
| <i>jasmiel (28)</i> .....         | 102    |
| JAVADIN .....                     | 86     |
| <i>javygtor</i> .....             | 160    |
| JAYPIRCA .....                    | 27     |
| JEMPERLI.....                     | 27     |
| <i>jencycla</i> .....             | 102    |
| JENTADUETO .....                  | 49     |
| JENTADUETO XR .....               | 49, 50 |
| <i>jinteli</i> .....              | 173    |
| <i>jollessa</i> .....             | 102    |
| <i>juleber</i> .....              | 102    |
| JULUCA .....                      | 73     |
| <i>junel 1.5/30 (21)</i> .....    | 102    |
| <i>junel 1/20 (21)</i> .....      | 102    |
| <i>junel fe 1.5/30 (28)</i> ..... | 103    |
| <i>junel fe 1/20 (28)</i> .....   | 103    |
| <i>junel fe 24</i> .....          | 103    |
| JUXTAPID .....                    | 93     |
| JYLAMVO .....                     | 27     |
| JYNARQUE .....                    | 91     |
| JYNNEOS (PF).....                 | 186    |
| <b>K</b>                          |        |
| KALETRA.....                      | 73     |
| KALYDECO.....                     | 201    |
| <i>kariva (28)</i> .....          | 103    |
| KATERZIA.....                     | 90     |
| <i>kelnor 1/35 (28)</i> .....     | 103    |
| <i>kelnor 1/50 (28)</i> .....     | 103    |
| KERENDIA .....                    | 94     |
| KESIMPTA PEN .....                | 97     |
| <i>ketoconazole</i> .....         | 56     |
| <i>ketoprofen</i> .....           | 7      |

|                                          |        |                                         |     |                                     |          |
|------------------------------------------|--------|-----------------------------------------|-----|-------------------------------------|----------|
| <i>ketorolac</i> .....                   | 7, 165 | <i>latanoprost</i> .....                | 195 | LITE TOUCH INSULIN PEN              |          |
| KEYTRUDA.....                            | 27     | LAZCLUZE.....                           | 28  | NEEDLES.....                        | 136      |
| KEYTRUDA QLEX.....                       | 27     | <i>leflunomide</i> .....                | 181 | LITE TOUCH INSULIN                  |          |
| KIMMTRAK.....                            | 27     | <i>lenalidomide</i> .....               | 28  | SYRINGE.....                        | 136, 137 |
| KINERET.....                             | 181    | LENTOCILIN S.....                       | 17  | <i>lithium carbonate</i> .....      | 97       |
| KINRIX (PF).....                         | 186    | LENVIMA.....                            | 28  | <i>lithium citrate</i> .....        | 97       |
| <i>kionex</i> .....                      | 167    | <i>lessina</i> .....                    | 103 | LIVDELZI.....                       | 168      |
| KISQALI.....                             | 28     | <i>letrozole</i> .....                  | 28  | LIVTENCITY.....                     | 76       |
| KISQALI FEMARA CO-PACK                   |        | <i>leucovorin calcium</i> .....         | 193 | LOKELMA.....                        | 168      |
| .....                                    | 27, 28 | LEUKERAN.....                           | 28  | <i>lomustine</i> .....              | 29       |
| KLISYRI (250 MG).....                    | 110    | LEUKINE.....                            | 80  | LONSURF.....                        | 29       |
| <i>klor-con m10</i> .....                | 196    | <i>leuprolide</i> .....                 | 29  | <i>loperamide</i> .....             | 168      |
| <i>klor-con m15</i> .....                | 196    | <i>leuprolide acetate (3 month)</i> ..  | 29  | <i>lopinavir-ritonavir</i> .....    | 74       |
| <i>klor-con m20</i> .....                | 196    | <i>levetiracetam</i> .....              | 41  | LOQTORZI.....                       | 29       |
| KLOXXADO.....                            | 9      | <i>levobunolol</i> .....                | 195 | <i>lorazepam</i> .....              | 10       |
| KOMZIFTI.....                            | 28     | <i>levocarnitine</i> .....              | 193 | <i>lorazepam intensol</i> .....     | 10       |
| KOSELUGO.....                            | 28     | <i>levocarnitine (with sugar)</i> ...   | 193 | LORBRENA.....                       | 29       |
| <i>kosher prenatal plus iron</i> ....    | 204    | <i>levocetirizine</i> .....             | 58  | <i>loryna (28)</i> .....            | 104      |
| KRAZATI.....                             | 28     | <i>levofloxacin</i> .....               | 17  | <i>losartan</i> .....               | 84       |
| <i>kurvelo (28)</i> .....                | 103    | <i>levofloxacin in d5w</i> .....        | 17  | <i>losartan-hydrochlorothiazide</i> | 84       |
| KYLEENA.....                             | 103    | <i>levonest (28)</i> .....              | 104 | LOTEMAX.....                        | 165      |
| <b>L</b>                                 |        | <i>levonorgest-eth.estradiol-iron</i>   |     | LOTEMAX SM.....                     | 165      |
| <i>l norgest/e.estradiol-e.estradiol</i> | 103    | .....                                   | 104 | <i>loteprednol etabonate</i> .....  | 165      |
| <i>labetalol</i> .....                   | 87     | <i>levonorgestrel-ethinyl estradiol</i> | 104 | <i>lovastatin</i> .....             | 93       |
| <i>lacosamide</i> .....                  | 40, 41 | <i>levonorg-eth estradiol triphasic</i> | 104 | <i>low-ogestrel (28)</i> .....      | 104      |
| <i>lactulose</i> .....                   | 167    | <i>levora-28</i> .....                  | 104 | <i>loxapine succinate</i> .....     | 68       |
| <i>lagevrio (eua)</i> .....              | 78     | <i>levothyroxine</i> .....              | 177 | <i>lo-zumandimine (28)</i> .....    | 104      |
| <i>lamivudine</i> .....                  | 73     | LEXIVA.....                             | 74  | <i>lubiprostone</i> .....           | 168      |
| <i>lamivudine-zidovudine</i> .....       | 74     | LIBERVANT.....                          | 41  | <i>luizza</i> .....                 | 104      |
| <i>lamotrigine</i> .....                 | 41     | <i>lidocaine</i> .....                  | 8   | LUMAKRAS.....                       | 29       |
| <i>lanreotide</i> .....                  | 175    | <i>lidocaine hcl</i> .....              | 8   | LUMIGAN.....                        | 195      |
| <i>lansoprazole</i> .....                | 166    | <i>lidocaine-prilocaine</i> .....       | 8   | LUNSUMIO.....                       | 29       |
| <i>lanthanum</i> .....                   | 169    | <i>lidocan iii</i> .....                | 8   | LUNSUMIO VELO.....                  | 29       |
| LANTUS SOLOSTAR U-100                    |        | LILETTA.....                            | 104 | LUPRON DEPOT.....                   | 30, 175  |
| INSULIN.....                             | 53     | <i>linezolid</i> .....                  | 12  | LUPRON DEPOT (3 MONTH)              |          |
| LANTUS U-100 INSULIN....                 | 53     | <i>linezolid in dextrose 5%</i> .....   | 12  | .....                               | 29, 175  |
| <i>lapatinib</i> .....                   | 28     | LINZESS.....                            | 167 | LUPRON DEPOT (4 MONTH)              |          |
| <i>larin 1.5/30 (21)</i> .....           | 103    | <i>liomny</i> .....                     | 177 | .....                               | 29       |
| <i>larin 1/20 (21)</i> .....             | 103    | <i>liothyronine</i> .....               | 177 | LUPRON DEPOT (6 MONTH)              |          |
| <i>larin 24 fe</i> .....                 | 103    | LISCO.....                              | 136 | .....                               | 29       |
| <i>larin fe 1.5/30 (28)</i> .....        | 103    | <i>lisinopril</i> .....                 | 85  | LUPRON DEPOT-PED.....               | 175      |
| <i>larin fe 1/20 (28)</i> .....          | 103    | <i>lisinopril-hydrochlorothiazide</i>   | 85  |                                     |          |

LUPRON DEPOT-PED (3 MONTH).....175  
*lurasidone*.....68  
*lutra (28)*.....104  
LUTRATE DEPOT (3 MONTH).....30  
LYBALVI .....68  
*lyleq* .....104  
*lyllana*.....173  
LYNOZYFIC .....30  
LYNPARZA.....30  
LYSODREN.....30  
LYTGOBI .....30  
*lyza* .....104  
**M**  
*macitentan* .....203  
MAGELLAN INSULIN SAFETY SYRNG .....137  
MAGELLAN SYRINGE .....137  
*magnesium sulfate* .....196  
*malathion*.....114  
*maraviroc* .....74  
MARGENZA .....30  
*marlissa (28)* .....104  
*marnatal-f*.....204  
MARPLAN .....47  
MATULANE .....30  
*matzim la* .....88  
MAVYRET .....77  
MAXICOMFORT II PEN NEEDLE .....137  
MAXICOMFORT INSULIN SYRINGE.....137  
MAXI-COMFORT INSULIN SYRINGE.....137  
MAXI-COMFORT INSULIN SYRINGE.....137  
MAXICOMFORT SAFETY PEN NEEDLE.....137, 138  
MAYZENT .....97  
MAYZENT STARTER(FOR 1MG MAINT).....97

MAYZENT STARTER(FOR 2MG MAINT) ..... 97  
*meclizine* ..... 60  
*medroxyprogesterone* ..... 176  
*mefenamic acid* ..... 7  
*mefloquine* ..... 62  
*megestrol* ..... 30, 176  
MEKINIST ..... 30  
MEKTOVI..... 30  
*meleya* ..... 104  
*meloxicam* ..... 7  
*memantine*..... 45  
*memantine-donepezil* ..... 45  
MENACTRA (PF)..... 186  
MENQUADFI (PF) ..... 187  
MENVEO A-C-Y-W-135-DIP (PF) ..... 187  
*mercaptopurine*..... 30  
*meropenem*..... 15  
*merzee* ..... 105  
*mesalamine* ..... 190, 191  
*mesna* ..... 193  
*metadate er* ..... 97  
*metformin* ..... 50  
*methadone*..... 5  
*methazolamide* ..... 195  
*methenamine hippurate* ..... 12  
*methimazole* ..... 177  
*methocarbamol* ..... 202  
*methotrexate sodium*..... 31  
*methotrexate sodium (pf)* . 30, 31  
*methoxsalen* ..... 110  
*methscopolamine* ..... 168  
*methsuximide* ..... 41  
*methylphenidate hcl* ..... 98  
*methylprednisolone*..... 174  
*methylprednisolone acetate* . 174  
*metoclopramide hcl* ..... 168  
*metolazone* ..... 91  
*metoprolol succinate*..... 87  
*metoprolol ta-hydrochlorothiaz* ..... 87

*metoprolol tartrate*..... 87  
*metronidazole*..... 12, 58, 111  
*metronidazole in nacl (iso-os)* 12  
*metyrosine* ..... 89  
*mexiletine* ..... 86  
*micafungin*..... 56  
*miconazole-3* ..... 56  
MICRODOT INSULIN PEN NEEDLE ..... 138  
MICRODOT READYGARD PEN NEEDLE ..... 138  
*microgestin 1.5/30 (21)* ..... 105  
*microgestin 1/20 (21)* ..... 105  
*microgestin 24 fe*..... 105  
*microgestin fe 1.5/30 (28)* .... 105  
*microgestin fe 1/20 (28)* ..... 105  
*midodrine* ..... 83  
MIEBO (PF)..... 162  
*mifepristone*..... 50  
*miglitol* ..... 50  
*miglustat*..... 160  
*mili* ..... 105  
*mimvey* ..... 173  
MINI ULTRA-THIN II..... 138  
*minocycline* ..... 18, 19  
*minoxidil* ..... 94  
MIPLYFFA..... 160  
MIRENA..... 105  
*mirtazapine* ..... 47  
*misoprostol*..... 166  
*mitoxantrone* ..... 31  
M-M-R II (PF) ..... 187  
*m-natal plus* ..... 204  
*modafinil* ..... 203  
MODEYSO..... 31  
*moexipril* ..... 85  
*molindone*..... 68  
*mometasone*..... 114, 165  
MONOJECT INSULIN SAFETY SYRING..... 139  
MONOJECT INSULIN SYRINGE ..... 138, 139

|                                                |         |                                                       |         |                                                |          |
|------------------------------------------------|---------|-------------------------------------------------------|---------|------------------------------------------------|----------|
| MONOJECT SYRINGE .....                         | 138     | <i>nebivolol</i> .....                                | 87      | <i>norelgestromin-ethin.estradiol</i><br>..... | 105      |
| MONOJECT ULTRA                                 |         | <i>nefazodone</i> .....                               | 47      | <i>norethindrone (contraceptive)</i><br>.....  | 105      |
| COMFORT INSULIN.....                           | 154     | <i>neomycin</i> .....                                 | 11      | <i>norethindrone acetate</i> .....             | 176      |
| <i>mono-lynyah</i> .....                       | 105     | <i>neomycin-bacitracin-poly-hc</i>                    | 163     | <i>norethindrone ac-eth estradiol</i><br>..... | 105, 173 |
| <i>montelukast</i> .....                       | 198     | <i>neomycin-bacitracin-polymyxin</i><br>.....         | 163     | <i>norethindrone-e.estradiol-iron</i><br>..... | 105, 106 |
| <i>morphine</i> .....                          | 5       | <i>neomycin-polymyxin b-</i><br><i>dexameth</i> ..... | 163     | <i>norgestimate-ethinyl estradiol</i><br>..... | 106      |
| MORPHINE .....                                 | 5       | <i>neomycin-polymyxin-gramicidin</i><br>.....         | 163     | <i>nortrel 1/35 (21)</i> .....                 | 106      |
| <i>morphine concentrate</i> .....              | 5       | <i>neomycin-polymyxin-hc</i> .....                    | 163     | <i>nortrel 1/35 (28)</i> .....                 | 106      |
| MOUNJARO.....                                  | 50      | <i>neo-polycin</i> .....                              | 163     | <i>nortrel 7/7/7 (28)</i> .....                | 106      |
| MOVANTIK .....                                 | 168     | <i>neo-polycin hc</i> .....                           | 163     | <i>nortriptyline</i> .....                     | 47       |
| <i>moxifloxacin</i> .....                      | 17, 163 | NERLYNX .....                                         | 31      | NORVIR .....                                   | 74       |
| <i>moxifloxacin-sod.ace,sul-water</i><br>..... | 17      | NEUPRO .....                                          | 63      | NOVOFINE 32 .....                              | 139      |
| <i>moxifloxacin-sod.chloride(iso)</i><br>..... | 17      | <i>nevirapine</i> .....                               | 74      | NOVOFINE AUTOCOVER                             | 139      |
| MRESVIA (PF).....                              | 187     | <i>newgen</i> .....                                   | 205     | NOVOFINE PLUS .....                            | 139      |
| MULTAQ .....                                   | 86      | NEXLETOL .....                                        | 93      | NOVOLIN 70/30 U-100<br>INSULIN.....            | 53       |
| <i>mupirocin</i> .....                         | 111     | NEXLIZET .....                                        | 93      | NOVOLIN 70-30 FLEXPEN U-<br>100.....           | 53       |
| <i>mycophenolate mofetil</i> .....             | 181     | NEXPLANON.....                                        | 105     | NOVOLIN N FLEXPEN.....                         | 53       |
| <i>mycophenolate mofetil (hcl)</i> ..          | 181     | <i>niacin</i> .....                                   | 93      | NOVOLIN N NPH U-100<br>INSULIN.....            | 53       |
| <i>mycophenolate sodium</i> .....              | 181     | <i>niacor</i> .....                                   | 93      | NOVOLIN R FLEXPEN .....                        | 53       |
| <i>mynatal</i> .....                           | 205     | <i>nicardipine</i> .....                              | 90      | NOVOLIN R REGULAR U100<br>INSULIN.....         | 53       |
| <i>mynatal advance</i> .....                   | 205     | NICOTROL .....                                        | 9       | NOVOLOG FLEXPEN U-100<br>INSULIN.....          | 53       |
| <i>mynatal plus</i> .....                      | 205     | NICOTROL NS.....                                      | 9       | NOVOLOG MIX 70-30 U-100<br>INSULN.....         | 53       |
| <i>mynatal-z</i> .....                         | 205     | <i>nifedipine</i> .....                               | 90      | NOVOLOG MIX 70-<br>30FLEXPEN U-100.....        | 53       |
| <i>mynate 90 plus</i> .....                    | 205     | <i>nikki (28)</i> .....                               | 105     | NOVOLOG PENFILL U-100<br>INSULIN.....          | 53       |
| MYRBETRIQ .....                                | 170     | NIKTIMVO .....                                        | 181     | NOVOLOG U-100 INSULIN<br>ASPART .....          | 54       |
| <b>N</b>                                       |         | <i>nilotinib hcl</i> .....                            | 31      | NOXAFIL .....                                  | 56       |
| <i>nabumetone</i> .....                        | 7       | <i>nilutamide</i> .....                               | 31      | NUBEQA .....                                   | 31       |
| <i>nadolol</i> .....                           | 87      | NINLARO .....                                         | 31      | NUCALA .....                                   | 201      |
| <i>nafcilin</i> .....                          | 17      | <i>nintedanib</i> .....                               | 201     |                                                |          |
| <i>naloxone</i> .....                          | 9       | <i>nitazoxanide</i> .....                             | 62      |                                                |          |
| <i>naltrexone</i> .....                        | 9       | <i>nitisinone</i> .....                               | 160     |                                                |          |
| NAMZARIC.....                                  | 45      | <i>nitrofurantoin macrocrystal</i> ..                 | 12      |                                                |          |
| NANO 2ND GEN PEN                               |         | <i>nitrofurantoin monohyd/m-cryst</i><br>.....        | 12      |                                                |          |
| NEEDLE .....                                   | 139     | <i>nitroglycerin</i> .....                            | 94, 193 |                                                |          |
| NANO PEN NEEDLE .....                          | 139     | <i>niva-plus</i> .....                                | 205     |                                                |          |
| <i>naproxen</i> .....                          | 7, 8    | NIVESTYM.....                                         | 80      |                                                |          |
| <i>naratriptan</i> .....                       | 59      | <i>nizatidine</i> .....                               | 166     |                                                |          |
| NATACYN .....                                  | 163     | NORDITROPIN FLEXPEN                                   | 175     |                                                |          |
| <i>nateglinide</i> .....                       | 50      |                                                       |         |                                                |          |
| NAYZILAM.....                                  | 42      |                                                       |         |                                                |          |

|                                        |        |                              |     |                                       |          |
|----------------------------------------|--------|------------------------------|-----|---------------------------------------|----------|
| NULOJIX.....                           | 181    | OMNIPOD 5                    |     | <i>oxybutynin chloride</i> .....      | 170      |
| NUPLAZID.....                          | 68     | INTRO(G6/LIBRE2PLUS)         |     | <i>oxycodone</i> .....                | 5        |
| NURTEC ODT.....                        | 59     | .....                        | 140 | <i>oxycodone-acetaminophen</i> ...    | 5, 6     |
| <i>nyamyc</i> .....                    | 56     | OMNIPOD CLASSIC PODS         |     | <i>oxymorphone</i> .....              | 6        |
| <i>nylia 1/35 (28)</i> .....           | 106    | (GEN 3) .....                | 140 | OZEMPIC .....                         | 50       |
| <i>nylia 7/7/7 (28)</i> .....          | 106    | OMNIPOD DASH INTRO KIT       |     | <b>P</b>                              |          |
| <i>nymyo</i> .....                     | 106    | (GEN 4) .....                | 140 | <i>pacerone</i> .....                 | 86       |
| <i>nystatin</i> .....                  | 56     | OMNIPOD DASH PDM KIT         |     | <i>paclitaxel</i> .....               | 32       |
| <i>nystatin-triamcinolone</i> .....    | 56     | (GEN 4) .....                | 140 | <i>paclitaxel protein-bound</i> ..... | 32       |
| <i>nystop</i> .....                    | 56     | OMNIPOD DASH PODS (GEN       |     | <i>paliperidone</i> .....             | 69       |
| NYVEPRIA.....                          | 80     | 4).....                      | 140 | PALYNZIQ.....                         | 161      |
| <b>O</b>                               |        | ONAPGO.....                  | 63  | PANRETIN.....                         | 110      |
| <i>obstetrix dha</i> .....             | 205    | <i>ondansetron</i> .....     | 61  | <i>pantoprazole</i> .....             | 167      |
| <i>obstetrix dha prenatal duo</i> ...  | 205    | <i>ondansetron hcl</i> ..... | 61  | <i>paricalcitol</i> .....             | 191      |
| OALIVA.....                            | 168    | ONGENTYS.....                | 63  | <i>paroxetine hcl</i> .....           | 48       |
| <i>octreotide acetate</i> .....        | 175    | ONUREG.....                  | 32  | PAXLOVID .....                        | 76       |
| ODEFSEY .....                          | 74     | OPDIVO .....                 | 32  | <i>pazopanib</i> .....                | 32       |
| ODOMZO .....                           | 31     | OPDIVO QVANTIG.....          | 32  | PEDIARIX (PF).....                    | 187      |
| <i>ofloxacin</i> .....                 | 163    | OPDUALAG .....               | 32  | PEDVAX HIB (PF) .....                 | 187      |
| OGIVRI.....                            | 31     | OPIPZA .....                 | 69  | <i>peg 3350-electrolytes</i> .....    | 169      |
| OGSIVEO .....                          | 31     | OPSUMIT.....                 | 203 | PEGASYS.....                          | 77       |
| OJEMDA.....                            | 31     | ORENCIA .....                | 181 | <i>peg-electrolyte soln</i> .....     | 169      |
| OJJAARA.....                           | 31     | ORENCIA (WITH MALTOSE)       |     | PEMAZYRE.....                         | 32       |
| <i>olanzapine</i> .....                | 68, 69 | .....                        | 181 | <i>pemetrexed disodium</i> .....      | 32       |
| <i>olmesartan</i> .....                | 84     | ORENCIA CLICKJECT ....       | 181 | PEMRYDI RTU.....                      | 32       |
| <i>olmesartan-amlodipin-hcthiazid</i>  |        | ORFADIN .....                | 161 | PEN NEEDLE .....                      | 140, 141 |
| .....                                  | 84     | ORGOVYX .....                | 175 | PEN NEEDLE, DIABETIC 121,             |          |
| <i>olmesartan-hydrochlorothiazide</i>  |        | ORLISSA .....                | 176 | 132, 138, 140, 143                    |          |
| .....                                  | 84     | ORKAMBI .....                | 201 | PEN NEEDLE, DIABETIC,                 |          |
| <i>olopatadine</i> .....               | 162    | <i>orquidea</i> .....        | 106 | SAFETY .....                          | 144      |
| <i>omega-3 acid ethyl esters</i> ..... | 93     | ORSERDU.....                 | 32  | PENBRAYA (PF).....                    | 187      |
| <i>omeprazole</i> .....                | 166    | <i>oseltamivir</i> .....     | 76  | PENBRAYA MENACWY                      |          |
| <i>omeprazole-sodium bicarbonate</i>   |        | OSENVELT.....                | 191 | COMPONENT(PF).....                    | 187      |
| .....                                  | 166    | OSMOLEX ER.....              | 64  | PENBRAYA MENB                         |          |
| OMNIPOD 5 (G6/LIBRE 2                  |        | OTEZLA.....                  | 181 | COMPONENT (PF).....                   | 187      |
| PLUS).....                             | 139    | OTEZLA STARTER.....          | 181 | <i>penciclovir</i> .....              | 110      |
| OMNIPOD 5 G6-G7 INTRO                  |        | OTEZLA XR .....              | 182 | <i>penicillamine</i> .....            | 171      |
| KT(GEN5).....                          | 140    | OTEZLA XR INITIATION         | 182 | <i>penicillin g potassium</i> .....   | 17       |
| OMNIPOD 5 G6-G7 PODS                   |        | <i>oxaliplatin</i> .....     | 32  | <i>penicillin v potassium</i> .....   | 17       |
| (GEN 5).....                           | 140    | <i>oxandrolone</i> .....     | 171 | PENMENVY MEN A-B-C-W-                 |          |
|                                        |        | <i>oxazepam</i> .....        | 10  | Y (PF).....                           | 187      |
|                                        |        | <i>oxcarbazepine</i> .....   | 42  |                                       |          |

PENMENVY MENACWY  
 COMPONENT(PF).....187  
 PENMENVY MENB  
 COMPONENT (PF).....188  
 PENTACEL (PF) .....188  
*pentamidine* .....62  
 PENTIPS PEN NEEDLE .....141  
*pentoxifylline* .....81  
*perampanel*.....42  
*perindopril erbumine*.....85  
*periogard*.....109  
*permethrin* .....114  
*perphenazine* .....69  
*perphenazine-amitriptyline* ....48  
 PERSERIS.....69  
*phenelzine*.....48  
*phenobarbital* .....42  
*phenytekt*.....42  
*phenytoin* .....42  
*phenytoin sodium*.....42  
*phenytoin sodium extended* ....42  
*philit* .....106  
 PIFELTRO .....74  
*pilocarpine hcl*.....109, 195  
*pimecrolimus* .....114  
*pimozide* .....69  
*pimtree (28)*.....106  
*pindolol*.....87  
*pioglitazone* .....50  
*pioglitazone-metformin* .....50  
 PIP PEN NEEDLE .....141  
*piperacillin-tazobactam* .....17  
 PIQRAY .....33  
*pirfenidone* .....201  
*piroxicam*.....8  
*pitavastatin calcium* .....93  
 PLASMA-LYTE A .....196  
 PLEGRIDY .....98, 99  
*pnv-dha + docusate*.....205  
*pnv-omega* .....205  
*podofilox*.....110  
*polycin* .....163

*polymyxin b sulfate* ..... 12  
*polymyxin b sulf-trimethoprim*  
 ..... 164  
*pomalidomide* ..... 33  
 POMALYST..... 33  
*portia 28* ..... 106  
*posaconazole* ..... 57  
*potassium chloride*..... 196, 197  
*potassium chloride-0.45 % nacl*  
 ..... 197  
*potassium citrate*..... 197  
*pr natal 400* ..... 205  
*pr natal 400 ec* ..... 205  
*pr natal 430* ..... 205  
*pr natal 430 ec* ..... 205  
*pramipexole* ..... 64  
*prasugrel hcl*..... 81  
*pravastatin* ..... 93  
*praziquantel* ..... 62  
*prazosin* ..... 83  
*prednisolone* ..... 174  
*prednisolone acetate*..... 165  
*prednisolone sodium phosphate*  
 ..... 165, 174  
*prednisone* ..... 174  
*pregabalin*..... 42  
 PREMARIN..... 173  
 PREMPHASE..... 173  
 PREMPRO..... 173  
*prenal true* ..... 205  
*prenaissance* ..... 205  
*prenaissance plus* ..... 205  
*prenatabs fa* ..... 205  
*prenatal 19*..... 206  
*prenatal 19 (with docusate)*. 205  
*prenatal plus* ..... 206  
*prenatal plus (calcium carb)* 205  
*prenatal vitamin plus low iron*  
 ..... 206  
*prenatal-u* ..... 206  
*prevalite* ..... 93

PREVENT DROPSAFE PEN  
 NEEDLE ..... 141  
 PREVYMIS ..... 76  
 PREZCOBIX ..... 74  
 PREZISTA ..... 74  
 PRIFTIN ..... 60  
 PRIMAQUINE ..... 62  
*primidone* ..... 42  
 PRIORIX (PF) ..... 188  
 PRO COMFORT ALCOHOL  
 PADS ..... 141  
 PRO COMFORT INSULIN  
 SYRINGE ..... 141  
 PRO COMFORT PEN  
 NEEDLE ..... 142  
 PROAIR RESPICLICK ..... 199  
*probenecid*..... 57  
*probenecid-colchicine* ..... 57  
*prochlorperazine*..... 61  
*prochlorperazine edisylate*..... 61  
*prochlorperazine maleate* ..... 61  
 PRO-COMFORT ALCOHOL  
 PADS ..... 142  
*procto-med hc* ..... 114  
*proctosol hc*..... 114  
*proctozone-hc*..... 114  
 PRODIGY INSULIN  
 SYRINGE ..... 142  
*progesterone micronized*..... 176  
 PROGRAF ..... 182  
 PROLASTIN-C..... 201  
*promethazine*..... 58, 61  
*promethegan* ..... 61  
*propafenone* ..... 86  
*propranolol* ..... 87  
*propylthiouracil* ..... 177  
 PROQUAD (PF) ..... 188  
 PROSOL 20 %..... 82  
*protriptyline* ..... 48  
 PULMOZYME ..... 161  
 PURE COMFORT ALCOHOL  
 PADS ..... 142

|                                         |  |                                          |                                         |
|-----------------------------------------|--|------------------------------------------|-----------------------------------------|
| PURE COMFORT PEN                        |  | REYATAZ..... 74                          | RYBREVANT FASPRO ..... 34               |
| NEEDLE ..... 142                        |  | REZDIFFRA ..... 177                      | RYDAPT..... 34                          |
| PURE COMFORT SAFETY                     |  | REZLIDHIA ..... 33                       | RYKINDO ..... 70                        |
| PEN NEEDLE..... 142                     |  | REZUROCK..... 182                        | RYTELO..... 34                          |
| <i>pyrazinamide</i> ..... 60            |  | RHOPRESSA ..... 195                      | <b>S</b>                                |
| <i>pyridostigmine bromide</i> ..... 193 |  | <i>ribavirin</i> ..... 78                | <i>sacubitril-valsartan</i> ..... 84    |
| <i>pyrimethamine</i> ..... 62           |  | RIDAURA ..... 182                        | SAFESNAP INSULIN                        |
| <b>Q</b>                                |  | <i>rifabutin</i> ..... 60                | SYRINGE ..... 143, 144                  |
| QINLOCK..... 33                         |  | <i>rifampin</i> ..... 60                 | SAFETY PEN NEEDLE ..... 144             |
| QUADRACEL (PF) ..... 188                |  | <i>rilpivirine</i> ..... 75              | <i>sajazir</i> ..... 89                 |
| <i>quetiapine</i> ..... 69              |  | <i>rilpivirine hcl</i> ..... 74          | SANTYL..... 110                         |
| <i>quinapril</i> ..... 85               |  | <i>riluzole</i> ..... 99                 | <i>sapropterin</i> ..... 161            |
| <i>quinapril-hydrochlorothiazide</i> 85 |  | <i>rimantadine</i> ..... 77              | SCSEMBLIX ..... 34                      |
| <i>quinidine gluconate</i> ..... 86     |  | RINVOQ..... 182                          | <i>scopolamine base</i> ..... 61        |
| <i>quinidine sulfate</i> ..... 86       |  | RINVOQ LQ ..... 182                      | SECUADO..... 70                         |
| <i>quinine sulfate</i> ..... 62         |  | <i>risedronate</i> ..... 192             | SECURESAFE INSULIN                      |
| QULIPTA..... 59                         |  | <i>risperidone</i> ..... 69, 70          | SYRINGE ..... 144                       |
| <b>R</b>                                |  | <i>risperidone microspheres</i> ..... 69 | SECURESAFE PEN NEEDLE                   |
| RABAVERT (PF) ..... 188                 |  | <i>ritonavir</i> ..... 75                | ..... 144                               |
| <i>rabeprazole</i> ..... 167            |  | RITUXAN HYCELA ..... 33                  | SELARSDI ..... 182                      |
| RALDESY ..... 48                        |  | <i>rivaroxaban</i> ..... 79              | <i>select-ob</i> ..... 206              |
| <i>raloxifene</i> ..... 173             |  | <i>rivastigmine</i> ..... 45             | <i>select-ob (folic acid)</i> ..... 206 |
| <i>ramipril</i> ..... 85                |  | <i>rivastigmine tartrate</i> ..... 45    | <i>selegiline hcl</i> ..... 64          |
| <i>ranolazine</i> ..... 89              |  | RIVFLOZA ..... 193                       | <i>selenium sulfide</i> ..... 111       |
| <i>rasagiline</i> ..... 64              |  | <i>rizatriptan</i> ..... 59              | SELZENTRY..... 75                       |
| RASUVO (PF) ..... 182                   |  | <i>r-natal ob</i> ..... 206              | <i>se-natal 19 chewable</i> ..... 206   |
| RAYALDEE ..... 191                      |  | ROCKLATAN..... 195                       | SEREVENT DISKUS..... 199                |
| <i>reclipsen (28)</i> ..... 106         |  | <i>roflumilast</i> ..... 201             | SEROSTIM..... 176                       |
| RECOMBIVAX HB (PF) .... 188             |  | ROLVEDON ..... 80                        | <i>sertraline</i> ..... 48              |
| REGRANEX ..... 110                      |  | ROMVIMZA ..... 33                        | <i>setlakin</i> ..... 106               |
| RELENZA DISKHALER ..... 77              |  | <i>ropinirole</i> ..... 64               | <i>sevelamer carbonate</i> ..... 169    |
| RELISTOR..... 168                       |  | <i>rosadan</i> ..... 111                 | <i>sevelamer hcl</i> ..... 169          |
| <i>repaglinide</i> ..... 50             |  | <i>rosuvastatin</i> ..... 93             | SEZABY ..... 43                         |
| REPATHA PUSHTRONEX.. 93                 |  | <i>rosyrah</i> ..... 106                 | <i>sf 5000 plus</i> ..... 109           |
| REPATHA SURECLICK ..... 93              |  | ROTARIX ..... 188                        | <i>sharobel</i> ..... 106               |
| REPATHA SYRINGE ..... 93                |  | ROTATEQ VACCINE..... 188                 | SHINGRIX (PF) ..... 189                 |
| RETACRIT ..... 80                       |  | ROZLYTREK ..... 33, 34                   | SIGNIFOR ..... 176                      |
| RETEVMO..... 33                         |  | RUBRACA..... 34                          | <i>sildenafil</i> ..... 203             |
| RETROVIR..... 74                        |  | <i>rufinamide</i> ..... 43               | <i>sildenafil (pulm.hypertension)</i>   |
| REVCOVI..... 161                        |  | RUKOBIA ..... 75                         | ..... 203                               |
| REVUFORJ..... 33                        |  | RYBELSUS..... 50                         | <i>silver sulfadiazine</i> ..... 111    |
| REXULTI..... 69                         |  | RYBREVANT..... 34                        | SIMBRINZA..... 195                      |

|                                                |          |                                               |          |                                         |          |
|------------------------------------------------|----------|-----------------------------------------------|----------|-----------------------------------------|----------|
| <i>simliya</i> (28).....                       | 107      | STIVARGA .....                                | 34       | SYNAREL .....                           | 176      |
| <i>simpesse</i> .....                          | 107      | STOBOCLO .....                                | 192      | SYNJARDY .....                          | 51       |
| SIMPLI PEN NEEDLE.....                         | 132      | STRENSIQ .....                                | 161      | SYNJARDY XR .....                       | 51       |
| <i>simvastatin</i> .....                       | 93, 94   | <i>streptomycin</i> .....                     | 11       | SYNRIBO .....                           | 34       |
| <i>sirolimus</i> .....                         | 182      | STRIBILD .....                                | 75       | SYRINGE WITH NEEDLE,<br>SAFETY .....    | 144      |
| SIRTURO .....                                  | 60       | STRIVERDI RESPIMAT....                        | 200      | <b>T</b>                                |          |
| <i>sitagliptin phos-metformin</i> ....         | 51       | <i>subvenite</i> .....                        | 43       | TABLOID .....                           | 34       |
| <i>sitagliptin phosphate</i> .....             | 51       | SUBVENITE .....                               | 43       | TABRECTA .....                          | 34       |
| SKY SAFETY PEN NEEDLE<br>.....                 | 144      | <i>sucralfate</i> .....                       | 167      | <i>tacrolimus</i> .....                 | 114, 183 |
| SKYLA.....                                     | 107      | <i>sulfacetamide sodium</i> .....             | 164      | <i>tadalafil</i> .....                  | 204      |
| SKYRIZI .....                                  | 182, 183 | <i>sulfacetamide sodium (acne)</i> 111        |          | TAFINLAR.....                           | 34, 35   |
| <i>sodium chloride 0.45 %</i> .....            | 197      | <i>sulfacetamide-prednisolone.</i> 164        |          | <i>tafluprost (pf)</i> .....            | 195      |
| <i>sodium chloride 0.9 %</i> .....             | 197      | <i>sulfadiazine</i> .....                     | 17       | TAGRISSO .....                          | 35       |
| <i>sodium fluoride-pot nitrate</i> ... 109     |          | <i>sulfamethoxazole-trimethoprim</i><br>..... | 18       | TAKHZYRO.....                           | 194      |
| <i>sodium oxybate</i> .....                    | 203      | <i>sulfasalazine</i> .....                    | 191      | TALVEY.....                             | 35       |
| <i>sodium phenylbutyrate</i> .....             | 168      | <i>sulindac</i> .....                         | 8        | TALZENNA .....                          | 35       |
| <i>sodium polystyrene sulfonate</i> 168        |          | <i>sumatriptan</i> .....                      | 59       | <i>tamoxifen</i> .....                  | 35       |
| <i>sodium,potassium,mag sulfates</i><br>.....  | 169      | <i>sumatriptan succinate</i> .....            | 59       | <i>tamsulosin</i> .....                 | 170      |
| <i>solifenacin</i> .....                       | 170      | <i>sumatriptan-naproxen</i> .....             | 59       | <i>tarina 24 fe</i> .....               | 107      |
| SOLQUA 100/33 .....                            | 54       | <i>sunitinib malate</i> .....                 | 34       | <i>tarina fe 1-20 eq (28)</i> .....     | 107      |
| SOLTAMOX.....                                  | 34       | SUNLENCA .....                                | 75       | <i>taron-c dha</i> .....                | 206      |
| SOMATULINE DEPOT .....                         | 176      | SURE COMFORT ALCOHOL<br>PREP PADS .....       | 145      | <i>taron-prex prenatal-dha</i> .....    | 206      |
| SOMAVERT .....                                 | 176      | SURE COMFORT INS. SYR.<br>U-100 .....         | 144      | <i>tasimelteon</i> .....                | 203      |
| <i>sorafenib</i> .....                         | 34       | SURE COMFORT INSULIN<br>SYRINGE .....         | 144, 145 | TAVALISSE.....                          | 81       |
| <i>sorine</i> .....                            | 87       | SURE COMFORT PEN<br>NEEDLE.....               | 145      | TAVNEOS.....                            | 183      |
| <i>sotalol</i> .....                           | 87       | SURE COMFORT SAFETY<br>PEN NEEDLE .....       | 144      | <i>taysofy</i> .....                    | 107      |
| <i>sotalol af</i> .....                        | 87       | SURE-FINE PEN NEEDLES<br>.....                | 145      | <i>tazarotene</i> .....                 | 114      |
| SPIRIVA RESPIMAT .....                         | 200      | SURE-JECT INSULIN<br>SYRINGE .....            | 146      | <i>tazicef</i> .....                    | 14       |
| <i>spironolactone</i> .....                    | 91, 94   | SURE-PREP ALCOHOL PREP<br>PADS .....          | 146      | <i>taztia xt</i> .....                  | 88       |
| <i>spironolacton-hydrochlorothiaz</i><br>..... | 91       | <i>syeda</i> .....                            | 107      | TDVAX.....                              | 189      |
| SPRAVATO.....                                  | 48       | SYMDEKO .....                                 | 202      | TECENTRIQ .....                         | 35       |
| <i>sprintec</i> (28) .....                     | 107      | SYMPAZAN .....                                | 43       | TECENTRIQ HYBREZA .....                 | 35       |
| SPRITAM.....                                   | 43       | SYMITUZA .....                                | 75       | TECHLITE INSULIN<br>SYRINGE .....       | 146, 147 |
| <i>sps (with sorbitol)</i> .....               | 168      |                                               |          | TECHLITE INSULN<br>SYR(HALF UNIT) ..... | 146      |
| <i>sronyx</i> .....                            | 107      |                                               |          | TECHLITE PEN NEEDLE .                   | 147      |
| <i>ssd</i> .....                               | 111      |                                               |          | TECHLITE PLUS PEN<br>NEEDLE .....       | 147      |
| <i>stavudine</i> .....                         | 75       |                                               |          | TECVAYLI.....                           | 35       |
| STERILE PADS.....                              | 132      |                                               |          | <i>telmisartan</i> .....                | 84       |
| STIOLTO RESPIMAT .....                         | 200      |                                               |          |                                         |          |

|                                            |          |                                         |         |                                       |          |
|--------------------------------------------|----------|-----------------------------------------|---------|---------------------------------------|----------|
| <i>telmisartan-amlodipine</i> .....        | 84       | TIVICAY .....                           | 75      | <i>triamcinolone acetonide</i> .....  | 109,     |
| <i>telmisartan-hydrochlorothiazid</i>      |          | TIVICAY PD.....                         | 75      | 114, 174                              |          |
| .....                                      | 84       | <i>tizanidine</i> .....                 | 202     | <i>triamterene-hydrochlorothiazid</i> |          |
| <i>temazepam</i> .....                     | 11       | TOBI PODHALER.....                      | 11      | .....                                 | 91       |
| <i>tencon</i> .....                        | 6        | <i>tobramycin</i> .....                 | 11, 164 | <i>triazolam</i> .....                | 11       |
| TENIVAC (PF) .....                         | 189      | <i>tobramycin in 0.225 % nacl...</i>    | 11      | <i>tridacaine iii</i> .....           | 8        |
| <i>tenofovir disoproxil fumarate</i> ..... | 75       | <i>tobramycin sulfate</i> .....         | 11      | <i>trientine</i> .....                | 171      |
| TEPMETKO.....                              | 35       | <i>tobramycin-dexamethasone</i> .       | 164     | <i>tri-estarylla</i> .....            | 107      |
| <i>terazosin</i> .....                     | 170      | <i>tobramycin-lotepred</i> .....        | 164     | <i>trifluoperazine</i> .....          | 70       |
| <i>terbinafine hcl</i> .....               | 57       | <i>tofacitinib</i> .....                | 183     | <i>trifluridine</i> .....             | 164      |
| <i>terbutaline</i> .....                   | 200      | <i>tolterodine</i> .....                | 170     | <i>trihexyphenidyl</i> .....          | 64       |
| <i>terconazole</i> .....                   | 58       | <i>tolvaptan (polycys kidney dis)</i>   | 91      | TRIJARDY XR.....                      | 51       |
| <i>teriflunomide</i> .....                 | 99       | <i>topiramate</i> .....                 | 43      | TRIKAFTA.....                         | 202      |
| <i>teriparatide</i> .....                  | 192      | <i>toremifene</i> .....                 | 35      | <i>tri-legest fe</i> .....            | 107      |
| TERUMO INSULIN SYRINGE                     |          | <i>torpenz</i> .....                    | 35      | <i>tri-linyah</i> .....               | 107      |
| .....                                      | 147      | <i>torse mide</i> .....                 | 91      | <i>tri-lo-estarylla</i> .....         | 107      |
| <i>testosterone</i> .....                  | 171, 172 | TOUJEO MAX U-300                        |         | <i>tri-lo-marzia</i> .....            | 107      |
| <i>testosterone cypionate</i> .....        | 171      | SOLOSTAR.....                           | 54      | <i>tri-lo-mili</i> .....              | 107      |
| <i>testosterone enanthate</i> .....        | 171      | TOUJEO SOLOSTAR U-300                   |         | <i>tri-lo-sprintec</i> .....          | 107      |
| <i>tetrabenazine</i> .....                 | 99       | INSULIN .....                           | 54      | <i>trimethoprim</i> .....             | 12       |
| <i>tetracycline</i> .....                  | 19       | TRADJENTA .....                         | 51      | <i>tri-mili</i> .....                 | 107      |
| TEVIMBRA.....                              | 35       | <i>tramadol</i> .....                   | 6       | <i>trimipramine</i> .....             | 48       |
| THALOMID.....                              | 194      | <i>tramadol-acetaminophen</i> .....     | 6       | TRINTELLIX .....                      | 48       |
| <i>theophylline</i> .....                  | 200      | <i>trandolapril</i> .....               | 85      | <i>tri-nymyo</i> .....                | 108      |
| THINPRO INSULIN SYRINGE                    |          | <i>tranexamic acid</i> .....            | 81      | <i>tri-sprintec (28)</i> .....        | 108      |
| .....                                      | 148      | <i>tranylcypromine</i> .....            | 48      | TRIUMEQ .....                         | 75       |
| <i>thioridazine</i> .....                  | 70       | TRAVASOL 10 %.....                      | 82      | TRIUMEQ PD .....                      | 75       |
| <i>thiothixene</i> .....                   | 70       | <i>travoprost</i> .....                 | 195     | <i>trivora (28)</i> .....             | 108      |
| <i>tiadylt er</i> .....                    | 88       | <i>trazodone</i> .....                  | 48      | <i>tri-vylibra</i> .....              | 108      |
| <i>tiagabine</i> .....                     | 43       | TRECATOR .....                          | 60      | <i>tri-vylibra lo</i> .....           | 108      |
| TIBSOVO.....                               | 35       | TRELEGY ELLIPTA.....                    | 200     | TRIZIVIR .....                        | 75       |
| <i>ticagrelor</i> .....                    | 81       | TRELSTAR.....                           | 35      | TROGARZO.....                         | 76       |
| TICE BCG.....                              | 35       | TREMFYA .....                           | 183     | TROPHAMINE 10 %.....                  | 83       |
| TICOVAC .....                              | 189      | TREMFYA ONE-PRESS....                   | 183     | <i>trospium</i> .....                 | 170      |
| <i>tigecycline</i> .....                   | 19       | TREMFYA PEN.....                        | 183     | TRUE COMFORT ALCOHOL                  |          |
| <i>tilia fe</i> .....                      | 107      | TREMFYA PEN INDUCTION                   |         | PADS .....                            | 149      |
| <i>timolol</i> .....                       | 195      | PK(2PEN).....                           | 183     | TRUE COMFORT INSULIN                  |          |
| <i>timolol maleate</i> .....               | 87, 195  | <i>treprostinil sodium</i> .....        | 204     | SYRINGE .....                         | 148, 149 |
| <i>tinidazole</i> .....                    | 62       | <i>tretinoin</i> .....                  | 114     | TRUE COMFORT PEN                      |          |
| <i>tiopronin</i> .....                     | 170      | <i>tretinoin (antineoplastic)</i> ..... | 36      | NEEDLE .....                          | 149      |
| <i>tiotropium bromide</i> .....            | 200      | <i>triamcinol ac (pf) in 0.9%nacl</i>   |         | TRUE COMFORT PRO                      |          |
| TIVDAK.....                                | 35       | .....                                   | 114     | ALCOHOL PADS .....                    | 149      |

|                                                         |                                                     |                                                    |
|---------------------------------------------------------|-----------------------------------------------------|----------------------------------------------------|
| TRUE COMFORT PRO INS<br>SYRINGE.....148, 149            | ULTIGUARD SAFEPACK-<br>PEN NEEDLE ..... 152         | UNIFINE PENTIPS PLUS. 157,<br>158, 160             |
| TRUE COMFORT SAFE<br>INSULIN SYRG .....148, 149,<br>150 | ULTILET ALCOHOL SWAB<br>..... 153                   | UNIFINE PENTIPS PLUS<br>MAXFLOW ..... 157          |
| TRUE COMFORT SAFETY<br>PEN NEEDLE.....148               | ULTILET INSULIN SYRINGE<br>..... 134, 135, 153      | UNIFINE PROTECT..... 158                           |
| TRUE-COMFORT PRO PEN<br>NEEDLE .....150                 | ULTILET PEN NEEDLE.... 153                          | UNIFINE SAFECONTROL<br>PEN NEEDLE ..... 158        |
| TRUEPLUS INSULIN.150, 151                               | ULTRA CMFT INS SYR<br>(HALF UNIT)..... 132, 151     | UNIFINE ULTRA PEN<br>NEEDLE ..... 158              |
| TRUEPLUS PEN NEEDLE.150                                 | ULTRA COMFORT INSULIN<br>SYRINGE..... 132, 153, 154 | UPTRAVI ..... 204                                  |
| TRULANCE.....168                                        | ULTRA FLO INSUL<br>SYR(HALF UNIT)..... 154          | <i>ursodiol</i> ..... 168, 169                     |
| TRULICITY.....51                                        | ULTRA FLO INSULIN<br>SYRINGE ..... 154              | <i>ustekinumab-aauz</i> ..... 184                  |
| TRUMENBA .....189                                       | ULTRA FLO PEN NEEDLE<br>..... 154                   | UZEDY ..... 70, 71                                 |
| TRUQAP .....36                                          | ULTRA THIN PEN NEEDLE<br>..... 154                  | <b>V</b>                                           |
| TRUXIMA .....36                                         | ULTRACARE INSULIN<br>SYRINGE ..... 155              | <i>valacyclovir</i> ..... 78                       |
| TUKYSA.....36                                           | ULTRACARE PEN NEEDLE<br>..... 155                   | VALCHLOR..... 110                                  |
| TURALIO .....36                                         | ULTRA-FINE INS SYR (HALF<br>UNIT) ..... 155, 156    | <i>valganciclovir</i> ..... 78                     |
| <i>turqoz</i> (28) .....108                             | ULTRA-FINE INSULIN<br>SYRINGE ..... 155, 156        | <i>valproate sodium</i> ..... 43                   |
| TWINRIX (PF) .....189                                   | ULTRA-FINE PEN NEEDLE<br>..... 156                  | <i>valproic acid</i> ..... 43                      |
| <i>tyblume</i> .....108                                 | ULTRA-THIN II (SHORT) INS<br>SYR ..... 156, 157     | <i>valproic acid (as sodium salt)</i> 43           |
| TYBOST .....194                                         | ULTRA-THIN II (SHORT)<br>PEN NDL ..... 157          | <i>valsartan</i> ..... 84                          |
| TYENNE.....184                                          | ULTRA-THIN II INS PEN<br>NEEDLES ..... 157          | <i>valsartan-hydrochlorothiazide</i><br>..... 84   |
| TYENNE AUTOINJECTOR<br>.....183                         | ULTRA-THIN II INSULIN<br>SYRINGE ..... 156, 157     | VALTOCO ..... 43                                   |
| TYMLOS .....192                                         | UNIFINE OTC PEN NEEDLE<br>..... 157                 | <i>valtya</i> ..... 108                            |
| TYPHIM VI .....189                                      | UNIFINE PENTIPS ..... 157                           | <i>vancomycin</i> ..... 12                         |
| TYVASO.....204                                          | UNIFINE PENTIPS<br>MAXFLOW..... 157                 | VANFLYTA ..... 36                                  |
| <b>U</b>                                                |                                                     | VANISHPOINT INSULIN<br>SYRINGE ..... 159           |
| UBRELVY .....59                                         |                                                     | VANISHPOINT SYRINGE 158,<br>159                    |
| UDENYCA ONBODY .....81                                  |                                                     | VAQTA (PF) ..... 189                               |
| ULTICARE .....151, 152                                  |                                                     | <i>varenicline tartrate</i> ..... 9                |
| ULTICARE INSULIN<br>SYRINGE.....151                     |                                                     | VARIVAX (PF)..... 190                              |
| ULTICARE INSULN<br>SYR(HALF UNIT) .....151              |                                                     | VAXCHORA VACCINE ... 190                           |
| ULTICARE PEN NEEDLE.151                                 |                                                     | <i>velivet triphasic regimen</i> (28)<br>..... 108 |
| ULTICARE SAFETY PEN<br>NEEDLE .....152                  |                                                     | VELTASSA ..... 169                                 |
| ULTIGUARD SAFEPACK-<br>INSULIN SYR .....152, 153        |                                                     | VEMLIDY ..... 76                                   |

|                                   |          |                           |        |                                   |     |
|-----------------------------------|----------|---------------------------|--------|-----------------------------------|-----|
| <i>venlafaxine</i> .....          | 48, 49   | VOQUEZNA .....            | 167    | XTANDI .....                      | 38  |
| <i>venlafaxine besylate</i> ..... | 48       | VORANIGO .....            | 37     | <i>xulane</i> .....               | 108 |
| VEOZAH .....                      | 194      | <i>voriconazole</i> ..... | 57     | XULTOPHY 100/3.6 .....            | 54  |
| <i>verapamil</i> .....            | 88       | VOSEVI .....              | 77     | <b>Y</b>                          |     |
| VERIFINE INSULIN                  |          | VOWST .....               | 194    | <i>yargesa</i> .....              | 161 |
| SYRINGE .....                     | 159, 160 | <i>vp-ch-pnv</i> .....    | 206    | YERVOY .....                      | 38  |
| VERIFINE PEN NEEDLE .....         | 159      | VRAYLAR .....             | 71     | YESINTEK .....                    | 184 |
| VERIFINE PLUS PEN                 |          | VUMERITY .....            | 99     | YF-VAX (PF) .....                 | 190 |
| NEEDLE .....                      | 159      | VYALEV .....              | 64     | YONSA .....                       | 38  |
| VERIFINE PLUS PEN                 |          | <i>vyfemla (28)</i> ..... | 108    | YUFLYMA(CF) .....                 | 184 |
| NEEDLE-SHARP .....                | 159      | <i>vylibra</i> .....      | 108    | YUFLYMA(CF) AI CROHN'S-           |     |
| VERQUVO .....                     | 89       | VYLOY .....               | 37     | UC-HS .....                       | 184 |
| VERSACLOZ .....                   | 71       | VYNDAMAX .....            | 89     | YUFLYMA(CF)                       |     |
| VERSALON .....                    | 160      | VYZULTA .....             | 195    | AUTOINJECTOR .....                | 184 |
| VERZENIO .....                    | 36       | <b>W</b>                  |        | <i>yulithira</i> .....            | 38  |
| <i>vestura (28)</i> .....         | 108      | <i>warfarin</i> .....     | 79     | YUTREPIA .....                    | 204 |
| V-GO 20 .....                     | 160      | WEBCOL .....              | 160    | <i>yuvaferm</i> .....             | 173 |
| V-GO 30 .....                     | 160      | WELIREG .....             | 37     | <b>Z</b>                          |     |
| V-GO 40 .....                     | 160      | WINREVAIR .....           | 202    | <i>zafemy</i> .....               | 108 |
| <i>vienva</i> .....               | 108      | <i>wixela inhub</i> ..... | 198    | <i>zafirlukast</i> .....          | 198 |
| <i>vigabatrin</i> .....           | 43, 44   | <b>X</b>                  |        | <i>zaleplon</i> .....             | 203 |
| <i>vigadrone</i> .....            | 44       | XALKORI .....             | 37     | <i>zatean-pn dha</i> .....        | 206 |
| <i>vigpoder</i> .....             | 44       | <i>xarah fe</i> .....     | 108    | <i>zatean-pn plus</i> .....       | 206 |
| <i>vilazodone</i> .....           | 49       | XARELTO .....             | 79     | <i>zebutal</i> .....              | 6   |
| VIMKUNYA .....                    | 190      | XARELTO DVT-PE TREAT      |        | ZEJULA .....                      | 38  |
| <i>vinblastine</i> .....          | 36       | 30D START .....           | 79     | ZELBORAF .....                    | 38  |
| <i>vincasar pfs</i> .....         | 36       | XATMEP .....              | 37     | <i>zenatane</i> .....             | 110 |
| <i>vincristine</i> .....          | 36       | XCOPRI .....              | 44     | ZENPEP .....                      | 161 |
| <i>vinorelbine</i> .....          | 36       | XCOPRI MAINTENANCE        |        | <i>zidovudine</i> .....           | 76  |
| <i>violele (28)</i> .....         | 108      | PACK .....                | 44     | ZIIHERA .....                     | 38  |
| VIRACEPT .....                    | 76       | XCOPRI TITRATION PACK     |        | <i>zingiber</i> .....             | 206 |
| VIREAD .....                      | 76       | .....                     | 44     | <i>ziprasidone hcl</i> .....      | 71  |
| <i>virt-pn dha</i> .....          | 206      | XDEMVI .....              | 164    | <i>ziprasidone mesylate</i> ..... | 71  |
| <i>vitafol gummies</i> .....      | 206      | XELJANZ .....             | 184    | ZIRABEV .....                     | 38  |
| <i>vitafol-ob+dha</i> .....       | 206      | XELJANZ XR .....          | 184    | ZIRGAN .....                      | 164 |
| VITRAKVI .....                    | 36, 37   | XERMELO .....             | 169    | ZOLADEX .....                     | 38  |
| VIVIMUSTA .....                   | 37       | XIFAXAN .....             | 12     | ZOLINZA .....                     | 38  |
| VIVOTIF .....                     | 190      | XIGDUO XR .....           | 51     | <i>zolmitriptan</i> .....         | 59  |
| VIZIMPRO .....                    | 37       | XIIDRA .....              | 165    | <i>zolpidem</i> .....             | 203 |
| VOCABRIA .....                    | 76       | XOLAIR .....              | 202    | ZONISADE .....                    | 44  |
| <i>volnea (28)</i> .....          | 108      | XOSPATA .....             | 37     | <i>zonisamide</i> .....           | 44  |
| VONJO .....                       | 37       | XPOVIO .....              | 37, 38 | <i>zovia 1-35 (28)</i> .....      | 108 |

ZTALMY .....44  
ZTLIDO .....8  
*zumandimine (28)* .....109

ZURZUVAE..... 49  
ZYDELIG..... 38  
ZYKADIA..... 38

ZYNLONTA.....38  
ZYNYZ.....39  
ZYPREXA RELPREVV ..... 71

# VILLAGECAREMAX 優越健保 愛 心 村

免費電話 **1-855-296-8800** TTY **711**

上午 8 時至晚上 8 時，全週無休

**[www.villagecaremax.org](http://www.villagecaremax.org)**

此處方集更新於 07/27/2026. 欲獲更多最新資訊或有其他問題，請聯絡 VillageCareMAX 會員服務部，電話為 1-855-296-8800，TTY 使用者請撥打 711，服務時間為上午 8:00 至晚上 8:00，全週無休，或是造訪 [www.villagecaremax.org](http://www.villagecaremax.org).